


Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	864.01	-65.8	-13	52.8	Pass	9701
1000	1840	1	RMS	1840	-51.2	-13	38.2	Pass	841
1840	1920	1	RMS	1850.2	22.24	60	37.76	Pass	401
1920	3000	1	RMS	2984	-52.81	-13	39.81	Pass	1081
3000	12000	1	RMS	3701	-40.81	-13	27.81	Pass	9002
12000	20000	1	RMS	13603	-41.37	-13	28.37	Pass	8001




1.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.81	-13	59.81	Pass	2986
30	1000	0.1	RMS	849.7	-65.8	-13	52.8	Pass	9701
1000	1840	1	RMS	1840	-51.69	-13	38.69	Pass	841
1840	1920	1	RMS	1850.2	21.5	60	38.5	Pass	401
1920	3000	1	RMS	2941	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-41.58	-13	28.58	Pass	9002
12000	20000	1	RMS	13603	-41.39	-13	28.39	Pass	8001




**1.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.21	-73.17	-13	60.17	Pass	2986
30	1000	0.1	RMS	841.7	-65.69	-13	52.69	Pass	9701
1000	1840	1	RMS	1839	-54.65	-13	41.65	Pass	841
1840	1920	1	RMS	1879.6	22.31	60	37.69	Pass	401
1920	3000	1	RMS	2990	-52.78	-13	39.78	Pass	1081
3000	12000	1	RMS	3759	-40.68	-13	27.68	Pass	9002
12000	20000	1	RMS	13601	-41.4	-13	28.4	Pass	8001




**1.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	861.008	-65.89	-13	52.89	Pass	9701
1000	1840	1	RMS	1837	-54.7	-13	41.7	Pass	841
1840	1920	1	RMS	1879.6	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2930	-52.72	-13	39.72	Pass	1081
3000	12000	1	RMS	3759	-40.95	-13	27.95	Pass	9002
12000	20000	1	RMS	13605	-41.43	-13	28.43	Pass	8001




1.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	59.69	Pass	2986
30	1000	0.1	RMS	958.773	-65.81	-13	52.81	Pass	9701
1000	1840	1	RMS	1833	-54.78	-13	41.78	Pass	841
1840	1920	1	RMS	1908.8	21.4	60	38.6	Pass	401
1920	3000	1	RMS	2977	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3818	-39.08	-13	26.08	Pass	9002
12000	20000	1	RMS	13600	-41.37	-13	28.37	Pass	8001




**1.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	59.56	Pass	401
0.15	30	0.01	RMS	0.21	-73.21	-13	60.21	Pass	2986
30	1000	0.1	RMS	848.4	-65.84	-13	52.84	Pass	9701
1000	1840	1	RMS	1836	-54.73	-13	41.73	Pass	841
1840	1920	1	RMS	1908.8	20.72	60	39.28	Pass	401
1920	3000	1	RMS	2989	-52.76	-13	39.76	Pass	1081
3000	12000	1	RMS	3818	-40.06	-13	27.06	Pass	9002
12000	20000	1	RMS	13600	-41.41	-13	28.41	Pass	8001




**1.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	59.99	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	842.8	-65.82	-13	52.82	Pass	9701
1000	1840	1	RMS	1840	-50.72	-13	37.72	Pass	841
1840	1920	1	RMS	1850.2	22.31	60	37.69	Pass	401
1920	3000	1	RMS	2991	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-40.8	-13	27.8	Pass	9002
12000	20000	1	RMS	13599	-41.42	-13	28.42	Pass	8001




**1.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	924.45	-65.79	-13	52.79	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	37.78	Pass	841
1840	1920	1	RMS	1850.2	21.57	60	38.43	Pass	401
1920	3000	1	RMS	2978	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-41.47	-13	28.47	Pass	9002
12000	20000	1	RMS	13600	-41.4	-13	28.4	Pass	8001




1.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	869.113	-65.84	-13	52.84	Pass	9701
1000	1840	1	RMS	1839	-54.68	-13	41.68	Pass	841
1840	1920	1	RMS	1878.8	22.3	60	37.7	Pass	401
1920	3000	1	RMS	2923	-52.82	-13	39.82	Pass	1081
3000	12000	1	RMS	3758	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	13605	-41.47	-13	28.47	Pass	8001




1.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	925.851	-65.85	-13	52.85	Pass	9701
1000	1840	1	RMS	1837	-54.77	-13	41.77	Pass	841
1840	1920	1	RMS	1878.8	21.54	60	38.46	Pass	401
1920	3000	1	RMS	2841	-52.8	-13	39.8	Pass	1081
3000	12000	1	RMS	3758	-41.89	-13	28.89	Pass	9002
12000	20000	1	RMS	13603	-41.48	-13	28.48	Pass	8001




1.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	853.303	-65.7	-13	52.7	Pass	9701
1000	1840	1	RMS	1837	-54.7	-13	41.7	Pass	841
1840	1920	1	RMS	1907.2	21.87	60	38.13	Pass	401
1920	3000	1	RMS	2930	-52.77	-13	39.77	Pass	1081
3000	12000	1	RMS	3815	-40.62	-13	27.62	Pass	9002
12000	20000	1	RMS	13600	-41.48	-13	28.48	Pass	8001




1.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	961.174	-65.79	-13	52.79	Pass	9701
1000	1840	1	RMS	1836	-54.75	-13	41.75	Pass	841
1840	1920	1	RMS	1907.2	21.19	60	38.81	Pass	401
1920	3000	1	RMS	2960	-52.82	-13	39.82	Pass	1081
3000	12000	1	RMS	3815	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	13598	-41.46	-13	28.46	Pass	8001




1.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	844.1	-65.86	-13	52.86	Pass	9701
1000	1840	1	RMS	1840	-50.99	-13	37.99	Pass	841
1840	1920	1	RMS	1850.4	22.31	60	37.69	Pass	401
1920	3000	1	RMS	2963	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-39.89	-13	26.89	Pass	9002
12000	20000	1	RMS	13600	-41.4	-13	28.4	Pass	8001




1.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-13	60.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	915.344	-65.78	-13	52.78	Pass	9701
1000	1840	1	RMS	1840	-51.47	-13	38.47	Pass	841
1840	1920	1	RMS	1850.4	21.52	60	38.48	Pass	401
1920	3000	1	RMS	2976	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-40.56	-13	27.56	Pass	9002
12000	20000	1	RMS	13600	-41.36	-13	28.36	Pass	8001




1.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	851.902	-65.84	-13	52.84	Pass	9701
1000	1840	1	RMS	1839	-54.67	-13	41.67	Pass	841
1840	1920	1	RMS	1877.8	22.55	60	37.45	Pass	401
1920	3000	1	RMS	2981	-52.8	-13	39.8	Pass	1081
3000	12000	1	RMS	3756	-40.76	-13	27.76	Pass	9002
12000	20000	1	RMS	13599	-41.4	-13	28.4	Pass	8001




1.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	978.986	-65.84	-13	52.84	Pass	9701
1000	1840	1	RMS	1836	-54.71	-13	41.71	Pass	841
1840	1920	1	RMS	1877.8	21.94	60	38.06	Pass	401
1920	3000	1	RMS	2982	-52.8	-13	39.8	Pass	1081
3000	12000	1	RMS	3756	-41.46	-13	28.46	Pass	9002
12000	20000	1	RMS	13601	-41.44	-13	28.44	Pass	8001




1.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	1000	0.1	RMS	968.079	-65.74	-13	52.74	Pass	9701
1000	1840	1	RMS	1839	-54.74	-13	41.74	Pass	841
1840	1920	1	RMS	1905.4	22.26	60	37.74	Pass	401
1920	3000	1	RMS	2987	-52.8	-13	39.8	Pass	1081
3000	12000	1	RMS	3811	-40.5	-13	27.5	Pass	9002
12000	20000	1	RMS	13602	-41.39	-13	28.39	Pass	8001




1.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	933.856	-65.8	-13	52.8	Pass	9701
1000	1840	1	RMS	1840	-54.74	-13	41.74	Pass	841
1840	1920	1	RMS	1905.4	21.67	60	38.33	Pass	401
1920	3000	1	RMS	2999	-52.81	-13	39.81	Pass	1081
3000	12000	1	RMS	3811	-40.44	-13	27.44	Pass	9002
12000	20000	1	RMS	13607	-41.47	-13	28.47	Pass	8001




**1.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.45	-13	60.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	969.48	-65.78	-13	52.78	Pass	9701
1000	1840	1	RMS	1833	-48.68	-13	35.68	Pass	841
1840	1920	1	RMS	1850.6	22.32	60	37.68	Pass	401
1920	3000	1	RMS	2995	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-40.28	-13	27.28	Pass	9002
12000	20000	1	RMS	13597	-41.41	-13	28.41	Pass	8001




1.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	921.148	-65.86	-13	52.86	Pass	9701
1000	1840	1	RMS	1833	-48.75	-13	35.75	Pass	841
1840	1920	1	RMS	1850.6	21.6	60	38.4	Pass	401
1920	3000	1	RMS	2994	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3701	-41.04	-13	28.04	Pass	9002
12000	20000	1	RMS	13601	-41.37	-13	28.37	Pass	8001




1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	842.3	-65.62	-13	52.62	Pass	9701
1000	1840	1	RMS	1840	-52.6	-13	39.6	Pass	841
1840	1920	1	RMS	1875.6	22.64	60	37.36	Pass	401
1920	3000	1	RMS	2838	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3751	-41.58	-13	28.58	Pass	9002
12000	20000	1	RMS	13598	-41.41	-13	28.41	Pass	8001




1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	845.1	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1840	-52.29	-13	39.29	Pass	841
1840	1920	1	RMS	1875.6	21.84	60	38.16	Pass	401
1920	3000	1	RMS	2985	-52.76	-13	39.76	Pass	1081
3000	12000	1	RMS	3751	-42.07	-13	29.07	Pass	9002
12000	20000	1	RMS	13600	-41.42	-13	28.42	Pass	8001




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	872.716	-65.91	-13	52.91	Pass	9701
1000	1840	1	RMS	1839	-54.7	-13	41.7	Pass	841
1840	1920	1	RMS	1900.6	22.41	60	37.59	Pass	401
1920	3000	1	RMS	1920	-50.77	-13	37.77	Pass	1081
3000	12000	1	RMS	3801	-38.58	-13	25.58	Pass	9002
12000	20000	1	RMS	13603	-41.4	-13	28.4	Pass	8001




1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	935.157	-65.92	-13	52.92	Pass	9701
1000	1840	1	RMS	1838	-54.69	-13	41.69	Pass	841
1840	1920	1	RMS	1900.6	21.68	60	38.32	Pass	401
1920	3000	1	RMS	1920	-50.97	-13	37.97	Pass	1081
3000	12000	1	RMS	3801	-38.97	-13	25.97	Pass	9002
12000	20000	1	RMS	13603	-41.43	-13	28.43	Pass	8001




1.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	853.103	-65.84	-13	52.84	Pass	9701
1000	1840	1	RMS	1838	-38.79	-13	25.79	Pass	841
1840	1920	1	RMS	1850.8	22.16	60	37.84	Pass	401
1920	3000	1	RMS	2920	-52.82	-13	39.82	Pass	1081
3000	12000	1	RMS	3702	-40.11	-13	27.11	Pass	9002
12000	20000	1	RMS	13600	-41.43	-13	28.43	Pass	8001




1.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	852.702	-65.77	-13	52.77	Pass	9701
1000	1840	1	RMS	1838	-40.64	-13	27.64	Pass	841
1840	1920	1	RMS	1850.8	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2996	-52.83	-13	39.83	Pass	1081
3000	12000	1	RMS	3702	-40.57	-13	27.57	Pass	9002
12000	20000	1	RMS	13601	-41.45	-13	28.45	Pass	8001




**1.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	988.392	-65.76	-13	52.76	Pass	9701
1000	1840	1	RMS	1840	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1873.4	22.36	60	37.64	Pass	401
1920	3000	1	RMS	2840	-52.83	-13	39.83	Pass	1081
3000	12000	1	RMS	3747	-40.15	-13	27.15	Pass	9002
12000	20000	1	RMS	13600	-41.46	-13	28.46	Pass	8001




1.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	834.5	-65.73	-13	52.73	Pass	9701
1000	1840	1	RMS	1840	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1873.2	21.65	60	38.35	Pass	401
1920	3000	1	RMS	2990	-52.84	-13	39.84	Pass	1081
3000	12000	1	RMS	3747	-40.75	-13	27.75	Pass	9002
12000	20000	1	RMS	13602	-41.41	-13	28.41	Pass	8001




**1.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	960.474	-65.78	-13	52.78	Pass	9701
1000	1840	1	RMS	1838	-54.74	-13	41.74	Pass	841
1840	1920	1	RMS	1895.8	21.75	60	38.25	Pass	401
1920	3000	1	RMS	1923	-42.53	-13	29.53	Pass	1081
3000	12000	1	RMS	3792	-38.4	-13	25.4	Pass	9002
12000	20000	1	RMS	13600	-41.4	-13	28.4	Pass	8001




1.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	867.112	-65.81	-13	52.81	Pass	9701
1000	1840	1	RMS	1839	-54.7	-13	41.7	Pass	841
1840	1920	1	RMS	1895.8	21	60	39	Pass	401
1920	3000	1	RMS	1923	-41.84	-13	28.84	Pass	1081
3000	12000	1	RMS	3792	-38.89	-13	25.89	Pass	9002
12000	20000	1	RMS	13602	-41.39	-13	28.39	Pass	8001




1.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.29	-13	60.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	972.682	-65.78	-13	52.78	Pass	9701
1000	1840	1	RMS	1833	-46.63	-13	33.63	Pass	841
1840	1920	1	RMS	1851	22.03	60	37.97	Pass	401
1920	3000	1	RMS	2993	-52.81	-13	39.81	Pass	1081
3000	12000	1	RMS	3702	-40.59	-13	27.59	Pass	9002
12000	20000	1	RMS	13605	-41.46	-13	28.46	Pass	8001




1.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.17	-72.8	-13	59.8	Pass	2986
30	1000	0.1	RMS	824.5	-65.86	-13	52.86	Pass	9701
1000	1840	1	RMS	1833	-48.76	-13	35.76	Pass	841
1840	1920	1	RMS	1851	21.4	60	38.6	Pass	401
1920	3000	1	RMS	2981	-52.82	-13	39.82	Pass	1081
3000	12000	1	RMS	3702	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	13600	-41.44	-13	28.44	Pass	8001




**1.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	855.104	-65.89	-13	52.89	Pass	9701
1000	1840	1	RMS	1836	-45.18	-13	32.18	Pass	841
1840	1920	1	RMS	1871	22.34	60	37.66	Pass	401
1920	3000	1	RMS	2938	-52.79	-13	39.79	Pass	1081
3000	12000	1	RMS	3742	-41.25	-13	28.25	Pass	9002
12000	20000	1	RMS	13601	-41.44	-13	28.44	Pass	8001




1.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-13	60.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	851.402	-65.88	-13	52.88	Pass	9701
1000	1840	1	RMS	1836	-45.42	-13	32.42	Pass	841
1840	1920	1	RMS	1871	21.61	60	38.39	Pass	401
1920	3000	1	RMS	2835	-52.8	-13	39.8	Pass	1081
3000	12000	1	RMS	3742	-41.65	-13	28.65	Pass	9002
12000	20000	1	RMS	13603	-41.46	-13	28.46	Pass	8001




1.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	837.7	-65.86	-13	52.86	Pass	9701
1000	1840	1	RMS	1838	-54.58	-13	41.58	Pass	841
1840	1920	1	RMS	1891	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2937	-52.82	-13	39.82	Pass	1081
3000	12000	1	RMS	3782	-39.16	-13	26.16	Pass	9002
12000	20000	1	RMS	13600	-41.47	-13	28.47	Pass	8001



1.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.21	-72.92	-13	59.92	Pass	2986
30	1000	0.1	RMS	860.608	-65.75	-13	52.75	Pass	9701
1000	1840	1	RMS	1838	-54.62	-13	41.62	Pass	841
1840	1920	1	RMS	1891	20.82	60	39.18	Pass	401
1920	3000	1	RMS	2991	-52.81	-13	39.81	Pass	1081
3000	12000	1	RMS	3782	-39.65	-13	26.65	Pass	9002
12000	20000	1	RMS	13600	-41.35	-13	28.35	Pass	8001



2. LTE_Band4


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	864.51	-65.79	-13	52.79	Pass	9701
1000	1700	1	RMS	1700	-52.05	-13	39.05	Pass	701
1700	1765	1	RMS	1710.238	21.89	60	38.11	Pass	401
1765	3000	1	RMS	2953	-52.82	-13	39.82	Pass	1236
3000	12000	1	RMS	3421	-43.63	-13	30.63	Pass	9002
12000	20000	1	RMS	13598	-41.47	-13	28.47	Pass	8001




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	991.895	-65.87	-13	52.87	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	39.37	Pass	701
1700	1765	1	RMS	1710.238	20.99	60	39.01	Pass	401
1765	3000	1	RMS	2997	-52.82	-13	39.82	Pass	1236
3000	12000	1	RMS	3421	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13602	-41.45	-13	28.45	Pass	8001




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	962.675	-65.9	-13	52.9	Pass	9701
1000	1700	1	RMS	1674	-54.82	-13	41.82	Pass	701
1700	1765	1	RMS	1732.013	22.49	60	37.51	Pass	401
1765	3000	1	RMS	2839	-52.83	-13	39.83	Pass	1236
3000	12000	1	RMS	3464	-42.97	-13	29.97	Pass	9002
12000	20000	1	RMS	13603	-41.46	-13	28.46	Pass	8001




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	846.5	-65.76	-13	52.76	Pass	9701
1000	1700	1	RMS	1673	-54.81	-13	41.81	Pass	701
1700	1765	1	RMS	1732.013	21.64	60	38.36	Pass	401
1765	3000	1	RMS	2983	-52.8	-13	39.8	Pass	1236
3000	12000	1	RMS	3464	-43.6	-13	30.6	Pass	9002
12000	20000	1	RMS	13601	-41.32	-13	28.32	Pass	8001




**2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	847.8	-65.86	-13	52.86	Pass	9701
1000	1700	1	RMS	1673	-54.79	-13	41.79	Pass	701
1700	1765	1	RMS	1753.78 8	22.58	60	37.42	Pass	401
1765	3000	1	RMS	1765	-51.17	-13	38.17	Pass	1236
3000	12000	1	RMS	3508	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	13598	-41.42	-13	28.42	Pass	8001




**2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.37	-13	60.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	855.604	-65.87	-13	52.87	Pass	9701
1000	1700	1	RMS	1680	-54.78	-13	41.78	Pass	701
1700	1765	1	RMS	1753.78 8	21.93	60	38.07	Pass	401
1765	3000	1	RMS	1765	-51.51	-13	38.51	Pass	1236
3000	12000	1	RMS	3508	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	13600	-41.42	-13	28.42	Pass	8001




2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	979.586	-65.79	-13	52.79	Pass	9701
1000	1700	1	RMS	1700	-50.42	-13	37.42	Pass	701
1700	1765	1	RMS	1710.238	21.79	60	38.21	Pass	401
1765	3000	1	RMS	2836	-52.81	-13	39.81	Pass	1236
3000	12000	1	RMS	3421	-43.83	-13	30.83	Pass	9002
12000	20000	1	RMS	13607	-41.4	-13	28.4	Pass	8001




**2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	849.2	-65.88	-13	52.88	Pass	9701
1000	1700	1	RMS	1700	-50.26	-13	37.26	Pass	701
1700	1765	1	RMS	1710.23 8	21	60	39	Pass	401
1765	3000	1	RMS	2851	-52.82	-13	39.82	Pass	1236
3000	12000	1	RMS	3421	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-41.44	-13	28.44	Pass	8001




**2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	60.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	860.207	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1698	-54.79	-13	41.79	Pass	701
1700	1765	1	RMS	1731.2	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2988	-52.81	-13	39.81	Pass	1236
3000	12000	1	RMS	3463	-43.9	-13	30.9	Pass	9002
12000	20000	1	RMS	13599	-41.46	-13	28.46	Pass	8001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.41	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	848	-65.78	-13	52.78	Pass	9701
1000	1700	1	RMS	1680	-54.83	-13	41.83	Pass	701
1700	1765	1	RMS	1731.2	21.6	60	38.4	Pass	401
1765	3000	1	RMS	2990	-52.82	-13	39.82	Pass	1236
3000	12000	1	RMS	3463	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13605	-41.45	-13	28.45	Pass	8001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.35	-13	60.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	849.8	-65.84	-13	52.84	Pass	9701
1000	1700	1	RMS	1686	-54.85	-13	41.85	Pass	701
1700	1765	1	RMS	1752.163	22.36	60	37.64	Pass	401
1765	3000	1	RMS	1765	-52.62	-13	39.62	Pass	1236
3000	12000	1	RMS	3505	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	13603	-41.48	-13	28.48	Pass	8001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	841.2	-65.89	-13	52.89	Pass	9701
1000	1700	1	RMS	1680	-54.76	-13	41.76	Pass	701
1700	1765	1	RMS	1752.163	21.72	60	38.28	Pass	401
1765	3000	1	RMS	2940	-52.81	-13	39.81	Pass	1236
3000	12000	1	RMS	3505	-43.58	-13	30.58	Pass	9002
12000	20000	1	RMS	13603	-41.42	-13	28.42	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	850.601	-65.95	-13	52.95	Pass	9701
1000	1700	1	RMS	1700	-52.06	-13	39.06	Pass	701
1700	1765	1	RMS	1710.238	21.85	60	38.15	Pass	401
1765	3000	1	RMS	2991	-52.82	-13	39.82	Pass	1236
3000	12000	1	RMS	3421	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	13600	-41.51	-13	28.51	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	843.1	-65.89	-13	52.89	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	39.39	Pass	701
1700	1765	1	RMS	1710.4	21.03	60	38.97	Pass	401
1765	3000	1	RMS	2995	-52.81	-13	39.81	Pass	1236
3000	12000	1	RMS	3421	-43.43	-13	30.43	Pass	9002
12000	20000	1	RMS	13600	-41.4	-13	28.4	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	843.5	-65.8	-13	52.8	Pass	9701
1000	1700	1	RMS	1699	-54.81	-13	41.81	Pass	701
1700	1765	1	RMS	1730.388	22.49	60	37.51	Pass	401
1765	3000	1	RMS	2989	-52.79	-13	39.79	Pass	1236
3000	12000	1	RMS	3461	-43.51	-13	30.51	Pass	9002
12000	20000	1	RMS	13602	-41.38	-13	28.38	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.15	-73.16	-13	60.16	Pass	2986
30	1000	0.1	RMS	839.3	-65.83	-13	52.83	Pass	9701
1000	1700	1	RMS	1675	-54.82	-13	41.82	Pass	701
1700	1765	1	RMS	1730.388	21.77	60	38.23	Pass	401
1765	3000	1	RMS	2931	-52.85	-13	39.85	Pass	1236
3000	12000	1	RMS	3461	-44.01	-13	31.01	Pass	9002
12000	20000	1	RMS	13600	-41.49	-13	28.49	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	831.9	-65.74	-13	52.74	Pass	9701
1000	1700	1	RMS	1678	-54.84	-13	41.84	Pass	701
1700	1765	1	RMS	1750.375	22.4	60	37.6	Pass	401
1765	3000	1	RMS	1768	-44.08	-13	31.08	Pass	1236
3000	12000	1	RMS	3501	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	13601	-41.37	-13	28.37	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	854.303	-65.86	-13	52.86	Pass	9701
1000	1700	1	RMS	1675	-54.86	-13	41.86	Pass	701
1700	1765	1	RMS	1750.375	21.69	60	38.31	Pass	401
1765	3000	1	RMS	1768	-43.29	-13	30.29	Pass	1236
3000	12000	1	RMS	3501	-43.35	-13	30.35	Pass	9002
12000	20000	1	RMS	13600	-41.46	-13	28.46	Pass	8001




**2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.25	-13	60.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	938.759	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1693	-47.25	-13	34.25	Pass	701
1700	1765	1	RMS	1710.56 3	21.84	60	38.16	Pass	401
1765	3000	1	RMS	2846	-52.82	-13	39.82	Pass	1236
3000	12000	1	RMS	3421	-43.41	-13	30.41	Pass	9002
12000	20000	1	RMS	13599	-41.41	-13	28.41	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	839.2	-65.88	-13	52.88	Pass	9701
1000	1700	1	RMS	1693	-46.72	-13	33.72	Pass	701
1700	1765	1	RMS	1710.563	21.21	60	38.79	Pass	401
1765	3000	1	RMS	2991	-52.81	-13	39.81	Pass	1236
3000	12000	1	RMS	3421	-43.6	-13	30.6	Pass	9002
12000	20000	1	RMS	13605	-41.43	-13	28.43	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	821.9	-65.98	-13	52.98	Pass	9701
1000	1700	1	RMS	1693	-54.34	-13	41.34	Pass	701
1700	1765	1	RMS	1728.113	22.5	60	37.5	Pass	401
1765	3000	1	RMS	2848	-52.81	-13	39.81	Pass	1236
3000	12000	1	RMS	3456	-44.04	-13	31.04	Pass	9002
12000	20000	1	RMS	13601	-41.43	-13	28.43	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	59.51	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	816.7	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1693	-54.32	-13	41.32	Pass	701
1700	1765	1	RMS	1728.113	21.76	60	38.24	Pass	401
1765	3000	1	RMS	2977	-52.79	-13	39.79	Pass	1236
3000	12000	1	RMS	3456	-44.68	-13	31.68	Pass	9002
12000	20000	1	RMS	13597	-41.44	-13	28.44	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	977.685	-65.81	-13	52.81	Pass	9701
1000	1700	1	RMS	1680	-54.79	-13	41.79	Pass	701
1700	1765	1	RMS	1745.5	22.28	60	37.72	Pass	401
1765	3000	1	RMS	1781	-43.82	-13	30.82	Pass	1236
3000	12000	1	RMS	3491	-43.3	-13	30.3	Pass	9002
12000	20000	1	RMS	13603	-41.42	-13	28.42	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	850.301	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1672	-54.84	-13	41.84	Pass	701
1700	1765	1	RMS	1745.5	21.64	60	38.36	Pass	401
1765	3000	1	RMS	1781	-43.23	-13	30.23	Pass	1236
3000	12000	1	RMS	3491	-43.8	-13	30.8	Pass	9002
12000	20000	1	RMS	13603	-41.35	-13	28.35	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	58.1	Pass	2986
30	1000	0.1	RMS	948.566	-65.77	-13	52.77	Pass	9701
1000	1700	1	RMS	1698	-43.79	-13	30.79	Pass	701
1700	1765	1	RMS	1710.888	21.93	60	38.07	Pass	401
1765	3000	1	RMS	1765	-49.31	-13	36.31	Pass	1236
3000	12000	1	RMS	3422	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	13600	-41.42	-13	28.42	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	903.536	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1698	-44.48	-13	31.48	Pass	701
1700	1765	1	RMS	1710.888	21.22	60	38.78	Pass	401
1765	3000	1	RMS	1765	-49.18	-13	36.18	Pass	1236
3000	12000	1	RMS	3422	-43.54	-13	30.54	Pass	9002
12000	20000	1	RMS	13606	-41.45	-13	28.45	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-13	60.39	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	937.659	-65.77	-13	52.77	Pass	9701
1000	1700	1	RMS	1699	-39.93	-13	26.93	Pass	701
1700	1765	1	RMS	1725.838	22.72	60	37.28	Pass	401
1765	3000	1	RMS	1779	-43.67	-13	30.67	Pass	1236
3000	12000	1	RMS	3452	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	13604	-41.4	-13	28.4	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	58.18	Pass	2986
30	1000	0.1	RMS	863.209	-65.61	-13	52.61	Pass	9701
1000	1700	1	RMS	1699	-41.01	-13	28.01	Pass	701
1700	1765	1	RMS	1725.838	22.04	60	37.96	Pass	401
1765	3000	1	RMS	1779	-44.72	-13	31.72	Pass	1236
3000	12000	1	RMS	3452	-43.65	-13	30.65	Pass	9002
12000	20000	1	RMS	13602	-41.47	-13	28.47	Pass	8001




**2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	1000	0.1	RMS	958.072	-65.8	-13	52.8	Pass	9701
1000	1700	1	RMS	1700	-54.73	-13	41.73	Pass	701
1700	1765	1	RMS	1740.78 8	22.28	60	37.72	Pass	401
1765	3000	1	RMS	1768	-24.99	-13	11.99	Pass	1236
3000	12000	1	RMS	3482	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	13609	-41.43	-13	28.43	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	849.6	-65.89	-13	52.89	Pass	9701
1000	1700	1	RMS	1688	-54.8	-13	41.8	Pass	701
1700	1765	1	RMS	1740.788	21.74	60	38.26	Pass	401
1765	3000	1	RMS	1768	-24.6	-13	11.6	Pass	1236
3000	12000	1	RMS	3482	-43.58	-13	30.58	Pass	9002
12000	20000	1	RMS	13609	-41.44	-13	28.44	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	954.87	-65.88	-13	52.88	Pass	9701
1000	1700	1	RMS	1693	-48.3	-13	35.3	Pass	701
1700	1765	1	RMS	1711.05	21.87	60	38.13	Pass	401
1765	3000	1	RMS	1782	-47.4	-13	34.4	Pass	1236
3000	12000	1	RMS	3422	-43.35	-13	30.35	Pass	9002
12000	20000	1	RMS	13595	-41.41	-13	28.41	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	856.405	-65.78	-13	52.78	Pass	9701
1000	1700	1	RMS	1693	-49.59	-13	36.59	Pass	701
1700	1765	1	RMS	1711.05	21.17	60	38.83	Pass	401
1765	3000	1	RMS	1782	-46.32	-13	33.32	Pass	1236
3000	12000	1	RMS	3422	-43.68	-13	30.68	Pass	9002
12000	20000	1	RMS	13604	-41.38	-13	28.38	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-13	60.4	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	59.15	Pass	2986
30	1000	0.1	RMS	824.5	-65.72	-13	52.72	Pass	9701
1000	1700	1	RMS	1688	-49.9	-13	36.9	Pass	701
1700	1765	1	RMS	1723.563	22.84	60	37.16	Pass	401
1765	3000	1	RMS	1795	-47.25	-13	34.25	Pass	1236
3000	12000	1	RMS	3447	-43.73	-13	30.73	Pass	9002
12000	20000	1	RMS	13598	-41.45	-13	28.45	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.15	-72.71	-13	59.71	Pass	2986
30	1000	0.1	RMS	985.19	-65.92	-13	52.92	Pass	9701
1000	1700	1	RMS	1688	-50.7	-13	37.7	Pass	701
1700	1765	1	RMS	1723.563	22.08	60	37.92	Pass	401
1765	3000	1	RMS	1795	-46.53	-13	33.53	Pass	1236
3000	12000	1	RMS	3447	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-41.4	-13	28.4	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	851.001	-65.8	-13	52.8	Pass	9701
1000	1700	1	RMS	1700	-41.77	-13	28.77	Pass	701
1700	1765	1	RMS	1736.075	22.21	60	37.79	Pass	401
1765	3000	1	RMS	1772	-22.6	-13	9.6	Pass	1236
3000	12000	1	RMS	3472	-43.95	-13	30.95	Pass	9002
12000	20000	1	RMS	13598	-41.44	-13	28.44	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	1000	0.1	RMS	843.2	-65.72	-13	52.72	Pass	9701
1000	1700	1	RMS	1700	-40.15	-13	27.15	Pass	701
1700	1765	1	RMS	1736.075	21.49	60	38.51	Pass	401
1765	3000	1	RMS	1772	-22.19	-13	9.19	Pass	1236
3000	12000	1	RMS	3472	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13601	-41.48	-13	28.48	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	813.6	-65.65	-13	52.65	Pass	7841
814	860	0.1	RMS	824.3	19.09	60	40.91	Pass	461
860	1000	0.1	RMS	956.4	-65.85	-13	52.85	Pass	1401
1000	3000	1	RMS	1648	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	6799	-47.21	-13	34.21	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	59.96	Pass	2986
30	814	0.1	RMS	813.6	-65.9	-13	52.9	Pass	7841
814	860	0.1	RMS	824.3	17.99	60	42.01	Pass	461
860	1000	0.1	RMS	986	-65.94	-13	52.94	Pass	1401
1000	3000	1	RMS	1648	-49.59	-13	36.59	Pass	2001
3000	10000	1	RMS	6799	-47.3	-13	34.3	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.18	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	798.8	-66.24	-13	53.24	Pass	7841
814	860	0.1	RMS	836.1	19.29	60	40.71	Pass	461
860	1000	0.1	RMS	892.5	-65.94	-13	52.94	Pass	1401
1000	3000	1	RMS	1672	-49.49	-13	36.49	Pass	2001
3000	10000	1	RMS	6803	-47.23	-13	34.23	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.22	-73	-13	60	Pass	2986
30	814	0.1	RMS	813	-66.21	-13	53.21	Pass	7841
814	860	0.1	RMS	836.1	18.41	60	41.59	Pass	461
860	1000	0.1	RMS	981.2	-65.98	-13	52.98	Pass	1401
1000	3000	1	RMS	1672	-50.34	-13	37.34	Pass	2001
3000	10000	1	RMS	6799	-47.28	-13	34.28	Pass	7001




**3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	59.47	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	752	-66.19	-13	53.19	Pass	7841
814	860	0.1	RMS	847.9	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	995.5	-65.95	-13	52.95	Pass	1401
1000	3000	1	RMS	1695	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	6801	-47.08	-13	34.08	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.18	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	771.6	-66.2	-13	53.2	Pass	7841
814	860	0.1	RMS	847.9	18.04	60	41.96	Pass	461
860	1000	0.1	RMS	975.2	-65.83	-13	52.83	Pass	1401
1000	3000	1	RMS	1695	-50.96	-13	37.96	Pass	2001
3000	10000	1	RMS	6803	-47.31	-13	34.31	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	59.75	Pass	2986
30	814	0.1	RMS	813.5	-65.86	-13	52.86	Pass	7841
814	860	0.1	RMS	824.3	18.85	60	41.15	Pass	461
860	1000	0.1	RMS	869.9	-65.94	-13	52.94	Pass	1401
1000	3000	1	RMS	1648	-48.63	-13	35.63	Pass	2001
3000	10000	1	RMS	6802	-47.18	-13	34.18	Pass	7001




**3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.6	-66.05	-13	53.05	Pass	7841
814	860	0.1	RMS	824.3	17.96	60	42.04	Pass	461
860	1000	0.1	RMS	973.6	-65.86	-13	52.86	Pass	1401
1000	3000	1	RMS	1648	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6802	-47.17	-13	34.17	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.37	-73.18	-13	60.18	Pass	2986
30	814	0.1	RMS	783.9	-66.15	-13	53.15	Pass	7841
814	860	0.1	RMS	835.3	19.1	60	40.9	Pass	461
860	1000	0.1	RMS	994.6	-65.96	-13	52.96	Pass	1401
1000	3000	1	RMS	1670	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6801	-47.25	-13	34.25	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	773.6	-66.19	-13	53.19	Pass	7841
814	860	0.1	RMS	835.3	18.09	60	41.91	Pass	461
860	1000	0.1	RMS	967.5	-65.88	-13	52.88	Pass	1401
1000	3000	1	RMS	1670	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	6800	-47.2	-13	34.2	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	60.34	Pass	401
0.15	30	0.01	RMS	0.22	-72.7	-13	59.7	Pass	2986
30	814	0.1	RMS	811.9	-66.11	-13	53.11	Pass	7841
814	860	0.1	RMS	846.3	18.9	60	41.1	Pass	461
860	1000	0.1	RMS	860.4	-65.93	-13	52.93	Pass	1401
1000	3000	1	RMS	1692	-48.82	-13	35.82	Pass	2001
3000	10000	1	RMS	6799	-47.23	-13	34.23	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	59.72	Pass	2986
30	814	0.1	RMS	753.2	-66.26	-13	53.26	Pass	7841
814	860	0.1	RMS	846.3	18.02	60	41.98	Pass	461
860	1000	0.1	RMS	976	-65.91	-13	52.91	Pass	1401
1000	3000	1	RMS	1692	-49.56	-13	36.56	Pass	2001
3000	10000	1	RMS	6801	-47.24	-13	34.24	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.88	-13	59.88	Pass	401
0.15	30	0.01	RMS	0.16	-72.85	-13	59.85	Pass	2986
30	814	0.1	RMS	813.6	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	824.4	18.95	60	41.05	Pass	461
860	1000	0.1	RMS	885.7	-65.91	-13	52.91	Pass	1401
1000	3000	1	RMS	1648	-48.67	-13	35.67	Pass	2001
3000	10000	1	RMS	6800	-47.15	-13	34.15	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.26	-13	60.26	Pass	401
0.15	30	0.01	RMS	0.16	-73.21	-13	60.21	Pass	2986
30	814	0.1	RMS	813.7	-65.84	-13	52.84	Pass	7841
814	860	0.1	RMS	824.4	18.1	60	41.9	Pass	461
860	1000	0.1	RMS	954.6	-65.89	-13	52.89	Pass	1401
1000	3000	1	RMS	1648	-49.83	-13	36.83	Pass	2001
3000	10000	1	RMS	6801	-47.2	-13	34.2	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	60.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	806.9	-66.11	-13	53.11	Pass	7841
814	860	0.1	RMS	834.4	19.16	60	40.84	Pass	461
860	1000	0.1	RMS	996.1	-65.98	-13	52.98	Pass	1401
1000	3000	1	RMS	1668	-49.14	-13	36.14	Pass	2001
3000	10000	1	RMS	6800	-47.23	-13	34.23	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	59.9	Pass	2986
30	814	0.1	RMS	750.2	-66.17	-13	53.17	Pass	7841
814	860	0.1	RMS	834.4	18.22	60	41.78	Pass	461
860	1000	0.1	RMS	974	-65.92	-13	52.92	Pass	1401
1000	3000	1	RMS	1668	-50.13	-13	37.13	Pass	2001
3000	10000	1	RMS	6800	-47.19	-13	34.19	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	761.1	-66.25	-13	53.25	Pass	7841
814	860	0.1	RMS	844.4	19.07	60	40.93	Pass	461
860	1000	0.1	RMS	980.4	-65.88	-13	52.88	Pass	1401
1000	3000	1	RMS	1688	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	6803	-47.21	-13	34.21	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.22	-73.07	-13	60.07	Pass	2986
30	814	0.1	RMS	810.9	-66.26	-13	53.26	Pass	7841
814	860	0.1	RMS	844.4	18.3	60	41.7	Pass	461
860	1000	0.1	RMS	861.5	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1688	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	6801	-47.24	-13	34.24	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.8	-13	59.8	Pass	2986
30	814	0.1	RMS	813.9	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	824.6	19.27	60	40.73	Pass	461
860	1000	0.1	RMS	860	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1649	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6799	-47.17	-13	34.17	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.49	-13	60.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.9	-66.08	-13	53.08	Pass	7841
814	860	0.1	RMS	824.6	18.32	60	41.68	Pass	461
860	1000	0.1	RMS	860	-64.67	-13	51.67	Pass	1401
1000	3000	1	RMS	1649	-49.69	-13	36.69	Pass	2001
3000	10000	1	RMS	6801	-47.28	-13	34.28	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	813.5	-66.23	-13	53.23	Pass	7841
814	860	0.1	RMS	832.1	19.2	60	40.8	Pass	461
860	1000	0.1	RMS	867.3	-65.86	-13	52.86	Pass	1401
1000	3000	1	RMS	1664	-49.55	-13	36.55	Pass	2001
3000	10000	1	RMS	6801	-47.29	-13	34.29	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.93	-13	60.93	Pass	401
0.15	30	0.01	RMS	0.24	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	809.9	-66.18	-13	53.18	Pass	7841
814	860	0.1	RMS	832.1	18.16	60	41.84	Pass	461
860	1000	0.1	RMS	958.5	-65.9	-13	52.9	Pass	1401
1000	3000	1	RMS	1664	-50.73	-13	37.73	Pass	2001
3000	10000	1	RMS	6800	-47.27	-13	34.27	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.18	-73.18	-13	60.18	Pass	2986
30	814	0.1	RMS	805	-66.14	-13	53.14	Pass	7841
814	860	0.1	RMS	839.6	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	862.3	-65.65	-13	52.65	Pass	1401
1000	3000	1	RMS	1679	-48.36	-13	35.36	Pass	2001
3000	10000	1	RMS	6800	-47.22	-13	34.22	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	805.6	-66.07	-13	53.07	Pass	7841
814	860	0.1	RMS	839.6	18.43	60	41.57	Pass	461
860	1000	0.1	RMS	860.1	-65.79	-13	52.79	Pass	1401
1000	3000	1	RMS	1679	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	6801	-47.28	-13	34.28	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.84	-25	46.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-25	47.35	Pass	2986
30	1000	0.1	RMS	539.7	-64.18	-25	39.18	Pass	9701
1000	2490	1	RMS	2490	-48.72	-25	23.72	Pass	1491
2490	2580	1	RMS	2500.35	21.01	60	38.99	Pass	401
2580	3000	1	RMS	2990	-52.82	-25	27.82	Pass	421
3000	12000	1	RMS	10002	-53.68	-25	28.68	Pass	9002
12000	26000	1	RMS	25497	-49.29	-25	24.29	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-25	48.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.66	-25	47.66	Pass	2986
30	1000	0.1	RMS	539.7	-63.95	-25	38.95	Pass	9701
1000	2490	1	RMS	2490	-47.2	-25	22.2	Pass	1491
2490	2580	1	RMS	2500.35	20.69	60	39.31	Pass	401
2580	3000	1	RMS	2934	-52.82	-25	27.82	Pass	421
3000	12000	1	RMS	10002	-54.34	-25	29.34	Pass	9002
12000	26000	1	RMS	25501	-52.89	-25	27.89	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.26	-25	47.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-25	45.93	Pass	2986
30	1000	0.1	RMS	572.2	-64.86	-25	39.86	Pass	9701
1000	2490	1	RMS	2481	-53.6	-25	28.6	Pass	1491
2490	2580	1	RMS	2532.75	21.65	60	38.35	Pass	401
2580	3000	1	RMS	2984	-52.83	-25	27.83	Pass	421
3000	12000	1	RMS	10132	-53.19	-25	28.19	Pass	9002
12000	26000	1	RMS	25501	-52.86	-25	27.86	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.58	-25	48.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-25	47.73	Pass	2986
30	1000	0.1	RMS	572.2	-64.58	-25	39.58	Pass	9701
1000	2490	1	RMS	2481	-53.54	-25	28.54	Pass	1491
2490	2580	1	RMS	2532.75	20.96	60	39.04	Pass	401
2580	3000	1	RMS	2984	-52.85	-25	27.85	Pass	421
3000	12000	1	RMS	10132	-54.12	-25	29.12	Pass	9002
12000	26000	1	RMS	25506	-52.88	-25	27.88	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.37	-25	47.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	604.7	-64.84	-25	39.84	Pass	9701
1000	2490	1	RMS	2487	-53.6	-25	28.6	Pass	1491
2490	2580	1	RMS	2565.375	21.69	60	38.31	Pass	401
2580	3000	1	RMS	2591	-49.5	-25	24.5	Pass	421
3000	12000	1	RMS	10262	-53.14	-25	28.14	Pass	9002
12000	26000	1	RMS	25500	-52.88	-25	27.88	Pass	14002




**4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.06	-25	48.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-25	47.36	Pass	2986
30	1000	0.1	RMS	604.7	-65.44	-25	40.44	Pass	9701
1000	2490	1	RMS	2488	-53.6	-25	28.6	Pass	1491
2490	2580	1	RMS	2565.37 5	20.85	60	39.15	Pass	401
2580	3000	1	RMS	2591	-49.88	-25	24.88	Pass	421
3000	12000	1	RMS	10262	-53.82	-25	28.82	Pass	9002
12000	26000	1	RMS	25475	-52.95	-25	27.95	Pass	14002




**4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-25	48.4	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	540	-62.59	-25	37.59	Pass	9701
1000	2490	1	RMS	2483	-43.77	-25	18.77	Pass	1491
2490	2580	1	RMS	2500.57 5	22.1	60	37.9	Pass	401
2580	3000	1	RMS	2850	-52.81	-25	27.81	Pass	421
3000	12000	1	RMS	10003	-52.38	-25	27.38	Pass	9002
12000	26000	1	RMS	25489	-52.91	-25	27.91	Pass	14002




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.31	-25	48.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	540	-63.63	-25	38.63	Pass	9701
1000	2490	1	RMS	2483	-43.94	-25	18.94	Pass	1491
2490	2580	1	RMS	2500.575	21.35	60	38.65	Pass	401
2580	3000	1	RMS	2986	-52.83	-25	27.83	Pass	421
3000	12000	1	RMS	10003	-53.32	-25	28.32	Pass	9002
12000	26000	1	RMS	25501	-52.9	-25	27.9	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.54	-25	47.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	46.97	Pass	2986
30	1000	0.1	RMS	570	-64.58	-25	39.58	Pass	9701
1000	2490	1	RMS	2489	-53.63	-25	28.63	Pass	1491
2490	2580	1	RMS	2530.5	21.91	60	38.09	Pass	401
2580	3000	1	RMS	2843	-52.8	-25	27.8	Pass	421
3000	12000	1	RMS	10123	-52.79	-25	27.79	Pass	9002
12000	26000	1	RMS	25501	-52.85	-25	27.85	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.26	-25	48.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	570	-65.27	-25	40.27	Pass	9701
1000	2490	1	RMS	2490	-53.61	-25	28.61	Pass	1491
2490	2580	1	RMS	2530.5	20.89	60	39.11	Pass	401
2580	3000	1	RMS	2934	-52.83	-25	27.83	Pass	421
3000	12000	1	RMS	10123	-53.8	-25	28.8	Pass	9002
12000	26000	1	RMS	25495	-52.91	-25	27.91	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-25	48.03	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-25	47.24	Pass	2986
30	1000	0.1	RMS	600	-64.5	-25	39.5	Pass	9701
1000	2490	1	RMS	2488	-53.56	-25	28.56	Pass	1491
2490	2580	1	RMS	2560.65	21.77	60	38.23	Pass	401
2580	3000	1	RMS	2586	-48	-25	23	Pass	421
3000	12000	1	RMS	10243	-52.81	-25	27.81	Pass	9002
12000	26000	1	RMS	25510	-52.91	-25	27.91	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-25	47.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	600	-64.97	-25	39.97	Pass	9701
1000	2490	1	RMS	2482	-53.67	-25	28.67	Pass	1491
2490	2580	1	RMS	2560.65	20.77	60	39.23	Pass	401
2580	3000	1	RMS	2586	-48.71	-25	23.71	Pass	421
3000	12000	1	RMS	10243	-53.61	-25	28.61	Pass	9002
12000	26000	1	RMS	25503	-52.93	-25	27.93	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.67	-25	47.67	Pass	401
0.15	30	0.01	RMS	0.26	-72.82	-25	47.82	Pass	2986
30	1000	0.1	RMS	540.2	-63.1	-25	38.1	Pass	9701
1000	2490	1	RMS	2488	-36.96	-25	11.96	Pass	1491
2490	2580	1	RMS	2500.8	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2838	-52.8	-25	27.8	Pass	421
3000	12000	1	RMS	10004	-52.31	-25	27.31	Pass	9002
12000	26000	1	RMS	25498	-52.88	-25	27.88	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-25	47.9	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	540.2	-63.64	-25	38.64	Pass	9701
1000	2490	1	RMS	2488	-37.85	-25	12.85	Pass	1491
2490	2580	1	RMS	2500.8	21.32	60	38.68	Pass	401
2580	3000	1	RMS	2991	-52.85	-25	27.85	Pass	421
3000	12000	1	RMS	10004	-53.4	-25	28.4	Pass	9002
12000	26000	1	RMS	25503	-52.9	-25	27.9	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-25	48.05	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	567.7	-64.4	-25	39.4	Pass	9701
1000	2490	1	RMS	2485	-53.59	-25	28.59	Pass	1491
2490	2580	1	RMS	2528.25	22.04	60	37.96	Pass	401
2580	3000	1	RMS	2988	-52.79	-25	27.79	Pass	421
3000	12000	1	RMS	10114	-52.36	-25	27.36	Pass	9002
12000	26000	1	RMS	25495	-52.98	-25	27.98	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.35	-25	48.35	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-25	46.78	Pass	2986
30	1000	0.1	RMS	567.7	-65.13	-25	40.13	Pass	9701
1000	2490	1	RMS	2490	-53.64	-25	28.64	Pass	1491
2490	2580	1	RMS	2528.25	21.02	60	38.98	Pass	401
2580	3000	1	RMS	2849	-52.85	-25	27.85	Pass	421
3000	12000	1	RMS	10114	-53.65	-25	28.65	Pass	9002
12000	26000	1	RMS	25501	-53	-25	28	Pass	14002




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-25	46.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	595.2	-64.27	-25	39.27	Pass	9701
1000	2490	1	RMS	2486	-53.55	-25	28.55	Pass	1491
2490	2580	1	RMS	2555.925	21.86	60	38.14	Pass	401
2580	3000	1	RMS	2582	-32.79	-25	7.79	Pass	421
3000	12000	1	RMS	10224	-52	-25	27	Pass	9002
12000	26000	1	RMS	25502	-52.89	-25	27.89	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.16	-25	48.16	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-25	47.7	Pass	2986
30	1000	0.1	RMS	595.2	-64.5	-25	39.5	Pass	9701
1000	2490	1	RMS	2485	-53.62	-25	28.62	Pass	1491
2490	2580	1	RMS	2555.925	21.04	60	38.96	Pass	401
2580	3000	1	RMS	2582	-32.78	-25	7.78	Pass	421
3000	12000	1	RMS	10224	-53	-25	28	Pass	9002
12000	26000	1	RMS	25515	-52.81	-25	27.81	Pass	14002




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-25	47.69	Pass	401
0.15	30	0.01	RMS	0.23	-72.99	-25	47.99	Pass	2986
30	1000	0.1	RMS	540.5	-63.21	-25	38.21	Pass	9701
1000	2490	1	RMS	2483	-39.67	-25	14.67	Pass	1491
2490	2580	1	RMS	2501.025	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2980	-52.8	-25	27.8	Pass	421
3000	12000	1	RMS	10005	-52.52	-25	27.52	Pass	9002
12000	26000	1	RMS	25496	-52.87	-25	27.87	Pass	14002




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.17	-71.53	-25	46.53	Pass	2986
30	1000	0.1	RMS	540.5	-63.23	-25	38.23	Pass	9701
1000	2490	1	RMS	2483	-41.5	-25	16.5	Pass	1491
2490	2580	1	RMS	2501.025	21.21	60	38.79	Pass	401
2580	3000	1	RMS	2987	-52.79	-25	27.79	Pass	421
3000	12000	1	RMS	10005	-53.38	-25	28.38	Pass	9002
12000	26000	1	RMS	25501	-52.97	-25	27.97	Pass	14002




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.36	-25	48.36	Pass	401
0.15	30	0.01	RMS	0.27	-72.76	-25	47.76	Pass	2986
30	1000	0.1	RMS	565.5	-64.41	-25	39.41	Pass	9701
1000	2490	1	RMS	2490	-49.86	-25	24.86	Pass	1491
2490	2580	1	RMS	2526	21.97	60	38.03	Pass	401
2580	3000	1	RMS	2843	-52.84	-25	27.84	Pass	421
3000	12000	1	RMS	10105	-52.59	-25	27.59	Pass	9002
12000	26000	1	RMS	25507	-52.96	-25	27.96	Pass	14002




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.02	-25	48.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-25	46.83	Pass	2986
30	1000	0.1	RMS	565.5	-64.99	-25	39.99	Pass	9701
1000	2490	1	RMS	2490	-50	-25	25	Pass	1491
2490	2580	1	RMS	2526	21.03	60	38.97	Pass	401
2580	3000	1	RMS	2929	-52.83	-25	27.83	Pass	421
3000	12000	1	RMS	10105	-54.15	-25	29.15	Pass	9002
12000	26000	1	RMS	25503	-52.87	-25	27.87	Pass	14002




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.99	-25	47.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	590.5	-64.26	-25	39.26	Pass	9701
1000	2490	1	RMS	2488	-53.52	-25	28.52	Pass	1491
2490	2580	1	RMS	2550.975	21.76	60	38.24	Pass	401
2580	3000	1	RMS	2586	-34.86	-25	9.86	Pass	421
3000	12000	1	RMS	10205	-52.27	-25	27.27	Pass	9002
12000	26000	1	RMS	25521	-52.95	-25	27.95	Pass	14002



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-25	47.21	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-25	46.89	Pass	2986
30	1000	0.1	RMS	590.5	-64.71	-25	39.71	Pass	9701
1000	2490	1	RMS	2489	-53.64	-25	28.64	Pass	1491
2490	2580	1	RMS	2550.975	20.78	60	39.22	Pass	401
2580	3000	1	RMS	2586	-34.91	-25	9.91	Pass	421
3000	12000	1	RMS	10205	-53.31	-25	28.31	Pass	9002
12000	26000	1	RMS	25502	-52.95	-25	27.95	Pass	14002



5. LTE_Band66


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	870.714	-65.65	-13	52.65	Pass	9701
1000	1700	1	RMS	1700	-51.84	-13	38.84	Pass	701
1700	1790	1	RMS	1710.125	21.94	60	38.06	Pass	401
1790	3000	1	RMS	2986	-52.69	-13	39.69	Pass	1211
3000	12000	1	RMS	3421	-43.6	-13	30.6	Pass	9002
12000	20000	1	RMS	13603	-41.41	-13	28.41	Pass	8001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.2	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	834.8	-65.69	-13	52.69	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	39.25	Pass	701
1700	1790	1	RMS	1710.125	21.06	60	38.94	Pass	401
1790	3000	1	RMS	2986	-52.7	-13	39.7	Pass	1211
3000	12000	1	RMS	3421	-44.03	-13	31.03	Pass	9002
12000	20000	1	RMS	13601	-41.31	-13	28.31	Pass	8001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	999.3	-65.76	-13	52.76	Pass	9701
1000	1700	1	RMS	1682	-54.7	-13	41.7	Pass	701
1700	1790	1	RMS	1744.55	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2850	-52.66	-13	39.66	Pass	1211
3000	12000	1	RMS	3489	-43.52	-13	30.52	Pass	9002
12000	20000	1	RMS	13602	-41.29	-13	28.29	Pass	8001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	839.5	-65.66	-13	52.66	Pass	9701
1000	1700	1	RMS	1677	-54.7	-13	41.7	Pass	701
1700	1790	1	RMS	1744.55	21.22	60	38.78	Pass	401
1790	3000	1	RMS	2990	-52.71	-13	39.71	Pass	1211
3000	12000	1	RMS	3489	-43.83	-13	30.83	Pass	9002
12000	20000	1	RMS	13606	-41.35	-13	28.35	Pass	8001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	872.015	-65.68	-13	52.68	Pass	9701
1000	1700	1	RMS	1681	-54.72	-13	41.72	Pass	701
1700	1790	1	RMS	1778.75	22.07	60	37.93	Pass	401
1790	3000	1	RMS	1790	-52.06	-13	39.06	Pass	1211
3000	12000	1	RMS	3558	-42.28	-13	29.28	Pass	9002
12000	20000	1	RMS	13609	-41.4	-13	28.4	Pass	8001




**5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	857.706	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1681	-54.7	-13	41.7	Pass	701
1700	1790	1	RMS	1778.75	21.32	60	38.68	Pass	401
1790	3000	1	RMS	1790	-52.47	-13	39.47	Pass	1211
3000	12000	1	RMS	3558	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	13608	-41.46	-13	28.46	Pass	8001




**5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	401
0.15	30	0.01	RMS	0.17	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	841.6	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1700	-50.07	-13	37.07	Pass	701
1700	1790	1	RMS	1710.12 5	21.89	60	38.11	Pass	401
1790	3000	1	RMS	3000	-52.7	-13	39.7	Pass	1211
3000	12000	1	RMS	3421	-43.58	-13	30.58	Pass	9002
12000	20000	1	RMS	13604	-41.29	-13	28.29	Pass	8001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	979.386	-65.84	-13	52.84	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	37.03	Pass	701
1700	1790	1	RMS	1710.125	21.13	60	38.87	Pass	401
1790	3000	1	RMS	2976	-52.69	-13	39.69	Pass	1211
3000	12000	1	RMS	3421	-43.87	-13	30.87	Pass	9002
12000	20000	1	RMS	13605	-41.3	-13	28.3	Pass	8001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.18	-13	60.18	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	867.812	-65.56	-13	52.56	Pass	9701
1000	1700	1	RMS	1683	-54.72	-13	41.72	Pass	701
1700	1790	1	RMS	1743.65	21.96	60	38.04	Pass	401
1790	3000	1	RMS	2980	-52.67	-13	39.67	Pass	1211
3000	12000	1	RMS	3488	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-41.26	-13	28.26	Pass	8001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-13	60.08	Pass	2986
30	1000	0.1	RMS	872.816	-65.78	-13	52.78	Pass	9701
1000	1700	1	RMS	1680	-54.73	-13	41.73	Pass	701
1700	1790	1	RMS	1743.65	21.11	60	38.89	Pass	401
1790	3000	1	RMS	2839	-52.68	-13	39.68	Pass	1211
3000	12000	1	RMS	3488	-44.89	-13	31.89	Pass	9002
12000	20000	1	RMS	13601	-41.22	-13	28.22	Pass	8001




**5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	886.024	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1675	-54.73	-13	41.73	Pass	701
1700	1790	1	RMS	1777.17 5	22.14	60	37.86	Pass	401
1790	3000	1	RMS	2845	-52.71	-13	39.71	Pass	1211
3000	12000	1	RMS	3555	-43.68	-13	30.68	Pass	9002
12000	20000	1	RMS	13599	-41.33	-13	28.33	Pass	8001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	906.138	-65.6	-13	52.6	Pass	9701
1000	1700	1	RMS	1676	-54.65	-13	41.65	Pass	701
1700	1790	1	RMS	1777.175	21.41	60	38.59	Pass	401
1790	3000	1	RMS	2980	-52.66	-13	39.66	Pass	1211
3000	12000	1	RMS	3555	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13603	-41.38	-13	28.38	Pass	8001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	957.072	-65.71	-13	52.71	Pass	9701
1000	1700	1	RMS	1700	-51.87	-13	38.87	Pass	701
1700	1790	1	RMS	1710.35	22.01	60	37.99	Pass	401
1790	3000	1	RMS	2989	-52.7	-13	39.7	Pass	1211
3000	12000	1	RMS	3421	-42.94	-13	29.94	Pass	9002
12000	20000	1	RMS	13608	-41.42	-13	28.42	Pass	8001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	60.59	Pass	401
0.15	30	0.01	RMS	0.23	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	982.989	-65.72	-13	52.72	Pass	9701
1000	1700	1	RMS	1700	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1710.35	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2964	-52.68	-13	39.68	Pass	1211
3000	12000	1	RMS	3421	-43.3	-13	30.3	Pass	9002
12000	20000	1	RMS	13600	-41.28	-13	28.28	Pass	8001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	57.9	Pass	2986
30	1000	0.1	RMS	995.197	-65.71	-13	52.71	Pass	9701
1000	1700	1	RMS	1681	-54.74	-13	41.74	Pass	701
1700	1790	1	RMS	1742.75	22.07	60	37.93	Pass	401
1790	3000	1	RMS	2999	-52.6	-13	39.6	Pass	1211
3000	12000	1	RMS	3486	-43.66	-13	30.66	Pass	9002
12000	20000	1	RMS	13602	-41.35	-13	28.35	Pass	8001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	59.3	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	1000	0.1	RMS	874.017	-65.73	-13	52.73	Pass	9701
1000	1700	1	RMS	1684	-54.72	-13	41.72	Pass	701
1700	1790	1	RMS	1742.75	21.34	60	38.66	Pass	401
1790	3000	1	RMS	2931	-52.69	-13	39.69	Pass	1211
3000	12000	1	RMS	3486	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13598	-41.37	-13	28.37	Pass	8001




**5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.18	-71.91	-13	58.91	Pass	2986
30	1000	0.1	RMS	865.111	-65.75	-13	52.75	Pass	9701
1000	1700	1	RMS	1680	-54.69	-13	41.69	Pass	701
1700	1790	1	RMS	1775.37 5	22.24	60	37.76	Pass	401
1790	3000	1	RMS	1793	-46.03	-13	33.03	Pass	1211
3000	12000	1	RMS	3551	-43.26	-13	30.26	Pass	9002
12000	20000	1	RMS	13602	-41.36	-13	28.36	Pass	8001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	840.2	-65.78	-13	52.78	Pass	9701
1000	1700	1	RMS	1676	-54.67	-13	41.67	Pass	701
1700	1790	1	RMS	1775.375	21.59	60	38.41	Pass	401
1790	3000	1	RMS	1793	-45.13	-13	32.13	Pass	1211
3000	12000	1	RMS	3551	-43.77	-13	30.77	Pass	9002
12000	20000	1	RMS	13601	-41.4	-13	28.4	Pass	8001




**5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	875.217	-65.76	-13	52.76	Pass	9701
1000	1700	1	RMS	1693	-46.8	-13	33.8	Pass	701
1700	1790	1	RMS	1710.57 5	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2990	-52.76	-13	39.76	Pass	1211
3000	12000	1	RMS	3421	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	13600	-41.3	-13	28.3	Pass	8001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.17	-71.47	-13	58.47	Pass	2986
30	1000	0.1	RMS	859.407	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1693	-46.4	-13	33.4	Pass	701
1700	1790	1	RMS	1710.575	21.34	60	38.66	Pass	401
1790	3000	1	RMS	2950	-52.78	-13	39.78	Pass	1211
3000	12000	1	RMS	3421	-43.4	-13	30.4	Pass	9002
12000	20000	1	RMS	13602	-41.36	-13	28.36	Pass	8001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	877.619	-65.7	-13	52.7	Pass	9701
1000	1700	1	RMS	1680	-54.76	-13	41.76	Pass	701
1700	1790	1	RMS	1740.5	22.12	60	37.88	Pass	401
1790	3000	1	RMS	2980	-52.76	-13	39.76	Pass	1211
3000	12000	1	RMS	3481	-43.39	-13	30.39	Pass	9002
12000	20000	1	RMS	13599	-41.43	-13	28.43	Pass	8001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.17	-72.77	-13	59.77	Pass	2986
30	1000	0.1	RMS	971.981	-65.78	-13	52.78	Pass	9701
1000	1700	1	RMS	1682	-54.77	-13	41.77	Pass	701
1700	1790	1	RMS	1740.5	21.12	60	38.88	Pass	401
1790	3000	1	RMS	2990	-52.74	-13	39.74	Pass	1211
3000	12000	1	RMS	3481	-43.91	-13	30.91	Pass	9002
12000	20000	1	RMS	13600	-41.39	-13	28.39	Pass	8001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	1000	0.1	RMS	819.1	-65.82	-13	52.82	Pass	9701
1000	1700	1	RMS	1677	-54.74	-13	41.74	Pass	701
1700	1790	1	RMS	1770.425	22.18	60	37.82	Pass	401
1790	3000	1	RMS	1806	-50.09	-13	37.09	Pass	1211
3000	12000	1	RMS	3541	-43.74	-13	30.74	Pass	9002
12000	20000	1	RMS	13600	-41.37	-13	28.37	Pass	8001




5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	853.003	-65.76	-13	52.76	Pass	9701
1000	1700	1	RMS	1677	-54.8	-13	41.8	Pass	701
1700	1790	1	RMS	1770.65	21.26	60	38.74	Pass	401
1790	3000	1	RMS	1806	-47.66	-13	34.66	Pass	1211
3000	12000	1	RMS	3541	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13600	-41.29	-13	28.29	Pass	8001




5.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-13	59.72	Pass	2986
30	1000	0.1	RMS	974.183	-65.65	-13	52.65	Pass	9701
1000	1700	1	RMS	1698	-43.93	-13	30.93	Pass	701
1700	1790	1	RMS	1710.8	21.92	60	38.08	Pass	401
1790	3000	1	RMS	2992	-52.82	-13	39.82	Pass	1211
3000	12000	1	RMS	3422	-42.76	-13	29.76	Pass	9002
12000	20000	1	RMS	13609	-41.42	-13	28.42	Pass	8001




5.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	834.6	-65.92	-13	52.92	Pass	9701
1000	1700	1	RMS	1698	-45.31	-13	32.31	Pass	701
1700	1790	1	RMS	1710.8	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2841	-52.81	-13	39.81	Pass	1211
3000	12000	1	RMS	3422	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	13600	-41.44	-13	28.44	Pass	8001




5.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	821	-65.93	-13	52.93	Pass	9701
1000	1700	1	RMS	1698	-54.69	-13	41.69	Pass	701
1700	1790	1	RMS	1738.25	22.08	60	37.92	Pass	401
1790	3000	1	RMS	1792	-44.99	-13	31.99	Pass	1211
3000	12000	1	RMS	3477	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	13602	-41.47	-13	28.47	Pass	8001




5.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	860.407	-65.93	-13	52.93	Pass	9701
1000	1700	1	RMS	1698	-54.78	-13	41.78	Pass	701
1700	1790	1	RMS	1738.25	21.32	60	38.68	Pass	401
1790	3000	1	RMS	1792	-44.41	-13	31.41	Pass	1211
3000	12000	1	RMS	3477	-43.64	-13	30.64	Pass	9002
12000	20000	1	RMS	13600	-41.44	-13	28.44	Pass	8001




5.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	1000	0.1	RMS	984.19	-65.89	-13	52.89	Pass	9701
1000	1700	1	RMS	1681	-54.84	-13	41.84	Pass	701
1700	1790	1	RMS	1765.7	22.32	60	37.68	Pass	401
1790	3000	1	RMS	1793	-28.36	-13	15.36	Pass	1211
3000	12000	1	RMS	3532	-42.61	-13	29.61	Pass	9002
12000	20000	1	RMS	13602	-41.49	-13	28.49	Pass	8001




5.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	854.404	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1680	-54.83	-13	41.83	Pass	701
1700	1790	1	RMS	1765.7	21.62	60	38.38	Pass	401
1790	3000	1	RMS	1793	-27.09	-13	14.09	Pass	1211
3000	12000	1	RMS	3532	-42.98	-13	29.98	Pass	9002
12000	20000	1	RMS	13600	-41.45	-13	28.45	Pass	8001




5.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	843.5	-65.89	-13	52.89	Pass	9701
1000	1700	1	RMS	1693	-48.19	-13	35.19	Pass	701
1700	1790	1	RMS	1711.025	22.08	60	37.92	Pass	401
1790	3000	1	RMS	2980	-52.84	-13	39.84	Pass	1211
3000	12000	1	RMS	3422	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	13606	-41.49	-13	28.49	Pass	8001




5.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	1000	0.1	RMS	985.09	-65.9	-13	52.9	Pass	9701
1000	1700	1	RMS	1693	-49.87	-13	36.87	Pass	701
1700	1790	1	RMS	1711.025	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2952	-52.85	-13	39.85	Pass	1211
3000	12000	1	RMS	3422	-43.42	-13	30.42	Pass	9002
12000	20000	1	RMS	13599	-41.42	-13	28.42	Pass	8001




**5.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33,
Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	874.017	-65.9	-13	52.9	Pass	9701
1000	1700	1	RMS	1700	-43.06	-13	30.06	Pass	701
1700	1790	1	RMS	1736	22.02	60	37.98	Pass	401
1790	3000	1	RMS	1807	-50.12	-13	37.12	Pass	1211
3000	12000	1	RMS	3472	-43.75	-13	30.75	Pass	9002
12000	20000	1	RMS	13600	-41.48	-13	28.48	Pass	8001




5.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	59.84	Pass	2986
30	1000	0.1	RMS	986.191	-65.86	-13	52.86	Pass	9701
1000	1700	1	RMS	1700	-42.03	-13	29.03	Pass	701
1700	1790	1	RMS	1736	21.03	60	38.97	Pass	401
1790	3000	1	RMS	1807	-48.53	-13	35.53	Pass	1211
3000	12000	1	RMS	3472	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-41.43	-13	28.43	Pass	8001




5.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	920.647	-65.95	-13	52.95	Pass	9701
1000	1700	1	RMS	1680	-54.86	-13	41.86	Pass	701
1700	1790	1	RMS	1760.975	22.09	60	37.91	Pass	401
1790	3000	1	RMS	1797	-27.79	-13	14.79	Pass	1211
3000	12000	1	RMS	3522	-43.82	-13	30.82	Pass	9002
12000	20000	1	RMS	13601	-41.39	-13	28.39	Pass	8001



5.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.89	-13	59.89	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	853.703	-65.88	-13	52.88	Pass	9701
1000	1700	1	RMS	1699	-54.88	-13	41.88	Pass	701
1700	1790	1	RMS	1760.975	21.14	60	38.86	Pass	401
1790	3000	1	RMS	1797	-27.41	-13	14.41	Pass	1211
3000	12000	1	RMS	3522	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-41.47	-13	28.47	Pass	8001



--BLANK BELOW--