



Canada

Exhibit: Test Setup Photos

FCC ID: 2AK9O-485BT20

IC: 22455-485BT20

Report File #: -000

Client	Prolon Inc.	
Product	ProLon BLE Converter	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	

Figure 1 – Radiated Emissions Setup – Photo 1



Client	Prolon Inc.	
Product	ProLon BLE Converter	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	

Figure 2 – Radiated Emissions Setup – Photo 2



Note: As per ANSI C63.10 Clause 6.3.1, below 1GHz, the height of the EUT was set to 80cm. Above 1GHz, the height was raised to 1.5m.

Client	Prolon Inc.	
Product	ProLon BLE Converter	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	

Figure 3 – Radiated Emissions Setup – Photo 3



Note: As per ANSI C63.10 Clause 6.3.1, above 1GHz, the height of the EUT was set to 1.5m.

Client	Prolon Inc.	
Product	ProLon BLE Converter	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	

Figure 4 – Power Line Conducted Emissions Setup – Photo 1



Client	Prolon Inc.	
Product	ProLon BLE Converter	
Standard(s)	RSS 247 Issue 2:2017 FCC Part 15 Subpart 15.247:2016	

Figure 5 – Power Line Conducted Emissions Setup – Photo 2

