







Mode	42																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.22</td><td>55.88</td><td>74.00</td><td>-18.12</td><td>46.28</td><td>35.21</td><td>10.75</td><td>36.36</td><td>0.00</td><td>109</td><td>59 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5357.22	55.88	74.00	-18.12	46.28	35.21	10.75	36.36	0.00	109	59 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5357.22	55.88	74.00	-18.12	46.28	35.21	10.75	36.36	0.00	109	59 PEAK																																	
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.68</td><td>43.95</td><td>54.00</td><td>-10.05</td><td>34.37</td><td>35.20</td><td>10.75</td><td>36.37</td><td>0.00</td><td>109</td><td>59 AVERAGE</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.68	43.95	54.00	-10.05	34.37	35.20	10.75	36.37	0.00	109	59 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		Remark																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1	5350.68	43.95	54.00	-10.05	34.37	35.20	10.75	36.37	0.00	109	59 AVERAGE																																	





Mode	42																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5076.64</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>52.16</td><td>34.35</td><td>10.53</td><td>36.76</td><td>0.00</td><td>100</td><td>57</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5076.64	60.28	74.00	-13.72	52.16	34.35	10.53	36.76	0.00	100	57	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>99.90</td><td>-----</td><td>-----</td><td>90.78</td><td>34.93</td><td>10.69</td><td>36.50</td><td>0.00</td><td>100</td><td>57</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	99.90	-----	-----	90.78	34.93	10.69	36.50	0.00	100	57
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5076.64	60.28	74.00	-13.72	52.16	34.35	10.53	36.76	0.00	100	57	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	99.90	-----	-----	90.78	34.93	10.69	36.50	0.00	100	57	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5093.06</td><td>48.44</td><td>54.00</td><td>-5.56</td><td>40.23</td><td>34.39</td><td>10.55</td><td>36.73</td><td>0.00</td><td>100</td><td>57</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5093.06	48.44	54.00	-5.56	40.23	34.39	10.55	36.73	0.00	100	57	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>90.15</td><td>-----</td><td>-----</td><td>81.07</td><td>34.90</td><td>10.69</td><td>36.51</td><td>0.00</td><td>100</td><td>57</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	90.15	-----	-----	81.07	34.90	10.69	36.51	0.00	100	57
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5093.06	48.44	54.00	-5.56	40.23	34.39	10.55	36.73	0.00	100	57	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5250.00	90.15	-----	-----	81.07	34.90	10.69	36.51	0.00	100	57	AVERAGE																																																																																							







Mode	42																																	
	Band Edge - R																																	
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																	
ANT	1																																	
Pol.	Vertical	Fundamental																																
Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5388.51</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>45.99</td><td>35.28</td><td>10.77</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5388.51	55.72	74.00	-18.28	45.99	35.28	10.77	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5388.51	55.72	74.00	-18.28	45.99	35.28	10.77																											
Avg	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5353.64</td><td>45.08</td><td>54.00</td><td>-8.92</td><td>35.49</td><td>35.21</td><td>10.75</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5353.64	45.08	54.00	-8.92	35.49	35.21	10.75	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																											
1	5353.64	45.08	54.00	-8.92	35.49	35.21	10.75																											




Mode	42																																																																																																													
	Harmonic																																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_Full_5250MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10500.00</td><td>45.84</td><td>68.20</td><td>-22.36</td><td>59.59</td><td>37.52</td><td>15.68</td><td>66.87</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10500.00	45.84	68.20	-22.36	59.59	37.52	15.68	66.87						0.00			--									--	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10500.00</td><td>44.52</td><td>68.20</td><td>-23.68</td><td>58.47</td><td>37.46</td><td>15.51</td><td>66.92</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10500.00	44.52	68.20	-23.68	58.47	37.46	15.51	66.92						0.00			--									--
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10500.00	45.84	68.20	-22.36	59.59	37.52	15.68	66.87																																																																																																						
					0.00			--																																																																																																						
								--																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																						
1	10500.00	44.52	68.20	-23.68	58.47	37.46	15.51	66.92																																																																																																						
					0.00			--																																																																																																						
								--																																																																																																						







Mode	43																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																					
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5350 to 5570 MHz. The plot shows a blue trace with a red limit line at 65.0 dBuV/m. Two peaks are marked with vertical lines and labeled 1 and 2. The peak at 5482 MHz is the highest, reaching approximately 97.5 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.35</td><td>58.67</td><td>74.00</td><td>-15.33</td><td>48.96</td><td>35.11</td><td>10.83</td><td>36.23</td><td>0.00</td><td>363</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5468.70</td><td>58.46</td><td>68.20</td><td>-9.74</td><td>48.78</td><td>35.03</td><td>10.85</td><td>36.20</td><td>0.00</td><td>363</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.35	58.67	74.00	-15.33	48.96	35.11	10.83	36.23	0.00	363	360	PEAK	2	5468.70	58.46	68.20	-9.74	48.78	35.03	10.85	36.20	0.00	363	360	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a red limit line at 65.0 dBuV/m. A single peak is marked with a vertical line and labeled 1. The peak at 5570.00 MHz is the highest, reaching approximately 102.21 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>102.21</td><td>-----</td><td>-----</td><td>92.45</td><td>34.90</td><td>10.95</td><td>36.09</td><td>0.00</td><td>363</td><td>360</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	102.21	-----	-----	92.45	34.90	10.95	36.09	0.00	363	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5447.35	58.67	74.00	-15.33	48.96	35.11	10.83	36.23	0.00	363	360	PEAK																																																																																											
2	5468.70	58.46	68.20	-9.74	48.78	35.03	10.85	36.20	0.00	363	360	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	102.21	-----	-----	92.45	34.90	10.95	36.09	0.00	363	360	PEAK																																																																																											
Avg	 Horizontal Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5350 to 5570 MHz. The plot shows a blue trace with a red limit line at 65.0 dBuV/m. A single peak is marked with a vertical line and labeled 1. The peak at 5416.99 MHz is the highest, reaching approximately 48.50 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5416.99</td><td>48.50</td><td>54.00</td><td>-5.50</td><td>38.76</td><td>35.23</td><td>10.79</td><td>36.28</td><td>0.00</td><td>363</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.99	48.50	54.00	-5.50	38.76	35.23	10.79	36.28	0.00	363	360	AVERAGE	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a red limit line at 65.0 dBuV/m. A single peak is marked with a vertical line and labeled 1. The peak at 5570.00 MHz is the highest, reaching approximately 91.69 dBuV/m. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.69</td><td>-----</td><td>-----</td><td>81.90</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>363</td><td>360</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.69	-----	-----	81.90	34.90	10.96	36.07	0.00	363	360	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5416.99	48.50	54.00	-5.50	38.76	35.23	10.79	36.28	0.00	363	360	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5570.00	91.69	-----	-----	81.90	34.90	10.96	36.07	0.00	363	360	AVERAGE																																																																																											



Mode	43																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.12</td><td>57.08</td><td>68.20</td><td>-11.12</td><td>48.22</td><td>34.98</td><td>11.18</td><td>37.30</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.12	57.08	68.20	-11.12	48.22	34.98	11.18	37.30	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5725.12	57.08	68.20	-11.12	48.22	34.98	11.18	37.30																														




		43																																																																																																										
Mode	Band Edge - L																																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																											
ANT	1																																																																																																											
Pol.	Vertical						Fundamental																																																																																																					
Peak																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.35</td><td>61.79</td><td>74.00</td><td>-12.21</td><td>52.02</td><td>35.29</td><td>10.78</td><td>36.30</td><td>0.00</td><td>107</td><td>64 PEAK</td></tr><tr><td>2</td><td>5462.30</td><td>58.91</td><td>68.20</td><td>-9.29</td><td>49.23</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>107</td><td>64 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.35	61.79	74.00	-12.21	52.02	35.29	10.78	36.30	0.00	107	64 PEAK	2	5462.30	58.91	68.20	-9.29	49.23	35.05	10.84	36.21	0.00	107	64 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>100.26</td><td>-----</td><td>-----</td><td>90.47</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>107</td><td>64 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	100.26	-----	-----	90.47	34.90	10.96	36.07	0.00	107
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5403.35	61.79	74.00	-12.21	52.02	35.29	10.78	36.30	0.00	107	64 PEAK																																																																																																	
2	5462.30	58.91	68.20	-9.29	49.23	35.05	10.84	36.21	0.00	107	64 PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	100.26	-----	-----	90.47	34.90	10.96	36.07	0.00	107	64 PEAK																																																																																																	
Avg																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.33</td><td>50.66</td><td>54.00</td><td>-3.34</td><td>40.92</td><td>35.23</td><td>10.79</td><td>36.28</td><td>0.00</td><td>107</td><td>64 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.33	50.66	54.00	-3.34	40.92	35.23	10.79	36.28	0.00	107	64 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.23</td><td>-----</td><td>-----</td><td>81.42</td><td>34.90</td><td>10.97</td><td>36.06</td><td>0.00</td><td>107</td><td>64 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	91.23	-----	-----	81.42	34.90	10.97	36.06	0.00	107	64 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5416.33	50.66	54.00	-3.34	40.92	35.23	10.79	36.28	0.00	107	64 AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	5570.00	91.23	-----	-----	81.42	34.90	10.97	36.06	0.00	107	64 AVERAGE																																																																																																	



Mode	43																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																					
ANT	1																																					
Pol.	Vertical	Fundamental																																				
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.49</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>45.55</td><td>34.98</td><td>11.18</td><td>37.32</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.49	54.39	68.20	-13.81	45.55	34.98	11.18	37.32	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5726.49	54.39	68.20	-13.81	45.55	34.98	11.18	37.32																														






Mode	43																																																																																																																																																	
	Harmonic																																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																																	
ANT	1																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																
Peak Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>59.14</td><td>37.95</td><td>16.13</td><td>66.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	46.69	74.00	-27.31	59.14	37.95	16.13	66.53						0.00											cm	deg								--	--									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11140.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>57.28</td><td>37.95</td><td>16.13</td><td>66.53</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>cm</td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11140.00	44.83	74.00	-29.17	57.28	37.95	16.13	66.53																	cm	deg								--	--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																										
1	11140.00	46.69	74.00	-27.31	59.14	37.95	16.13	66.53																																																																																																																																										
					0.00																																																																																																																																													
							cm	deg																																																																																																																																										
							--	--																																																																																																																																										
								PEAK																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																										
1	11140.00	44.83	74.00	-29.17	57.28	37.95	16.13	66.53																																																																																																																																										
							cm	deg																																																																																																																																										
							--	--																																																																																																																																										
								PEAK																																																																																																																																										





Mode	43																																																																																																																																																																																																						
	30-1G																																																																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																																																																																																						
ANT	1																																																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																																																
QP																																																																																																																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.65</td><td>-19.35</td><td>40.00</td><td>28.04</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>163.86</td><td>21.81</td><td>-21.69</td><td>43.50</td><td>36.57</td><td>1.93</td><td>16.14</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>234.67</td><td>26.24</td><td>-19.76</td><td>46.00</td><td>39.20</td><td>2.34</td><td>17.49</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>449.04</td><td>24.46</td><td>-21.54</td><td>46.00</td><td>31.77</td><td>3.24</td><td>22.51</td><td>33.06</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>559.62</td><td>26.40</td><td>-19.60</td><td>46.00</td><td>30.81</td><td>3.61</td><td>25.08</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>825.40</td><td>30.61</td><td>-15.39</td><td>46.00</td><td>32.35</td><td>4.39</td><td>26.43</td><td>32.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	20.65	-19.35	40.00	28.04	0.73	24.07	32.99	---	---	Peak	2	163.86	21.81	-21.69	43.50	36.57	1.93	16.14	32.83	---	---	Peak	3	234.67	26.24	-19.76	46.00	39.20	2.34	17.49	32.79	---	---	Peak	4	449.04	24.46	-21.54	46.00	31.77	3.24	22.51	33.06	---	---	Peak	5	559.62	26.40	-19.60	46.00	30.81	3.61	25.08	33.10	---	---	Peak	6	825.40	30.61	-15.39	46.00	32.35	4.39	26.43	32.56	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>48.43</td><td>32.85</td><td>-7.15</td><td>40.00</td><td>49.71</td><td>1.03</td><td>15.04</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>234.67</td><td>28.61</td><td>-17.39</td><td>46.00</td><td>41.57</td><td>2.34</td><td>17.49</td><td>32.79</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>389.87</td><td>31.39</td><td>-14.61</td><td>46.00</td><td>39.00</td><td>3.01</td><td>21.43</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>465.53</td><td>29.00</td><td>-17.00</td><td>46.00</td><td>35.86</td><td>3.30</td><td>22.86</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>560.59</td><td>28.51</td><td>-17.49</td><td>46.00</td><td>32.93</td><td>3.61</td><td>25.07</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>824.43</td><td>28.09</td><td>-17.11</td><td>46.00</td><td>30.65</td><td>4.38</td><td>26.42</td><td>32.56</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	48.43	32.85	-7.15	40.00	49.71	1.03	15.04	32.93	---	---	Peak	2	234.67	28.61	-17.39	46.00	41.57	2.34	17.49	32.79	---	---	Peak	3	389.87	31.39	-14.61	46.00	39.00	3.01	21.43	32.85	---	---	Peak	4	465.53	29.00	-17.00	46.00	35.86	3.30	22.86	33.02	---	---	Peak	5	560.59	28.51	-17.49	46.00	32.93	3.61	25.07	33.10	---	---	Peak	6	824.43	28.09	-17.11	46.00	30.65	4.38	26.42	32.56	---	---	Peak
		Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																													
1	30.97	20.65	-19.35	40.00	28.04	0.73	24.07	32.99	---	---	Peak																																																																																																																																																																																												
2	163.86	21.81	-21.69	43.50	36.57	1.93	16.14	32.83	---	---	Peak																																																																																																																																																																																												
3	234.67	26.24	-19.76	46.00	39.20	2.34	17.49	32.79	---	---	Peak																																																																																																																																																																																												
4	449.04	24.46	-21.54	46.00	31.77	3.24	22.51	33.06	---	---	Peak																																																																																																																																																																																												
5	559.62	26.40	-19.60	46.00	30.81	3.61	25.08	33.10	---	---	Peak																																																																																																																																																																																												
6	825.40	30.61	-15.39	46.00	32.35	4.39	26.43	32.56	---	---	Peak																																																																																																																																																																																												
	Freq	Level	Over Limit	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																													
1	48.43	32.85	-7.15	40.00	49.71	1.03	15.04	32.93	---	---	Peak																																																																																																																																																																																												
2	234.67	28.61	-17.39	46.00	41.57	2.34	17.49	32.79	---	---	Peak																																																																																																																																																																																												
3	389.87	31.39	-14.61	46.00	39.00	3.01	21.43	32.85	---	---	Peak																																																																																																																																																																																												
4	465.53	29.00	-17.00	46.00	35.86	3.30	22.86	33.02	---	---	Peak																																																																																																																																																																																												
5	560.59	28.51	-17.49	46.00	32.93	3.61	25.07	33.10	---	---	Peak																																																																																																																																																																																												
6	824.43	28.09	-17.11	46.00	30.65	4.38	26.42	32.56	---	---	Peak																																																																																																																																																																																												





Mode	44																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5638.22</td><td>49.54</td><td>68.20</td><td>-18.66</td><td>39.54</td><td>34.90</td><td>11.06</td><td>35.96</td><td>0.00</td><td>298 355 PEAK</td></tr><tr><td>2 5650.60</td><td>46.95</td><td>68.65</td><td>-21.70</td><td>37.11</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>298 355 PEAK</td></tr><tr><td>3 5716.60</td><td>62.60</td><td>109.95</td><td>-47.35</td><td>53.65</td><td>34.95</td><td>11.16</td><td>37.16</td><td>0.00</td><td>298 355 PEAK</td></tr><tr><td>4 5720.00</td><td>63.27</td><td>110.90</td><td>-47.63</td><td>54.36</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>298 355 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5638.22	49.54	68.20	-18.66	39.54	34.90	11.06	35.96	0.00	298 355 PEAK	2 5650.60	46.95	68.65	-21.70	37.11	34.90	11.07	36.13	0.00	298 355 PEAK	3 5716.60	62.60	109.95	-47.35	53.65	34.95	11.16	37.16	0.00	298 355 PEAK	4 5720.00	63.27	110.90	-47.63	54.36	34.96	11.17	37.22	0.00	298 355 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>110.98</td><td>-----</td><td>-----</td><td>102.33</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>298 355 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	110.98	-----	-----	102.33	35.03	11.20	37.58	0.00	298 355 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5638.22	49.54	68.20	-18.66	39.54	34.90	11.06	35.96	0.00	298 355 PEAK																																																																																																							
2 5650.60	46.95	68.65	-21.70	37.11	34.90	11.07	36.13	0.00	298 355 PEAK																																																																																																							
3 5716.60	62.60	109.95	-47.35	53.65	34.95	11.16	37.16	0.00	298 355 PEAK																																																																																																							
4 5720.00	63.27	110.90	-47.63	54.36	34.96	11.17	37.22	0.00	298 355 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	110.98	-----	-----	102.33	35.03	11.20	37.58	0.00	298 355 PEAK																																																																																																							
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.62</td><td>-----</td><td>-----</td><td>93.97</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>298 355 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	102.62	-----	-----	93.97	35.03	11.20	37.58	0.00	298 355 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5745.00	102.62	-----	-----	93.97	35.03	11.20	37.58	0.00	298 355 AVERAGE																																																																																																							





	44																																																																																						
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical						Fundamental																																																																																
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5645.00</td><td>49.51</td><td>68.20</td><td>-18.69</td><td>39.59</td><td>34.90</td><td>11.07</td><td>36.05</td><td>0.00</td><td>303</td><td>61 PEAK</td></tr><tr><td>2 5651.00</td><td>48.08</td><td>68.95</td><td>-20.87</td><td>38.24</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>303</td><td>61 PEAK</td></tr><tr><td>3 5710.60</td><td>57.72</td><td>108.27</td><td>-50.55</td><td>48.70</td><td>34.93</td><td>11.16</td><td>37.07</td><td>0.00</td><td>303</td><td>61 PEAK</td></tr><tr><td>4 5720.60</td><td>61.79</td><td>112.27</td><td>-50.48</td><td>52.88</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>303</td><td>61 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5645.00	49.51	68.20	-18.69	39.59	34.90	11.07	36.05	0.00	303	61 PEAK	2 5651.00	48.08	68.95	-20.87	38.24	34.90	11.07	36.13	0.00	303	61 PEAK	3 5710.60	57.72	108.27	-50.55	48.70	34.93	11.16	37.07	0.00	303	61 PEAK	4 5720.60	61.79	112.27	-50.48	52.88	34.96	11.17	37.22	0.00	303
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5645.00	49.51	68.20	-18.69	39.59	34.90	11.07	36.05	0.00	303	61 PEAK																																																																													
2 5651.00	48.08	68.95	-20.87	38.24	34.90	11.07	36.13	0.00	303	61 PEAK																																																																													
3 5710.60	57.72	108.27	-50.55	48.70	34.93	11.16	37.07	0.00	303	61 PEAK																																																																													
4 5720.60	61.79	112.27	-50.48	52.88	34.96	11.17	37.22	0.00	303	61 PEAK																																																																													
Avg	Blank																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>105.95</td><td>-----</td><td>-----</td><td>97.30</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>303</td><td>61 PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	105.95	-----	-----	97.30	35.03	11.20	37.58	0.00	303	61 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	105.95	-----	-----	97.30	35.03	11.20	37.58	0.00	303	61 PEAK																																																																													






Mode	44																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal							Vertical																																																																																																																																				
Peak Avg																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>57.03</td><td>38.34</td><td>16.36</td><td>66.34</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	45.39	74.00	-28.61	57.03	38.34	16.36	66.34								0.00	--									--									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>47.54</td><td>74.00</td><td>-26.46</td><td>59.18</td><td>38.34</td><td>16.36</td><td>66.34</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.54	74.00	-26.46	59.18	38.34	16.36	66.34								0.00	--									--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																				
1	11490.00	45.39	74.00	-28.61	57.03	38.34	16.36	66.34																																																																																																																																				
							0.00	--																																																																																																																																				
								--																																																																																																																																				
								PEAK																																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																				
1	11490.00	47.54	74.00	-26.46	59.18	38.34	16.36	66.34																																																																																																																																				
							0.00	--																																																																																																																																				
								--																																																																																																																																				
								PEAK																																																																																																																																				






Mode	45																																																																																																
	Harmonic																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.64</td><td>74.00</td><td>-28.36</td><td>57.13</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.64	74.00	-28.36	57.13	38.43	16.41	66.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.68</td><td>74.00</td><td>-28.32</td><td>57.17</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.68	74.00	-28.32	57.17	38.43	16.41	66.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11570.00	45.64	74.00	-28.36	57.13	38.43	16.41	66.33	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	11570.00	45.68	74.00	-28.32	57.17	38.43	16.41	66.33	0.00	--	PEAK																																																																																						





Mode	46																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>60.66</td><td>110.90</td><td>-50.24</td><td>53.39</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>306</td><td>356</td><td>PEAK</td></tr><tr><td>2</td><td>5855.00</td><td>60.66</td><td>110.90</td><td>-50.24</td><td>53.39</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>306</td><td>356</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>48.08</td><td>68.50</td><td>-20.42</td><td>40.53</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>306</td><td>356</td><td>PEAK</td></tr><tr><td>4</td><td>5953.80</td><td>48.82</td><td>68.20</td><td>-19.38</td><td>41.10</td><td>35.46</td><td>11.43</td><td>39.17</td><td>0.00</td><td>306</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	60.66	110.90	-50.24	53.39	35.26	11.34	39.33	0.00	306	356	PEAK	2	5855.00	60.66	110.90	-50.24	53.39	35.26	11.34	39.33	0.00	306	356	PEAK	3	5924.60	48.08	68.50	-20.42	40.53	35.37	11.40	39.22	0.00	306	356	PEAK	4	5953.80	48.82	68.20	-19.38	41.10	35.46	11.43	39.17	0.00	306	356	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>109.86</td><td>-----</td><td>-----</td><td>102.14</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>306</td><td>356</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	109.86	-----	-----	102.14	35.22	11.30	38.80	0.00	306	356
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5855.00	60.66	110.90	-50.24	53.39	35.26	11.34	39.33	0.00	306	356	PEAK																																																																																																																														
2	5855.00	60.66	110.90	-50.24	53.39	35.26	11.34	39.33	0.00	306	356	PEAK																																																																																																																														
3	5924.60	48.08	68.50	-20.42	40.53	35.37	11.40	39.22	0.00	306	356	PEAK																																																																																																																														
4	5953.80	48.82	68.20	-19.38	41.10	35.46	11.43	39.17	0.00	306	356	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	109.86	-----	-----	102.14	35.22	11.30	38.80	0.00	306	356	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.72</td><td>-----</td><td>-----</td><td>94.00</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>306</td><td>356</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.72	-----	-----	94.00	35.22	11.30	38.80	0.00	306	356	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.72	-----	-----	94.00	35.22	11.30	38.80	0.00	306	356	AVERAGE																																																																																																																														






Mode	46																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>54.84</td><td>111.81</td><td>-56.97</td><td>47.58</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>301</td><td>93</td><td>PEAK</td></tr><tr><td>2</td><td>5873.02</td><td>50.54</td><td>105.85</td><td>-55.31</td><td>43.22</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>301</td><td>93</td><td>PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>46.38</td><td>68.77</td><td>-22.39</td><td>38.83</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>301</td><td>93</td><td>PEAK</td></tr><tr><td>4</td><td>5965.80</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>40.11</td><td>35.50</td><td>11.44</td><td>39.15</td><td>0.00</td><td>301</td><td>93</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	54.84	111.81	-56.97	47.58	35.25	11.34	39.33	0.00	301	93	PEAK	2	5873.02	50.54	105.85	-55.31	43.22	35.27	11.35	39.30	0.00	301	93	PEAK	3	5924.22	46.38	68.77	-22.39	38.83	35.37	11.40	39.22	0.00	301	93	PEAK	4	5965.80	47.90	68.20	-20.30	40.11	35.50	11.44	39.15	0.00	301	93	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.64</td><td>-----</td><td>-----</td><td>95.92</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>301</td><td>93</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.64	-----	-----	95.92	35.22	11.30	38.80	0.00	301	93
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.60	54.84	111.81	-56.97	47.58	35.25	11.34	39.33	0.00	301	93	PEAK																																																																																																																												
2	5873.02	50.54	105.85	-55.31	43.22	35.27	11.35	39.30	0.00	301	93	PEAK																																																																																																																												
3	5924.22	46.38	68.77	-22.39	38.83	35.37	11.40	39.22	0.00	301	93	PEAK																																																																																																																												
4	5965.80	47.90	68.20	-20.30	40.11	35.50	11.44	39.15	0.00	301	93	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	103.64	-----	-----	95.92	35.22	11.30	38.80	0.00	301	93	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.03</td><td>-----</td><td>-----</td><td>88.31</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>301</td><td>93</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	96.03	-----	-----	88.31	35.22	11.30	38.80	0.00	301	93	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	96.03	-----	-----	88.31	35.22	11.30	38.80	0.00	301	93	AVERAGE																																																																																																																												






Mode	46																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																																					
Peak Avg																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>57.26</td><td>38.51</td><td>16.46</td><td>66.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	45.90	74.00	-28.10	57.26	38.51	16.46	66.33								0.00	--									deg									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>57.13</td><td>38.51</td><td>16.46</td><td>66.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	45.77	74.00	-28.23	57.13	38.51	16.46	66.33								0.00	--									deg									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11650.00	45.90	74.00	-28.10	57.26	38.51	16.46	66.33																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11650.00	45.77	74.00	-28.23	57.13	38.51	16.46	66.33																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								PEAK																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>45.90</td><td>74.00</td><td>-28.10</td><td>57.26</td><td>38.51</td><td>16.46</td><td>66.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	45.90	74.00	-28.10	57.26	38.51	16.46	66.33								0.00	--									deg									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>57.13</td><td>38.51</td><td>16.46</td><td>66.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	45.77	74.00	-28.23	57.13	38.51	16.46	66.33								0.00	--									deg									PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11650.00	45.90	74.00	-28.10	57.26	38.51	16.46	66.33																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11650.00	45.77	74.00	-28.23	57.13	38.51	16.46	66.33																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								PEAK																																																																																																																																						





Mode	47																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.00</td><td>50.11</td><td>68.20</td><td>-18.09</td><td>40.22</td><td>34.90</td><td>11.07</td><td>36.08</td><td>0.00</td><td>315</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5651.42</td><td>49.00</td><td>69.26</td><td>-20.18</td><td>39.25</td><td>34.90</td><td>11.07</td><td>36.14</td><td>0.00</td><td>315</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>68.04</td><td>110.90</td><td>-42.86</td><td>59.13</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>315</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>68.04</td><td>110.90</td><td>-42.86</td><td>59.13</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>315</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.00	50.11	68.20	-18.09	40.22	34.90	11.07	36.08	0.00	315	360	PEAK	2	5651.42	49.00	69.26	-20.18	39.25	34.90	11.07	36.14	0.00	315	360	PEAK	3	5720.00	68.04	110.90	-42.86	59.13	34.96	11.17	37.22	0.00	315	360	PEAK	4	5720.00	68.04	110.90	-42.86	59.13	34.96	11.17	37.22	0.00	315	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>110.17</td><td>-----</td><td>-----</td><td>101.52</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>315</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	110.17	-----	-----	101.52	35.03	11.20	37.58	0.00	315	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5647.00	50.11	68.20	-18.09	40.22	34.90	11.07	36.08	0.00	315	360	PEAK																																																																																																																															
2	5651.42	49.00	69.26	-20.18	39.25	34.90	11.07	36.14	0.00	315	360	PEAK																																																																																																																															
3	5720.00	68.04	110.90	-42.86	59.13	34.96	11.17	37.22	0.00	315	360	PEAK																																																																																																																															
4	5720.00	68.04	110.90	-42.86	59.13	34.96	11.17	37.22	0.00	315	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	110.17	-----	-----	101.52	35.03	11.20	37.58	0.00	315	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>102.00</td><td>-----</td><td>-----</td><td>93.43</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>315</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.00	-----	-----	93.43	35.03	11.20	37.58	0.00	315	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	102.00	-----	-----	93.43	35.03	11.20	37.58	0.00	315	360	AVERAGE																																																																																																																															





Mode	47																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5635.00</td><td>52.16</td><td>68.20</td><td>-16.04</td><td>42.18</td><td>34.90</td><td>11.05</td><td>35.97</td><td>0.00</td><td>100</td><td>138</td><td>PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>48.84</td><td>68.65</td><td>-19.81</td><td>39.00</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>100</td><td>138</td><td>PEAK</td></tr><tr><td>3</td><td>5719.00</td><td>65.33</td><td>110.62</td><td>-45.29</td><td>56.40</td><td>34.96</td><td>11.17</td><td>37.20</td><td>0.00</td><td>100</td><td>138</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.74</td><td>110.90</td><td>-46.16</td><td>55.83</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.00	52.16	68.20	-16.04	42.18	34.90	11.05	35.97	0.00	100	138	PEAK	2	5650.60	48.84	68.65	-19.81	39.00	34.90	11.07	36.13	0.00	100	138	PEAK	3	5719.00	65.33	110.62	-45.29	56.40	34.96	11.17	37.20	0.00	100	138	PEAK	4	5720.00	64.74	110.90	-46.16	55.83	34.96	11.17	37.22	0.00	100	138	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.40</td><td>-----</td><td>-----</td><td>97.68</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>100</td><td>138</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.40	-----	-----	97.68	35.01	11.19	37.48	0.00	100	138
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5635.00	52.16	68.20	-16.04	42.18	34.90	11.05	35.97	0.00	100	138	PEAK																																																																																																																														
2	5650.60	48.84	68.65	-19.81	39.00	34.90	11.07	36.13	0.00	100	138	PEAK																																																																																																																														
3	5719.00	65.33	110.62	-45.29	56.40	34.96	11.17	37.20	0.00	100	138	PEAK																																																																																																																														
4	5720.00	64.74	110.90	-46.16	55.83	34.96	11.17	37.22	0.00	100	138	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	106.40	-----	-----	97.68	35.01	11.19	37.48	0.00	100	138	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.89</td><td>-----</td><td>-----</td><td>89.24</td><td>35.03</td><td>11.20</td><td>37.58</td><td>0.00</td><td>100</td><td>138</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	97.89	-----	-----	89.24	35.03	11.20	37.58	0.00	100	138	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.89	-----	-----	89.24	35.03	11.20	37.58	0.00	100	138	AVERAGE																																																																																																																														






Mode	47																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Full_5745MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>46.16</td><td>74.00</td><td>-27.84</td><td>57.80</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.16	74.00	-27.84	57.80	38.34	16.36	66.34	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.17</td><td>74.00</td><td>-28.83</td><td>56.81</td><td>38.34</td><td>16.36</td><td>66.34</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.17	74.00	-28.83	56.81	38.34	16.36	66.34	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11490.00	46.16	74.00	-27.84	57.80	38.34	16.36	66.34	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11490.00	45.17	74.00	-28.83	56.81	38.34	16.36	66.34	0.00	--	PEAK																																																																																							



Mode	48																																																																																																					
	Harmonic																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH157_Full_5785MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal						Vertical																																																																																															
Peak Avg																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>57.26</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.77	74.00	-28.23	57.26	38.43	16.41	66.33	0.00	--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.52</td><td>74.00</td><td>-28.48</td><td>57.01</td><td>38.43</td><td>16.41</td><td>66.33</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.52	74.00	-28.48	57.01	38.43	16.41	66.33	0.00	--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11570.00	45.77	74.00	-28.23	57.26	38.43	16.41	66.33	0.00	--	-- PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	11570.00	45.52	74.00	-28.48	57.01	38.43	16.41	66.33	0.00	--	-- PEAK																																																																																											





Mode	49																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.22</td><td>61.53</td><td>112.67</td><td>-51.14</td><td>54.27</td><td>35.25</td><td>11.33</td><td>39.32</td><td>0.00</td><td>306 360 PEAK</td></tr><tr><td>2 5857.42</td><td>62.83</td><td>110.22</td><td>-47.39</td><td>55.56</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>306 360 PEAK</td></tr><tr><td>3 5925.00</td><td>48.19</td><td>68.20</td><td>-20.01</td><td>40.63</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>306 360 PEAK</td></tr><tr><td>4 5987.00</td><td>48.64</td><td>68.20</td><td>-19.56</td><td>40.73</td><td>35.56</td><td>11.46</td><td>39.11</td><td>0.00</td><td>306 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.22	61.53	112.67	-51.14	54.27	35.25	11.33	39.32	0.00	306 360 PEAK	2 5857.42	62.83	110.22	-47.39	55.56	35.26	11.34	39.33	0.00	306 360 PEAK	3 5925.00	48.19	68.20	-20.01	40.63	35.38	11.40	39.22	0.00	306 360 PEAK	4 5987.00	48.64	68.20	-19.56	40.73	35.56	11.46	39.11	0.00	306 360 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>108.90</td><td>-----</td><td>-----</td><td>101.18</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>306 360 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	108.90	-----	-----	101.18	35.22	11.30	38.80	0.00	306 360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.22	61.53	112.67	-51.14	54.27	35.25	11.33	39.32	0.00	306 360 PEAK																																																																																																							
2 5857.42	62.83	110.22	-47.39	55.56	35.26	11.34	39.33	0.00	306 360 PEAK																																																																																																							
3 5925.00	48.19	68.20	-20.01	40.63	35.38	11.40	39.22	0.00	306 360 PEAK																																																																																																							
4 5987.00	48.64	68.20	-19.56	40.73	35.56	11.46	39.11	0.00	306 360 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	108.90	-----	-----	101.18	35.22	11.30	38.80	0.00	306 360 PEAK																																																																																																							
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.72</td><td>-----</td><td>-----</td><td>93.00</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>306 360 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	100.72	-----	-----	93.00	35.22	11.30	38.80	0.00	306 360 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	100.72	-----	-----	93.00	35.22	11.30	38.80	0.00	306 360 AVERAGE																																																																																																							






		49																																																																																																																						
Mode	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																																							
ANT	1																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5855.00</td><td>54.10</td><td>110.90</td><td>-56.80</td><td>46.83</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300 94 PEAK</td></tr><tr><td>2 5860.60</td><td>54.56</td><td>109.33</td><td>-54.77</td><td>47.28</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>300 94 PEAK</td></tr><tr><td>3 5923.80</td><td>47.77</td><td>69.09</td><td>-21.32</td><td>40.22</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300 94 PEAK</td></tr><tr><td>4 5942.60</td><td>48.54</td><td>68.20</td><td>-19.66</td><td>40.88</td><td>35.43</td><td>11.42</td><td>39.19</td><td>0.00</td><td>300 94 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5855.00	54.10	110.90	-56.80	46.83	35.26	11.34	39.33	0.00	300 94 PEAK	2 5860.60	54.56	109.33	-54.77	47.28	35.26	11.34	39.32	0.00	300 94 PEAK	3 5923.80	47.77	69.09	-21.32	40.22	35.37	11.40	39.22	0.00	300 94 PEAK	4 5942.60	48.54	68.20	-19.66	40.88	35.43	11.42	39.19	0.00	300 94 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.09</td><td>-----</td><td>-----</td><td>95.45</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>300 94 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	103.09	-----	-----	95.45	35.23	11.31	38.90	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5855.00	54.10	110.90	-56.80	46.83	35.26	11.34	39.33	0.00	300 94 PEAK																																																																																																															
2 5860.60	54.56	109.33	-54.77	47.28	35.26	11.34	39.32	0.00	300 94 PEAK																																																																																																															
3 5923.80	47.77	69.09	-21.32	40.22	35.37	11.40	39.22	0.00	300 94 PEAK																																																																																																															
4 5942.60	48.54	68.20	-19.66	40.88	35.43	11.42	39.19	0.00	300 94 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	103.09	-----	-----	95.45	35.23	11.31	38.90	0.00	300 94 PEAK																																																																																																															
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>95.34</td><td>-----</td><td>-----</td><td>87.62</td><td>35.22</td><td>11.30</td><td>38.80</td><td>0.00</td><td>300 94 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	95.34	-----	-----	87.62	35.22	11.30	38.80	0.00	300 94 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1 5825.00	95.34	-----	-----	87.62	35.22	11.30	38.80	0.00	300 94 AVERAGE																																																																																																															




Mode	49																																																																																																							
	Harmonic																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Full_5825MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Vertical																																																																																																	
Peak Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>57.11</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.75	74.00	-28.25	57.11	38.51	16.46	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>57.33</td><td>38.51</td><td>16.46</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	45.97	74.00	-28.03	57.33	38.51	16.46	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11650.00	45.75	74.00	-28.25	57.11	38.51	16.46	66.33	0.00	--	--	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11650.00	45.97	74.00	-28.03	57.33	38.51	16.46	66.33	0.00	--	--	PEAK																																																																																												






Mode	50																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.90</td><td>57.51</td><td>68.20</td><td>-10.69</td><td>47.64</td><td>34.90</td><td>11.07</td><td>36.10</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5652.94</td><td>58.71</td><td>70.39</td><td>-11.68</td><td>48.89</td><td>34.90</td><td>11.08</td><td>36.16</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5711.37</td><td>72.86</td><td>108.49</td><td>-35.63</td><td>63.85</td><td>34.93</td><td>11.16</td><td>37.08</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5728.52</td><td>75.00</td><td>112.09</td><td>-37.09</td><td>66.09</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5648.90	57.51	68.20	-10.69	47.64	34.90	11.07	36.10	0.00	298	360	PEAK	2	5652.94	58.71	70.39	-11.68	48.89	34.90	11.08	36.16	0.00	298	360	PEAK	3	5711.37	72.86	108.49	-35.63	63.85	34.93	11.16	37.08	0.00	298	360	PEAK	4	5728.52	75.00	112.09	-37.09	66.09	34.96	11.17	37.22	0.00	298	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>107.66</td><td>-----</td><td>-----</td><td>99.07</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	107.66	-----	-----	99.07	35.05	11.21	37.67	0.00	298	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5648.90	57.51	68.20	-10.69	47.64	34.90	11.07	36.10	0.00	298	360	PEAK																																																																																																																															
2	5652.94	58.71	70.39	-11.68	48.89	34.90	11.08	36.16	0.00	298	360	PEAK																																																																																																																															
3	5711.37	72.86	108.49	-35.63	63.85	34.93	11.16	37.08	0.00	298	360	PEAK																																																																																																																															
4	5728.52	75.00	112.09	-37.09	66.09	34.96	11.17	37.22	0.00	298	360	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	107.66	-----	-----	99.07	35.05	11.21	37.67	0.00	298	360	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>90.97</td><td>-----</td><td>-----</td><td>90.38</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>298</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	90.97	-----	-----	90.38	35.05	11.21	37.67	0.00	298	360	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5755.00	90.97	-----	-----	90.38	35.05	11.21	37.67	0.00	298	360	AVERAGE																																																																																																																															




Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.56</td><td>49.71</td><td>111.91</td><td>-62.20</td><td>42.45</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5872.30</td><td>49.79</td><td>106.05</td><td>-56.26</td><td>42.47</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5923.39</td><td>47.93</td><td>69.39</td><td>-21.46</td><td>40.38</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5927.87</td><td>49.59</td><td>68.20</td><td>-18.61</td><td>42.02</td><td>35.38</td><td>11.40</td><td>39.21</td><td>0.00</td><td>298</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.56	49.71	111.91	-62.20	42.45	35.25	11.34	39.33	0.00	298	360	PEAK	2	5872.30	49.79	106.05	-56.26	42.47	35.27	11.35	39.30	0.00	298	360	PEAK	3	5923.39	47.93	69.39	-21.46	40.38	35.37	11.40	39.22	0.00	298	360	PEAK	4	5927.87	49.59	68.20	-18.61	42.02	35.38	11.40	39.21	0.00	298	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.56	49.71	111.91	-62.20	42.45	35.25	11.34	39.33	0.00	298	360	PEAK																																																																									
2	5872.30	49.79	106.05	-56.26	42.47	35.27	11.35	39.30	0.00	298	360	PEAK																																																																									
3	5923.39	47.93	69.39	-21.46	40.38	35.37	11.40	39.22	0.00	298	360	PEAK																																																																									
4	5927.87	49.59	68.20	-18.61	42.02	35.38	11.40	39.21	0.00	298	360	PEAK																																																																									





Mode	50																																																																																																																																				
	Band Edge - L																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																																																				
ANT	1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.87</td><td>53.96</td><td>68.20</td><td>-14.24</td><td>44.03</td><td>34.90</td><td>11.07</td><td>36.04</td><td>0.00</td><td>287</td><td>61 PEAK</td></tr><tr><td>2</td><td>5650.89</td><td>53.13</td><td>68.86</td><td>-15.73</td><td>43.29</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>287</td><td>61 PEAK</td></tr><tr><td>3</td><td>5714.48</td><td>71.80</td><td>109.36</td><td>-37.56</td><td>62.83</td><td>34.94</td><td>11.16</td><td>37.13</td><td>0.00</td><td>287</td><td>61 PEAK</td></tr><tr><td>4</td><td>5728.20</td><td>71.68</td><td>111.36</td><td>-39.68</td><td>62.77</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>287</td><td>61 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.87	53.96	68.20	-14.24	44.03	34.90	11.07	36.04	0.00	287	61 PEAK	2	5650.89	53.13	68.86	-15.73	43.29	34.90	11.07	36.13	0.00	287	61 PEAK	3	5714.48	71.80	109.36	-37.56	62.83	34.94	11.16	37.13	0.00	287	61 PEAK	4	5728.20	71.68	111.36	-39.68	62.77	34.96	11.17	37.22	0.00	287	61 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>103.90</td><td>-----</td><td>-----</td><td>95.31</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>287</td><td>61 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	103.90	-----	-----	95.31	35.05	11.21	37.67	0.00	287
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5644.87	53.96	68.20	-14.24	44.03	34.90	11.07	36.04	0.00	287	61 PEAK																																																																																																																										
2	5650.89	53.13	68.86	-15.73	43.29	34.90	11.07	36.13	0.00	287	61 PEAK																																																																																																																										
3	5714.48	71.80	109.36	-37.56	62.83	34.94	11.16	37.13	0.00	287	61 PEAK																																																																																																																										
4	5728.20	71.68	111.36	-39.68	62.77	34.96	11.17	37.22	0.00	287	61 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5755.00	103.90	-----	-----	95.31	35.05	11.21	37.67	0.00	287	61 PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.19</td><td>-----</td><td>-----</td><td>86.60</td><td>35.05</td><td>11.21</td><td>37.67</td><td>0.00</td><td>287</td><td>61 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	95.19	-----	-----	86.60	35.05	11.21	37.67	0.00	287	61 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5755.00	95.19	-----	-----	86.60	35.05	11.21	37.67	0.00	287	61 AVERAGE																																																																																																																										






Mode	50																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>47.73</td><td>110.99</td><td>-63.26</td><td>40.47</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>287</td><td>61</td><td>PEAK</td></tr><tr><td>2</td><td>5874.64</td><td>48.11</td><td>105.40</td><td>-57.29</td><td>40.79</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>287</td><td>61</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>46.48</td><td>68.39</td><td>-21.91</td><td>38.93</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>287</td><td>61</td><td>PEAK</td></tr><tr><td>4</td><td>5929.62</td><td>49.17</td><td>68.20</td><td>-19.03</td><td>41.58</td><td>35.39</td><td>11.41</td><td>39.21</td><td>0.00</td><td>287</td><td>61</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.96	47.73	110.99	-63.26	40.47	35.25	11.34	39.33	0.00	287	61	PEAK	2	5874.64	48.11	105.40	-57.29	40.79	35.27	11.35	39.30	0.00	287	61	PEAK	3	5924.75	46.48	68.39	-21.91	38.93	35.37	11.40	39.22	0.00	287	61	PEAK	4	5929.62	49.17	68.20	-19.03	41.58	35.39	11.41	39.21	0.00	287	61	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.96	47.73	110.99	-63.26	40.47	35.25	11.34	39.33	0.00	287	61	PEAK																																																																									
2	5874.64	48.11	105.40	-57.29	40.79	35.27	11.35	39.30	0.00	287	61	PEAK																																																																									
3	5924.75	46.48	68.39	-21.91	38.93	35.37	11.40	39.22	0.00	287	61	PEAK																																																																									
4	5929.62	49.17	68.20	-19.03	41.58	35.39	11.41	39.21	0.00	287	61	PEAK																																																																									




Mode	50																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full_5755MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>46.03</td><td>74.00</td><td>-27.97</td><td>57.63</td><td>38.36</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	46.03	74.00	-27.97	57.63	38.36	16.37	66.33	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11510.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>56.97</td><td>38.36</td><td>16.37</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11510.00	45.37	74.00	-28.63	56.97	38.36	16.37	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	11510.00	46.03	74.00	-27.97	57.63	38.36	16.37	66.33	0.00	--	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	11510.00	45.37	74.00	-28.63	56.97	38.36	16.37	66.33	0.00	--	--	PEAK																																																																																						






Mode	51																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5649.00</td><td>51.97</td><td>68.20</td><td>-16.23</td><td>42.11</td><td>34.90</td><td>11.07</td><td>36.11</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>51.89</td><td>68.20</td><td>-16.31</td><td>42.04</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5710.22</td><td>55.65</td><td>108.16</td><td>-52.51</td><td>46.62</td><td>34.93</td><td>11.16</td><td>37.06</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.60</td><td>57.68</td><td>112.27</td><td>-54.59</td><td>48.77</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5649.00	51.97	68.20	-16.23	42.11	34.90	11.07	36.11	0.00	311	360	PEAK	2	5650.00	51.89	68.20	-16.31	42.04	34.90	11.07	36.12	0.00	311	360	PEAK	3	5710.22	55.65	108.16	-52.51	46.62	34.93	11.16	37.06	0.00	311	360	PEAK	4	5720.60	57.68	112.27	-54.59	48.77	34.96	11.17	37.22	0.00	311	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.81</td><td>-----</td><td>-----</td><td>98.70</td><td>35.17</td><td>11.27</td><td>38.33</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5795.00	106.81	-----	-----	98.70	35.17	11.27	38.33	0.00	311	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5649.00	51.97	68.20	-16.23	42.11	34.90	11.07	36.11	0.00	311	360	PEAK																																																																																																																												
2	5650.00	51.89	68.20	-16.31	42.04	34.90	11.07	36.12	0.00	311	360	PEAK																																																																																																																												
3	5710.22	55.65	108.16	-52.51	46.62	34.93	11.16	37.06	0.00	311	360	PEAK																																																																																																																												
4	5720.60	57.68	112.27	-54.59	48.77	34.96	11.17	37.22	0.00	311	360	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5795.00	106.81	-----	-----	98.70	35.17	11.27	38.33	0.00	311	360	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.95</td><td>-----</td><td>-----</td><td>89.84</td><td>35.17</td><td>11.27</td><td>38.33</td><td>0.00</td><td>311</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	5795.00	97.95	-----	-----	89.84	35.17	11.27	38.33	0.00	311	360	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																																																
1	5795.00	97.95	-----	-----	89.84	35.17	11.27	38.33	0.00	311	360	AVERAGE																																																																																																																												




Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.96</td><td>55.15</td><td>111.00</td><td>-55.85</td><td>47.89</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5856.22</td><td>57.05</td><td>110.56</td><td>-53.51</td><td>49.78</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.20</td><td>46.95</td><td>68.79</td><td>-21.84</td><td>39.40</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5930.60</td><td>49.24</td><td>68.20</td><td>-18.96</td><td>41.65</td><td>35.39</td><td>11.41</td><td>39.21</td><td>0.00</td><td>311</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.96	55.15	111.00	-55.85	47.89	35.25	11.34	39.33	0.00	311	360	PEAK	2	5856.22	57.05	110.56	-53.51	49.78	35.26	11.34	39.33	0.00	311	360	PEAK	3	5924.20	46.95	68.79	-21.84	39.40	35.37	11.40	39.22	0.00	311	360	PEAK	4	5930.60	49.24	68.20	-18.96	41.65	35.39	11.41	39.21	0.00	311	360	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.96	55.15	111.00	-55.85	47.89	35.25	11.34	39.33	0.00	311	360	PEAK																																																																									
2	5856.22	57.05	110.56	-53.51	49.78	35.26	11.34	39.33	0.00	311	360	PEAK																																																																									
3	5924.20	46.95	68.79	-21.84	39.40	35.37	11.40	39.22	0.00	311	360	PEAK																																																																									
4	5930.60	49.24	68.20	-18.96	41.65	35.39	11.41	39.21	0.00	311	360	PEAK																																																																									





Mode	51																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5621.02</td><td>49.77</td><td>68.20</td><td>-18.43</td><td>39.83</td><td>34.90</td><td>11.03</td><td>35.99</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr><tr><td>2</td><td>5651.00</td><td>48.94</td><td>69.54</td><td>-20.60</td><td>39.12</td><td>34.90</td><td>11.07</td><td>36.15</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr><tr><td>3</td><td>5704.91</td><td>50.98</td><td>106.68</td><td>-55.70</td><td>41.90</td><td>34.91</td><td>11.15</td><td>36.98</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr><tr><td>4</td><td>5720.20</td><td>52.37</td><td>111.36</td><td>-58.99</td><td>43.46</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5621.02	49.77	68.20	-18.43	39.83	34.90	11.03	35.99	0.00	307	94	PEAK	2	5651.00	48.94	69.54	-20.60	39.12	34.90	11.07	36.15	0.00	307	94	PEAK	3	5704.91	50.98	106.68	-55.70	41.90	34.91	11.15	36.98	0.00	307	94	PEAK	4	5720.20	52.37	111.36	-58.99	43.46	34.96	11.17	37.22	0.00	307	94	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.19</td><td>-----</td><td>-----</td><td>93.08</td><td>35.17</td><td>11.27</td><td>38.33</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	101.19	-----	-----	93.08	35.17	11.27	38.33	0.00	307	94	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5621.02	49.77	68.20	-18.43	39.83	34.90	11.03	35.99	0.00	307	94	PEAK																																																																																																																															
2	5651.00	48.94	69.54	-20.60	39.12	34.90	11.07	36.15	0.00	307	94	PEAK																																																																																																																															
3	5704.91	50.98	106.68	-55.70	41.90	34.91	11.15	36.98	0.00	307	94	PEAK																																																																																																																															
4	5720.20	52.37	111.36	-58.99	43.46	34.96	11.17	37.22	0.00	307	94	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	101.19	-----	-----	93.08	35.17	11.27	38.33	0.00	307	94	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.36</td><td>-----</td><td>-----</td><td>85.25</td><td>35.17</td><td>11.27</td><td>38.33</td><td>0.00</td><td>307</td><td>94</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	93.36	-----	-----	85.25	35.17	11.27	38.33	0.00	307	94	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5795.00	93.36	-----	-----	85.25	35.17	11.27	38.33	0.00	307	94	AVERAGE																																																																																																																															






Mode	51																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																				
ANT	1																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.22</td><td>50.96</td><td>112.67</td><td>-61.71</td><td>43.70</td><td>35.25</td><td>11.33</td><td>39.32</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>48.59</td><td>105.30</td><td>-56.71</td><td>41.26</td><td>35.28</td><td>11.35</td><td>39.30</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>46.79</td><td>68.77</td><td>-21.98</td><td>39.24</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr><tr><td>4</td><td>5951.00</td><td>48.31</td><td>68.20</td><td>-19.89</td><td>40.60</td><td>35.45</td><td>11.43</td><td>39.17</td><td>0.00</td><td>307</td><td>94</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.22	50.96	112.67	-61.71	43.70	35.25	11.33	39.32	0.00	307	94	PEAK	2	5875.00	48.59	105.30	-56.71	41.26	35.28	11.35	39.30	0.00	307	94	PEAK	3	5924.22	46.79	68.77	-21.98	39.24	35.37	11.40	39.22	0.00	307	94	PEAK	4	5951.00	48.31	68.20	-19.89	40.60	35.45	11.43	39.17	0.00	307	94	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.22	50.96	112.67	-61.71	43.70	35.25	11.33	39.32	0.00	307	94	PEAK																																																																									
2	5875.00	48.59	105.30	-56.71	41.26	35.28	11.35	39.30	0.00	307	94	PEAK																																																																									
3	5924.22	46.79	68.77	-21.98	39.24	35.37	11.40	39.22	0.00	307	94	PEAK																																																																									
4	5951.00	48.31	68.20	-19.89	40.60	35.45	11.43	39.17	0.00	307	94	PEAK																																																																									




Mode	51																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full_5795MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.77</td><td>74.00</td><td>-28.23</td><td>57.23</td><td>38.45</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.77	74.00	-28.23	57.23	38.45	16.42	66.33	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>45.79</td><td>74.00</td><td>-28.21</td><td>57.25</td><td>38.45</td><td>16.42</td><td>66.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.79	74.00	-28.21	57.25	38.45	16.42	66.33	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11590.00	45.77	74.00	-28.23	57.23	38.45	16.42	66.33	0.00	--	--	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	11590.00	45.79	74.00	-28.21	57.25	38.45	16.42	66.33	0.00	--	--	PEAK																																																																																								






Mode	52																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.80</td><td>56.18</td><td>68.20</td><td>-12.02</td><td>46.29</td><td>34.90</td><td>11.07</td><td>36.08</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5651.80</td><td>58.88</td><td>69.54</td><td>-10.66</td><td>49.06</td><td>34.90</td><td>11.07</td><td>36.15</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5789.82</td><td>71.11</td><td>107.83</td><td>-36.72</td><td>62.07</td><td>34.93</td><td>11.15</td><td>37.04</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5728.00</td><td>68.42</td><td>110.90</td><td>-42.48</td><td>59.51</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.80	56.18	68.20	-12.02	46.29	34.90	11.07	36.08	0.00	300	359	PEAK	2	5651.80	58.88	69.54	-10.66	49.06	34.90	11.07	36.15	0.00	300	359	PEAK	3	5789.82	71.11	107.83	-36.72	62.07	34.93	11.15	37.04	0.00	300	359	PEAK	4	5728.00	68.42	110.90	-42.48	59.51	34.96	11.17	37.22	0.00	300	359	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>104.18</td><td>-----</td><td>-----</td><td>95.81</td><td>35.10</td><td>11.23</td><td>37.96</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	104.18	-----	-----	95.81	35.10	11.23	37.96	0.00	300	359	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5647.80	56.18	68.20	-12.02	46.29	34.90	11.07	36.08	0.00	300	359	PEAK																																																																																																																															
2	5651.80	58.88	69.54	-10.66	49.06	34.90	11.07	36.15	0.00	300	359	PEAK																																																																																																																															
3	5789.82	71.11	107.83	-36.72	62.07	34.93	11.15	37.04	0.00	300	359	PEAK																																																																																																																															
4	5728.00	68.42	110.90	-42.48	59.51	34.96	11.17	37.22	0.00	300	359	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	104.18	-----	-----	95.81	35.10	11.23	37.96	0.00	300	359	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red line for the limit and a blue line for the measured signal. The signal is below the limit across the entire frequency range. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5775.00</td><td>94.55</td><td>-----</td><td>-----</td><td>86.23</td><td>35.12</td><td>11.24</td><td>38.04</td><td>0.00</td><td>300</td><td>359</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	94.55	-----	-----	86.23	35.12	11.24	38.04	0.00	300	359	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5775.00	94.55	-----	-----	86.23	35.12	11.24	38.04	0.00	300	359	AVERAGE																																																																																																																															




Mode	52																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																				
ANT	1																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>56.27</td><td>110.90</td><td>-54.63</td><td>49.00</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>57.75</td><td>105.32</td><td>-47.57</td><td>50.43</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>49.75</td><td>68.20</td><td>-18.45</td><td>42.19</td><td>35.38</td><td>11.40</td><td>39.22</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr><tr><td>4</td><td>5925.02</td><td>49.91</td><td>68.20</td><td>-18.29</td><td>42.34</td><td>35.38</td><td>11.40</td><td>39.21</td><td>0.00</td><td>300</td><td>359</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	56.27	110.90	-54.63	49.00	35.26	11.34	39.33	0.00	300	359	PEAK	2	5874.93	57.75	105.32	-47.57	50.43	35.27	11.35	39.30	0.00	300	359	PEAK	3	5925.00	49.75	68.20	-18.45	42.19	35.38	11.40	39.22	0.00	300	359	PEAK	4	5925.02	49.91	68.20	-18.29	42.34	35.38	11.40	39.21	0.00	300	359	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5855.00	56.27	110.90	-54.63	49.00	35.26	11.34	39.33	0.00	300	359	PEAK																																																																									
2	5874.93	57.75	105.32	-47.57	50.43	35.27	11.35	39.30	0.00	300	359	PEAK																																																																									
3	5925.00	49.75	68.20	-18.45	42.19	35.38	11.40	39.22	0.00	300	359	PEAK																																																																									
4	5925.02	49.91	68.20	-18.29	42.34	35.38	11.40	39.21	0.00	300	359	PEAK																																																																									





Mode	52																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5643.80</td><td>55.56</td><td>68.20</td><td>-12.64</td><td>45.62</td><td>34.90</td><td>11.06</td><td>36.02</td><td>0.00</td><td>302</td><td>61</td><td>PEAK</td></tr><tr><td>2</td><td>5652.22</td><td>54.95</td><td>69.86</td><td>-14.91</td><td>45.12</td><td>34.90</td><td>11.08</td><td>36.15</td><td>0.00</td><td>302</td><td>61</td><td>PEAK</td></tr><tr><td>3</td><td>5783.42</td><td>68.52</td><td>106.26</td><td>-37.74</td><td>59.42</td><td>34.91</td><td>11.15</td><td>36.96</td><td>0.00</td><td>302</td><td>61</td><td>PEAK</td></tr><tr><td>4</td><td>5728.22</td><td>63.49</td><td>111.41</td><td>-47.92</td><td>54.58</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>302</td><td>61</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5643.80	55.56	68.20	-12.64	45.62	34.90	11.06	36.02	0.00	302	61	PEAK	2	5652.22	54.95	69.86	-14.91	45.12	34.90	11.08	36.15	0.00	302	61	PEAK	3	5783.42	68.52	106.26	-37.74	59.42	34.91	11.15	36.96	0.00	302	61	PEAK	4	5728.22	63.49	111.41	-47.92	54.58	34.96	11.17	37.22	0.00	302	61	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>100.24</td><td>-----</td><td>-----</td><td>91.93</td><td>35.12</td><td>11.24</td><td>38.05</td><td>0.00</td><td>302</td><td>61</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	100.24	-----	-----	91.93	35.12	11.24	38.05	0.00	302	61
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5643.80	55.56	68.20	-12.64	45.62	34.90	11.06	36.02	0.00	302	61	PEAK																																																																																																																														
2	5652.22	54.95	69.86	-14.91	45.12	34.90	11.08	36.15	0.00	302	61	PEAK																																																																																																																														
3	5783.42	68.52	106.26	-37.74	59.42	34.91	11.15	36.96	0.00	302	61	PEAK																																																																																																																														
4	5728.22	63.49	111.41	-47.92	54.58	34.96	11.17	37.22	0.00	302	61	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	100.24	-----	-----	91.93	35.12	11.24	38.05	0.00	302	61	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>90.66</td><td>-----</td><td>-----</td><td>82.33</td><td>35.12</td><td>11.24</td><td>38.03</td><td>0.00</td><td>302</td><td>61</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	90.66	-----	-----	82.33	35.12	11.24	38.03	0.00	302	61	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5775.00	90.66	-----	-----	82.33	35.12	11.24	38.03	0.00	302	61	AVERAGE																																																																																																																														






Mode	52																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																
ANT	1																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>50.97</td><td>110.90</td><td>-59.93</td><td>43.70</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>302</td><td>61 PEAK</td></tr><tr><td>2</td><td>5872.22</td><td>52.40</td><td>106.00</td><td>-53.60</td><td>45.00</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>302</td><td>61 PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>48.01</td><td>68.77</td><td>-20.76</td><td>40.46</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>302</td><td>61 PEAK</td></tr><tr><td>4</td><td>5947.00</td><td>47.73</td><td>68.20</td><td>-20.47</td><td>40.05</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>302</td><td>61 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	50.97	110.90	-59.93	43.70	35.26	11.34	39.33	0.00	302	61 PEAK	2	5872.22	52.40	106.00	-53.60	45.00	35.27	11.35	39.30	0.00	302	61 PEAK	3	5924.22	48.01	68.77	-20.76	40.46	35.37	11.40	39.22	0.00	302	61 PEAK	4	5947.00	47.73	68.20	-20.47	40.05	35.44	11.42	39.18	0.00	302	61 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	5855.00	50.97	110.90	-59.93	43.70	35.26	11.34	39.33	0.00	302	61 PEAK																																																																						
2	5872.22	52.40	106.00	-53.60	45.00	35.27	11.35	39.30	0.00	302	61 PEAK																																																																						
3	5924.22	48.01	68.77	-20.76	40.46	35.37	11.40	39.22	0.00	302	61 PEAK																																																																						
4	5947.00	47.73	68.20	-20.47	40.05	35.44	11.42	39.18	0.00	302	61 PEAK																																																																						






Mode	52																																																																																																																																													
	Harmonic																																																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																																					
Peak Avg																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>56.97</td><td>38.40</td><td>16.39</td><td>66.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	45.43	74.00	-28.57	56.97	38.40	16.39	66.33								0.00	--									deg									PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>11550.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>56.84</td><td>38.40</td><td>16.39</td><td>66.33</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11550.00	45.30	74.00	-28.70	56.84	38.40	16.39	66.33								0.00	--									deg									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11550.00	45.43	74.00	-28.57	56.97	38.40	16.39	66.33																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								PEAK																																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																						
1	11550.00	45.30	74.00	-28.70	56.84	38.40	16.39	66.33																																																																																																																																						
							0.00	--																																																																																																																																						
								deg																																																																																																																																						
								PEAK																																																																																																																																						






Mode	53																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.00</td><td>49.71</td><td>68.20</td><td>-18.49</td><td>39.71</td><td>34.90</td><td>11.06</td><td>35.96</td><td>0.00</td><td>295</td><td>353</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>48.48</td><td>68.37</td><td>-19.89</td><td>38.63</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>295</td><td>353</td><td>PEAK</td></tr><tr><td>3</td><td>5702.22</td><td>52.57</td><td>105.92</td><td>-53.35</td><td>43.46</td><td>34.91</td><td>11.14</td><td>36.94</td><td>0.00</td><td>295</td><td>353</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.95</td><td>110.90</td><td>-56.95</td><td>45.04</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>295</td><td>353</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.00	49.71	68.20	-18.49	39.71	34.90	11.06	35.96	0.00	295	353	PEAK	2	5650.22	48.48	68.37	-19.89	38.63	34.90	11.07	36.12	0.00	295	353	PEAK	3	5702.22	52.57	105.92	-53.35	43.46	34.91	11.14	36.94	0.00	295	353	PEAK	4	5720.00	53.95	110.90	-56.95	45.04	34.96	11.17	37.22	0.00	295	353	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>113.55</td><td>-----</td><td>-----</td><td>104.76</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>295</td><td>353</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	113.55	-----	-----	104.76	34.99	11.19	37.39	0.00	295	353
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5639.00	49.71	68.20	-18.49	39.71	34.90	11.06	35.96	0.00	295	353	PEAK																																																																																																																														
2	5650.22	48.48	68.37	-19.89	38.63	34.90	11.07	36.12	0.00	295	353	PEAK																																																																																																																														
3	5702.22	52.57	105.92	-53.35	43.46	34.91	11.14	36.94	0.00	295	353	PEAK																																																																																																																														
4	5720.00	53.95	110.90	-56.95	45.04	34.96	11.17	37.22	0.00	295	353	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	113.55	-----	-----	104.76	34.99	11.19	37.39	0.00	295	353	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.12</td><td>-----</td><td>-----</td><td>96.33</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>295</td><td>353</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.12	-----	-----	96.33	34.99	11.19	37.39	0.00	295	353	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5745.00	105.12	-----	-----	96.33	34.99	11.19	37.39	0.00	295	353	AVERAGE																																																																																																																														






Mode	53																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU26/0_5745MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5637.00</td><td>49.57</td><td>68.20</td><td>-18.63</td><td>39.57</td><td>34.90</td><td>11.06</td><td>35.96</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr><tr><td>2</td><td>5650.60</td><td>47.53</td><td>68.65</td><td>-21.12</td><td>37.69</td><td>34.90</td><td>11.07</td><td>36.13</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr><tr><td>3</td><td>5700.60</td><td>51.52</td><td>105.47</td><td>-53.95</td><td>42.39</td><td>34.90</td><td>11.14</td><td>36.91</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>50.50</td><td>110.90</td><td>-60.40</td><td>41.59</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5637.00	49.57	68.20	-18.63	39.57	34.90	11.06	35.96	0.00	100	62 PEAK	2	5650.60	47.53	68.65	-21.12	37.69	34.90	11.07	36.13	0.00	100	62 PEAK	3	5700.60	51.52	105.47	-53.95	42.39	34.90	11.14	36.91	0.00	100	62 PEAK	4	5720.00	50.50	110.90	-60.40	41.59	34.96	11.17	37.22	0.00	100	62 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.89</td><td>-----</td><td>-----</td><td>101.10</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>62 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.89	-----	-----	101.10	34.99	11.19	37.39	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5637.00	49.57	68.20	-18.63	39.57	34.90	11.06	35.96	0.00	100	62 PEAK																																																																																																																								
2	5650.60	47.53	68.65	-21.12	37.69	34.90	11.07	36.13	0.00	100	62 PEAK																																																																																																																								
3	5700.60	51.52	105.47	-53.95	42.39	34.90	11.14	36.91	0.00	100	62 PEAK																																																																																																																								
4	5720.00	50.50	110.90	-60.40	41.59	34.96	11.17	37.22	0.00	100	62 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5745.00	109.89	-----	-----	101.10	34.99	11.19	37.39	0.00	100	62 PEAK																																																																																																																								
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.52</td><td>-----</td><td>-----</td><td>93.73</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>62 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	102.52	-----	-----	93.73	34.99	11.19	37.39	0.00	100	62 AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5745.00	102.52	-----	-----	93.73	34.99	11.19	37.39	0.00	100	62 AVERAGE																																																																																																																								






Mode	54																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																																																																																
ANT	1																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal is centered around 5825 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>46.15</td><td>110.90</td><td>-64.75</td><td>38.88</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>354</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5866.60</td><td>54.53</td><td>107.65</td><td>-53.12</td><td>47.22</td><td>35.27</td><td>11.35</td><td>39.31</td><td>0.00</td><td>354</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.22</td><td>46.61</td><td>68.77</td><td>-22.16</td><td>39.06</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>354</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5987.42</td><td>48.53</td><td>68.20</td><td>-19.67</td><td>40.62</td><td>35.56</td><td>11.46</td><td>39.11</td><td>0.00</td><td>354</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	46.15	110.90	-64.75	38.88	35.26	11.34	39.33	0.00	354	360	PEAK	2	5866.60	54.53	107.65	-53.12	47.22	35.27	11.35	39.31	0.00	354	360	PEAK	3	5924.22	46.61	68.77	-22.16	39.06	35.37	11.40	39.22	0.00	354	360	PEAK	4	5987.42	48.53	68.20	-19.67	40.62	35.56	11.46	39.11	0.00	354	360	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal is centered around 5825 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.71</td><td>-----</td><td>-----</td><td>103.16</td><td>35.23</td><td>11.31</td><td>38.99</td><td>0.00</td><td>354</td><td>360</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	110.71	-----	-----	103.16	35.23	11.31	38.99	0.00	354	360	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5855.00	46.15	110.90	-64.75	38.88	35.26	11.34	39.33	0.00	354	360	PEAK																																																																																																																					
2	5866.60	54.53	107.65	-53.12	47.22	35.27	11.35	39.31	0.00	354	360	PEAK																																																																																																																					
3	5924.22	46.61	68.77	-22.16	39.06	35.37	11.40	39.22	0.00	354	360	PEAK																																																																																																																					
4	5987.42	48.53	68.20	-19.67	40.62	35.56	11.46	39.11	0.00	354	360	PEAK																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	110.71	-----	-----	103.16	35.23	11.31	38.99	0.00	354	360	PEAK																																																																																																																					
Avg	Blank																																																																																																																																
		 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot displays a red limit line and a blue test signal. The signal is centered around 5825 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.14</td><td>-----</td><td>-----</td><td>95.59</td><td>35.23</td><td>11.31</td><td>38.99</td><td>0.00</td><td>354</td><td>360</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.14	-----	-----	95.59	35.23	11.31	38.99	0.00	354	360	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	103.14	-----	-----	95.59	35.23	11.31	38.99	0.00	354	360	AVERAGE																																																																																																																					






		54																																																																														
Mode	Band Edge																																																																															
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU26/8_5825MHz																																																																															
ANT	1																																																																															
Pol.	Vertical																																																																															
Peak																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.60</td><td>47.10</td><td>111.81</td><td>-64.71</td><td>39.84</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00 385 140 PEAK</td></tr><tr><td>2</td><td>5872.91</td><td>46.86</td><td>105.88</td><td>-59.02</td><td>39.54</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00 385 140 PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>46.15</td><td>68.50</td><td>-22.35</td><td>38.60</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00 385 140 PEAK</td></tr><tr><td>4</td><td>5962.60</td><td>48.02</td><td>68.20</td><td>-20.18</td><td>40.24</td><td>35.49</td><td>11.44</td><td>39.15</td><td>0.00 385 140 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	47.10	111.81	-64.71	39.84	35.25	11.34	39.33	0.00 385 140 PEAK	2	5872.91	46.86	105.88	-59.02	39.54	35.27	11.35	39.30	0.00 385 140 PEAK	3	5924.60	46.15	68.50	-22.35	38.60	35.37	11.40	39.22	0.00 385 140 PEAK	4	5962.60	48.02	68.20	-20.18	40.24	35.49	11.44	39.15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.60	47.10	111.81	-64.71	39.84	35.25	11.34	39.33	0.00 385 140 PEAK																																																																							
2	5872.91	46.86	105.88	-59.02	39.54	35.27	11.35	39.30	0.00 385 140 PEAK																																																																							
3	5924.60	46.15	68.50	-22.35	38.60	35.37	11.40	39.22	0.00 385 140 PEAK																																																																							
4	5962.60	48.02	68.20	-20.18	40.24	35.49	11.44	39.15	0.00 385 140 PEAK																																																																							
Fundamental																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>110.52</td><td>-----</td><td>-----</td><td>102.97</td><td>35.23</td><td>11.31</td><td>38.99</td><td>0.00 385 140 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	110.52	-----	-----	102.97	35.23	11.31	38.99	0.00 385 140 PEAK																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5825.00	110.52	-----	-----	102.97	35.23	11.31	38.99	0.00 385 140 PEAK																																																																							
Avg	Blank																																																																															
																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.08</td><td>-----</td><td>-----</td><td>93.53</td><td>35.23</td><td>11.31</td><td>38.99</td><td>0.00 385 140 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.08	-----	-----	93.53	35.23	11.31	38.99	0.00 385 140 AVERAGE																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5825.00	101.08	-----	-----	93.53	35.23	11.31	38.99	0.00 385 140 AVERAGE																																																																							






	55																																																																																																																																							
Mode	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.60</td><td>56.22</td><td>68.20</td><td>-11.98</td><td>46.29</td><td>34.90</td><td>11.06</td><td>36.03</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5657.00</td><td>60.26</td><td>74.01</td><td>-13.75</td><td>50.52</td><td>34.90</td><td>11.06</td><td>36.24</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5712.22</td><td>72.27</td><td>108.72</td><td>-36.45</td><td>63.26</td><td>34.94</td><td>11.16</td><td>37.09</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5721.02</td><td>53.18</td><td>113.23</td><td>-60.05</td><td>44.28</td><td>34.96</td><td>11.17</td><td>37.23</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.60	56.22	68.20	-11.98	46.29	34.90	11.06	36.03	0.00	296	360	PEAK	2	5657.00	60.26	74.01	-13.75	50.52	34.90	11.06	36.24	0.00	296	360	PEAK	3	5712.22	72.27	108.72	-36.45	63.26	34.94	11.16	37.09	0.00	296	360	PEAK	4	5721.02	53.18	113.23	-60.05	44.28	34.96	11.17	37.23	0.00	296	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>110.79</td><td>-----</td><td>-----</td><td>102.00</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	110.79	-----	-----	102.00	34.99	11.19	37.39	0.00	296	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5644.60	56.22	68.20	-11.98	46.29	34.90	11.06	36.03	0.00	296	360	PEAK																																																																																																																												
2	5657.00	60.26	74.01	-13.75	50.52	34.90	11.06	36.24	0.00	296	360	PEAK																																																																																																																												
3	5712.22	72.27	108.72	-36.45	63.26	34.94	11.16	37.09	0.00	296	360	PEAK																																																																																																																												
4	5721.02	53.18	113.23	-60.05	44.28	34.96	11.17	37.23	0.00	296	360	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	110.79	-----	-----	102.00	34.99	11.19	37.39	0.00	296	360	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.71</td><td>-----</td><td>-----</td><td>92.99</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>296</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.71	-----	-----	92.99	35.01	11.19	37.48	0.00	296	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	101.71	-----	-----	92.99	35.01	11.19	37.48	0.00	296	360	AVERAGE																																																																																																																												






Mode	55																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU52/37_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5641.42</td><td>51.26</td><td>68.20</td><td>-16.94</td><td>41.28</td><td>34.90</td><td>11.06</td><td>35.98</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>5667.00</td><td>61.94</td><td>80.85</td><td>-18.91</td><td>52.32</td><td>34.90</td><td>11.10</td><td>36.38</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr><tr><td>3</td><td>5700.07</td><td>50.16</td><td>105.32</td><td>-55.16</td><td>41.02</td><td>34.90</td><td>11.14</td><td>36.90</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>49.80</td><td>110.90</td><td>-61.10</td><td>40.89</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5641.42	51.26	68.20	-16.94	41.28	34.90	11.06	35.98	0.00	100	62	PEAK	2	5667.00	61.94	80.85	-18.91	52.32	34.90	11.10	36.38	0.00	100	62	PEAK	3	5700.07	50.16	105.32	-55.16	41.02	34.90	11.14	36.90	0.00	100	62	PEAK	4	5720.00	49.80	110.90	-61.10	40.89	34.96	11.17	37.22	0.00	100	62	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>106.48</td><td>-----</td><td>-----</td><td>97.76</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>100</td><td>62</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.48	-----	-----	97.76	35.01	11.19	37.48	0.00	100	62	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5641.42	51.26	68.20	-16.94	41.28	34.90	11.06	35.98	0.00	100	62	PEAK																																																																																																																															
2	5667.00	61.94	80.85	-18.91	52.32	34.90	11.10	36.38	0.00	100	62	PEAK																																																																																																																															
3	5700.07	50.16	105.32	-55.16	41.02	34.90	11.14	36.90	0.00	100	62	PEAK																																																																																																																															
4	5720.00	49.80	110.90	-61.10	40.89	34.96	11.17	37.22	0.00	100	62	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.48	-----	-----	97.76	35.01	11.19	37.48	0.00	100	62	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.36</td><td>-----</td><td>-----</td><td>90.57</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>62</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.36	-----	-----	90.57	34.99	11.19	37.39	0.00	100	62	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	99.36	-----	-----	90.57	34.99	11.19	37.39	0.00	100	62	AVERAGE																																																																																																																															



Mode	56																																																																																																									
	Band Edge																																																																																																									
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5855.00</td><td>46.84</td><td>110.90</td><td>-64.06</td><td>39.57</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>353 360 PEAK</td></tr><tr><td>2 5874.98</td><td>46.67</td><td>105.31</td><td>-58.64</td><td>39.35</td><td>35.27</td><td>11.35</td><td>39.30</td><td>0.00</td><td>353 360 PEAK</td></tr><tr><td>3 5924.60</td><td>46.77</td><td>68.50</td><td>-21.73</td><td>39.22</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>353 360 PEAK</td></tr><tr><td>4 5939.80</td><td>47.90</td><td>68.20</td><td>-20.30</td><td>40.25</td><td>35.42</td><td>11.42</td><td>39.19</td><td>0.00</td><td>353 360 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5855.00	46.84	110.90	-64.06	39.57	35.26	11.34	39.33	0.00	353 360 PEAK	2 5874.98	46.67	105.31	-58.64	39.35	35.27	11.35	39.30	0.00	353 360 PEAK	3 5924.60	46.77	68.50	-21.73	39.22	35.37	11.40	39.22	0.00	353 360 PEAK	4 5939.80	47.90	68.20	-20.30	40.25	35.42	11.42	39.19	0.00	353 360 PEAK	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.52</td><td>-----</td><td>-----</td><td>99.88</td><td>35.23</td><td>11.31</td><td>38.98</td><td>0.00</td><td>353 360 PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	107.52	-----	-----	99.88	35.23	11.31	38.98	0.00	353 360 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 5855.00	46.84	110.90	-64.06	39.57	35.26	11.34	39.33	0.00	353 360 PEAK																																																																																																	
2 5874.98	46.67	105.31	-58.64	39.35	35.27	11.35	39.30	0.00	353 360 PEAK																																																																																																	
3 5924.60	46.77	68.50	-21.73	39.22	35.37	11.40	39.22	0.00	353 360 PEAK																																																																																																	
4 5939.80	47.90	68.20	-20.30	40.25	35.42	11.42	39.19	0.00	353 360 PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 5825.00	107.52	-----	-----	99.88	35.23	11.31	38.98	0.00	353 360 PEAK																																																																																																	
Avg	Blank	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.40</td><td>-----</td><td>-----</td><td>92.85</td><td>35.23</td><td>11.31</td><td>38.99</td><td>0.00</td><td>353 360 AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5825.00	100.40	-----	-----	92.85	35.23	11.31	38.99	0.00	353 360 AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																		
1 5825.00	100.40	-----	-----	92.85	35.23	11.31	38.99	0.00	353 360 AVERAGE																																																																																																	






Mode	56																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU52/40_5825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.60</td><td>46.67</td><td>111.81</td><td>-65.14</td><td>39.41</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>385</td><td>139</td><td>PEAK</td></tr><tr><td>2</td><td>5863.42</td><td>55.64</td><td>108.54</td><td>-52.90</td><td>48.36</td><td>35.26</td><td>11.34</td><td>39.32</td><td>0.00</td><td>385</td><td>139</td><td>PEAK</td></tr><tr><td>3</td><td>5923.00</td><td>47.51</td><td>69.68</td><td>-22.17</td><td>39.96</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>385</td><td>139</td><td>PEAK</td></tr><tr><td>4</td><td>5947.80</td><td>48.35</td><td>68.20</td><td>-19.85</td><td>40.67</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>385</td><td>139</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	46.67	111.81	-65.14	39.41	35.25	11.34	39.33	0.00	385	139	PEAK	2	5863.42	55.64	108.54	-52.90	48.36	35.26	11.34	39.32	0.00	385	139	PEAK	3	5923.00	47.51	69.68	-22.17	39.96	35.37	11.40	39.22	0.00	385	139	PEAK	4	5947.80	48.35	68.20	-19.85	40.67	35.44	11.42	39.18	0.00	385	139	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.57</td><td>-----</td><td>-----</td><td>98.93</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>385</td><td>139</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.57	-----	-----	98.93	35.23	11.31	38.90	0.00	385	139
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.60	46.67	111.81	-65.14	39.41	35.25	11.34	39.33	0.00	385	139	PEAK																																																																																																																												
2	5863.42	55.64	108.54	-52.90	48.36	35.26	11.34	39.32	0.00	385	139	PEAK																																																																																																																												
3	5923.00	47.51	69.68	-22.17	39.96	35.37	11.40	39.22	0.00	385	139	PEAK																																																																																																																												
4	5947.80	48.35	68.20	-19.85	40.67	35.44	11.42	39.18	0.00	385	139	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	106.57	-----	-----	98.93	35.23	11.31	38.90	0.00	385	139	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>90.14</td><td>-----</td><td>-----</td><td>90.50</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>385</td><td>139</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	90.14	-----	-----	90.50	35.23	11.31	38.90	0.00	385	139	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	90.14	-----	-----	90.50	35.23	11.31	38.90	0.00	385	139	AVERAGE																																																																																																																												






Mode	57																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.00</td><td>54.60</td><td>68.20</td><td>-13.60</td><td>44.60</td><td>34.90</td><td>11.06</td><td>35.96</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.53</td><td>68.20</td><td>-20.67</td><td>37.68</td><td>34.90</td><td>11.07</td><td>36.12</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5702.60</td><td>68.13</td><td>106.03</td><td>-37.90</td><td>59.01</td><td>34.91</td><td>11.15</td><td>36.94</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>52.08</td><td>110.90</td><td>-58.82</td><td>43.17</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5639.00	54.60	68.20	-13.60	44.60	34.90	11.06	35.96	0.00	296	360	PEAK	2	5650.00	47.53	68.20	-20.67	37.68	34.90	11.07	36.12	0.00	296	360	PEAK	3	5702.60	68.13	106.03	-37.90	59.01	34.91	11.15	36.94	0.00	296	360	PEAK	4	5720.00	52.08	110.90	-58.82	43.17	34.96	11.17	37.22	0.00	296	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.35</td><td>-----</td><td>-----</td><td>99.63</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>296</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	108.35	-----	-----	99.63	35.01	11.19	37.48	0.00	296	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5639.00	54.60	68.20	-13.60	44.60	34.90	11.06	35.96	0.00	296	360	PEAK																																																																																																																												
2	5650.00	47.53	68.20	-20.67	37.68	34.90	11.07	36.12	0.00	296	360	PEAK																																																																																																																												
3	5702.60	68.13	106.03	-37.90	59.01	34.91	11.15	36.94	0.00	296	360	PEAK																																																																																																																												
4	5720.00	52.08	110.90	-58.82	43.17	34.96	11.17	37.22	0.00	296	360	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	108.35	-----	-----	99.63	35.01	11.19	37.48	0.00	296	360	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.64</td><td>-----</td><td>-----</td><td>89.85</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>296</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.64	-----	-----	89.85	34.99	11.19	37.39	0.00	296	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	98.64	-----	-----	89.85	34.99	11.19	37.39	0.00	296	360	AVERAGE																																																																																																																												






Mode	57																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_RU106/53_5745MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 6000 MHz. The plot includes a red limit line and a blue trace with a prominent peak at 5745 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 5600 to 6000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5603.42</td><td>51.60</td><td>68.20</td><td>-16.60</td><td>41.70</td><td>34.90</td><td>11.01</td><td>36.01</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr><tr><td>2</td><td>5652.22</td><td>58.48</td><td>69.86</td><td>-11.38</td><td>48.65</td><td>34.90</td><td>11.08</td><td>36.15</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr><tr><td>3</td><td>5701.00</td><td>49.01</td><td>105.00</td><td>-56.79</td><td>39.89</td><td>34.91</td><td>11.14</td><td>36.93</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr><tr><td>4</td><td>5720.22</td><td>49.96</td><td>111.41</td><td>-61.45</td><td>41.05</td><td>34.96</td><td>11.17</td><td>37.22</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5603.42	51.60	68.20	-16.60	41.70	34.90	11.01	36.01	0.00	100	61	PEAK	2	5652.22	58.48	69.86	-11.38	48.65	34.90	11.08	36.15	0.00	100	61	PEAK	3	5701.00	49.01	105.00	-56.79	39.89	34.91	11.14	36.93	0.00	100	61	PEAK	4	5720.22	49.96	111.41	-61.45	41.05	34.96	11.17	37.22	0.00	100	61	PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue trace with a prominent peak at 5745 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>105.16</td><td>-----</td><td>-----</td><td>96.44</td><td>35.01</td><td>11.19</td><td>37.48</td><td>0.00</td><td>100</td><td>61</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.16	-----	-----	96.44	35.01	11.19	37.48	0.00	100	61	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5603.42	51.60	68.20	-16.60	41.70	34.90	11.01	36.01	0.00	100	61	PEAK																																																																																																																															
2	5652.22	58.48	69.86	-11.38	48.65	34.90	11.08	36.15	0.00	100	61	PEAK																																																																																																																															
3	5701.00	49.01	105.00	-56.79	39.89	34.91	11.14	36.93	0.00	100	61	PEAK																																																																																																																															
4	5720.22	49.96	111.41	-61.45	41.05	34.96	11.17	37.22	0.00	100	61	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	105.16	-----	-----	96.44	35.01	11.19	37.48	0.00	100	61	PEAK																																																																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot includes a red limit line and a blue trace with a prominent peak at 5745 MHz. The y-axis ranges from 0 to 130 dBuV/m, and the x-axis ranges from 1000 to 7000 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>96.98</td><td>-----</td><td>-----</td><td>88.19</td><td>34.99</td><td>11.19</td><td>37.39</td><td>0.00</td><td>100</td><td>61</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	96.98	-----	-----	88.19	34.99	11.19	37.39	0.00	100	61	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	96.98	-----	-----	88.19	34.99	11.19	37.39	0.00	100	61	AVERAGE																																																																																																																															





Mode	58																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5853.80</td><td>50.10</td><td>113.64</td><td>-63.54</td><td>42.83</td><td>35.25</td><td>11.33</td><td>39.31</td><td>0.00</td><td>353</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5857.80</td><td>60.26</td><td>110.11</td><td>-49.85</td><td>52.99</td><td>35.26</td><td>11.34</td><td>39.33</td><td>0.00</td><td>353</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>46.22</td><td>68.50</td><td>-22.28</td><td>38.67</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>353</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>5939.80</td><td>49.06</td><td>68.20</td><td>-19.14</td><td>41.41</td><td>35.42</td><td>11.42</td><td>39.19</td><td>0.00</td><td>353</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.80	50.10	113.64	-63.54	42.83	35.25	11.33	39.31	0.00	353	360	PEAK	2	5857.80	60.26	110.11	-49.85	52.99	35.26	11.34	39.33	0.00	353	360	PEAK	3	5924.60	46.22	68.50	-22.28	38.67	35.37	11.40	39.22	0.00	353	360	PEAK	4	5939.80	49.06	68.20	-19.14	41.41	35.42	11.42	39.19	0.00	353	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.61</td><td>-----</td><td>-----</td><td>97.97</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>353</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.61	-----	-----	97.97	35.23	11.31	38.90	0.00	353	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5853.80	50.10	113.64	-63.54	42.83	35.25	11.33	39.31	0.00	353	360	PEAK																																																																																																																												
2	5857.80	60.26	110.11	-49.85	52.99	35.26	11.34	39.33	0.00	353	360	PEAK																																																																																																																												
3	5924.60	46.22	68.50	-22.28	38.67	35.37	11.40	39.22	0.00	353	360	PEAK																																																																																																																												
4	5939.80	49.06	68.20	-19.14	41.41	35.42	11.42	39.19	0.00	353	360	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	105.61	-----	-----	97.97	35.23	11.31	38.90	0.00	353	360	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.29</td><td>-----</td><td>-----</td><td>89.65</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>353</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.29	-----	-----	89.65	35.23	11.31	38.90	0.00	353	360	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	97.29	-----	-----	89.65	35.23	11.31	38.90	0.00	353	360	AVERAGE																																																																																																																												





Mode	58																																																																																																																																							
	Band Edge																																																																																																																																							
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.60</td><td>46.69</td><td>111.81</td><td>-65.12</td><td>39.43</td><td>35.25</td><td>11.34</td><td>39.33</td><td>0.00</td><td>364</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>47.22</td><td>105.30</td><td>-58.08</td><td>39.89</td><td>35.28</td><td>11.35</td><td>39.30</td><td>0.00</td><td>364</td><td>141</td><td>PEAK</td></tr><tr><td>3</td><td>5924.60</td><td>45.53</td><td>68.50</td><td>-22.97</td><td>37.98</td><td>35.37</td><td>11.40</td><td>39.22</td><td>0.00</td><td>364</td><td>141</td><td>PEAK</td></tr><tr><td>4</td><td>5948.22</td><td>48.65</td><td>68.20</td><td>-19.55</td><td>40.97</td><td>35.44</td><td>11.42</td><td>39.18</td><td>0.00</td><td>364</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.60	46.69	111.81	-65.12	39.43	35.25	11.34	39.33	0.00	364	141	PEAK	2	5875.00	47.22	105.30	-58.08	39.89	35.28	11.35	39.30	0.00	364	141	PEAK	3	5924.60	45.53	68.50	-22.97	37.98	35.37	11.40	39.22	0.00	364	141	PEAK	4	5948.22	48.65	68.20	-19.55	40.97	35.44	11.42	39.18	0.00	364	141	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>104.46</td><td>-----</td><td>-----</td><td>96.82</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>364</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	104.46	-----	-----	96.82	35.23	11.31	38.90	0.00	364	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.60	46.69	111.81	-65.12	39.43	35.25	11.34	39.33	0.00	364	141	PEAK																																																																																																																												
2	5875.00	47.22	105.30	-58.08	39.89	35.28	11.35	39.30	0.00	364	141	PEAK																																																																																																																												
3	5924.60	45.53	68.50	-22.97	37.98	35.37	11.40	39.22	0.00	364	141	PEAK																																																																																																																												
4	5948.22	48.65	68.20	-19.55	40.97	35.44	11.42	39.18	0.00	364	141	PEAK																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	104.46	-----	-----	96.82	35.23	11.31	38.90	0.00	364	141	PEAK																																																																																																																												
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.18</td><td>-----</td><td>-----</td><td>87.54</td><td>35.23</td><td>11.31</td><td>38.90</td><td>0.00</td><td>364</td><td>141</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	95.18	-----	-----	87.54	35.23	11.31	38.90	0.00	364	141	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	95.18	-----	-----	87.54	35.23	11.31	38.90	0.00	364	141	AVERAGE																																																																																																																												





Mode	52	
	18G-40G	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz	
ANT	1	
Pol.	Horizontal	Vertical
Peak Avg		





Mode	52																																																																																																																																																																																																																
	30-1G																																																																																																																																																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full_5775MHz																																																																																																																																																																																																																
ANT	1																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak Avg																																																																																																																																																																																																																	
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>20.65</td><td>-19.35</td><td>40.00</td><td>28.84</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>163.86</td><td>21.81</td><td>-21.69</td><td>43.50</td><td>36.57</td><td>1.93</td><td>16.14</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>237.58</td><td>25.99</td><td>-20.01</td><td>46.00</td><td>38.76</td><td>2.35</td><td>17.67</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>449.04</td><td>24.46</td><td>-21.54</td><td>46.00</td><td>31.77</td><td>3.24</td><td>22.51</td><td>33.06</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>559.62</td><td>26.40</td><td>-19.60</td><td>46.00</td><td>30.81</td><td>3.61</td><td>25.08</td><td>33.10</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>825.40</td><td>30.61</td><td>-15.39</td><td>46.00</td><td>32.35</td><td>4.39</td><td>26.43</td><td>32.56</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor						dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	20.65	-19.35	40.00	28.84	0.73	24.07	32.99	---	Peak	2	163.86	21.81	-21.69	43.50	36.57	1.93	16.14	32.83	---	Peak	3	237.58	25.99	-20.01	46.00	38.76	2.35	17.67	32.79	---	Peak	4	449.04	24.46	-21.54	46.00	31.77	3.24	22.51	33.06	---	Peak	5	559.62	26.40	-19.60	46.00	30.81	3.61	25.08	33.10	---	Peak	6	825.40	30.61	-15.39	46.00	32.35	4.39	26.43	32.56	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>Read</th><th>CableAntenna</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>50.37</td><td>30.55</td><td>-9.45</td><td>40.00</td><td>48.07</td><td>1.06</td><td>14.33</td><td>32.91</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>160.95</td><td>23.26</td><td>-20.24</td><td>43.50</td><td>37.97</td><td>1.91</td><td>16.20</td><td>32.82</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>234.67</td><td>26.61</td><td>-19.39</td><td>46.00</td><td>39.57</td><td>2.34</td><td>17.49</td><td>32.79</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>465.53</td><td>29.00</td><td>-17.00</td><td>46.00</td><td>35.86</td><td>3.30</td><td>22.86</td><td>33.02</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>631.40</td><td>29.46</td><td>-16.54</td><td>46.00</td><td>33.50</td><td>3.83</td><td>25.12</td><td>32.99</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>849.65</td><td>29.78</td><td>-16.22</td><td>46.00</td><td>31.12</td><td>4.45</td><td>26.59</td><td>32.38</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor						dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	50.37	30.55	-9.45	40.00	48.07	1.06	14.33	32.91	---	Peak	2	160.95	23.26	-20.24	43.50	37.97	1.91	16.20	32.82	---	Peak	3	234.67	26.61	-19.39	46.00	39.57	2.34	17.49	32.79	---	Peak	4	465.53	29.00	-17.00	46.00	35.86	3.30	22.86	33.02	---	Peak	5	631.40	29.46	-16.54	46.00	33.50	3.83	25.12	32.99	---	Peak	6	849.65	29.78	-16.22	46.00	31.12	4.45	26.59	32.38	---	Peak
		Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor																																																																																																																																																																																																									
			dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																							
1	30.97	20.65	-19.35	40.00	28.84	0.73	24.07	32.99	---	Peak																																																																																																																																																																																																							
2	163.86	21.81	-21.69	43.50	36.57	1.93	16.14	32.83	---	Peak																																																																																																																																																																																																							
3	237.58	25.99	-20.01	46.00	38.76	2.35	17.67	32.79	---	Peak																																																																																																																																																																																																							
4	449.04	24.46	-21.54	46.00	31.77	3.24	22.51	33.06	---	Peak																																																																																																																																																																																																							
5	559.62	26.40	-19.60	46.00	30.81	3.61	25.08	33.10	---	Peak																																																																																																																																																																																																							
6	825.40	30.61	-15.39	46.00	32.35	4.39	26.43	32.56	---	Peak																																																																																																																																																																																																							
	Freq	Level	Over	Limit	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																							
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor																																																																																																																																																																																																									
			dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																																																																																																																																							
1	50.37	30.55	-9.45	40.00	48.07	1.06	14.33	32.91	---	Peak																																																																																																																																																																																																							
2	160.95	23.26	-20.24	43.50	37.97	1.91	16.20	32.82	---	Peak																																																																																																																																																																																																							
3	234.67	26.61	-19.39	46.00	39.57	2.34	17.49	32.79	---	Peak																																																																																																																																																																																																							
4	465.53	29.00	-17.00	46.00	35.86	3.30	22.86	33.02	---	Peak																																																																																																																																																																																																							
5	631.40	29.46	-16.54	46.00	33.50	3.83	25.12	32.99	---	Peak																																																																																																																																																																																																							
6	849.65	29.78	-16.22	46.00	31.12	4.45	26.59	32.38	---	Peak																																																																																																																																																																																																							





Mode	59																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH144_5720MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>57.70</td><td>38.28</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.94	74.00	-28.06	57.70	38.28	16.32	66.36	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>57.42</td><td>38.28</td><td>16.32</td><td>66.36</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.66	74.00	-28.34	57.42	38.28	16.32	66.36	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11440.00	45.94	74.00	-28.06	57.70	38.28	16.32	66.36	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11440.00	45.66	74.00	-28.34	57.42	38.28	16.32	66.36	0.00	--	PEAK																																																																																							





Mode	60																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH144_Full_5720MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>56.75</td><td>38.28</td><td>16.32</td><td>66.36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	44.99	74.00	-29.01	56.75	38.28	16.32	66.36								0.00									--	-- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>57.61</td><td>38.28</td><td>16.32</td><td>66.36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td><td>-- PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11440.00	45.85	74.00	-28.15	57.61	38.28	16.32	66.36								0.00									--	-- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																														
1	11440.00	44.99	74.00	-29.01	56.75	38.28	16.32	66.36																																																																																																														
							0.00																																																																																																															
							--	-- PEAK																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																														
1	11440.00	45.85	74.00	-28.15	57.61	38.28	16.32	66.36																																																																																																														
							0.00																																																																																																															
							--	-- PEAK																																																																																																														







Mode	61																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH142_Full_5710MHz																																																																																																																															
ANT	1																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11420.00</td><td>45.43</td><td>74.00</td><td>-28.57</td><td>57.23</td><td>38.26</td><td>16.31</td><td>66.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	45.43	74.00	-28.57	57.23	38.26	16.31	66.37								0.00	--									--									PEAK	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11420.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>57.01</td><td>38.26</td><td>16.31</td><td>66.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>--</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11420.00	45.21	74.00	-28.79	57.01	38.26	16.31	66.37								0.00	--									--									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	11420.00	45.43	74.00	-28.57	57.23	38.26	16.31	66.37																																																																																																																								
							0.00	--																																																																																																																								
								--																																																																																																																								
								PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																								
1	11420.00	45.21	74.00	-28.79	57.01	38.26	16.31	66.37																																																																																																																								
							0.00	--																																																																																																																								
								--																																																																																																																								
								PEAK																																																																																																																								




Mode	62																																																						
	Harmonic																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH138_Full_5690MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Vertical																																																
Peak Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>45.78</td><td>74.00</td><td>-28.22</td><td>57.67</td><td>38.22</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	45.78	74.00	-28.22	57.67	38.22	16.29	66.40	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 11380.00	45.78	74.00	-28.22	57.67	38.22	16.29	66.40	0.00	--	--	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11380.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>57.78</td><td>38.22</td><td>16.29</td><td>66.40</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11380.00	45.89	74.00	-28.11	57.78	38.22	16.29	66.40	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1 11380.00	45.89	74.00	-28.11	57.78	38.22	16.29	66.40	0.00	--	--	PEAK																																												



<Co-location>

	65																																																																																																																
Mode	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5424.04</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>50.60</td><td>35.20</td><td>10.00</td><td>36.27</td><td>0.00</td><td>107</td><td>312</td><td>PEAK</td></tr><tr><td>2</td><td>5461.43</td><td>58.84</td><td>68.20</td><td>-9.36</td><td>49.16</td><td>35.05</td><td>10.84</td><td>36.21</td><td>0.00</td><td>107</td><td>312</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5424.04	60.33	74.00	-13.67	50.60	35.20	10.00	36.27	0.00	107	312	PEAK	2	5461.43	58.84	68.20	-9.36	49.16	35.05	10.84	36.21	0.00	107	312	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>100.19</td><td>-----</td><td>-----</td><td>90.42</td><td>34.90</td><td>10.95</td><td>36.08</td><td>0.00</td><td>107</td><td>312</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	100.19	-----	-----	90.42	34.90	10.95	36.08	0.00	107	312	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5424.04	60.33	74.00	-13.67	50.60	35.20	10.00	36.27	0.00	107	312	PEAK																																																																																																					
2	5461.43	58.84	68.20	-9.36	49.16	35.05	10.84	36.21	0.00	107	312	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5570.00	100.19	-----	-----	90.42	34.90	10.95	36.08	0.00	107	312	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5428.39</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>40.68</td><td>35.19</td><td>10.00</td><td>36.26</td><td>0.00</td><td>107</td><td>312</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5428.39	50.41	54.00	-3.59	40.68	35.19	10.00	36.26	0.00	107	312	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5570.00</td><td>91.01</td><td>-----</td><td>-----</td><td>81.22</td><td>34.90</td><td>10.96</td><td>36.07</td><td>0.00</td><td>107</td><td>312</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5570.00	91.01	-----	-----	81.22	34.90	10.96	36.07	0.00	107	312	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5428.39	50.41	54.00	-3.59	40.68	35.19	10.00	36.26	0.00	107	312	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																							
1	5570.00	91.01	-----	-----	81.22	34.90	10.96	36.07	0.00	107	312	AVERAGE																																																																																																					



Mode	65																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ax HE160_CH114_Full_5570MHz																																					
ANT	1																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5734.48</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>48.01</td><td>35.00</td><td>11.19</td><td>37.44</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5734.48	56.76	68.20	-11.44	48.01	35.00	11.19	37.44	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5734.48	56.76	68.20	-11.44	48.01	35.00	11.19	37.44																														