

Test mode 3

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1486
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/59/12
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.2972	52.67	-17.13	35.54	40.00	-4.46	QP			
2	97.0023	60.11	-21.55	38.56	43.50	-4.94	QP			
3	112.4270	57.46	-21.13	36.33	43.50	-7.17	QP			
4	182.5784	61.13	-20.09	41.04	43.50	-2.46	QP			
5	372.5747	53.97	-14.20	39.77	46.00	-6.23	QP			
6	807.0828	46.25	-5.77	40.48	46.00	-5.52	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 57 of 95

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1485
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/55/56
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.4107	52.75	-17.14	35.61	40.00	-4.39	QP			
2	38.9080	53.00	-18.75	34.25	40.00	-5.75	QP			
3	61.0041	56.60	-22.61	33.99	40.00	-6.01	QP			
4	106.6551	60.70	-21.61	39.09	43.50	-4.41	QP			
5	122.7493	59.40	-21.45	37.95	43.50	-5.55	QP			
6	182.5784	61.13	-20.09	41.04	43.50	-2.46	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1487
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 10/10/22
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4537.103	43.12	-2.41	40.71	74.00	-33.29	peak			
2	4537.103	35.78	-2.41	33.37	54.00	-20.63	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 59 of 95

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1488
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 10/15/56
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4716.884	42.92	-1.83	41.09	74.00	-32.91	peak			
2	4716.884	34.70	-1.83	32.87	54.00	-21.13	AVG			

Test mode 4

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1452
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 186.5MHz RX
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:57:41
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	36.5236	52.34	-18.00	34.34	40.00	-5.66	QP			
2	74.2694	57.00	-23.08	33.92	40.00	-6.08	QP			
3	98.0301	62.00	-21.61	40.39	43.50	-3.11	QP			
4	103.6988	59.24	-21.83	37.41	43.50	-6.09	QP			
5	177.5178	62.00	-20.56	41.44	43.50	-2.06	QP			
6	355.9397	58.13	-14.44	43.69	46.00	-2.31	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 61 of 95

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1451
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 186.5MHz RX
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:54:28
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.3348	52.48	-17.27	35.21	40.00	-4.79	QP			
2	36.6520	53.32	-18.03	35.29	40.00	-4.71	QP			
3	87.2980	57.68	-22.20	35.48	40.00	-4.52	QP			
4	92.9972	60.42	-21.67	38.75	43.50	-4.75	QP			
5	98.0301	60.00	-21.61	38.39	43.50	-5.11	QP			
6	177.5178	61.50	-20.56	40.94	43.50	-2.56	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1460
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 186.5MHz RX
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 16:29:20
Engineer Signature: alen
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	3423.133	42.35	-4.11	38.24	74.00	-35.76	peak			
2	3423.133	35.76	-4.11	31.65	54.00	-22.35	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 63 of 95

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1459

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: 186.5MHz RX

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:26:51

Engineer Signature: alen

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4739.852	42.24	-1.75	40.49	74.00	-33.51	peak			
2	4739.852	34.70	-1.75	32.95	54.00	-21.05	AVG			

Test mode 5

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1483
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/48/07
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.5248	52.09	-17.15	34.94	40.00	-5.06	QP			
2	95.6484	60.00	-21.48	38.52	43.50	-4.98	QP			
3	112.4270	57.86	-21.13	36.73	43.50	-6.77	QP			
4	154.2427	58.34	-21.95	36.39	43.50	-7.11	QP			
5	182.5784	60.62	-20.09	40.53	43.50	-2.97	QP			
6	366.0865	57.70	-14.25	43.45	46.00	-2.55	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1484
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/52/57
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.2972	53.70	-17.13	36.57	40.00	-3.43	QP			
2	38.0964	52.30	-18.50	33.80	40.00	-6.20	QP			
3	60.7901	57.00	-22.61	34.39	40.00	-5.61	QP			
4	110.0818	60.66	-21.06	39.60	43.50	-3.90	QP			
5	123.1813	59.94	-21.46	38.48	43.50	-5.02	QP			
6	182.5784	61.32	-20.09	41.23	43.50	-2.27	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1494
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 10/39/58
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4678.851	41.73	-1.96	39.77	74.00	-34.23	peak			
2	4678.851	33.58	-1.96	31.62	54.00	-22.38	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 67 of 95

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1493
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 10/35/28
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4694.028	42.87	-1.90	40.97	74.00	-33.03	peak			
2	4694.028	33.58	-1.90	31.68	54.00	-22.32	AVG			

Test mode 6

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1473

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: FM 88.1MHz

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 9/10/47

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.9853	48.04	-17.22	30.82	40.00	-9.18	QP			
2	66.3713	53.67	-22.73	30.94	40.00	-9.06	QP			
3	96.6620	59.78	-21.55	38.23	43.50	-5.27	QP			
4	182.5784	61.07	-20.09	40.98	43.50	-2.52	QP			
5	247.8591	56.05	-18.19	37.86	46.00	-8.14	QP			
6	366.0865	56.77	-14.25	42.52	46.00	-3.48	QP			

Job No.: STAR2016 #1474
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/13/13
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.2180	53.40	-17.25	36.15	40.00	-3.85	QP			
2	39.0449	52.00	-18.80	33.20	40.00	-6.80	QP			
3	87.6050	58.76	-22.17	36.59	40.00	-3.41	QP			
4	122.7493	60.40	-21.45	38.95	43.50	-4.55	QP			
5	182.5783	61.42	-20.09	41.33	43.50	-2.17	QP			
6	247.8591	54.36	-18.19	36.17	46.00	-9.83	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1496

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: FM 88.1MHz

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 10/45/24

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4596.256	42.81	-2.22	40.59	74.00	-33.41	peak			
2	4596.256	34.37	-2.22	32.15	54.00	-21.85	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 71 of 95

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1495
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 10/42/20
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4880.026	41.92	-1.29	40.63	74.00	-33.37	peak			
2	4880.026	32.74	-1.29	31.45	54.00	-22.55	AVG			

Test mode 7

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1476
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/19/59
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.2971	50.44	-17.13	33.31	40.00	-6.69	QP			
2	38.3650	49.81	-18.58	31.23	40.00	-8.77	QP			
3	64.7590	53.76	-22.68	31.08	40.00	-8.92	QP			
4	97.3436	60.10	-21.57	38.53	43.50	-4.97	QP			
5	182.5784	61.40	-20.09	41.31	43.50	-2.19	QP			
6	366.0865	56.86	-14.25	42.61	46.00	-3.39	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 73 of 95

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1475

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: GUITAR IN

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 9/16/26

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.2972	53.40	-17.13	36.27	40.00	-3.73	QP			
2	38.7714	51.47	-18.71	32.76	40.00	-7.24	QP			
3	83.9882	57.00	-22.51	34.49	40.00	-5.51	QP			
4	109.6957	57.45	-21.10	36.35	43.50	-7.15	QP			
5	157.5287	60.39	-21.61	38.78	43.50	-4.72	QP			
6	182.5784	61.25	-20.09	41.16	43.50	-2.34	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1500
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 10/59/39
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4633.617	42.10	-2.09	40.01	74.00	-33.99	peak			
2	4633.617	33.68	-2.09	31.59	54.00	-22.41	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 75 of 95

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1499

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: GUITAR IN

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 10/56/01

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4648.646	42.58	-2.04	40.54	74.00	-33.46	peak			
2	4648.646	34.00	-2.04	31.96	54.00	-22.04	AVG			

Test mode 8

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1477
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1203
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 16/07/09/
Time: 9/23/09
Engineer Signature: star
Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.4107	52.40	-17.14	35.26	40.00	-4.74	QP			
2	39.0449	49.31	-18.80	30.51	40.00	-9.49	QP			
3	64.9869	53.66	-22.68	30.98	40.00	-9.02	QP			
4	97.6864	60.79	-21.59	39.20	43.50	-4.30	QP			
5	182.5785	61.02	-20.09	40.93	43.50	-2.57	QP			
6	366.0866	57.38	-14.25	43.13	46.00	-2.87	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 77 of 95

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1478

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 9/27/45

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.4107	53.47	-17.14	36.33	40.00	-3.67	QP			
2	36.9106	53.44	-18.12	35.32	40.00	-4.68	QP			
3	61.0041	57.60	-22.61	34.99	40.00	-5.01	QP			
4	88.2228	55.29	-22.11	33.18	43.50	-10.32	QP			
5	109.3110	60.65	-21.17	39.48	43.50	-4.02	QP			
6	182.5784	61.15	-20.09	41.06	43.50	-2.44	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1497

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 10/48/16

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4566.583	41.98	-2.32	39.66	74.00	-34.34	peak			
2	4566.583	33.40	-2.32	31.08	54.00	-22.92	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161343

Page 79 of 95

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1498

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1203

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 16/07/09/

Time: 10/52/56

Engineer Signature: star

Distance: 3m

Note: Report No.:ATE20161343



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4911.735	40.98	-1.18	39.80	74.00	-34.20	peak			
2	4911.735	33.61	-1.18	32.43	54.00	-21.57	AVG			

6. PHOTOGRAPHS

6.1.Photos of Radiated Emission Measurement



6.2.Photo of Conducted Emission Measurement



7. PHOTO OF EUT









