

Test mode 3

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1512
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:11:15
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	64.2074	52.66	-15.45	37.21	40.00	-2.79	QP			
2	145.3505	49.34	-15.23	34.11	43.50	-9.39	QP			
3	159.7844	55.14	-14.57	40.57	43.50	-2.93	QP			
4	420.5803	47.81	-6.15	41.66	46.00	-4.34	QP			
5	444.8514	48.48	-5.86	42.62	46.00	-3.38	QP			
6	468.8761	47.91	-5.53	42.38	46.00	-3.62	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 57 of 91

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1513
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:14:37
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.3278	46.79	-9.91	36.88	40.00	-3.12	QP			
2	46.5030	47.14	-12.62	34.52	40.00	-5.48	QP			
3	64.4330	53.29	-15.52	37.77	40.00	-2.23	QP			
4	145.8610	56.39	-15.21	41.18	43.50	-2.32	QP			
5	420.5803	47.81	-6.15	41.66	46.00	-4.34	QP			
6	468.8761	46.21	-5.53	40.68	46.00	-5.32	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1511
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: AUX IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:01:52
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4975.917	42.15	0.60	42.75	74.00	-31.25	peak			
2	4975.917	34.73	0.60	35.33	54.00	-18.67	AVG			

Job No.: STAR2015 #1510

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: AUX IN

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 20:57:31

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4431.464	42.93	-1.59	41.34	74.00	-32.66	peak			
2	4431.464	34.45	-1.59	32.86	54.00	-21.14	AVG			

Test mode 4

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1445
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 215.2MHz RX
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:32:03
Engineer Signature: star
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	38.5001	52.40	-18.63	33.77	40.00	-6.23	QP			
2	78.2887	56.88	-22.97	33.91	40.00	-6.09	QP			
3	90.4196	59.00	-21.91	37.09	43.50	-6.41	QP			
4	177.5178	61.72	-20.56	41.16	43.50	-2.34	QP			
5	211.6110	54.31	-18.46	35.85	43.50	-7.65	QP			
6	355.9397	57.73	-14.44	43.29	46.00	-2.71	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 61 of 91

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2016 #1446
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 25 C / 55 %
EUT: SPEAKER
Mode: 215.2MHz RX
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/07
Time: 15:35:59
Engineer Signature: star
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	30.0000	50.11	-16.80	33.31	40.00	-6.69	QP			
2	33.5700	52.76	-17.30	35.46	40.00	-4.54	QP			
3	36.7811	52.78	-18.07	34.71	40.00	-5.29	QP			
4	73.4907	53.60	-23.04	30.56	40.00	-9.44	QP			
5	98.0301	61.73	-21.61	40.12	43.50	-3.38	QP			
6	177.5178	61.55	-20.56	40.99	43.50	-2.51	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1461

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: 215.2MHz RX

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Horizontal

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:32:35

Engineer Signature: star

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4177.496	41.72	-2.50	39.22	74.00	-34.78	peak			
2	4177.496	34.17	-2.50	31.67	54.00	-22.33	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 63 of 91

Site: 1# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: star2016 #1462

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 25 C / 55 %

EUT: SPEAKER

Mode: 215.2MHz RX

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/07

Time: 16:35:06

Engineer Signature: star

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4686.433	41.15	-1.93	39.22	74.00	-34.78	peak			
2	4686.433	33.67	-1.93	31.74	54.00	-22.26	AVG			

Test mode 5

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1515
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:22:49
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340




No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	64.2074	52.48	-15.45	37.03	40.00	-2.97	QP			
2	145.8609	49.40	-15.21	34.19	43.50	-9.31	QP			
3	159.7844	56.01	-14.57	41.44	43.50	-2.06	QP			
4	420.5803	49.06	-6.15	42.91	46.00	-3.09	QP			
5	444.8514	47.68	-5.86	41.82	46.00	-4.18	QP			
6	468.8761	47.84	-5.53	42.31	46.00	-3.69	QP			

Job No.: STAR2015 #1514
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:17:56
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.6340	46.24	-9.71	36.53	40.00	-3.47	QP			
2	64.2074	52.67	-15.45	37.22	40.00	-2.78	QP			
3	156.4577	53.78	-14.93	38.85	43.50	-4.65	QP			
4	420.5803	47.54	-6.15	41.39	46.00	-4.61	QP			
5	444.8514	47.50	-5.86	41.64	46.00	-4.36	QP			
6	468.8761	47.77	-5.53	42.24	46.00	-3.76	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1504
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: USB Play
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 20:32:28
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4004.167	43.06	-1.59	41.47	74.00	-32.53	peak			
2	4004.167	35.61	-1.59	34.02	54.00	-19.98	AVG			

Job No.: STAR2015 #1505

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: USB Play

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 20:36:43

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4726.134	42.22	-0.73	41.49	74.00	-32.51	peak			
2	4726.134	34.78	-0.73	34.05	54.00	-19.95	AVG			

Test mode 6

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1520
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:39:01
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	64.2074	53.18	-15.45	37.73	40.00	-2.27	QP			
2	144.8418	50.70	-15.23	35.47	43.50	-8.03	QP			
3	159.7844	55.82	-14.57	41.25	43.50	-2.25	QP			
4	420.5803	46.86	-6.15	40.71	46.00	-5.29	QP			
5	444.8514	48.43	-5.86	42.57	46.00	-3.43	QP			
6	468.8761	48.72	-5.53	43.19	46.00	-2.81	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 69 of 91

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1521

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: FM 88.1MHz

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 21:42:41

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.6340	45.67	-9.71	35.96	40.00	-4.04	QP			
2	41.4215	45.67	-11.86	33.81	40.00	-6.19	QP			
3	64.2074	53.38	-15.45	37.93	40.00	-2.07	QP			
4	80.6440	50.14	-16.36	33.78	40.00	-6.22	QP			
5	144.8418	54.55	-15.23	39.32	43.50	-4.18	QP			
6	420.5803	45.00	-6.15	38.85	46.00	-7.15	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1499
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: FM 88.1MHz
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 20:15:59
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4004.167	42.82	-1.59	41.23	74.00	-32.77	peak			
2	4004.167	33.97	-1.59	32.38	54.00	-21.62	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 71 of 91

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1498

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: FM 88.1MHz

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 20:11:26

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4833.833	42.20	-0.13	42.07	74.00	-31.93	peak			
2	4833.833	34.35	-0.13	34.22	54.00	-19.78	AVG			

Test mode 7

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1523
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:50:16
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	64.2074	53.16	-15.45	37.71	40.00	-2.29	QP			
2	150.5378	49.13	-15.15	33.98	43.50	-9.52	QP			
3	159.7844	55.12	-14.57	40.55	43.50	-2.95	QP			
4	420.5803	48.65	-6.15	42.50	46.00	-3.50	QP			
5	444.8514	47.98	-5.86	42.12	46.00	-3.88	QP			
6	468.8761	45.82	-5.53	40.29	46.00	-5.71	QP			

Job No.: STAR2015 #1522

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: GUITAR IN

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 21:46:23

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	32.9791	45.69	-9.82	35.87	40.00	-4.13	QP			
2	41.4215	45.64	-11.86	33.78	40.00	-6.22	QP			
3	59.2325	48.40	-13.79	34.61	40.00	-5.39	QP			
4	64.4330	53.10	-15.52	37.58	40.00	-2.42	QP			
5	146.3735	53.70	-15.21	38.49	43.50	-5.01	QP			
6	420.5803	45.45	-6.15	39.30	46.00	-6.70	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1500
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 20:17:18
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4872.889	42.33	0.08	42.41	74.00	-31.59	peak			
2	4872.889	34.06	0.08	34.14	54.00	-19.86	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 75 of 91

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1501
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: GUITAR IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Vertical
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 20:20:34
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4496.121	43.03	-1.32	41.71	74.00	-32.29	peak			
2	4496.121	35.74	-1.32	34.42	54.00	-19.58	AVG			

Test mode 8

Below 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1524
Standard: FCC Class B 3M Radiated
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 21:54:11
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	64.2074	52.78	-15.45	37.33	40.00	-2.67	QP			
2	148.4410	50.76	-15.18	35.58	43.50	-7.92	QP			
3	159.7844	55.96	-14.57	41.39	43.50	-2.11	QP			
4	420.5803	49.32	-6.15	43.17	46.00	-2.83	QP			
5	444.8514	48.42	-5.86	42.56	46.00	-3.44	QP			
6	468.8761	47.62	-5.53	42.09	46.00	-3.91	QP			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 77 of 91

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1525

Standard: FCC Class B 3M Radiated

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 21:57:54

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	33.2111	46.74	-9.89	36.85	40.00	-3.15	QP			
2	41.4215	45.78	-11.86	33.92	40.00	-6.08	QP			
3	64.2074	53.41	-15.45	37.96	40.00	-2.04	QP			
4	80.9274	50.67	-16.31	34.36	40.00	-5.64	QP			
5	146.3735	54.36	-15.21	39.15	43.50	-4.35	QP			
6	468.8761	44.65	-5.53	39.12	46.00	-6.88	QP			

Above 1GHz



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg,A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Site: 2# Chamber


Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1503
Standard: FCC PK
Test item: Radiation Test
Temp.(C)/Hum.(%) 23 C / 48 %
EUT: SPEAKER
Mode: MIC IN
Model: TQ-LT1205
Manufacturer: TQL TRADING INC

Polarization: Horizontal
Power Source: AC 120V/60Hz
Date: 2016/07/09
Time: 20:27:12
Engineer Signature:
Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4243.020	43.06	-1.76	41.30	74.00	-32.70	peak			
2	4243.020	35.00	-1.76	33.24	54.00	-20.76	AVG			



ACCURATE TECHNOLOGY CO., LTD.

F1,Bldg.A,Changyuan New Material Port Keyuan Rd,
Science & Industry Park,Nanshan Shenzhen,P.R.China

Report No.: ATE20161340

Page 79 of 91

Site: 2# Chamber

Tel:+86-0755-26503290

Fax:+86-0755-26503396

Job No.: STAR2015 #1502

Standard: FCC PK

Test item: Radiation Test

Temp.(C)/Hum.(%) 23 C / 48 %

EUT: SPEAKER

Mode: MIC IN

Model: TQ-LT1205

Manufacturer: TQL TRADING INC

Polarization: Vertical

Power Source: AC 120V/60Hz


Date: 2016/07/09

Time: 20:24:54

Engineer Signature:

Distance: 3m

Note: Report NO.:ATE20161340



No.	Freq. (MHz)	Reading (dBuV/m)	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Degree (deg.)	Remark
1	4284.192	43.79	-1.97	41.82	74.00	-32.18	peak			
2	4284.192	35.18	-1.97	33.21	54.00	-20.79	AVG			

6. PHOTOGRAPHS

6.1.Photos of Radiated Emission Measurement



6.2.Photo of Conducted Emission Measurement



7. PHOTO OF EUT







