


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20600	Band:	Band=5 BW=20MHz
Mode:	LTE Band 5	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1679.0849	-41.52	-64.49	-22.97	-13.00	51.49	150	207	Vertical
2	2518.9399	-45.28	-65.93	-20.65	-13.00	52.93	150	357	Vertical
3	4196.3996	-44.66	-59.25	-14.59	-13.00	46.25	150	247	Vertical
4	7183.648	-55.61	-58.05	-2.44	-13.00	45.05	150	172	Vertical
5	9780.8476	-59.05	-54.69	4.36	-13.00	41.69	150	18	Vertical
6	14309.5387	-63.03	-55.21	7.82	-13.00	42.21	150	322	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.1825	-60.70	-72.33	-25.00	47.33	-11.63	RMS	Horizontal
2	63.3195	-54.77	-70.63	-25.00	45.63	-15.86	RMS	Horizontal
3	143.975	-50.92	-69.55	-25.00	44.55	-18.63	RMS	Horizontal
4	215.9975	-46.11	-61.58	-25.00	36.58	-15.47	RMS	Horizontal
5	311.979	-49.25	-64.05	-25.00	39.05	-14.80	RMS	Horizontal
6	995.6835	-66.26	-66.89	-25.00	41.89	-0.63	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.0485	-49.11	-72.50	-25.00	47.50	-23.39	RMS	Vertical
2	110.0735	-58.82	-70.10	-25.00	45.10	-11.28	RMS	Vertical
3	143.975	-57.50	-70.90	-25.00	45.90	-13.40	RMS	Vertical
4	215.9975	-55.94	-74.51	-25.00	49.51	-18.57	RMS	Vertical
5	311.979	-57.55	-71.47	-25.00	46.47	-13.92	RMS	Vertical
6	984.2375	-65.76	-67.53	-25.00	42.53	-1.77	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.3765	-59.20	-70.84	-25.00	45.84	-11.64	RMS	Horizontal
2	63.3195	-54.54	-70.40	-25.00	45.40	-15.86	RMS	Horizontal
3	143.975	-50.68	-69.31	-25.00	44.31	-18.63	RMS	Horizontal
4	215.9975	-45.99	-61.46	-25.00	36.46	-15.47	RMS	Horizontal
5	311.979	-48.08	-62.88	-25.00	37.88	-14.80	RMS	Horizontal
6	956.1075	-65.70	-67.51	-25.00	42.51	-1.81	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.097	-51.43	-74.81	-25.00	49.81	-23.38	RMS	Vertical
2	39.797	-53.83	-75.17	-25.00	50.17	-21.34	RMS	Vertical
3	143.975	-56.40	-69.80	-25.00	44.80	-13.40	RMS	Vertical
4	240.005	-56.69	-74.90	-25.00	49.90	-18.21	RMS	Vertical
5	311.979	-56.90	-70.82	-25.00	45.82	-13.92	RMS	Vertical
6	995.1985	-66.30	-67.22	-25.00	42.22	-0.92	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.3765	-58.08	-69.72	-25.00	44.72	-11.64	RMS	Horizontal
2	63.465	-53.60	-69.53	-25.00	44.53	-15.93	RMS	Horizontal
3	143.975	-51.01	-69.64	-25.00	44.64	-18.63	RMS	Horizontal
4	215.9975	-45.78	-61.25	-25.00	36.25	-15.47	RMS	Horizontal
5	311.979	-48.39	-63.19	-25.00	38.19	-14.80	RMS	Horizontal
6	996.896	-66.43	-66.94	-25.00	41.94	-0.51	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.097	-51.10	-74.48	-25.00	49.48	-23.38	RMS	Vertical
2	91.11	-55.59	-71.34	-25.00	46.34	-15.75	RMS	Vertical
3	110.025	-58.47	-69.73	-25.00	44.73	-11.26	RMS	Vertical
4	311.979	-57.53	-71.45	-25.00	46.45	-13.92	RMS	Vertical
5	540.026	-64.68	-72.23	-25.00	47.23	-7.55	RMS	Vertical
6	997.7205	-66.85	-67.37	-25.00	42.37	-0.52	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1249.7812	-48.86	-69.97	-21.11	-13.00	56.97	150	186	Horizontal
2	2240.9051	-49.63	-66.84	-17.21	-13.00	53.84	150	286	Horizontal
3	2908.4886	-49.73	-65.65	-15.92	-13.00	52.65	150	242	Horizontal
4	5000.8751	-48.28	-59.75	-11.47	-13.00	46.75	150	110	Horizontal
5	8747.5934	-56.48	-55.04	1.44	-13.00	42.04	150	197	Horizontal
6	9750.8439	-58.71	-55.01	3.70	-13.00	42.01	150	303	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1369.2962	-48.99	-69.72	-20.73	-13.00	56.72	150	77	Vertical
2	2483.1854	-41.76	-59.58	-17.82	-13.00	46.58	150	77	Vertical
3	2997.2497	-50.96	-66.09	-15.13	-13.00	53.09	150	208	Vertical
4	5000.8751	-47.48	-58.55	-11.07	-13.00	45.55	150	238	Vertical
5	9793.9742	-58.85	-54.42	4.43	-13.00	41.42	150	132	Vertical
6	15055.882	-62.39	-55.38	7.01	-13.00	42.38	150	304	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1258.7823	-48.83	-70.02	-21.19	-13.00	57.02	150	128	Horizontal
2	2225.6532	-48.83	-66.05	-17.22	-13.00	53.05	150	283	Horizontal
3	2845.2307	-50.21	-65.74	-15.53	-13.00	52.74	150	116	Horizontal
4	5051.5064	-45.97	-57.10	-11.13	-13.00	44.10	150	113	Horizontal
5	9756.4696	-58.53	-54.76	3.77	-13.00	41.76	150	323	Horizontal
6	17949.3687	-62.77	-54.43	8.34	-13.00	41.43	150	197	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1431.3039	-48.48	-69.35	-20.87	-13.00	56.35	150	200	Vertical
2	3015.0019	-49.89	-65.97	-16.08	-13.00	52.97	150	313	Vertical
3	5051.5064	-42.54	-53.67	-11.13	-13.00	40.67	150	293	Vertical
4	7155.5194	-55.06	-57.92	-2.86	-13.00	44.92	150	242	Vertical
5	10439.0549	-59.04	-54.91	4.13	-13.00	41.91	150	232	Vertical
6	17581.8227	-63.37	-54.29	9.08	-13.00	41.29	150	173	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1275.0344	-49.14	-70.47	-21.33	-13.00	57.47	150	334	Horizontal
2	2185.6482	-49.42	-67.06	-17.64	-13.00	54.06	150	58	Horizontal
3	5102.1378	-43.66	-54.78	-11.12	-13.00	41.78	150	114	Horizontal
4	7151.769	-55.47	-58.61	-3.14	-13.00	45.61	150	39	Horizontal
5	9855.857	-58.79	-54.36	4.43	-13.00	41.36	150	284	Horizontal
6	14362.0453	-62.22	-55.35	6.87	-13.00	42.35	150	39	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1427.0534	-48.85	-69.68	-20.83	-13.00	56.68	150	138	Vertical
2	2078.6348	-49.30	-68.46	-19.16	-13.00	55.46	150	333	Vertical
3	5102.1378	-43.03	-54.35	-11.32	-13.00	41.35	150	90	Vertical
4	7202.4003	-56.28	-58.50	-2.22	-13.00	45.50	150	37	Vertical
5	9763.9705	-59.05	-54.78	4.27	-13.00	41.78	150	297	Vertical
6	17756.2195	-63.95	-54.36	9.59	-13.00	41.36	150	184	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18249.57	-61.97	-76.97	-25.00	51.97	-15.00	RMS	Horizontal
2	20148.2059	-62.79	-77.91	-25.00	52.91	-15.12	RMS	Horizontal
3	21314.4526	-64.14	-77.99	-25.00	52.99	-13.85	RMS	Horizontal
4	22723.809	-65.48	-77.72	-25.00	52.72	-12.24	RMS	Horizontal
5	24221.9089	-65.68	-77.76	-25.00	52.76	-12.08	RMS	Horizontal
6	24759.8104	-66.86	-78.22	-25.00	53.22	-11.36	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	20850	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18251.9501	-62.11	-78.14	-25.00	53.14	-16.03	RMS	Vertical
2	19801.7321	-62.88	-78.93	-25.00	53.93	-16.05	RMS	Vertical
3	21358.3143	-64.19	-79.01	-25.00	54.01	-14.82	RMS	Vertical
4	23433.7574	-65.31	-78.84	-25.00	53.84	-13.53	RMS	Vertical
5	24224.969	-66.03	-79.49	-25.00	54.49	-13.46	RMS	Vertical
6	25127.7051	-67.35	-80.65	-25.00	55.65	-13.30	RMS	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18809.9124	-62.09	-78.53	-25.00	53.53	-16.44	RMS	Vertical
2	20164.8666	-63.09	-79.03	-25.00	54.03	-15.94	RMS	Vertical
3	21467.4587	-64.63	-79.09	-25.00	54.09	-14.46	RMS	Vertical
4	23364.0546	-65.85	-79.46	-25.00	54.46	-13.61	RMS	Vertical
5	24808.4323	-66.96	-79.90	-25.00	54.90	-12.94	RMS	Vertical
6	26349.034	-67.55	-80.88	-25.00	55.88	-13.33	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21100	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18252.6301	-62.79	-77.81	-25.00	52.81	-15.02	RMS	Horizontal
2	19770.4508	-62.95	-78.16	-25.00	53.16	-15.21	RMS	Horizontal
3	20355.2742	-63.18	-78.02	-25.00	53.02	-14.84	RMS	Horizontal
4	22494.6398	-65.47	-77.88	-25.00	52.88	-12.41	RMS	Horizontal
5	23867.2747	-65.95	-78.14	-25.00	53.14	-12.19	RMS	Horizontal
6	24757.4303	-66.92	-78.26	-25.00	53.26	-11.34	RMS	Horizontal


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18731.3693	-62.47	-78.78	-25.00	53.78	-16.31	RMS	Vertical
2	20152.2861	-62.83	-78.81	-25.00	53.81	-15.98	RMS	Vertical
3	21435.8374	-64.56	-79.12	-25.00	54.12	-14.56	RMS	Vertical
4	22868.9948	-65.21	-78.89	-25.00	53.89	-13.68	RMS	Vertical
5	24785.9914	-66.96	-79.82	-25.00	54.82	-12.86	RMS	Vertical
6	26395.9558	-67.88	-80.95	-25.00	55.95	-13.07	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	21350	Band:	Band=7 BW=20MHz
Mode:	LTE Band 7	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18728.6491	-62.20	-77.83	-25.00	52.83	-15.63	RMS	Horizontal
2	20247.1499	-63.02	-77.67	-25.00	52.67	-14.65	RMS	Horizontal
3	21386.1954	-63.80	-77.56	-25.00	52.56	-13.76	RMS	Horizontal
4	22737.0695	-65.15	-77.38	-25.00	52.38	-12.23	RMS	Horizontal
5	23672.7869	-65.93	-78.27	-25.00	53.27	-12.34	RMS	Horizontal
6	26347.3339	-67.73	-79.78	-25.00	54.78	-12.05	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	39.7	-51.33	-72.70	-13.00	59.70	-21.37	RMS	Vertical
2	89.8005	-44.90	-60.91	-13.00	47.91	-16.01	RMS	Vertical
3	335.9865	-42.93	-54.72	-13.00	41.72	-11.79	RMS	Vertical
4	504.039	-46.57	-56.32	-13.00	43.32	-9.75	RMS	Vertical
5	699.591	17.68	12.51	---	---	-5.17	RMS	Vertical
6	965.1285	-55.94	-58.05	-13.00	45.05	-2.11	RMS	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	167.9825	-48.24	-64.77	-13.00	51.77	-16.53	RMS	Horizontal
2	210.9535	-44.84	-60.23	-13.00	47.23	-15.39	RMS	Horizontal
3	251.9845	-48.38	-61.56	-13.00	48.56	-13.18	RMS	Horizontal
4	545.07	-45.33	-53.01	-13.00	40.01	-7.68	RMS	Horizontal
5	699.591	18.33	12.50	---	---	-5.83	RMS	Horizontal
6	882.921	-56.70	-59.82	-13.00	46.82	-3.12	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.5915	-52.19	-73.20	-13.00	60.20	-21.01	RMS	Vertical
2	83.544	-44.52	-64.34	-13.00	51.34	-19.82	RMS	Vertical
3	210.9535	-45.00	-63.76	-13.00	50.76	-18.76	RMS	Vertical
4	335.9865	-41.06	-52.85	-13.00	39.85	-11.79	RMS	Vertical
5	543.712	-50.15	-57.62	-13.00	44.62	-7.47	RMS	Vertical
6	703.083	17.64	12.51	---	---	-5.13	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard:			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	43.871	-57.93	-70.51	-13.00	57.51	-12.58	RMS	Horizontal
2	113.905	-51.45	-72.31	-13.00	59.31	-20.86	RMS	Horizontal
3	167.9825	-47.34	-63.87	-13.00	50.87	-16.53	RMS	Horizontal
4	251.9845	-47.68	-60.86	-13.00	47.86	-13.18	RMS	Horizontal
5	544.9245	-45.16	-52.84	-13.00	39.84	-7.68	RMS	Horizontal
6	703.1315	18.51	12.75	---	---	-5.76	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	41.7855	-51.89	-72.86	-13.00	59.86	-20.97	RMS	Vertical
2	109.831	-50.38	-61.69	-13.00	48.69	-11.31	RMS	Vertical
3	350.003	-42.65	-54.77	-13.00	41.77	-12.12	RMS	Vertical
4	545.07	-46.36	-53.79	-13.00	40.79	-7.43	RMS	Vertical
5	706.6235	18.09	13.02	---	---	-5.07	RMS	Vertical
6	883.0665	-56.59	-58.96	-13.00	45.96	-2.37	RMS	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	53.3285	-56.31	-70.17	-13.00	57.17	-13.86	RMS	Horizontal
2	195.773	-43.15	-61.47	-13.00	48.47	-18.32	RMS	Horizontal
3	251.936	-47.53	-60.71	-13.00	47.71	-13.18	RMS	Horizontal
4	503.942	-47.84	-57.85	-13.00	44.85	-10.01	RMS	Horizontal
5	706.6235	18.55	12.89	---	---	-5.66	RMS	Horizontal
6	868.371	-56.08	-59.43	-13.00	46.43	-3.35	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1399.2999	-34.57	-58.70	-24.13	-13.00	45.70	150	118	Horizontal
2	2098.8874	-37.91	-60.23	-22.32	-13.00	47.23	150	227	Horizontal
3	2460.4326	-40.88	-60.67	-19.79	-13.00	47.67	150	302	Horizontal
4	4983.998	-45.20	-56.69	-11.49	-13.00	43.69	150	241	Horizontal
5	10832.8541	-53.15	-48.24	4.91	-13.00	35.24	150	298	Horizontal
6	17542.4428	-54.07	-45.34	8.73	-13.00	32.34	150	230	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23060	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1399.0499	-41.01	-63.25	-22.24	-13.00	50.25	150	344	Vertical
2	2098.8874	-42.32	-64.13	-21.81	-13.00	51.13	150	333	Vertical
3	4931.4914	-51.96	-63.03	-11.07	-13.00	50.03	150	232	Vertical
4	7907.4884	-56.25	-57.54	-1.29	-13.00	44.54	150	200	Vertical
5	10474.6843	-59.03	-54.68	4.35	-13.00	41.68	150	135	Vertical
6	17917.4897	-62.32	-51.75	10.57	-13.00	38.75	150	145	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1406.0508	-31.62	-55.68	-24.06	-13.00	42.68	150	123	Horizontal
2	2108.8886	-36.62	-58.81	-22.19	-13.00	45.81	150	198	Horizontal
3	3155.6445	-40.78	-56.86	-16.08	-13.00	43.86	150	343	Horizontal
4	4742.0928	-42.26	-54.41	-12.15	-13.00	41.41	150	207	Horizontal
5	9276.4096	-46.86	-44.74	2.12	-13.00	31.74	150	105	Horizontal
6	17534.9419	-51.83	-43.18	8.65	-13.00	30.18	150	126	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23095	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1406.0508	-41.08	-63.32	-22.24	-13.00	50.32	150	279	Vertical
2	2109.3887	-40.08	-61.92	-21.84	-13.00	48.92	150	16	Vertical
3	2812.4766	-47.00	-66.33	-19.33	-13.00	53.33	150	150	Vertical
4	4217.0271	-50.32	-64.81	-14.49	-13.00	51.81	150	239	Vertical
5	9762.0953	-58.45	-54.19	4.26	-13.00	41.19	150	228	Vertical
6	15050.2563	-62.41	-55.29	7.12	-13.00	42.29	150	54	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1413.3017	-34.91	-58.89	-23.98	-13.00	45.89	150	226	Horizontal
2	2222.6528	-42.18	-61.98	-19.80	-13.00	48.98	150	248	Horizontal
3	3163.1454	-44.26	-60.27	-16.01	-13.00	47.27	150	71	Horizontal
4	7176.147	-48.18	-51.30	-3.12	-13.00	38.30	150	164	Horizontal
5	10491.5614	-51.71	-47.27	4.44	-13.00	34.27	150	133	Horizontal
6	15074.6343	-54.49	-48.03	6.46	-13.00	35.03	150	143	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23130	Band:	Band=12 BW=10MHz
Mode:	LTE Band 12	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1413.0516	-41.88	-64.15	-22.27	-13.00	51.15	150	246	Vertical
2	2119.64	-43.24	-65.10	-21.86	-13.00	52.10	150	158	Vertical
3	3082.5103	-51.09	-67.32	-16.23	-13.00	54.32	150	185	Vertical
4	4920.24	-52.95	-63.92	-10.97	-13.00	50.92	150	345	Vertical
5	9865.2332	-58.84	-54.94	3.90	-13.00	41.94	150	175	Vertical
6	15044.6306	-62.30	-55.29	7.01	-13.00	42.29	150	345	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23230	Band:	Band=13 BW=20MHz
Mode:	LTE Band 13	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.2795	-59.63	-71.26	-25.00	46.26	-11.63	RMS	Horizontal
2	63.4165	-53.07	-68.97	-25.00	43.97	-15.90	RMS	Horizontal
3	191.99	-48.18	-66.97	-25.00	41.97	-18.79	RMS	Horizontal
4	215.9975	-45.09	-60.56	-25.00	35.56	-15.47	RMS	Horizontal
5	311.979	-47.97	-62.77	-25.00	37.77	-14.80	RMS	Horizontal
6	782.0895	19.88	16.29	---	---	-3.59	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23230	Band:	Band=13 BW=20MHz
Mode:	LTE Band 13	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	44.9865	-54.20	-74.58	-25.00	49.58	-20.38	RMS	Vertical
2	68.509	-51.85	-72.05	-25.00	47.05	-20.20	RMS	Vertical
3	143.975	-56.47	-69.87	-25.00	44.87	-13.40	RMS	Vertical
4	311.979	-56.13	-70.05	-25.00	45.05	-13.92	RMS	Vertical
5	760.1675	-46.37	-50.75	-25.00	25.75	-4.38	RMS	Vertical
6	782.7685	20.12	15.92	---	---	-4.20	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23230	Band:	Band=13 BW=20MHz
Mode:	LTE Band 13	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1555.0694	-26.48	-49.66	-23.18	-13.00	36.66	150	36	Horizontal
2	2507.9385	-32.62	-52.21	-19.59	-13.00	39.21	150	26	Horizontal
3	3886.9859	-32.71	-48.09	-15.38	-13.00	35.09	150	197	Horizontal
4	7911.2389	-38.57	-39.94	-1.37	-13.00	26.94	150	49	Horizontal
5	9855.857	-41.59	-37.16	4.43	-13.00	24.16	150	197	Horizontal
6	14905.8632	-45.83	-38.35	7.48	-13.00	25.35	150	15	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	23230	Band:	Band=13 BW=20MHz
Mode:	LTE Band 13	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1555.0694	-38.40	-62.87	-24.47	-13.00	49.87	150	44	Vertical
2	3033.7542	-50.46	-66.40	-15.94	-13.00	53.40	150	277	Vertical
3	3886.9859	-44.19	-59.67	-15.48	-13.00	46.67	150	232	Vertical
4	7288.6611	-55.88	-58.45	-2.57	-13.00	45.45	150	333	Vertical
5	9426.4283	-57.00	-54.31	2.69	-13.00	41.31	150	288	Vertical
6	15057.7572	-62.15	-55.17	6.98	-13.00	42.17	150	344	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.328	-57.29	-68.93	-25.00	43.93	-11.64	RMS	Horizontal
2	63.465	-55.40	-71.33	-25.00	46.33	-15.93	RMS	Horizontal
3	143.975	-49.99	-68.62	-25.00	43.62	-18.63	RMS	Horizontal
4	215.9975	-45.63	-61.10	-25.00	36.10	-15.47	RMS	Horizontal
5	311.979	-48.62	-63.42	-25.00	38.42	-14.80	RMS	Horizontal
6	999.709	-66.98	-67.20	-25.00	42.20	-0.22	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	39.7	-53.77	-75.14	-25.00	50.14	-21.37	RMS	Vertical
2	45.811	-55.41	-75.64	-25.00	50.64	-20.23	RMS	Vertical
3	109.831	-60.09	-71.40	-25.00	46.40	-11.31	RMS	Vertical
4	143.975	-57.25	-70.65	-25.00	45.65	-13.40	RMS	Vertical
5	311.979	-57.56	-71.48	-25.00	46.48	-13.92	RMS	Vertical
6	906.298	-62.55	-65.24	-25.00	40.24	-2.69	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.328	-58.27	-69.91	-25.00	44.91	-11.64	RMS	Horizontal
2	63.465	-53.14	-69.07	-25.00	44.07	-15.93	RMS	Horizontal
3	130.0555	-47.40	-66.48	-25.00	41.48	-19.08	RMS	Horizontal
4	215.9975	-46.15	-61.62	-25.00	36.62	-15.47	RMS	Horizontal
5	311.979	-48.37	-63.17	-25.00	38.17	-14.80	RMS	Horizontal
6	977.69	-65.87	-67.33	-25.00	42.33	-1.46	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	45.132	-53.74	-74.09	-25.00	49.09	-20.35	RMS	Vertical
2	91.013	-56.29	-72.05	-25.00	47.05	-15.76	RMS	Vertical
3	143.975	-56.62	-70.02	-25.00	45.02	-13.40	RMS	Vertical
4	215.9975	-56.83	-75.40	-25.00	50.40	-18.57	RMS	Vertical
5	311.979	-57.20	-71.12	-25.00	46.12	-13.92	RMS	Vertical
6	999.903	-66.93	-67.11	-25.00	42.11	-0.18	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.3765	-60.59	-72.23	-25.00	47.23	-11.64	RMS	Horizontal
2	63.174	-54.20	-69.97	-25.00	44.97	-15.77	RMS	Horizontal
3	130.0555	-48.47	-67.55	-25.00	42.55	-19.08	RMS	Horizontal
4	215.9975	-46.35	-61.82	-25.00	36.82	-15.47	RMS	Horizontal
5	311.979	-48.69	-63.49	-25.00	38.49	-14.80	RMS	Horizontal
6	990.494	-66.15	-67.31	-25.00	42.31	-1.16	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30	-51.86	-75.26	-25.00	50.26	-23.40	RMS	Vertical
2	68.606	-51.96	-72.15	-25.00	47.15	-20.19	RMS	Vertical
3	143.975	-56.57	-69.97	-25.00	44.97	-13.40	RMS	Vertical
4	215.9975	-56.15	-74.72	-25.00	49.72	-18.57	RMS	Vertical
5	311.979	-57.23	-71.15	-25.00	46.15	-13.92	RMS	Vertical
6	995.441	-66.94	-67.81	-25.00	42.81	-0.87	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1560.8201	-48.18	-69.27	-21.09	-13.00	56.27	150	52	Horizontal
2	1833.3542	-25.43	-45.82	-20.39	-13.00	32.82	150	30	Horizontal
3	2491.1864	-49.14	-66.26	-17.12	-13.00	53.26	150	41	Horizontal
4	4740.2175	-53.05	-65.23	-12.18	-13.00	52.23	150	163	Horizontal
5	9852.1065	-58.49	-54.02	4.47	-13.00	41.02	150	195	Horizontal
6	14727.716	-62.45	-54.96	7.49	-13.00	41.96	150	348	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26140	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1086.5108	-48.55	-69.66	-21.11	-13.00	56.66	150	288	Vertical
2	1833.1041	-14.52	-35.81	-21.29	-13.00	22.81	150	146	Vertical
3	2985.9982	-50.86	-66.13	-15.27	-13.00	53.13	150	267	Vertical
4	5552.194	-47.18	-57.95	-10.77	-13.00	44.95	150	205	Vertical
5	9807.1009	-59.10	-54.67	4.43	-13.00	41.67	150	90	Vertical
6	15052.1315	-62.19	-55.11	7.08	-13.00	42.11	150	133	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1339.2924	-46.98	-68.74	-21.76	-13.00	55.74	150	132	Horizontal
2	1873.8592	-36.47	-56.21	-19.74	-13.00	43.21	150	26	Horizontal
3	5619.7025	-47.66	-58.12	-10.46	-13.00	45.12	150	181	Horizontal
4	7494.9369	-54.10	-57.00	-2.90	-13.00	44.00	150	126	Horizontal
5	9777.0971	-58.81	-54.80	4.01	-13.00	41.80	150	344	Horizontal
6	14519.5649	-63.48	-55.98	7.50	-13.00	42.98	150	61	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26365	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1843.8555	-26.46	-47.91	-21.45	-13.00	34.91	150	229	Vertical
2	3746.3433	-47.18	-63.21	-16.03	-13.00	50.21	150	316	Vertical
3	5619.7025	-42.74	-52.96	-10.22	-13.00	39.96	150	203	Vertical
4	7493.0616	-50.90	-53.25	-2.35	-13.00	40.25	150	345	Vertical
5	9795.8495	-58.44	-53.99	4.45	-13.00	40.99	150	295	Vertical
6	13898.8624	-61.96	-55.15	6.81	-13.00	42.15	150	213	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1338.2923	-48.06	-69.81	-21.75	-13.00	56.81	150	26	Horizontal
2	1832.8541	-32.37	-52.77	-20.40	-13.00	39.77	150	163	Horizontal
3	1913.8642	-43.16	-62.33	-19.17	-13.00	49.33	150	35	Horizontal
4	5687.2109	-45.45	-55.45	-10.00	-13.00	42.45	150	184	Horizontal
5	8867.6085	-57.51	-56.87	0.64	-13.00	43.87	150	229	Horizontal
6	14545.8182	-62.52	-54.88	7.64	-13.00	41.88	150	344	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26590	Band:	Band=25 BW=20MHz
Mode:	LTE Band 25	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1834.3543	-24.24	-45.55	-21.31	-13.00	32.55	150	26	Vertical
2	1913.8642	-33.15	-53.55	-20.40	-13.00	40.55	150	98	Vertical
3	3791.3489	-47.50	-63.89	-16.39	-13.00	50.89	150	323	Vertical
4	5687.2109	-44.30	-54.45	-10.15	-13.00	41.45	150	161	Vertical
5	7584.9481	-52.46	-55.29	-2.83	-13.00	42.29	150	344	Vertical
6	9756.4696	-58.81	-54.58	4.23	-13.00	41.58	150	334	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	40.864	-52.26	-73.41	-13.00	60.41	-21.15	RMS	Vertical
2	82.768	-43.53	-63.82	-13.00	50.82	-20.29	RMS	Vertical
3	109.5885	-51.69	-63.09	-13.00	50.09	-11.40	RMS	Vertical
4	335.9865	-39.15	-50.94	-13.00	37.94	-11.79	RMS	Vertical
5	503.9905	-47.89	-57.64	-13.00	44.64	-9.75	RMS	Vertical
6	824.818	15.15	12.20	---	---	-2.95	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	52.698	-56.86	-70.72	-13.00	57.72	-13.86	RMS	Horizontal
2	167.9825	-48.67	-65.20	-13.00	52.20	-16.53	RMS	Horizontal
3	209.0135	-45.80	-61.42	-13.00	48.42	-15.62	RMS	Horizontal
4	251.9845	-47.34	-60.52	-13.00	47.52	-13.18	RMS	Horizontal
5	543.0815	-51.46	-59.11	-13.00	46.11	-7.65	RMS	Horizontal
6	824.818	18.75	15.84	---	---	-2.91	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26915	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: //			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	35.723	-49.81	-72.01	-13.00	59.01	-22.20	RMS	Vertical
2	89.752	-45.82	-61.86	-13.00	48.86	-16.04	RMS	Vertical
3	335.938	-42.38	-54.17	-13.00	41.17	-11.79	RMS	Vertical
4	544.9245	-47.25	-54.68	-13.00	41.68	-7.43	RMS	Vertical
5	746.2965	-49.73	-54.07	-13.00	41.07	-4.34	RMS	Vertical
6	829.862	14.44	11.42	---	---	-3.02	RMS	Vertical

Project Information

ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26915	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃ ;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	52.698	-56.35	-70.21	-13.00	57.21	-13.86	RMS	Horizontal
2	211.002	-43.44	-58.83	-13.00	45.83	-15.39	RMS	Horizontal
3	251.936	-46.39	-59.57	-13.00	46.57	-13.18	RMS	Horizontal
4	545.0215	-47.24	-54.92	-13.00	41.92	-7.68	RMS	Horizontal
5	746.345	-44.66	-48.68	-13.00	35.68	-4.02	RMS	Horizontal
6	829.9105	18.95	16.08	---	---	-2.87	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	90.2855	-46.98	-62.84	-13.00	49.84	-15.86	RMS	Vertical
2	109.6855	-50.87	-62.24	-13.00	49.24	-11.37	RMS	Vertical
3	210.9535	-44.12	-62.88	-13.00	49.88	-18.76	RMS	Vertical
4	335.9865	-40.23	-52.02	-13.00	39.02	-11.79	RMS	Vertical
5	543.7605	-48.37	-55.83	-13.00	42.83	-7.46	RMS	Vertical
6	834.906	15.01	11.83	---	---	-3.18	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	52.795	-56.71	-70.57	-13.00	57.57	-13.86	RMS	Horizontal
2	167.934	-48.87	-65.40	-13.00	52.40	-16.53	RMS	Horizontal
3	211.002	-45.52	-60.91	-13.00	47.91	-15.39	RMS	Horizontal
4	251.9845	-46.47	-59.65	-13.00	46.65	-13.18	RMS	Horizontal
5	545.07	-47.66	-55.34	-13.00	42.34	-7.68	RMS	Horizontal
6	834.8575	19.00	16.13	---	---	-2.87	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1649.5812	-41.77	-66.04	-24.27	-13.00	53.04	150	300	Horizontal
2	2474.6843	-47.32	-67.00	-19.68	-13.00	54.00	150	191	Horizontal
3	4123.2654	-45.89	-60.60	-14.71	-13.00	47.60	150	160	Horizontal
4	4940.8676	-52.24	-63.69	-11.45	-13.00	50.69	150	312	Horizontal
5	9868.9836	-59.22	-54.94	4.28	-13.00	41.94	150	258	Horizontal
6	17542.4428	-62.12	-53.39	8.73	-13.00	40.39	150	181	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26865	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1649.5812	-39.68	-63.56	-23.88	-13.00	50.56	150	223	Vertical
2	2474.4343	-44.06	-64.23	-20.17	-13.00	51.23	150	168	Vertical
3	3298.1623	-49.41	-65.78	-16.37	-13.00	52.78	150	180	Vertical
4	4123.2654	-46.48	-61.63	-15.15	-13.00	48.63	150	240	Vertical
5	9762.0953	-59.05	-54.79	4.26	-13.00	41.79	150	200	Vertical
6	15059.6325	-62.63	-55.69	6.94	-13.00	42.69	150	28	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26915	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1232.5291	-48.24	-71.47	-23.23	-13.00	58.47	150	226	Horizontal
2	1629.5787	-40.90	-65.02	-24.12	-13.00	52.02	150	236	Horizontal
3	3069.3837	-50.51	-67.15	-16.64	-13.00	54.15	150	126	Horizontal
4	7967.4959	-56.70	-57.69	-0.99	-13.00	44.69	150	224	Horizontal
5	10236.5296	-57.64	-53.81	3.83	-13.00	40.81	150	202	Horizontal
6	15052.1315	-61.99	-55.02	6.97	-13.00	42.02	150	236	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26915	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1335.792	-47.51	-70.75	-23.24	-13.00	57.75	150	208	Vertical
2	1629.8287	-39.31	-63.67	-24.36	-13.00	50.67	150	218	Vertical
3	2444.4306	-46.29	-66.31	-20.02	-13.00	53.31	150	166	Vertical
4	3258.7823	-49.15	-65.22	-16.07	-13.00	52.22	150	196	Vertical
5	4072.6341	-46.91	-61.98	-15.07	-13.00	48.98	150	237	Vertical
6	9754.5943	-59.36	-55.15	4.21	-13.00	42.15	150	87	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1304.5381	-47.91	-71.42	-23.51	-13.00	58.42	150	226	Horizontal
2	1669.5837	-40.58	-64.64	-24.06	-13.00	51.64	150	226	Horizontal
3	2251.6565	-49.64	-69.58	-19.94	-13.00	56.58	150	205	Horizontal
4	3249.4062	-51.17	-67.17	-16.00	-13.00	54.17	150	247	Horizontal
5	4173.8967	-47.20	-61.70	-14.50	-13.00	48.70	150	170	Horizontal
6	9773.3467	-58.43	-54.47	3.96	-13.00	41.47	150	345	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	26965	Band:	Band=26 BW=15MHz
Mode:	LTE Band 26	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1669.5837	-41.57	-64.83	-23.26	-13.00	51.83	150	233	Vertical
2	2504.4381	-46.36	-66.79	-20.43	-13.00	53.79	150	15	Vertical
3	4173.8967	-46.42	-61.28	-14.86	-13.00	48.28	150	229	Vertical
4	7249.2812	-54.93	-57.62	-2.69	-13.00	44.62	150	249	Vertical
5	9763.9705	-58.62	-54.35	4.27	-13.00	41.35	150	344	Vertical
6	17173.0216	-62.72	-55.37	7.35	-13.00	42.37	150	160	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.3765	-58.96	-70.60	-25.00	45.60	-11.64	RMS	Horizontal
2	63.271	-53.57	-69.40	-25.00	44.40	-15.83	RMS	Horizontal
3	130.0555	-47.32	-66.40	-25.00	41.40	-19.08	RMS	Horizontal
4	215.9975	-45.82	-61.29	-25.00	36.29	-15.47	RMS	Horizontal
5	311.979	-47.85	-62.65	-25.00	37.65	-14.80	RMS	Horizontal
6	999.7575	-67.29	-67.51	-25.00	42.51	-0.22	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.425	-52.97	-75.86	-25.00	50.86	-22.89	RMS	Vertical
2	67.5875	-54.06	-74.33	-25.00	49.33	-20.27	RMS	Vertical
3	110.6555	-59.87	-71.40	-25.00	46.40	-11.53	RMS	Vertical
4	143.975	-56.84	-70.24	-25.00	45.24	-13.40	RMS	Vertical
5	311.979	-57.52	-71.44	-25.00	46.44	-13.92	RMS	Vertical
6	996.6535	-66.05	-66.73	-25.00	41.73	-0.68	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.2795	-59.64	-71.27	-25.00	46.27	-11.63	RMS	Horizontal
2	63.271	-54.30	-70.13	-25.00	45.13	-15.83	RMS	Horizontal
3	130.0555	-47.84	-66.92	-25.00	41.92	-19.08	RMS	Horizontal
4	215.9975	-46.72	-62.19	-25.00	37.19	-15.47	RMS	Horizontal
5	311.979	-49.33	-64.13	-25.00	39.13	-14.80	RMS	Horizontal
6	987.8265	-65.46	-66.69	-25.00	41.69	-1.23	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	45.132	-54.40	-74.75	-25.00	49.75	-20.35	RMS	Vertical
2	68.6545	-53.60	-73.78	-25.00	48.78	-20.18	RMS	Vertical
3	109.2975	-59.66	-71.16	-25.00	46.16	-11.50	RMS	Vertical
4	143.975	-56.33	-69.73	-25.00	44.73	-13.40	RMS	Vertical
5	540.026	-64.01	-71.56	-25.00	46.56	-7.55	RMS	Vertical
6	947.6685	-59.88	-61.57	-25.00	36.57	-1.69	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.328	-59.09	-70.73	-25.00	45.73	-11.64	RMS	Horizontal
2	63.368	-53.53	-69.42	-25.00	44.42	-15.89	RMS	Horizontal
3	130.007	-49.14	-68.22	-25.00	43.22	-19.08	RMS	Horizontal
4	215.9975	-45.41	-60.88	-25.00	35.88	-15.47	RMS	Horizontal
5	311.979	-49.04	-63.84	-25.00	38.84	-14.80	RMS	Horizontal
6	999.321	-67.58	-67.84	-25.00	42.84	-0.26	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30	-52.12	-75.52	-25.00	50.52	-23.40	RMS	Vertical
2	39.797	-53.78	-75.12	-25.00	50.12	-21.34	RMS	Vertical
3	68.6545	-54.55	-74.73	-25.00	49.73	-20.18	RMS	Vertical
4	143.975	-55.97	-69.37	-25.00	44.37	-13.40	RMS	Vertical
5	311.979	-57.00	-70.92	-25.00	45.92	-13.92	RMS	Vertical
6	984.9165	-65.43	-67.20	-25.00	42.20	-1.77	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1225.5282	-48.02	-70.00	-21.98	-13.00	57.00	150	171	Horizontal
2	2242.9054	-49.41	-66.62	-17.21	-13.00	53.62	150	16	Horizontal
3	4123.2654	-51.83	-66.54	-14.71	-13.00	53.54	150	150	Horizontal
4	5141.5177	-48.79	-59.77	-10.98	-13.00	46.77	150	66	Horizontal
5	10542.1928	-59.60	-54.94	4.66	-13.00	41.94	150	344	Horizontal
6	14513.9392	-63.13	-55.66	7.47	-13.00	42.66	150	120	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1399.0499	-48.32	-68.92	-20.60	-13.00	55.92	150	97	Vertical
2	2357.6697	-47.03	-64.10	-17.07	-13.00	51.10	150	75	Vertical
3	2711.714	-40.34	-56.21	-15.87	-13.00	43.21	150	117	Vertical
4	5141.5177	-49.86	-60.96	-11.10	-13.00	47.96	150	250	Vertical
5	10283.4104	-57.08	-53.44	3.64	-13.00	40.44	150	12	Vertical
6	15048.381	-62.74	-55.65	7.09	-13.00	42.65	150	292	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1256.7821	-48.69	-69.85	-21.16	-13.00	56.85	150	84	Horizontal
2	2208.9011	-49.55	-66.79	-17.24	-13.00	53.79	150	0	Horizontal
3	2927.4909	-49.79	-65.88	-16.09	-13.00	52.88	150	0	Horizontal
4	4927.741	-52.50	-63.80	-11.30	-13.00	50.80	150	188	Horizontal
5	9722.7153	-58.20	-54.83	3.37	-13.00	41.83	150	15	Horizontal
6	14547.6935	-62.08	-54.43	7.65	-13.00	41.43	150	309	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1349.0436	-48.58	-69.42	-20.84	-13.00	56.42	150	280	Vertical
2	2335.1669	-48.71	-65.81	-17.10	-13.00	52.81	150	270	Vertical
3	2711.4639	-41.75	-57.62	-15.87	-13.00	44.62	150	128	Vertical
4	5171.5214	-48.76	-59.90	-11.14	-13.00	46.90	150	252	Vertical
5	10343.4179	-58.61	-54.78	3.83	-13.00	41.78	150	88	Vertical
6	14517.6897	-62.14	-55.17	6.97	-13.00	42.17	150	252	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1099.5124	-47.33	-71.58	-24.25	-13.00	58.58	150	58	Horizontal
2	2245.6557	-49.65	-66.85	-17.20	-13.00	53.85	150	69	Horizontal
3	2712.9641	-42.75	-59.49	-16.74	-13.00	46.49	150	135	Horizontal
4	9308.2885	-58.10	-55.88	2.22	-13.00	42.88	150	185	Horizontal
5	10469.0586	-59.06	-54.91	4.15	-13.00	41.91	150	37	Horizontal
6	15059.6325	-61.56	-54.76	6.80	-13.00	41.76	150	59	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1062.0078	-48.13	-70.06	-21.93	-13.00	57.06	150	295	Vertical
2	1746.3433	-46.90	-67.79	-20.89	-13.00	54.79	150	123	Vertical
3	2715.2144	-41.61	-57.48	-15.87	-13.00	44.48	150	102	Vertical
4	5201.5252	-51.74	-62.99	-11.25	-13.00	49.99	150	117	Vertical
5	7802.4753	-52.62	-54.86	-2.24	-13.00	41.86	150	226	Vertical
6	14560.8201	-62.42	-55.51	6.91	-13.00	42.51	150	40	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18851.054	-61.77	-78.35	-25.00	53.35	-16.58	RMS	Vertical
2	20205.6682	-63.08	-78.91	-25.00	53.91	-15.83	RMS	Vertical
3	21466.0986	-64.72	-79.18	-25.00	54.18	-14.46	RMS	Vertical
4	22800.312	-65.50	-79.06	-25.00	54.06	-13.56	RMS	Vertical
5	24302.4921	-65.85	-79.41	-25.00	54.41	-13.56	RMS	Vertical
6	25204.5482	-67.36	-80.50	-25.00	55.50	-13.14	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	37850	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18733.4093	-62.03	-77.64	-25.00	52.64	-15.61	RMS	Horizontal
2	19795.2718	-62.40	-77.68	-25.00	52.68	-15.28	RMS	Horizontal
3	22025.421	-65.40	-78.29	-25.00	53.29	-12.89	RMS	Horizontal
4	23782.6113	-65.31	-77.68	-25.00	52.68	-12.37	RMS	Horizontal
5	24772.3909	-66.99	-78.42	-25.00	53.42	-11.43	RMS	Horizontal
6	25282.0713	-67.48	-79.05	-25.00	54.05	-11.57	RMS	Horizontal


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18876.8951	-62.01	-78.07	-25.00	53.07	-16.06	RMS	Horizontal
2	20276.3911	-63.10	-77.79	-25.00	52.79	-14.69	RMS	Horizontal
3	21325.333	-63.87	-77.71	-25.00	52.71	-13.84	RMS	Horizontal
4	23453.4781	-65.70	-77.94	-25.00	52.94	-12.24	RMS	Horizontal
5	24778.8512	-66.94	-78.41	-25.00	53.41	-11.47	RMS	Horizontal
6	26326.9331	-67.94	-80.10	-25.00	55.10	-12.16	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38000	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18960.8784	-61.42	-78.41	-25.00	53.41	-16.99	RMS	Vertical
2	20231.8493	-63.03	-78.79	-25.00	53.79	-15.76	RMS	Vertical
3	21495.6798	-64.70	-79.05	-25.00	54.05	-14.35	RMS	Vertical
4	22932.5773	-65.61	-79.39	-25.00	54.39	-13.78	RMS	Vertical
5	24767.6307	-66.73	-79.53	-25.00	54.53	-12.80	RMS	Vertical
6	26404.1162	-67.50	-80.53	-25.00	55.53	-13.03	RMS	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18722.5289	-62.29	-78.65	-25.00	53.65	-16.36	RMS	Vertical
2	20212.4685	-63.15	-78.96	-25.00	53.96	-15.81	RMS	Vertical
3	22729.5892	-65.04	-78.54	-25.00	53.54	-13.50	RMS	Vertical
4	23526.5811	-65.96	-79.46	-25.00	54.46	-13.50	RMS	Vertical
5	24711.5285	-66.69	-79.64	-25.00	54.64	-12.95	RMS	Vertical
6	26353.1141	-67.52	-80.83	-25.00	55.83	-13.31	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	38150	Band:	Band=38 BW=20MHz
Mode:	LTE Band 38	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18285.6114	-62.34	-77.60	-25.00	52.60	-15.26	RMS	Horizontal
2	20166.5667	-62.67	-77.70	-25.00	52.70	-15.03	RMS	Horizontal
3	21983.9394	-64.99	-77.91	-25.00	52.91	-12.92	RMS	Horizontal
4	23589.8236	-65.97	-78.17	-25.00	53.17	-12.20	RMS	Horizontal
5	24800.272	-66.55	-78.15	-25.00	53.15	-11.60	RMS	Horizontal
6	26343.2537	-67.54	-79.60	-25.00	54.60	-12.06	RMS	Horizontal


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.4735	-60.22	-71.86	-25.00	46.86	-11.64	RMS	Horizontal
2	63.368	-55.59	-71.48	-25.00	46.48	-15.89	RMS	Horizontal
3	130.0555	-47.67	-66.75	-25.00	41.75	-19.08	RMS	Horizontal
4	215.9975	-46.17	-61.64	-25.00	36.64	-15.47	RMS	Horizontal
5	311.979	-48.10	-62.90	-25.00	37.90	-14.80	RMS	Horizontal
6	946.65	-65.94	-67.79	-25.00	42.79	-1.85	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.2425	-51.72	-75.07	-25.00	50.07	-23.35	RMS	Vertical
2	44.9865	-53.26	-73.64	-25.00	48.64	-20.38	RMS	Vertical
3	71.9525	-52.69	-73.13	-25.00	48.13	-20.44	RMS	Vertical
4	130.0555	-53.36	-70.20	-25.00	45.20	-16.84	RMS	Vertical
5	311.979	-56.78	-70.70	-25.00	45.70	-13.92	RMS	Vertical
6	998.3025	-66.24	-66.67	-25.00	41.67	-0.43	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.328	-59.88	-71.52	-25.00	46.52	-11.64	RMS	Horizontal
2	44.7925	-60.04	-72.81	-25.00	47.81	-12.77	RMS	Horizontal
3	63.465	-55.37	-71.30	-25.00	46.30	-15.93	RMS	Horizontal
4	130.0555	-47.40	-66.48	-25.00	41.48	-19.08	RMS	Horizontal
5	215.9975	-45.16	-60.63	-25.00	35.63	-15.47	RMS	Horizontal
6	311.979	-48.76	-63.56	-25.00	38.56	-14.80	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30	-50.49	-73.89	-25.00	48.89	-23.40	RMS	Vertical
2	44.8895	-54.05	-74.45	-25.00	49.45	-20.40	RMS	Vertical
3	69.964	-51.11	-71.19	-25.00	46.19	-20.08	RMS	Vertical
4	143.975	-55.68	-69.08	-25.00	44.08	-13.40	RMS	Vertical
5	311.979	-56.02	-69.94	-25.00	44.94	-13.92	RMS	Vertical
6	906.4435	-65.00	-67.67	-25.00	42.67	-2.67	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	32.328	-59.23	-70.87	-25.00	45.87	-11.64	RMS	Horizontal
2	63.3195	-54.43	-70.29	-25.00	45.29	-15.86	RMS	Horizontal
3	130.0555	-48.11	-67.19	-25.00	42.19	-19.08	RMS	Horizontal
4	215.9975	-45.93	-61.40	-25.00	36.40	-15.47	RMS	Horizontal
5	311.979	-49.18	-63.98	-25.00	38.98	-14.80	RMS	Horizontal
6	947.62	-60.07	-61.90	-25.00	36.90	-1.83	RMS	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:24.8℃;Humi:55%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-04-07		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	30.4365	-51.56	-74.87	-25.00	49.87	-23.31	RMS	Vertical
2	45.229	-53.93	-74.26	-25.00	49.26	-20.33	RMS	Vertical
3	143.975	-56.01	-69.41	-25.00	44.41	-13.40	RMS	Vertical
4	311.979	-56.96	-70.88	-25.00	45.88	-13.92	RMS	Vertical
5	540.026	-64.26	-71.81	-25.00	46.81	-7.55	RMS	Vertical
6	952.179	-66.13	-67.84	-25.00	42.84	-1.71	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1252.7816	-49.10	-70.22	-21.12	-13.00	57.22	150	174	Horizontal
2	2208.401	-50.18	-67.42	-17.24	-13.00	54.42	150	240	Horizontal
3	2858.4823	-50.51	-66.04	-15.53	-13.00	53.04	150	332	Horizontal
4	5092.7616	-52.66	-63.79	-11.13	-13.00	50.79	150	173	Horizontal
5	7378.6723	-54.94	-57.82	-2.88	-13.00	44.82	150	25	Horizontal
6	10754.0943	-59.32	-54.37	4.95	-13.00	41.37	150	327	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1100.0125	-48.81	-69.76	-20.95	-13.00	56.76	150	346	Vertical
2	1746.5933	-46.03	-66.92	-20.89	-13.00	53.92	150	84	Vertical
3	2365.6707	-45.67	-62.76	-17.09	-13.00	49.76	150	19	Vertical
4	2497.1871	-26.96	-44.73	-17.77	-13.00	31.73	150	106	Vertical
5	2713.4642	-43.29	-59.16	-15.87	-13.00	46.16	150	95	Vertical
6	9786.4733	-59.24	-54.84	4.40	-13.00	41.84	150	266	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1271.5339	-48.92	-70.22	-21.30	-13.00	57.22	150	319	Horizontal
2	2265.6582	-49.78	-67.09	-17.31	-13.00	54.09	150	15	Horizontal
3	5167.771	-51.17	-62.26	-11.09	-13.00	49.26	150	112	Horizontal
4	6705.4632	-53.79	-59.60	-5.81	-13.00	46.60	150	60	Horizontal
5	10335.917	-58.04	-54.41	3.63	-13.00	41.41	150	0	Horizontal
6	14671.4589	-62.98	-55.62	7.36	-13.00	42.62	150	209	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1094.5118	-47.70	-68.79	-21.09	-13.00	55.79	150	38	Vertical
2	2404.6756	-43.47	-60.72	-17.25	-13.00	47.72	150	16	Vertical
3	2711.4639	-40.68	-56.55	-15.87	-13.00	43.55	150	93	Vertical
4	5167.771	-48.28	-59.40	-11.12	-13.00	46.40	150	189	Vertical
5	10335.917	-55.65	-51.86	3.79	-13.00	38.86	150	114	Vertical
6	15039.0049	-61.79	-54.89	6.90	-13.00	41.89	150	71	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph




Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1228.7786	-48.62	-70.49	-21.87	-13.00	57.49	150	26	Horizontal
2	2237.4047	-49.69	-66.90	-17.21	-13.00	53.90	150	221	Horizontal
3	2708.9636	-22.53	-39.33	-16.80	-13.00	26.33	150	221	Horizontal
4	9240.7801	-57.59	-55.41	2.18	-13.00	42.41	150	207	Horizontal
5	10684.7106	-59.00	-54.75	4.25	-13.00	41.75	150	345	Horizontal
6	14714.5893	-63.21	-55.46	7.75	-13.00	42.46	150	53	Horizontal

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:19.2℃;Humi:57%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1050.7563	-47.74	-69.96	-22.22	-13.00	56.96	150	330	Vertical
2	2442.9304	-41.63	-59.46	-17.83	-13.00	46.46	150	190	Vertical
3	2708.4636	-12.41	-28.28	-15.87	-13.00	15.28	150	200	Vertical
4	5342.1678	-47.66	-58.68	-11.02	-13.00	45.68	150	258	Vertical
5	10684.7106	-54.42	-49.84	4.58	-13.00	36.84	150	0	Vertical
6	17289.2862	-64.23	-56.76	7.47	-13.00	43.76	150	345	Vertical


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18853.7742	-62.08	-78.68	-25.00	53.68	-16.60	RMS	Vertical
2	20755.1302	-63.52	-79.17	-25.00	54.17	-15.65	RMS	Vertical
3	21371.5749	-64.26	-79.04	-25.00	54.04	-14.78	RMS	Vertical
4	22687.0875	-65.44	-78.99	-25.00	53.99	-13.55	RMS	Vertical
5	24723.0889	-66.99	-79.87	-25.00	54.87	-12.88	RMS	Vertical
6	25838.6735	-67.76	-81.07	-25.00	56.07	-13.31	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	39750	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	19281.5113	-62.22	-77.97	-25.00	52.97	-15.75	RMS	Horizontal
2	21288.2715	-63.93	-77.81	-25.00	52.81	-13.88	RMS	Horizontal
3	22762.2305	-65.47	-77.73	-25.00	52.73	-12.26	RMS	Horizontal
4	23809.8124	-65.54	-77.86	-25.00	52.86	-12.32	RMS	Horizontal
5	24799.592	-66.74	-78.34	-25.00	53.34	-11.60	RMS	Horizontal
6	25801.6121	-67.60	-79.68	-25.00	54.68	-12.08	RMS	Horizontal


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18934.3574	-61.64	-78.53	-25.00	53.53	-16.89	RMS	Vertical
2	20270.2708	-63.16	-78.88	-25.00	53.88	-15.72	RMS	Vertical
3	21425.637	-64.27	-78.86	-25.00	53.86	-14.59	RMS	Vertical
4	23438.8576	-65.29	-78.82	-25.00	53.82	-13.53	RMS	Vertical
5	24753.6901	-66.94	-79.68	-25.00	54.68	-12.74	RMS	Vertical
6	25809.0924	-67.60	-80.87	-25.00	55.87	-13.27	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	40620	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			


Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18221.6889	-62.69	-77.84	-25.00	52.84	-15.15	RMS	Horizontal
2	19328.0931	-62.06	-77.90	-25.00	52.90	-15.84	RMS	Horizontal
3	20289.6516	-63.14	-77.86	-25.00	52.86	-14.72	RMS	Horizontal
4	22740.1296	-65.38	-77.60	-25.00	52.60	-12.22	RMS	Horizontal
5	23799.272	-65.80	-78.14	-25.00	53.14	-12.34	RMS	Horizontal
6	25207.6083	-66.51	-78.20	-25.00	53.20	-11.69	RMS	Horizontal


Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph**Suspected Data List**

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18783.0513	-62.14	-78.48	-25.00	53.48	-16.34	RMS	Vertical
2	20289.6516	-62.78	-78.49	-25.00	53.49	-15.71	RMS	Vertical
3	21506.9003	-64.84	-79.21	-25.00	54.21	-14.37	RMS	Vertical
4	22826.4931	-65.49	-79.09	-25.00	54.09	-13.60	RMS	Vertical
5	24212.0485	-66.15	-79.63	-25.00	54.63	-13.48	RMS	Vertical
6	24723.0889	-66.92	-79.80	-25.00	54.80	-12.88	RMS	Vertical

Project Information			
ProjectNo:	E202303101204	EUT:	Wireless Data Collector
Channel	41490	Band:	Band=41 BW=20MHz
Mode:	LTE Band 41	Voltage:	AC 120V/60Hz
Environment:	Temp:25.6℃;Humi:54%RH	Engineer:	Zhang Zishan
SN:	E202303101204-0001	Remark:	/
Date:	2023-03-27		
Standard: /			

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Detector	Polarity
1	18958.8384	-61.59	-78.00	-25.00	53.00	-16.41	RMS	Horizontal
2	20642.5857	-63.42	-78.11	-25.00	53.11	-14.69	RMS	Horizontal
3	22638.8056	-65.65	-77.94	-25.00	52.94	-12.29	RMS	Horizontal
4	24237.5495	-65.91	-78.00	-25.00	53.00	-12.09	RMS	Horizontal
5	24807.7523	-66.48	-78.13	-25.00	53.13	-11.65	RMS	Horizontal
6	25787.3315	-67.71	-79.77	-25.00	54.77	-12.06	RMS	Horizontal

Remark:

The disturbance below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the worst case data had been displayed.

We have tested all modulation and all Bandwidth , but only the worst case data presented in this report.

----- The following blanks -----

7. TEST PHOTO

Please refer to the attached document E202303101204-7-Test photo.

----- The following blanks -----

8. PHOTOGRAPH OF THE EUT

Please refer to the attached document E202303101204-8-EUT photo.

----- End of Report -----