



|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5745         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 37.40          | 10.45          | 47.85           | 74.00          | -26.15      | peak   |
| 2   | 11059.000       | 35.00          | 14.96          | 49.96           | 74.00          | -24.04      | peak   |
| 3   | 11411.000       | 33.79          | 16.41          | 50.20           | 74.00          | -23.80      | peak   |
| 4   | 12225.000       | 32.98          | 17.75          | 50.73           | 74.00          | -23.27      | peak   |
| 5   | 13820.000       | 29.40          | 21.43          | 50.83           | 74.00          | -23.17      | peak   |
| 6   | 17956.000       | 25.03          | 25.82          | 50.85           | 74.00          | -23.15      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5785         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 36.41          | 10.38          | 46.79           | 74.00          | -27.21      | peak   |
| 2   | 11048.000       | 34.39          | 14.91          | 49.30           | 74.00          | -24.70      | peak   |
| 3   | 11697.000       | 32.92          | 17.13          | 50.05           | 74.00          | -23.95      | peak   |
| 4   | 12665.000       | 32.16          | 18.04          | 50.20           | 74.00          | -23.80      | peak   |
| 5   | 13556.000       | 28.80          | 20.78          | 49.58           | 74.00          | -24.42      | peak   |
| 6   | 17989.000       | 23.69          | 26.04          | 49.73           | 74.00          | -24.27      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5785         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 36.38          | 10.54          | 46.92           | 74.00          | -27.08      | peak   |
| 2   | 11268.000       | 33.18          | 15.83          | 49.01           | 74.00          | -24.99      | peak   |
| 3   | 11796.000       | 32.12          | 17.32          | 49.44           | 74.00          | -24.56      | peak   |
| 4   | 12555.000       | 31.86          | 17.90          | 49.76           | 74.00          | -24.24      | peak   |
| 5   | 13875.000       | 28.89          | 21.57          | 50.46           | 74.00          | -23.54      | peak   |
| 6   | 17703.000       | 26.40          | 24.09          | 50.49           | 74.00          | -23.51      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5825         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.28          | 10.54          | 47.82           | 74.00          | -26.18      | peak   |
| 2   | 11059.000       | 34.58          | 14.96          | 49.54           | 74.00          | -24.46      | peak   |
| 3   | 11862.000       | 33.07          | 17.45          | 50.52           | 74.00          | -23.48      | peak   |
| 4   | 12687.000       | 32.63          | 18.05          | 50.68           | 74.00          | -23.32      | peak   |
| 5   | 13600.000       | 29.69          | 20.89          | 50.58           | 74.00          | -23.42      | peak   |
| 6   | 17956.000       | 24.55          | 25.82          | 50.37           | 74.00          | -23.63      | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5825         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 37.84          | 9.90           | 47.74           | 74.00          | -26.26      | peak   |
| 2   | 10916.000       | 35.09          | 14.39          | 49.48           | 74.00          | -24.52      | peak   |
| 3   | 11884.000       | 32.56          | 17.48          | 50.04           | 74.00          | -23.96      | peak   |
| 4   | 12709.000       | 31.70          | 18.09          | 49.79           | 74.00          | -24.21      | peak   |
| 5   | 13534.000       | 28.94          | 20.73          | 49.67           | 74.00          | -24.33      | peak   |
| 6   | 17923.000       | 24.21          | 25.60          | 49.81           | 74.00          | -24.19      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 37.06          | 10.28          | 47.34           | 74.00          | -26.66      | peak   |
| 2   | 11081.000       | 34.36          | 15.05          | 49.41           | 74.00          | -24.59      | peak   |
| 3   | 11400.000       | 33.44          | 16.36          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12599.000       | 31.65          | 17.95          | 49.60           | 74.00          | -24.40      | peak   |
| 5   | 13490.000       | 29.17          | 20.60          | 49.77           | 74.00          | -24.23      | peak   |
| 6   | 17989.000       | 24.08          | 26.04          | 50.12           | 74.00          | -23.88      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.21          | 10.21          | 47.42           | 74.00          | -26.58      | peak   |
| 2   | 10201.000       | 36.51          | 12.19          | 48.70           | 74.00          | -25.30      | peak   |
| 3   | 11785.000       | 32.59          | 17.30          | 49.89           | 74.00          | -24.11      | peak   |
| 4   | 12643.000       | 31.65          | 18.01          | 49.66           | 74.00          | -24.34      | peak   |
| 5   | 13974.000       | 27.85          | 21.82          | 49.67           | 74.00          | -24.33      | peak   |
| 6   | 17879.000       | 24.41          | 25.29          | 49.70           | 74.00          | -24.30      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 37.53          | 10.51          | 48.04           | 74.00          | -25.96      | peak   |
| 2   | 11048.000       | 34.83          | 14.91          | 49.74           | 74.00          | -24.26      | peak   |
| 3   | 11818.000       | 32.80          | 17.36          | 50.16           | 74.00          | -23.84      | peak   |
| 4   | 12632.000       | 32.20          | 17.99          | 50.19           | 74.00          | -23.81      | peak   |
| 5   | 13589.000       | 29.80          | 20.86          | 50.66           | 74.00          | -23.34      | peak   |
| 6   | 17956.000       | 23.19          | 25.82          | 49.01           | 74.00          | -24.99      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5200         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9387.000        | 37.83          | 10.58          | 48.41           | 74.00          | -25.59      | peak   |
| 2   | 9970.000        | 36.45          | 11.70          | 48.15           | 74.00          | -25.85      | peak   |
| 3   | 11356.000       | 33.99          | 16.19          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12654.000       | 32.79          | 18.01          | 50.80           | 74.00          | -23.20      | peak   |
| 5   | 13809.000       | 28.75          | 21.41          | 50.16           | 74.00          | -23.84      | peak   |
| 6   | 17989.000       | 24.45          | 26.04          | 50.49           | 74.00          | -23.51      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10179.000       | 36.37          | 12.14          | 48.51           | 74.00          | -25.49      | peak   |
| 2   | 11059.000       | 34.77          | 14.96          | 49.73           | 74.00          | -24.27      | peak   |
| 3   | 11466.000       | 33.10          | 16.63          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 12610.000       | 32.25          | 17.97          | 50.22           | 74.00          | -23.78      | peak   |
| 5   | 14018.000       | 28.18          | 21.80          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17945.000       | 24.18          | 25.75          | 49.93           | 74.00          | -24.07      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5240         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.90          | 10.41          | 48.31           | 74.00          | -25.69      | peak   |
| 2   | 10344.000       | 35.99          | 12.49          | 48.48           | 74.00          | -25.52      | peak   |
| 3   | 11785.000       | 32.81          | 17.30          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 12170.000       | 31.92          | 17.75          | 49.67           | 74.00          | -24.33      | peak   |
| 5   | 13853.000       | 28.03          | 21.52          | 49.55           | 74.00          | -24.45      | peak   |
| 6   | 17989.000       | 23.80          | 26.04          | 49.84           | 74.00          | -24.16      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.59          | 10.55          | 47.14           | 74.00          | -26.86      | peak   |
| 2   | 11400.000       | 32.73          | 16.36          | 49.09           | 74.00          | -24.91      | peak   |
| 3   | 12676.000       | 31.96          | 18.05          | 50.01           | 74.00          | -23.99      | peak   |
| 4   | 13105.000       | 31.25          | 18.91          | 50.16           | 74.00          | -23.84      | peak   |
| 5   | 13930.000       | 28.79          | 21.71          | 50.50           | 74.00          | -23.50      | peak   |
| 6   | 17956.000       | 24.28          | 25.82          | 50.10           | 74.00          | -23.90      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5260         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10322.000       | 36.14          | 12.45          | 48.59           | 74.00          | -25.41      | peak   |
| 2   | 11081.000       | 34.59          | 15.05          | 49.64           | 74.00          | -24.36      | peak   |
| 3   | 11664.000       | 32.95          | 17.08          | 50.03           | 74.00          | -23.97      | peak   |
| 4   | 12676.000       | 31.96          | 18.05          | 50.01           | 74.00          | -23.99      | peak   |
| 5   | 13446.000       | 29.61          | 20.41          | 50.02           | 74.00          | -23.98      | peak   |
| 6   | 18000.000       | 23.63          | 26.12          | 49.75           | 74.00          | -24.25      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 37.14          | 10.53          | 47.67           | 74.00          | -26.33      | peak   |
| 2   | 11081.000       | 34.41          | 15.05          | 49.46           | 74.00          | -24.54      | peak   |
| 3   | 11785.000       | 32.83          | 17.30          | 50.13           | 74.00          | -23.87      | peak   |
| 4   | 12687.000       | 32.03          | 18.05          | 50.08           | 74.00          | -23.92      | peak   |
| 5   | 13853.000       | 28.54          | 21.52          | 50.06           | 74.00          | -23.94      | peak   |
| 6   | 18000.000       | 23.44          | 26.12          | 49.56           | 74.00          | -24.44      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5280         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10212.000       | 35.37          | 12.21          | 47.58           | 74.00          | -26.42      | peak   |
| 2   | 11048.000       | 34.58          | 14.91          | 49.49           | 74.00          | -24.51      | peak   |
| 3   | 11851.000       | 32.68          | 17.43          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 12676.000       | 32.16          | 18.05          | 50.21           | 74.00          | -23.79      | peak   |
| 5   | 13875.000       | 28.45          | 21.57          | 50.02           | 74.00          | -23.98      | peak   |
| 6   | 17593.000       | 26.62          | 23.34          | 49.96           | 74.00          | -24.04      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.87          | 10.51          | 47.38           | 74.00          | -26.62      | peak   |
| 2   | 10443.000       | 36.31          | 12.70          | 49.01           | 74.00          | -24.99      | peak   |
| 3   | 11708.000       | 33.06          | 17.16          | 50.22           | 74.00          | -23.78      | peak   |
| 4   | 12676.000       | 32.86          | 18.05          | 50.91           | 74.00          | -23.09      | peak   |
| 5   | 13435.000       | 30.01          | 20.35          | 50.36           | 74.00          | -23.64      | peak   |
| 6   | 17703.000       | 26.41          | 24.09          | 50.50           | 74.00          | -23.50      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5320         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.92          | 10.54          | 47.46           | 74.00          | -26.54      | peak   |
| 2   | 10234.000       | 36.75          | 12.26          | 49.01           | 74.00          | -24.99      | peak   |
| 3   | 11323.000       | 33.81          | 16.05          | 49.86           | 74.00          | -24.14      | peak   |
| 4   | 12170.000       | 31.86          | 17.75          | 49.61           | 74.00          | -24.39      | peak   |
| 5   | 13358.000       | 30.33          | 20.02          | 50.35           | 74.00          | -23.65      | peak   |
| 6   | 17989.000       | 23.59          | 26.04          | 49.63           | 74.00          | -24.37      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 37.76          | 10.53          | 48.29           | 74.00          | -25.71      | peak   |
| 2   | 10333.000       | 36.41          | 12.47          | 48.88           | 74.00          | -25.12      | peak   |
| 3   | 11741.000       | 32.92          | 17.22          | 50.14           | 74.00          | -23.86      | peak   |
| 4   | 12676.000       | 31.80          | 18.05          | 49.85           | 74.00          | -24.15      | peak   |
| 5   | 13358.000       | 30.14          | 20.02          | 50.16           | 74.00          | -23.84      | peak   |
| 6   | 17956.000       | 24.04          | 25.82          | 49.86           | 74.00          | -24.14      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5500         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 38.28          | 10.48          | 48.76           | 74.00          | -25.24      | peak   |
| 2   | 11411.000       | 33.60          | 16.41          | 50.01           | 74.00          | -23.99      | peak   |
| 3   | 12665.000       | 32.03          | 18.04          | 50.07           | 74.00          | -23.93      | peak   |
| 4   | 13512.000       | 29.85          | 20.68          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 13864.000       | 28.61          | 21.53          | 50.14           | 74.00          | -23.86      | peak   |
| 6   | 17956.000       | 24.27          | 25.82          | 50.09           | 74.00          | -23.91      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.04          | 10.48          | 47.52           | 74.00          | -26.48      | peak   |
| 2   | 10289.000       | 35.79          | 12.38          | 48.17           | 74.00          | -25.83      | peak   |
| 3   | 11257.000       | 33.22          | 15.78          | 49.00           | 74.00          | -25.00      | peak   |
| 4   | 12687.000       | 31.66          | 18.05          | 49.71           | 74.00          | -24.29      | peak   |
| 5   | 13919.000       | 28.81          | 21.68          | 50.49           | 74.00          | -23.51      | peak   |
| 6   | 18000.000       | 24.18          | 26.12          | 50.30           | 74.00          | -23.70      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5580         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.53          | 10.54          | 47.07           | 74.00          | -26.93      | peak   |
| 2   | 11290.000       | 34.14          | 15.90          | 50.04           | 74.00          | -23.96      | peak   |
| 3   | 11708.000       | 33.40          | 17.16          | 50.56           | 74.00          | -23.44      | peak   |
| 4   | 12555.000       | 32.47          | 17.90          | 50.37           | 74.00          | -23.63      | peak   |
| 5   | 13864.000       | 29.22          | 21.53          | 50.75           | 74.00          | -23.25      | peak   |
| 6   | 17956.000       | 24.42          | 25.82          | 50.24           | 74.00          | -23.76      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 37.35          | 10.53          | 47.88           | 74.00          | -26.12      | peak   |
| 2   | 11059.000       | 34.81          | 14.96          | 49.77           | 74.00          | -24.23      | peak   |
| 3   | 11796.000       | 33.52          | 17.32          | 50.84           | 74.00          | -23.16      | peak   |
| 4   | 12610.000       | 32.62          | 17.97          | 50.59           | 74.00          | -23.41      | peak   |
| 5   | 13974.000       | 29.16          | 21.82          | 50.98           | 74.00          | -23.02      | peak   |
| 6   | 18000.000       | 24.52          | 26.12          | 50.64           | 74.00          | -23.36      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5700         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.48          | 10.48          | 47.96           | 74.00          | -26.04      | peak   |
| 2   | 11147.000       | 34.42          | 15.32          | 49.74           | 74.00          | -24.26      | peak   |
| 3   | 11851.000       | 33.40          | 17.43          | 50.83           | 74.00          | -23.17      | peak   |
| 4   | 12610.000       | 32.65          | 17.97          | 50.62           | 74.00          | -23.38      | peak   |
| 5   | 13996.000       | 28.78          | 21.87          | 50.65           | 74.00          | -23.35      | peak   |
| 6   | 17692.000       | 26.62          | 24.01          | 50.63           | 74.00          | -23.37      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8969.000        | 36.91          | 10.13          | 47.04           | 74.00          | -26.96      | peak   |
| 2   | 9574.000        | 37.11          | 10.81          | 47.92           | 74.00          | -26.08      | peak   |
| 3   | 11334.000       | 33.33          | 16.09          | 49.42           | 74.00          | -24.58      | peak   |
| 4   | 12302.000       | 32.31          | 17.78          | 50.09           | 74.00          | -23.91      | peak   |
| 5   | 13468.000       | 29.79          | 20.50          | 50.29           | 74.00          | -23.71      | peak   |
| 6   | 17780.000       | 25.23          | 24.61          | 49.84           | 74.00          | -24.16      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5720         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10157.000       | 35.99          | 12.10          | 48.09           | 74.00          | -25.91      | peak   |
| 2   | 11070.000       | 34.60          | 15.01          | 49.61           | 74.00          | -24.39      | peak   |
| 3   | 11851.000       | 32.34          | 17.43          | 49.77           | 74.00          | -24.23      | peak   |
| 4   | 12687.000       | 31.82          | 18.05          | 49.87           | 74.00          | -24.13      | peak   |
| 5   | 13875.000       | 28.67          | 21.57          | 50.24           | 74.00          | -23.76      | peak   |
| 6   | 18000.000       | 24.55          | 26.12          | 50.67           | 74.00          | -23.33      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.69          | 10.54          | 47.23           | 74.00          | -26.77      | peak   |
| 2   | 10421.000       | 35.41          | 12.66          | 48.07           | 74.00          | -25.93      | peak   |
| 3   | 11400.000       | 33.75          | 16.36          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 12665.000       | 32.29          | 18.04          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13875.000       | 29.03          | 21.57          | 50.60           | 74.00          | -23.40      | peak   |
| 6   | 17978.000       | 24.49          | 25.97          | 50.46           | 74.00          | -23.54      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5745         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 36.77          | 10.54          | 47.31           | 74.00          | -26.69      | peak   |
| 2   | 11048.000       | 34.86          | 14.91          | 49.77           | 74.00          | -24.23      | peak   |
| 3   | 11851.000       | 33.55          | 17.43          | 50.98           | 74.00          | -23.02      | peak   |
| 4   | 12225.000       | 32.76          | 17.75          | 50.51           | 74.00          | -23.49      | peak   |
| 5   | 13457.000       | 29.96          | 20.46          | 50.42           | 74.00          | -23.58      | peak   |
| 6   | 17989.000       | 24.23          | 26.04          | 50.27           | 74.00          | -23.73      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.47          | 10.54          | 48.01           | 74.00          | -25.99      | peak   |
| 2   | 11059.000       | 34.48          | 14.96          | 49.44           | 74.00          | -24.56      | peak   |
| 3   | 11895.000       | 32.42          | 17.51          | 49.93           | 74.00          | -24.07      | peak   |
| 4   | 12709.000       | 32.09          | 18.09          | 50.18           | 74.00          | -23.82      | peak   |
| 5   | 13567.000       | 29.32          | 20.80          | 50.12           | 74.00          | -23.88      | peak   |
| 6   | 17967.000       | 24.31          | 25.89          | 50.20           | 74.00          | -23.80      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5785         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 37.28          | 10.45          | 47.73           | 74.00          | -26.27      | peak   |
| 2   | 11070.000       | 34.67          | 15.01          | 49.68           | 74.00          | -24.32      | peak   |
| 3   | 11763.000       | 32.96          | 17.26          | 50.22           | 74.00          | -23.78      | peak   |
| 4   | 12577.000       | 32.34          | 17.93          | 50.27           | 74.00          | -23.73      | peak   |
| 5   | 13919.000       | 29.17          | 21.68          | 50.85           | 74.00          | -23.15      | peak   |
| 6   | 17945.000       | 24.59          | 25.75          | 50.34           | 74.00          | -23.66      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.62          | 10.48          | 47.10           | 74.00          | -26.90      | peak   |
| 2   | 10300.000       | 36.27          | 12.40          | 48.67           | 74.00          | -25.33      | peak   |
| 3   | 11455.000       | 33.74          | 16.58          | 50.32           | 74.00          | -23.68      | peak   |
| 4   | 12159.000       | 32.28          | 17.73          | 50.01           | 74.00          | -23.99      | peak   |
| 5   | 13402.000       | 30.55          | 20.20          | 50.75           | 74.00          | -23.25      | peak   |
| 6   | 17989.000       | 24.38          | 26.04          | 50.42           | 74.00          | -23.58      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT20 | Frequency(MHz): | 5825         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 36.47          | 10.45          | 46.92           | 74.00          | -27.08      | peak   |
| 2   | 10157.000       | 36.33          | 12.10          | 48.43           | 74.00          | -25.57      | peak   |
| 3   | 11455.000       | 32.50          | 16.58          | 49.08           | 74.00          | -24.92      | peak   |
| 4   | 12247.000       | 32.11          | 17.77          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 13919.000       | 28.77          | 21.68          | 50.45           | 74.00          | -23.55      | peak   |
| 6   | 17967.000       | 24.31          | 25.89          | 50.20           | 74.00          | -23.80      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9574.000        | 36.77          | 10.81          | 47.58           | 74.00          | -26.42      | peak   |
| 2   | 11048.000       | 34.53          | 14.91          | 49.44           | 74.00          | -24.56      | peak   |
| 3   | 11796.000       | 32.96          | 17.32          | 50.28           | 74.00          | -23.72      | peak   |
| 4   | 12170.000       | 31.92          | 17.75          | 49.67           | 74.00          | -24.33      | peak   |
| 5   | 14018.000       | 28.46          | 21.80          | 50.26           | 74.00          | -23.74      | peak   |
| 6   | 17978.000       | 24.70          | 25.97          | 50.67           | 74.00          | -23.33      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5190         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.11          | 10.49          | 47.60           | 74.00          | -26.40      | peak   |
| 2   | 10223.000       | 35.85          | 12.24          | 48.09           | 74.00          | -25.91      | peak   |
| 3   | 11323.000       | 33.88          | 16.05          | 49.93           | 74.00          | -24.07      | peak   |
| 4   | 12291.000       | 32.51          | 17.78          | 50.29           | 74.00          | -23.71      | peak   |
| 5   | 13567.000       | 29.66          | 20.80          | 50.46           | 74.00          | -23.54      | peak   |
| 6   | 17978.000       | 24.67          | 25.97          | 50.64           | 74.00          | -23.36      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.78          | 10.51          | 47.29           | 74.00          | -26.71      | peak   |
| 2   | 10168.000       | 36.07          | 12.13          | 48.20           | 74.00          | -25.80      | peak   |
| 3   | 11279.000       | 33.34          | 15.86          | 49.20           | 74.00          | -24.80      | peak   |
| 4   | 11785.000       | 33.15          | 17.30          | 50.45           | 74.00          | -23.55      | peak   |
| 5   | 13644.000       | 29.81          | 20.99          | 50.80           | 74.00          | -23.20      | peak   |
| 6   | 18000.000       | 24.47          | 26.12          | 50.59           | 74.00          | -23.41      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5230         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.06          | 10.54          | 47.60           | 74.00          | -26.40      | peak   |
| 2   | 11147.000       | 34.39          | 15.32          | 49.71           | 74.00          | -24.29      | peak   |
| 3   | 11400.000       | 33.48          | 16.36          | 49.84           | 74.00          | -24.16      | peak   |
| 4   | 13116.000       | 31.44          | 18.96          | 50.40           | 74.00          | -23.60      | peak   |
| 5   | 13457.000       | 29.71          | 20.46          | 50.17           | 74.00          | -23.83      | peak   |
| 6   | 18000.000       | 24.18          | 26.12          | 50.30           | 74.00          | -23.70      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.15          | 10.51          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 11059.000       | 34.75          | 14.96          | 49.71           | 74.00          | -24.29      | peak   |
| 3   | 12181.000       | 33.21          | 17.75          | 50.96           | 74.00          | -23.04      | peak   |
| 4   | 12643.000       | 32.62          | 18.01          | 50.63           | 74.00          | -23.37      | peak   |
| 5   | 13875.000       | 28.68          | 21.57          | 50.25           | 74.00          | -23.75      | peak   |
| 6   | 18000.000       | 23.86          | 26.12          | 49.98           | 74.00          | -24.02      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5270         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.28          | 10.38          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 11048.000       | 34.46          | 14.91          | 49.37           | 74.00          | -24.63      | peak   |
| 3   | 11389.000       | 33.43          | 16.31          | 49.74           | 74.00          | -24.26      | peak   |
| 4   | 12577.000       | 31.72          | 17.93          | 49.65           | 74.00          | -24.35      | peak   |
| 5   | 13864.000       | 29.39          | 21.53          | 50.92           | 74.00          | -23.08      | peak   |
| 6   | 17978.000       | 24.85          | 25.97          | 50.82           | 74.00          | -23.18      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.90          | 10.54          | 47.44           | 74.00          | -26.56      | peak   |
| 2   | 10201.000       | 35.96          | 12.19          | 48.15           | 74.00          | -25.85      | peak   |
| 3   | 11290.000       | 34.41          | 15.90          | 50.31           | 74.00          | -23.69      | peak   |
| 4   | 12555.000       | 31.94          | 17.90          | 49.84           | 74.00          | -24.16      | peak   |
| 5   | 13523.000       | 29.29          | 20.70          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17978.000       | 24.47          | 25.97          | 50.44           | 74.00          | -23.56      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5310         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.94          | 10.49          | 47.43           | 74.00          | -26.57      | peak   |
| 2   | 10300.000       | 35.90          | 12.40          | 48.30           | 74.00          | -25.70      | peak   |
| 3   | 11422.000       | 33.60          | 16.46          | 50.06           | 74.00          | -23.94      | peak   |
| 4   | 12269.000       | 33.17          | 17.77          | 50.94           | 74.00          | -23.06      | peak   |
| 5   | 13105.000       | 31.81          | 18.91          | 50.72           | 74.00          | -23.28      | peak   |
| 6   | 17967.000       | 23.37          | 25.89          | 49.26           | 74.00          | -24.74      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.09          | 10.49          | 47.58           | 74.00          | -26.42      | peak   |
| 2   | 10234.000       | 35.61          | 12.26          | 47.87           | 74.00          | -26.13      | peak   |
| 3   | 11774.000       | 32.24          | 17.28          | 49.52           | 74.00          | -24.48      | peak   |
| 4   | 12665.000       | 31.68          | 18.04          | 49.72           | 74.00          | -24.28      | peak   |
| 5   | 14018.000       | 28.33          | 21.80          | 50.13           | 74.00          | -23.87      | peak   |
| 6   | 17934.000       | 24.86          | 25.67          | 50.53           | 74.00          | -23.47      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5510         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 38.00          | 10.49          | 48.49           | 74.00          | -25.51      | peak   |
| 2   | 10366.000       | 36.47          | 12.54          | 49.01           | 74.00          | -24.99      | peak   |
| 3   | 11323.000       | 32.99          | 16.05          | 49.04           | 74.00          | -24.96      | peak   |
| 4   | 12632.000       | 31.55          | 17.99          | 49.54           | 74.00          | -24.46      | peak   |
| 5   | 13919.000       | 28.57          | 21.68          | 50.25           | 74.00          | -23.75      | peak   |
| 6   | 17934.000       | 24.27          | 25.67          | 49.94           | 74.00          | -24.06      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9299.000        | 36.87          | 10.53          | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 11697.000       | 32.63          | 17.13          | 49.76           | 74.00          | -24.24      | peak   |
| 3   | 12181.000       | 32.54          | 17.75          | 50.29           | 74.00          | -23.71      | peak   |
| 4   | 13556.000       | 29.65          | 20.78          | 50.43           | 74.00          | -23.57      | peak   |
| 5   | 14227.000       | 29.31          | 20.93          | 50.24           | 74.00          | -23.76      | peak   |
| 6   | 17989.000       | 24.14          | 26.04          | 50.18           | 74.00          | -23.82      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5550         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.01          | 10.55          | 47.56           | 74.00          | -26.44      | peak   |
| 2   | 10575.000       | 35.15          | 13.10          | 48.25           | 74.00          | -25.75      | peak   |
| 3   | 11400.000       | 33.55          | 16.36          | 49.91           | 74.00          | -24.09      | peak   |
| 4   | 12324.000       | 31.85          | 17.79          | 49.64           | 74.00          | -24.36      | peak   |
| 5   | 13864.000       | 29.09          | 21.53          | 50.62           | 74.00          | -23.38      | peak   |
| 6   | 18000.000       | 24.32          | 26.12          | 50.44           | 74.00          | -23.56      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.19          | 10.46          | 46.65           | 74.00          | -27.35      | peak   |
| 2   | 10201.000       | 35.88          | 12.19          | 48.07           | 74.00          | -25.93      | peak   |
| 3   | 11400.000       | 33.29          | 16.36          | 49.65           | 74.00          | -24.35      | peak   |
| 4   | 13006.000       | 31.71          | 18.47          | 50.18           | 74.00          | -23.82      | peak   |
| 5   | 13622.000       | 29.67          | 20.95          | 50.62           | 74.00          | -23.38      | peak   |
| 6   | 17989.000       | 24.14          | 26.04          | 50.18           | 74.00          | -23.82      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5670         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.65          | 10.54          | 47.19           | 74.00          | -26.81      | peak   |
| 2   | 10905.000       | 35.36          | 14.36          | 49.72           | 74.00          | -24.28      | peak   |
| 3   | 11719.000       | 32.57          | 17.18          | 49.75           | 74.00          | -24.25      | peak   |
| 4   | 12247.000       | 32.25          | 17.77          | 50.02           | 74.00          | -23.98      | peak   |
| 5   | 13897.000       | 28.67          | 21.62          | 50.29           | 74.00          | -23.71      | peak   |
| 6   | 17956.000       | 24.61          | 25.82          | 50.43           | 74.00          | -23.57      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8859.000        | 38.21          | 9.36           | 47.57           | 74.00          | -26.43      | peak   |
| 2   | 10168.000       | 35.05          | 12.13          | 47.18           | 74.00          | -26.82      | peak   |
| 3   | 11037.000       | 34.49          | 14.87          | 49.36           | 74.00          | -24.64      | peak   |
| 4   | 12676.000       | 32.23          | 18.05          | 50.28           | 74.00          | -23.72      | peak   |
| 5   | 13600.000       | 29.32          | 20.89          | 50.21           | 74.00          | -23.79      | peak   |
| 6   | 17989.000       | 23.65          | 26.04          | 49.69           | 74.00          | -24.31      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5710         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.13          | 10.54          | 47.67           | 74.00          | -26.33      | peak   |
| 2   | 11059.000       | 34.17          | 14.96          | 49.13           | 74.00          | -24.87      | peak   |
| 3   | 11422.000       | 33.73          | 16.46          | 50.19           | 74.00          | -23.81      | peak   |
| 4   | 12654.000       | 32.01          | 18.01          | 50.02           | 74.00          | -23.98      | peak   |
| 5   | 13919.000       | 29.05          | 21.68          | 50.73           | 74.00          | -23.27      | peak   |
| 6   | 17956.000       | 24.71          | 25.82          | 50.53           | 74.00          | -23.47      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.74          | 10.51          | 47.25           | 74.00          | -26.75      | peak   |
| 2   | 10289.000       | 36.04          | 12.38          | 48.42           | 74.00          | -25.58      | peak   |
| 3   | 11796.000       | 32.45          | 17.32          | 49.77           | 74.00          | -24.23      | peak   |
| 4   | 12731.000       | 31.96          | 18.12          | 50.08           | 74.00          | -23.92      | peak   |
| 5   | 13369.000       | 30.17          | 20.06          | 50.23           | 74.00          | -23.77      | peak   |
| 6   | 17934.000       | 24.27          | 25.67          | 49.94           | 74.00          | -24.06      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5755         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.20          | 10.55          | 47.75           | 74.00          | -26.25      | peak   |
| 2   | 10421.000       | 35.83          | 12.66          | 48.49           | 74.00          | -25.51      | peak   |
| 3   | 11323.000       | 33.82          | 16.05          | 49.87           | 74.00          | -24.13      | peak   |
| 4   | 12621.000       | 32.75          | 17.98          | 50.73           | 74.00          | -23.27      | peak   |
| 5   | 13611.000       | 29.04          | 20.92          | 49.96           | 74.00          | -24.04      | peak   |
| 6   | 17956.000       | 24.63          | 25.82          | 50.45           | 74.00          | -23.55      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795         |
| Polarity:  | Horizontal   | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9211.000        | 36.59          | 10.47          | 47.06           | 74.00          | -26.94      | peak   |
| 2   | 10443.000       | 35.54          | 12.70          | 48.24           | 74.00          | -25.76      | peak   |
| 3   | 11334.000       | 33.53          | 16.09          | 49.62           | 74.00          | -24.38      | peak   |
| 4   | 12687.000       | 31.96          | 18.05          | 50.01           | 74.00          | -23.99      | peak   |
| 5   | 13512.000       | 28.72          | 20.68          | 49.40           | 74.00          | -24.60      | peak   |
| 6   | 17934.000       | 24.04          | 25.67          | 49.71           | 74.00          | -24.29      | peak   |

|            |              |                 |              |
|------------|--------------|-----------------|--------------|
| Test Mode: | 802.11n HT40 | Frequency(MHz): | 5795         |
| Polarity:  | Vertical     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.98          | 10.51          | 48.49           | 74.00          | -25.51      | peak   |
| 2   | 10333.000       | 35.85          | 12.47          | 48.32           | 74.00          | -25.68      | peak   |
| 3   | 11675.000       | 32.18          | 17.10          | 49.28           | 74.00          | -24.72      | peak   |
| 4   | 12610.000       | 31.42          | 17.97          | 49.39           | 74.00          | -24.61      | peak   |
| 5   | 13908.000       | 28.12          | 21.66          | 49.78           | 74.00          | -24.22      | peak   |
| 6   | 17945.000       | 23.74          | 25.75          | 49.49           | 74.00          | -24.51      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.40          | 10.51          | 47.91           | 74.00          | -26.09      | peak   |
| 2   | 11070.000       | 33.77          | 15.01          | 48.78           | 74.00          | -25.22      | peak   |
| 3   | 11763.000       | 32.26          | 17.26          | 49.52           | 74.00          | -24.48      | peak   |
| 4   | 12643.000       | 32.30          | 18.01          | 50.31           | 74.00          | -23.69      | peak   |
| 5   | 13963.000       | 28.61          | 21.78          | 50.39           | 74.00          | -23.61      | peak   |
| 6   | 17956.000       | 25.07          | 25.82          | 50.89           | 74.00          | -23.11      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5210         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.29          | 10.55          | 47.84           | 74.00          | -26.16      | peak   |
| 2   | 11070.000       | 34.33          | 15.01          | 49.34           | 74.00          | -24.66      | peak   |
| 3   | 11884.000       | 32.70          | 17.48          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12643.000       | 32.13          | 18.01          | 50.14           | 74.00          | -23.86      | peak   |
| 5   | 13974.000       | 28.61          | 21.82          | 50.43           | 74.00          | -23.57      | peak   |
| 6   | 17989.000       | 24.31          | 26.04          | 50.35           | 74.00          | -23.65      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.71          | 10.54          | 48.25           | 74.00          | -25.75      | peak   |
| 2   | 10311.000       | 36.21          | 12.42          | 48.63           | 74.00          | -25.37      | peak   |
| 3   | 11048.000       | 35.02          | 14.91          | 49.93           | 74.00          | -24.07      | peak   |
| 4   | 12687.000       | 32.11          | 18.05          | 50.16           | 74.00          | -23.84      | peak   |
| 5   | 13919.000       | 28.83          | 21.68          | 50.51           | 74.00          | -23.49      | peak   |
| 6   | 18000.000       | 24.15          | 26.12          | 50.27           | 74.00          | -23.73      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5290         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9068.000        | 37.72          | 10.39          | 48.11           | 74.00          | -25.89      | peak   |
| 2   | 11312.000       | 33.84          | 16.00          | 49.84           | 74.00          | -24.16      | peak   |
| 3   | 11796.000       | 32.42          | 17.32          | 49.74           | 74.00          | -24.26      | peak   |
| 4   | 12588.000       | 31.87          | 17.94          | 49.81           | 74.00          | -24.19      | peak   |
| 5   | 13974.000       | 28.16          | 21.82          | 49.98           | 74.00          | -24.02      | peak   |
| 6   | 17989.000       | 23.91          | 26.04          | 49.95           | 74.00          | -24.05      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8980.000        | 37.00          | 10.21          | 47.21           | 74.00          | -26.79      | peak   |
| 2   | 10905.000       | 34.83          | 14.36          | 49.19           | 74.00          | -24.81      | peak   |
| 3   | 11510.000       | 33.68          | 16.79          | 50.47           | 74.00          | -23.53      | peak   |
| 4   | 12698.000       | 32.21          | 18.08          | 50.29           | 74.00          | -23.71      | peak   |
| 5   | 13611.000       | 29.96          | 20.92          | 50.88           | 74.00          | -23.12      | peak   |
| 6   | 17978.000       | 24.66          | 25.97          | 50.63           | 74.00          | -23.37      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5530         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9123.000        | 37.54          | 10.42          | 47.96           | 74.00          | -26.04      | peak   |
| 2   | 10443.000       | 34.92          | 12.70          | 47.62           | 74.00          | -26.38      | peak   |
| 3   | 11422.000       | 33.75          | 16.46          | 50.21           | 74.00          | -23.79      | peak   |
| 4   | 11851.000       | 32.68          | 17.43          | 50.11           | 74.00          | -23.89      | peak   |
| 5   | 13589.000       | 29.44          | 20.86          | 50.30           | 74.00          | -23.70      | peak   |
| 6   | 17692.000       | 26.25          | 24.01          | 50.26           | 74.00          | -23.74      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.89          | 10.51          | 47.40           | 74.00          | -26.60      | peak   |
| 2   | 11059.000       | 34.52          | 14.96          | 49.48           | 74.00          | -24.52      | peak   |
| 3   | 11884.000       | 32.44          | 17.48          | 49.92           | 74.00          | -24.08      | peak   |
| 4   | 12511.000       | 32.11          | 17.84          | 49.95           | 74.00          | -24.05      | peak   |
| 5   | 13853.000       | 29.03          | 21.52          | 50.55           | 74.00          | -23.45      | peak   |
| 6   | 17989.000       | 24.52          | 26.04          | 50.56           | 74.00          | -23.44      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5610         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.03          | 10.49          | 47.52           | 74.00          | -26.48      | peak   |
| 2   | 10179.000       | 36.00          | 12.14          | 48.14           | 74.00          | -25.86      | peak   |
| 3   | 11422.000       | 33.73          | 16.46          | 50.19           | 74.00          | -23.81      | peak   |
| 4   | 12632.000       | 32.62          | 17.99          | 50.61           | 74.00          | -23.39      | peak   |
| 5   | 13567.000       | 29.95          | 20.80          | 50.75           | 74.00          | -23.25      | peak   |
| 6   | 17989.000       | 24.85          | 26.04          | 50.89           | 74.00          | -23.11      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 36.39          | 10.55          | 46.94           | 74.00          | -27.06      | peak   |
| 2   | 10223.000       | 35.83          | 12.24          | 48.07           | 74.00          | -25.93      | peak   |
| 3   | 11312.000       | 34.24          | 16.00          | 50.24           | 74.00          | -23.76      | peak   |
| 4   | 11829.000       | 32.71          | 17.38          | 50.09           | 74.00          | -23.91      | peak   |
| 5   | 13611.000       | 29.89          | 20.92          | 50.81           | 74.00          | -23.19      | peak   |
| 6   | 17934.000       | 25.08          | 25.67          | 50.75           | 74.00          | -23.25      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5690         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8804.000        | 38.19          | 8.98           | 47.17           | 74.00          | -26.83      | peak   |
| 2   | 11070.000       | 34.44          | 15.01          | 49.45           | 74.00          | -24.55      | peak   |
| 3   | 11884.000       | 32.24          | 17.48          | 49.72           | 74.00          | -24.28      | peak   |
| 4   | 12643.000       | 32.20          | 18.01          | 50.21           | 74.00          | -23.79      | peak   |
| 5   | 13974.000       | 28.17          | 21.82          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17989.000       | 23.52          | 26.04          | 49.56           | 74.00          | -24.44      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.62          | 10.54          | 48.16           | 74.00          | -25.84      | peak   |
| 2   | 10212.000       | 36.65          | 12.21          | 48.86           | 74.00          | -25.14      | peak   |
| 3   | 11334.000       | 34.15          | 16.09          | 50.24           | 74.00          | -23.76      | peak   |
| 4   | 11818.000       | 32.85          | 17.36          | 50.21           | 74.00          | -23.79      | peak   |
| 5   | 13556.000       | 29.68          | 20.78          | 50.46           | 74.00          | -23.54      | peak   |
| 6   | 17934.000       | 24.37          | 25.67          | 50.04           | 74.00          | -23.96      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT80 | Frequency(MHz): | 5775         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10333.000       | 36.08          | 12.47          | 48.55           | 74.00          | -25.45      | peak   |
| 2   | 11378.000       | 33.59          | 16.26          | 49.85           | 74.00          | -24.15      | peak   |
| 3   | 11862.000       | 32.69          | 17.45          | 50.14           | 74.00          | -23.86      | peak   |
| 4   | 12511.000       | 32.45          | 17.84          | 50.29           | 74.00          | -23.71      | peak   |
| 5   | 13985.000       | 29.14          | 21.85          | 50.99           | 74.00          | -23.01      | peak   |
| 6   | 17934.000       | 24.86          | 25.67          | 50.53           | 74.00          | -23.47      | peak   |

|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5250         |
| Polarity:  | Horizontal      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 36.83          | 10.51          | 47.34           | 74.00          | -26.66      | peak   |
| 2   | 11026.000       | 34.76          | 14.82          | 49.58           | 74.00          | -24.42      | peak   |
| 3   | 11598.000       | 33.22          | 16.96          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 13028.000       | 31.72          | 18.57          | 50.29           | 74.00          | -23.71      | peak   |
| 5   | 13600.000       | 29.65          | 20.89          | 50.54           | 74.00          | -23.46      | peak   |
| 6   | 17934.000       | 24.68          | 25.67          | 50.35           | 74.00          | -23.65      | peak   |

|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5250         |
| Polarity:  | Vertical        | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.38          | 10.41          | 47.79           | 74.00          | -26.21      | peak   |
| 2   | 10201.000       | 36.75          | 12.19          | 48.94           | 74.00          | -25.06      | peak   |
| 3   | 11048.000       | 35.03          | 14.91          | 49.94           | 74.00          | -24.06      | peak   |
| 4   | 12676.000       | 32.28          | 18.05          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13611.000       | 29.66          | 20.92          | 50.58           | 74.00          | -23.42      | peak   |
| 6   | 17945.000       | 24.72          | 25.75          | 50.47           | 74.00          | -23.53      | peak   |

|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5570         |
| Polarity:  | Horizontal      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.66          | 10.49          | 47.15           | 74.00          | -26.85      | peak   |
| 2   | 11070.000       | 34.30          | 15.01          | 49.31           | 74.00          | -24.69      | peak   |
| 3   | 11796.000       | 33.33          | 17.32          | 50.65           | 74.00          | -23.35      | peak   |
| 4   | 12632.000       | 32.75          | 17.99          | 50.74           | 74.00          | -23.26      | peak   |
| 5   | 13589.000       | 29.45          | 20.86          | 50.31           | 74.00          | -23.69      | peak   |
| 6   | 17923.000       | 24.15          | 25.60          | 49.75           | 74.00          | -24.25      | peak   |

|            |                 |                 |              |
|------------|-----------------|-----------------|--------------|
| Test Mode: | 802.11ac VHT160 | Frequency(MHz): | 5570         |
| Polarity:  | Vertical        | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10432.000       | 36.30          | 12.67          | 48.97           | 74.00          | -25.03      | peak   |
| 2   | 11389.000       | 34.22          | 16.31          | 50.53           | 74.00          | -23.47      | peak   |
| 3   | 11818.000       | 33.36          | 17.36          | 50.72           | 74.00          | -23.28      | peak   |
| 4   | 12632.000       | 32.46          | 17.99          | 50.45           | 74.00          | -23.55      | peak   |
| 5   | 13666.000       | 29.40          | 21.05          | 50.45           | 74.00          | -23.55      | peak   |
| 6   | 17945.000       | 24.58          | 25.75          | 50.33           | 74.00          | -23.67      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.57          | 10.48          | 48.05           | 74.00          | -25.95      | peak   |
| 2   | 11059.000       | 34.85          | 14.96          | 49.81           | 74.00          | -24.19      | peak   |
| 3   | 11323.000       | 33.81          | 16.05          | 49.86           | 74.00          | -24.14      | peak   |
| 4   | 12247.000       | 32.36          | 17.77          | 50.13           | 74.00          | -23.87      | peak   |
| 5   | 13611.000       | 29.58          | 20.92          | 50.50           | 74.00          | -23.50      | peak   |
| 6   | 18000.000       | 24.27          | 26.12          | 50.39           | 74.00          | -23.61      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.43          | 10.49          | 47.92           | 74.00          | -26.08      | peak   |
| 2   | 11048.000       | 35.19          | 14.91          | 50.10           | 74.00          | -23.90      | peak   |
| 3   | 11510.000       | 33.39          | 16.79          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12676.000       | 32.37          | 18.05          | 50.42           | 74.00          | -23.58      | peak   |
| 5   | 13600.000       | 28.95          | 20.89          | 49.84           | 74.00          | -24.16      | peak   |
| 6   | 17956.000       | 24.25          | 25.82          | 50.07           | 74.00          | -23.93      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.03          | 10.41          | 47.44           | 74.00          | -26.56      | peak   |
| 2   | 10388.000       | 35.88          | 12.59          | 48.47           | 74.00          | -25.53      | peak   |
| 3   | 11433.000       | 33.99          | 16.50          | 50.49           | 74.00          | -23.51      | peak   |
| 4   | 12577.000       | 32.41          | 17.93          | 50.34           | 74.00          | -23.66      | peak   |
| 5   | 13864.000       | 29.04          | 21.53          | 50.57           | 74.00          | -23.43      | peak   |
| 6   | 17923.000       | 24.92          | 25.60          | 50.52           | 74.00          | -23.48      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5200         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.27          | 10.48          | 47.75           | 74.00          | -26.25      | peak   |
| 2   | 11070.000       | 34.91          | 15.01          | 49.92           | 74.00          | -24.08      | peak   |
| 3   | 11939.000       | 32.57          | 17.59          | 50.16           | 74.00          | -23.84      | peak   |
| 4   | 12643.000       | 32.59          | 18.01          | 50.60           | 74.00          | -23.40      | peak   |
| 5   | 13567.000       | 29.78          | 20.80          | 50.58           | 74.00          | -23.42      | peak   |
| 6   | 17901.000       | 24.93          | 25.45          | 50.38           | 74.00          | -23.62      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 37.35          | 9.90           | 47.25           | 74.00          | -26.75      | peak   |
| 2   | 10443.000       | 35.39          | 12.70          | 48.09           | 74.00          | -25.91      | peak   |
| 3   | 11290.000       | 33.56          | 15.90          | 49.46           | 74.00          | -24.54      | peak   |
| 4   | 12709.000       | 31.61          | 18.09          | 49.70           | 74.00          | -24.30      | peak   |
| 5   | 13963.000       | 28.07          | 21.78          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 17945.000       | 24.45          | 25.75          | 50.20           | 74.00          | -23.80      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5240         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.64          | 10.48          | 47.12           | 74.00          | -26.88      | peak   |
| 2   | 10432.000       | 35.71          | 12.67          | 48.38           | 74.00          | -25.62      | peak   |
| 3   | 11070.000       | 34.18          | 15.01          | 49.19           | 74.00          | -24.81      | peak   |
| 4   | 12687.000       | 31.91          | 18.05          | 49.96           | 74.00          | -24.04      | peak   |
| 5   | 13622.000       | 29.04          | 20.95          | 49.99           | 74.00          | -24.01      | peak   |
| 6   | 17978.000       | 24.41          | 25.97          | 50.38           | 74.00          | -23.62      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9178.000        | 37.22          | 10.45          | 47.67           | 74.00          | -26.33      | peak   |
| 2   | 11070.000       | 34.22          | 15.01          | 49.23           | 74.00          | -24.77      | peak   |
| 3   | 11433.000       | 33.61          | 16.50          | 50.11           | 74.00          | -23.89      | peak   |
| 4   | 12566.000       | 32.56          | 17.91          | 50.47           | 74.00          | -23.53      | peak   |
| 5   | 13534.000       | 28.97          | 20.73          | 49.70           | 74.00          | -24.30      | peak   |
| 6   | 17989.000       | 24.37          | 26.04          | 50.41           | 74.00          | -23.59      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5260         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10234.000       | 36.39          | 12.26          | 48.65           | 74.00          | -25.35      | peak   |
| 2   | 11345.000       | 33.52          | 16.14          | 49.66           | 74.00          | -24.34      | peak   |
| 3   | 11796.000       | 33.29          | 17.32          | 50.61           | 74.00          | -23.39      | peak   |
| 4   | 12632.000       | 32.42          | 17.99          | 50.41           | 74.00          | -23.59      | peak   |
| 5   | 13732.000       | 29.41          | 21.22          | 50.63           | 74.00          | -23.37      | peak   |
| 6   | 17956.000       | 24.75          | 25.82          | 50.57           | 74.00          | -23.43      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.06          | 10.48          | 47.54           | 74.00          | -26.46      | peak   |
| 2   | 11279.000       | 34.09          | 15.86          | 49.95           | 74.00          | -24.05      | peak   |
| 3   | 11697.000       | 33.33          | 17.13          | 50.46           | 74.00          | -23.54      | peak   |
| 4   | 12621.000       | 32.82          | 17.98          | 50.80           | 74.00          | -23.20      | peak   |
| 5   | 13743.000       | 28.62          | 21.24          | 49.86           | 74.00          | -24.14      | peak   |
| 6   | 18000.000       | 24.00          | 26.12          | 50.12           | 74.00          | -23.88      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5280         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9321.000        | 36.80          | 10.53          | 47.33           | 74.00          | -26.67      | peak   |
| 2   | 11048.000       | 35.06          | 14.91          | 49.97           | 74.00          | -24.03      | peak   |
| 3   | 11400.000       | 33.85          | 16.36          | 50.21           | 74.00          | -23.79      | peak   |
| 4   | 12577.000       | 32.23          | 17.93          | 50.16           | 74.00          | -23.84      | peak   |
| 5   | 13589.000       | 29.76          | 20.86          | 50.62           | 74.00          | -23.38      | peak   |
| 6   | 17978.000       | 24.51          | 25.97          | 50.48           | 74.00          | -23.52      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10212.000       | 35.77          | 12.21          | 47.98           | 74.00          | -26.02      | peak   |
| 2   | 11686.000       | 32.80          | 17.12          | 49.92           | 74.00          | -24.08      | peak   |
| 3   | 12698.000       | 31.82          | 18.08          | 49.90           | 74.00          | -24.10      | peak   |
| 4   | 13369.000       | 30.43          | 20.06          | 50.49           | 74.00          | -23.51      | peak   |
| 5   | 13798.000       | 29.10          | 21.38          | 50.48           | 74.00          | -23.52      | peak   |
| 6   | 17989.000       | 24.20          | 26.04          | 50.24           | 74.00          | -23.76      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5320         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10223.000       | 35.48          | 12.24          | 47.72           | 74.00          | -26.28      | peak   |
| 2   | 11048.000       | 33.89          | 14.91          | 48.80           | 74.00          | -25.20      | peak   |
| 3   | 12236.000       | 31.64          | 17.76          | 49.40           | 74.00          | -24.60      | peak   |
| 4   | 12621.000       | 32.02          | 17.98          | 50.00           | 74.00          | -24.00      | peak   |
| 5   | 13897.000       | 28.48          | 21.62          | 50.10           | 74.00          | -23.90      | peak   |
| 6   | 17989.000       | 24.57          | 26.04          | 50.61           | 74.00          | -23.39      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8936.000        | 37.33          | 9.90           | 47.23           | 74.00          | -26.77      | peak   |
| 2   | 10333.000       | 35.86          | 12.47          | 48.33           | 74.00          | -25.67      | peak   |
| 3   | 11400.000       | 33.62          | 16.36          | 49.98           | 74.00          | -24.02      | peak   |
| 4   | 11796.000       | 33.11          | 17.32          | 50.43           | 74.00          | -23.57      | peak   |
| 5   | 13688.000       | 29.51          | 21.10          | 50.61           | 74.00          | -23.39      | peak   |
| 6   | 17934.000       | 24.93          | 25.67          | 50.60           | 74.00          | -23.40      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5500         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8991.000        | 37.31          | 10.28          | 47.59           | 74.00          | -26.41      | peak   |
| 2   | 11059.000       | 34.40          | 14.96          | 49.36           | 74.00          | -24.64      | peak   |
| 3   | 11400.000       | 33.42          | 16.36          | 49.78           | 74.00          | -24.22      | peak   |
| 4   | 12225.000       | 31.82          | 17.75          | 49.57           | 74.00          | -24.43      | peak   |
| 5   | 13358.000       | 29.83          | 20.02          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 18000.000       | 23.77          | 26.12          | 49.89           | 74.00          | -24.11      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.56          | 10.51          | 48.07           | 74.00          | -25.93      | peak   |
| 2   | 10300.000       | 36.06          | 12.40          | 48.46           | 74.00          | -25.54      | peak   |
| 3   | 11686.000       | 32.54          | 17.12          | 49.66           | 74.00          | -24.34      | peak   |
| 4   | 13105.000       | 31.30          | 18.91          | 50.21           | 74.00          | -23.79      | peak   |
| 5   | 13919.000       | 28.97          | 21.68          | 50.65           | 74.00          | -23.35      | peak   |
| 6   | 17989.000       | 24.61          | 26.04          | 50.65           | 74.00          | -23.35      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5580         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.07          | 10.54          | 47.61           | 74.00          | -26.39      | peak   |
| 2   | 11081.000       | 34.43          | 15.05          | 49.48           | 74.00          | -24.52      | peak   |
| 3   | 11642.000       | 32.70          | 17.03          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 12577.000       | 32.24          | 17.93          | 50.17           | 74.00          | -23.83      | peak   |
| 5   | 13919.000       | 28.43          | 21.68          | 50.11           | 74.00          | -23.89      | peak   |
| 6   | 18000.000       | 23.79          | 26.12          | 49.91           | 74.00          | -24.09      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.71          | 10.54          | 48.25           | 74.00          | -25.75      | peak   |
| 2   | 11312.000       | 34.03          | 16.00          | 50.03           | 74.00          | -23.97      | peak   |
| 3   | 11796.000       | 32.56          | 17.32          | 49.88           | 74.00          | -24.12      | peak   |
| 4   | 12654.000       | 32.07          | 18.01          | 50.08           | 74.00          | -23.92      | peak   |
| 5   | 13413.000       | 29.58          | 20.26          | 49.84           | 74.00          | -24.16      | peak   |
| 6   | 17967.000       | 24.27          | 25.89          | 50.16           | 74.00          | -23.84      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5700         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.21          | 10.41          | 47.62           | 74.00          | -26.38      | peak   |
| 2   | 10916.000       | 34.94          | 14.39          | 49.33           | 74.00          | -24.67      | peak   |
| 3   | 11246.000       | 34.15          | 15.73          | 49.88           | 74.00          | -24.12      | peak   |
| 4   | 12566.000       | 32.17          | 17.91          | 50.08           | 74.00          | -23.92      | peak   |
| 5   | 13622.000       | 29.40          | 20.95          | 50.35           | 74.00          | -23.65      | peak   |
| 6   | 17989.000       | 24.36          | 26.04          | 50.40           | 74.00          | -23.60      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.25          | 10.48          | 47.73           | 74.00          | -26.27      | peak   |
| 2   | 11059.000       | 34.41          | 14.96          | 49.37           | 74.00          | -24.63      | peak   |
| 3   | 11565.000       | 32.65          | 16.89          | 49.54           | 74.00          | -24.46      | peak   |
| 4   | 12225.000       | 32.35          | 17.75          | 50.10           | 74.00          | -23.90      | peak   |
| 5   | 13424.000       | 30.07          | 20.30          | 50.37           | 74.00          | -23.63      | peak   |
| 6   | 17967.000       | 23.84          | 25.89          | 49.73           | 74.00          | -24.27      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5720         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9112.000        | 37.29          | 10.41          | 47.70           | 74.00          | -26.30      | peak   |
| 2   | 11059.000       | 34.38          | 14.96          | 49.34           | 74.00          | -24.66      | peak   |
| 3   | 11774.000       | 33.45          | 17.28          | 50.73           | 74.00          | -23.27      | peak   |
| 4   | 12698.000       | 32.02          | 18.08          | 50.10           | 74.00          | -23.90      | peak   |
| 5   | 13864.000       | 29.12          | 21.53          | 50.65           | 74.00          | -23.35      | peak   |
| 6   | 17978.000       | 24.85          | 25.97          | 50.82           | 74.00          | -23.18      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 36.48          | 10.54          | 47.02           | 74.00          | -26.98      | peak   |
| 2   | 11125.000       | 34.63          | 15.22          | 49.85           | 74.00          | -24.15      | peak   |
| 3   | 11785.000       | 33.04          | 17.30          | 50.34           | 74.00          | -23.66      | peak   |
| 4   | 12698.000       | 32.22          | 18.08          | 50.30           | 74.00          | -23.70      | peak   |
| 5   | 13864.000       | 29.37          | 21.53          | 50.90           | 74.00          | -23.10      | peak   |
| 6   | 18000.000       | 24.71          | 26.12          | 50.83           | 74.00          | -23.17      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5745         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 36.78          | 10.51          | 47.29           | 74.00          | -26.71      | peak   |
| 2   | 10916.000       | 33.99          | 14.39          | 48.38           | 74.00          | -25.62      | peak   |
| 3   | 11708.000       | 31.80          | 17.16          | 48.96           | 74.00          | -25.04      | peak   |
| 4   | 12687.000       | 31.81          | 18.05          | 49.86           | 74.00          | -24.14      | peak   |
| 5   | 13985.000       | 28.30          | 21.85          | 50.15           | 74.00          | -23.85      | peak   |
| 6   | 18000.000       | 23.87          | 26.12          | 49.99           | 74.00          | -24.01      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 37.71          | 10.43          | 48.14           | 74.00          | -25.86      | peak   |
| 2   | 10289.000       | 35.78          | 12.38          | 48.16           | 74.00          | -25.84      | peak   |
| 3   | 11312.000       | 34.33          | 16.00          | 50.33           | 74.00          | -23.67      | peak   |
| 4   | 11785.000       | 33.44          | 17.30          | 50.74           | 74.00          | -23.26      | peak   |
| 5   | 12544.000       | 32.46          | 17.88          | 50.34           | 74.00          | -23.66      | peak   |
| 6   | 17923.000       | 24.70          | 25.60          | 50.30           | 74.00          | -23.70      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5785         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.83          | 10.41          | 48.24           | 74.00          | -25.76      | peak   |
| 2   | 10388.000       | 35.84          | 12.59          | 48.43           | 74.00          | -25.57      | peak   |
| 3   | 11268.000       | 33.94          | 15.83          | 49.77           | 74.00          | -24.23      | peak   |
| 4   | 12555.000       | 32.40          | 17.90          | 50.30           | 74.00          | -23.70      | peak   |
| 5   | 13127.000       | 31.45          | 19.01          | 50.46           | 74.00          | -23.54      | peak   |
| 6   | 17967.000       | 24.39          | 25.89          | 50.28           | 74.00          | -23.72      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9574.000        | 36.72          | 10.81          | 47.53           | 74.00          | -26.47      | peak   |
| 2   | 11048.000       | 34.68          | 14.91          | 49.59           | 74.00          | -24.41      | peak   |
| 3   | 11422.000       | 33.77          | 16.46          | 50.23           | 74.00          | -23.77      | peak   |
| 4   | 12698.000       | 31.92          | 18.08          | 50.00           | 74.00          | -24.00      | peak   |
| 5   | 13512.000       | 29.70          | 20.68          | 50.38           | 74.00          | -23.62      | peak   |
| 6   | 17989.000       | 23.64          | 26.04          | 49.68           | 74.00          | -24.32      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE20 | Frequency(MHz): | 5825         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.19          | 10.41          | 47.60           | 74.00          | -26.40      | peak   |
| 2   | 10608.000       | 34.69          | 13.23          | 47.92           | 74.00          | -26.08      | peak   |
| 3   | 11323.000       | 34.00          | 16.05          | 50.05           | 74.00          | -23.95      | peak   |
| 4   | 12687.000       | 32.47          | 18.05          | 50.52           | 74.00          | -23.48      | peak   |
| 5   | 13974.000       | 29.13          | 21.82          | 50.95           | 74.00          | -23.05      | peak   |
| 6   | 18000.000       | 24.58          | 26.12          | 50.70           | 74.00          | -23.30      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.99          | 10.49          | 47.48           | 74.00          | -26.52      | peak   |
| 2   | 11070.000       | 34.43          | 15.01          | 49.44           | 74.00          | -24.56      | peak   |
| 3   | 11400.000       | 33.39          | 16.36          | 49.75           | 74.00          | -24.25      | peak   |
| 4   | 13050.000       | 31.24          | 18.66          | 49.90           | 74.00          | -24.10      | peak   |
| 5   | 13589.000       | 29.03          | 20.86          | 49.89           | 74.00          | -24.11      | peak   |
| 6   | 17967.000       | 24.32          | 25.89          | 50.21           | 74.00          | -23.79      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5190         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9057.000        | 37.21          | 10.38          | 47.59           | 74.00          | -26.41      | peak   |
| 2   | 10366.000       | 35.21          | 12.54          | 47.75           | 74.00          | -26.25      | peak   |
| 3   | 11312.000       | 33.41          | 16.00          | 49.41           | 74.00          | -24.59      | peak   |
| 4   | 12236.000       | 32.30          | 17.76          | 50.06           | 74.00          | -23.94      | peak   |
| 5   | 13798.000       | 28.98          | 21.38          | 50.36           | 74.00          | -23.64      | peak   |
| 6   | 17956.000       | 23.67          | 25.82          | 49.49           | 74.00          | -24.51      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9112.000        | 37.25          | 10.41          | 47.66           | 74.00          | -26.34      | peak   |
| 2   | 11059.000       | 34.78          | 14.96          | 49.74           | 74.00          | -24.26      | peak   |
| 3   | 11422.000       | 33.68          | 16.46          | 50.14           | 74.00          | -23.86      | peak   |
| 4   | 12676.000       | 32.52          | 18.05          | 50.57           | 74.00          | -23.43      | peak   |
| 5   | 13864.000       | 29.06          | 21.53          | 50.59           | 74.00          | -23.41      | peak   |
| 6   | 18000.000       | 24.40          | 26.12          | 50.52           | 74.00          | -23.48      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5230         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9266.000        | 37.00          | 10.51          | 47.51           | 74.00          | -26.49      | peak   |
| 2   | 10234.000       | 36.06          | 12.26          | 48.32           | 74.00          | -25.68      | peak   |
| 3   | 11400.000       | 33.77          | 16.36          | 50.13           | 74.00          | -23.87      | peak   |
| 4   | 11697.000       | 33.27          | 17.13          | 50.40           | 74.00          | -23.60      | peak   |
| 5   | 13336.000       | 30.61          | 19.93          | 50.54           | 74.00          | -23.46      | peak   |
| 6   | 18000.000       | 24.04          | 26.12          | 50.16           | 74.00          | -23.84      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.00          | 10.54          | 47.54           | 74.00          | -26.46      | peak   |
| 2   | 11103.000       | 34.13          | 15.15          | 49.28           | 74.00          | -24.72      | peak   |
| 3   | 11785.000       | 33.43          | 17.30          | 50.73           | 74.00          | -23.27      | peak   |
| 4   | 12665.000       | 32.35          | 18.04          | 50.39           | 74.00          | -23.61      | peak   |
| 5   | 13875.000       | 29.13          | 21.57          | 50.70           | 74.00          | -23.30      | peak   |
| 6   | 17956.000       | 25.18          | 25.82          | 51.00           | 74.00          | -23.00      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5270         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.57          | 10.48          | 47.05           | 74.00          | -26.95      | peak   |
| 2   | 11048.000       | 33.61          | 14.91          | 48.52           | 74.00          | -25.48      | peak   |
| 3   | 11862.000       | 32.79          | 17.45          | 50.24           | 74.00          | -23.76      | peak   |
| 4   | 12489.000       | 32.15          | 17.83          | 49.98           | 74.00          | -24.02      | peak   |
| 5   | 13919.000       | 28.14          | 21.68          | 49.82           | 74.00          | -24.18      | peak   |
| 6   | 17945.000       | 23.89          | 25.75          | 49.64           | 74.00          | -24.36      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 37.04          | 10.54          | 47.58           | 74.00          | -26.42      | peak   |
| 2   | 10223.000       | 35.94          | 12.24          | 48.18           | 74.00          | -25.82      | peak   |
| 3   | 11268.000       | 33.32          | 15.83          | 49.15           | 74.00          | -24.85      | peak   |
| 4   | 11785.000       | 32.47          | 17.30          | 49.77           | 74.00          | -24.23      | peak   |
| 5   | 13567.000       | 29.34          | 20.80          | 50.14           | 74.00          | -23.86      | peak   |
| 6   | 17901.000       | 23.99          | 25.45          | 49.44           | 74.00          | -24.56      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5310         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9145.000        | 36.84          | 10.43          | 47.27           | 74.00          | -26.73      | peak   |
| 2   | 10245.000       | 35.76          | 12.28          | 48.04           | 74.00          | -25.96      | peak   |
| 3   | 11059.000       | 35.06          | 14.96          | 50.02           | 74.00          | -23.98      | peak   |
| 4   | 12731.000       | 30.86          | 18.12          | 48.98           | 74.00          | -25.02      | peak   |
| 5   | 13919.000       | 29.31          | 21.68          | 50.99           | 74.00          | -23.01      | peak   |
| 6   | 17989.000       | 24.43          | 26.04          | 50.47           | 74.00          | -23.53      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9332.000        | 36.80          | 10.54          | 47.34           | 74.00          | -26.66      | peak   |
| 2   | 10432.000       | 36.10          | 12.67          | 48.77           | 74.00          | -25.23      | peak   |
| 3   | 11829.000       | 33.55          | 17.38          | 50.93           | 74.00          | -23.07      | peak   |
| 4   | 12247.000       | 33.02          | 17.77          | 50.79           | 74.00          | -23.21      | peak   |
| 5   | 13864.000       | 29.36          | 21.53          | 50.89           | 74.00          | -23.11      | peak   |
| 6   | 17934.000       | 24.47          | 25.67          | 50.14           | 74.00          | -23.86      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5510         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 36.87          | 10.46          | 47.33           | 74.00          | -26.67      | peak   |
| 2   | 11026.000       | 34.75          | 14.82          | 49.57           | 74.00          | -24.43      | peak   |
| 3   | 11400.000       | 33.37          | 16.36          | 49.73           | 74.00          | -24.27      | peak   |
| 4   | 12676.000       | 31.67          | 18.05          | 49.72           | 74.00          | -24.28      | peak   |
| 5   | 13930.000       | 28.59          | 21.71          | 50.30           | 74.00          | -23.70      | peak   |
| 6   | 18000.000       | 24.74          | 26.12          | 50.86           | 74.00          | -23.14      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.22          | 10.49          | 47.71           | 74.00          | -26.29      | peak   |
| 2   | 11070.000       | 34.50          | 15.01          | 49.51           | 74.00          | -24.49      | peak   |
| 3   | 11620.000       | 33.04          | 16.99          | 50.03           | 74.00          | -23.97      | peak   |
| 4   | 12247.000       | 32.71          | 17.77          | 50.48           | 74.00          | -23.52      | peak   |
| 5   | 13798.000       | 29.33          | 21.38          | 50.71           | 74.00          | -23.29      | peak   |
| 6   | 17978.000       | 24.61          | 25.97          | 50.58           | 74.00          | -23.42      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5550         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9475.000        | 36.75          | 10.64          | 47.39           | 74.00          | -26.61      | peak   |
| 2   | 11070.000       | 34.47          | 15.01          | 49.48           | 74.00          | -24.52      | peak   |
| 3   | 11521.000       | 33.31          | 16.82          | 50.13           | 74.00          | -23.87      | peak   |
| 4   | 12225.000       | 32.26          | 17.75          | 50.01           | 74.00          | -23.99      | peak   |
| 5   | 13435.000       | 29.72          | 20.35          | 50.07           | 74.00          | -23.93      | peak   |
| 6   | 17989.000       | 24.30          | 26.04          | 50.34           | 74.00          | -23.66      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9189.000        | 37.49          | 10.46          | 47.95           | 74.00          | -26.05      | peak   |
| 2   | 11059.000       | 35.23          | 14.96          | 50.19           | 74.00          | -23.81      | peak   |
| 3   | 11774.000       | 33.02          | 17.28          | 50.30           | 74.00          | -23.70      | peak   |
| 4   | 13127.000       | 31.59          | 19.01          | 50.60           | 74.00          | -23.40      | peak   |
| 5   | 13600.000       | 29.65          | 20.89          | 50.54           | 74.00          | -23.46      | peak   |
| 6   | 17703.000       | 26.26          | 24.09          | 50.35           | 74.00          | -23.65      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5670         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 36.63          | 10.41          | 47.04           | 74.00          | -26.96      | peak   |
| 2   | 10410.000       | 35.50          | 12.62          | 48.12           | 74.00          | -25.88      | peak   |
| 3   | 11059.000       | 34.73          | 14.96          | 49.69           | 74.00          | -24.31      | peak   |
| 4   | 12687.000       | 31.83          | 18.05          | 49.88           | 74.00          | -24.12      | peak   |
| 5   | 13853.000       | 28.70          | 21.52          | 50.22           | 74.00          | -23.78      | peak   |
| 6   | 17978.000       | 23.92          | 25.97          | 49.89           | 74.00          | -24.11      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 36.94          | 10.48          | 47.42           | 74.00          | -26.58      | peak   |
| 2   | 10322.000       | 36.65          | 12.45          | 49.10           | 74.00          | -24.90      | peak   |
| 3   | 11455.000       | 33.22          | 16.58          | 49.80           | 74.00          | -24.20      | peak   |
| 4   | 12247.000       | 32.99          | 17.77          | 50.76           | 74.00          | -23.24      | peak   |
| 5   | 13358.000       | 30.24          | 20.02          | 50.26           | 74.00          | -23.74      | peak   |
| 6   | 18000.000       | 24.22          | 26.12          | 50.34           | 74.00          | -23.66      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5710         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8804.000        | 37.80          | 8.98           | 46.78           | 74.00          | -27.22      | peak   |
| 2   | 11070.000       | 33.72          | 15.01          | 48.73           | 74.00          | -25.27      | peak   |
| 3   | 11785.000       | 32.64          | 17.30          | 49.94           | 74.00          | -24.06      | peak   |
| 4   | 12687.000       | 32.15          | 18.05          | 50.20           | 74.00          | -23.80      | peak   |
| 5   | 13754.000       | 28.58          | 21.27          | 49.85           | 74.00          | -24.15      | peak   |
| 6   | 17923.000       | 23.12          | 25.60          | 48.72           | 74.00          | -25.28      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 36.76          | 10.54          | 47.30           | 74.00          | -26.70      | peak   |
| 2   | 11070.000       | 34.22          | 15.01          | 49.23           | 74.00          | -24.77      | peak   |
| 3   | 11895.000       | 32.55          | 17.51          | 50.06           | 74.00          | -23.94      | peak   |
| 4   | 12236.000       | 32.67          | 17.76          | 50.43           | 74.00          | -23.57      | peak   |
| 5   | 13578.000       | 29.43          | 20.83          | 50.26           | 74.00          | -23.74      | peak   |
| 6   | 18000.000       | 23.94          | 26.12          | 50.06           | 74.00          | -23.94      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5755         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 8903.000        | 37.95          | 9.66           | 47.61           | 74.00          | -26.39      | peak   |
| 2   | 11059.000       | 35.19          | 14.96          | 50.15           | 74.00          | -23.85      | peak   |
| 3   | 11389.000       | 33.92          | 16.31          | 50.23           | 74.00          | -23.77      | peak   |
| 4   | 12544.000       | 32.59          | 17.88          | 50.47           | 74.00          | -23.53      | peak   |
| 5   | 13523.000       | 29.90          | 20.70          | 50.60           | 74.00          | -23.40      | peak   |
| 6   | 18000.000       | 24.03          | 26.12          | 50.15           | 74.00          | -23.85      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9442.000        | 37.22          | 10.61          | 47.83           | 74.00          | -26.17      | peak   |
| 2   | 11059.000       | 34.00          | 14.96          | 48.96           | 74.00          | -25.04      | peak   |
| 3   | 11862.000       | 32.50          | 17.45          | 49.95           | 74.00          | -24.05      | peak   |
| 4   | 12687.000       | 32.48          | 18.05          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 13886.000       | 28.72          | 21.60          | 50.32           | 74.00          | -23.68      | peak   |
| 6   | 17989.000       | 24.61          | 26.04          | 50.65           | 74.00          | -23.35      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE40 | Frequency(MHz): | 5795         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9365.000        | 36.45          | 10.57          | 47.02           | 74.00          | -26.98      | peak   |
| 2   | 10025.000       | 36.14          | 11.82          | 47.96           | 74.00          | -26.04      | peak   |
| 3   | 11246.000       | 33.12          | 15.73          | 48.85           | 74.00          | -25.15      | peak   |
| 4   | 12610.000       | 31.45          | 17.97          | 49.42           | 74.00          | -24.58      | peak   |
| 5   | 13919.000       | 28.07          | 21.68          | 49.75           | 74.00          | -24.25      | peak   |
| 6   | 17989.000       | 23.64          | 26.04          | 49.68           | 74.00          | -24.32      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10223.000       | 36.36          | 12.24          | 48.60           | 74.00          | -25.40      | peak   |
| 2   | 11048.000       | 34.81          | 14.91          | 49.72           | 74.00          | -24.28      | peak   |
| 3   | 11774.000       | 33.06          | 17.28          | 50.34           | 74.00          | -23.66      | peak   |
| 4   | 12654.000       | 31.83          | 18.01          | 49.84           | 74.00          | -24.16      | peak   |
| 5   | 13644.000       | 29.44          | 20.99          | 50.43           | 74.00          | -23.57      | peak   |
| 6   | 17989.000       | 24.55          | 26.04          | 50.59           | 74.00          | -23.41      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5210         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.30          | 10.48          | 47.78           | 74.00          | -26.22      | peak   |
| 2   | 10300.000       | 35.78          | 12.40          | 48.18           | 74.00          | -25.82      | peak   |
| 3   | 11059.000       | 34.15          | 14.96          | 49.11           | 74.00          | -24.89      | peak   |
| 4   | 12687.000       | 32.06          | 18.05          | 50.11           | 74.00          | -23.89      | peak   |
| 5   | 13853.000       | 28.53          | 21.52          | 50.05           | 74.00          | -23.95      | peak   |
| 6   | 17956.000       | 24.20          | 25.82          | 50.02           | 74.00          | -23.98      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 37.51          | 10.49          | 48.00           | 74.00          | -26.00      | peak   |
| 2   | 11081.000       | 33.63          | 15.05          | 48.68           | 74.00          | -25.32      | peak   |
| 3   | 11664.000       | 32.99          | 17.08          | 50.07           | 74.00          | -23.93      | peak   |
| 4   | 12236.000       | 32.53          | 17.76          | 50.29           | 74.00          | -23.71      | peak   |
| 5   | 13380.000       | 30.27          | 20.12          | 50.39           | 74.00          | -23.61      | peak   |
| 6   | 17956.000       | 25.05          | 25.82          | 50.87           | 74.00          | -23.13      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5290         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10432.000       | 35.93          | 12.67          | 48.60           | 74.00          | -25.40      | peak   |
| 2   | 10960.000       | 34.22          | 14.57          | 48.79           | 74.00          | -25.21      | peak   |
| 3   | 11411.000       | 33.97          | 16.41          | 50.38           | 74.00          | -23.62      | peak   |
| 4   | 12489.000       | 32.23          | 17.83          | 50.06           | 74.00          | -23.94      | peak   |
| 5   | 13655.000       | 29.21          | 21.03          | 50.24           | 74.00          | -23.76      | peak   |
| 6   | 18000.000       | 24.32          | 26.12          | 50.44           | 74.00          | -23.56      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9233.000        | 37.85          | 10.48          | 48.33           | 74.00          | -25.67      | peak   |
| 2   | 11081.000       | 34.90          | 15.05          | 49.95           | 74.00          | -24.05      | peak   |
| 3   | 11598.000       | 33.84          | 16.96          | 50.80           | 74.00          | -23.20      | peak   |
| 4   | 12258.000       | 32.43          | 17.77          | 50.20           | 74.00          | -23.80      | peak   |
| 5   | 13523.000       | 30.08          | 20.70          | 50.78           | 74.00          | -23.22      | peak   |
| 6   | 17945.000       | 23.15          | 25.75          | 48.90           | 74.00          | -25.10      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5530         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9244.000        | 36.78          | 10.49          | 47.27           | 74.00          | -26.73      | peak   |
| 2   | 10300.000       | 35.88          | 12.40          | 48.28           | 74.00          | -25.72      | peak   |
| 3   | 11059.000       | 34.32          | 14.96          | 49.28           | 74.00          | -24.72      | peak   |
| 4   | 12247.000       | 32.73          | 17.77          | 50.50           | 74.00          | -23.50      | peak   |
| 5   | 13611.000       | 29.32          | 20.92          | 50.24           | 74.00          | -23.76      | peak   |
| 6   | 17978.000       | 24.56          | 25.97          | 50.53           | 74.00          | -23.47      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 10223.000       | 36.21          | 12.24          | 48.45           | 74.00          | -25.55      | peak   |
| 2   | 11268.000       | 33.87          | 15.83          | 49.70           | 74.00          | -24.30      | peak   |
| 3   | 12247.000       | 32.40          | 17.77          | 50.17           | 74.00          | -23.83      | peak   |
| 4   | 13116.000       | 31.16          | 18.96          | 50.12           | 74.00          | -23.88      | peak   |
| 5   | 13886.000       | 28.55          | 21.60          | 50.15           | 74.00          | -23.85      | peak   |
| 6   | 17989.000       | 24.80          | 26.04          | 50.84           | 74.00          | -23.16      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5610         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9112.000        | 36.85          | 10.41          | 47.26           | 74.00          | -26.74      | peak   |
| 2   | 10289.000       | 36.41          | 12.38          | 48.79           | 74.00          | -25.21      | peak   |
| 3   | 11070.000       | 34.86          | 15.01          | 49.87           | 74.00          | -24.13      | peak   |
| 4   | 11785.000       | 33.08          | 17.30          | 50.38           | 74.00          | -23.62      | peak   |
| 5   | 13468.000       | 30.23          | 20.50          | 50.73           | 74.00          | -23.27      | peak   |
| 6   | 17989.000       | 24.20          | 26.04          | 50.24           | 74.00          | -23.76      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9255.000        | 37.11          | 10.51          | 47.62           | 74.00          | -26.38      | peak   |
| 2   | 11081.000       | 33.85          | 15.05          | 48.90           | 74.00          | -25.10      | peak   |
| 3   | 11884.000       | 32.53          | 17.48          | 50.01           | 74.00          | -23.99      | peak   |
| 4   | 12654.000       | 32.35          | 18.01          | 50.36           | 74.00          | -23.64      | peak   |
| 5   | 13897.000       | 28.34          | 21.62          | 49.96           | 74.00          | -24.04      | peak   |
| 6   | 17923.000       | 23.91          | 25.60          | 49.51           | 74.00          | -24.49      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5690         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9310.000        | 37.04          | 10.54          | 47.58           | 74.00          | -26.42      | peak   |
| 2   | 11059.000       | 34.25          | 14.96          | 49.21           | 74.00          | -24.79      | peak   |
| 3   | 11785.000       | 32.80          | 17.30          | 50.10           | 74.00          | -23.90      | peak   |
| 4   | 12621.000       | 32.41          | 17.98          | 50.39           | 74.00          | -23.61      | peak   |
| 5   | 13919.000       | 28.85          | 21.68          | 50.53           | 74.00          | -23.47      | peak   |
| 6   | 17912.000       | 25.01          | 25.52          | 50.53           | 74.00          | -23.47      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775         |
| Polarity:  | Horizontal    | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.69          | 10.41          | 48.10           | 74.00          | -25.90      | peak   |
| 2   | 10443.000       | 36.21          | 12.70          | 48.91           | 74.00          | -25.09      | peak   |
| 3   | 11422.000       | 33.36          | 16.46          | 49.82           | 74.00          | -24.18      | peak   |
| 4   | 12247.000       | 32.75          | 17.77          | 50.52           | 74.00          | -23.48      | peak   |
| 5   | 13534.000       | 29.75          | 20.73          | 50.48           | 74.00          | -23.52      | peak   |
| 6   | 17956.000       | 24.62          | 25.82          | 50.44           | 74.00          | -23.56      | peak   |

|            |               |                 |              |
|------------|---------------|-----------------|--------------|
| Test Mode: | 802.11ax HE80 | Frequency(MHz): | 5775         |
| Polarity:  | Vertical      | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.35          | 10.41          | 47.76           | 74.00          | -26.24      | peak   |
| 2   | 10300.000       | 35.55          | 12.40          | 47.95           | 74.00          | -26.05      | peak   |
| 3   | 11334.000       | 33.23          | 16.09          | 49.32           | 74.00          | -24.68      | peak   |
| 4   | 12500.000       | 32.17          | 17.83          | 50.00           | 74.00          | -24.00      | peak   |
| 5   | 13413.000       | 30.33          | 20.26          | 50.59           | 74.00          | -23.41      | peak   |
| 6   | 17989.000       | 24.01          | 26.04          | 50.05           | 74.00          | -23.95      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5250         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9167.000        | 36.98          | 10.45          | 47.43           | 74.00          | -26.57      | peak   |
| 2   | 11147.000       | 34.62          | 15.32          | 49.94           | 74.00          | -24.06      | peak   |
| 3   | 11719.000       | 33.25          | 17.18          | 50.43           | 74.00          | -23.57      | peak   |
| 4   | 12676.000       | 32.28          | 18.05          | 50.33           | 74.00          | -23.67      | peak   |
| 5   | 13908.000       | 28.63          | 21.66          | 50.29           | 74.00          | -23.71      | peak   |
| 6   | 17945.000       | 24.50          | 25.75          | 50.25           | 74.00          | -23.75      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5250         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9343.000        | 37.29          | 10.55          | 47.84           | 74.00          | -26.16      | peak   |
| 2   | 11059.000       | 34.27          | 14.96          | 49.23           | 74.00          | -24.77      | peak   |
| 3   | 11774.000       | 32.90          | 17.28          | 50.18           | 74.00          | -23.82      | peak   |
| 4   | 12258.000       | 32.63          | 17.77          | 50.40           | 74.00          | -23.60      | peak   |
| 5   | 13655.000       | 29.60          | 21.03          | 50.63           | 74.00          | -23.37      | peak   |
| 6   | 18000.000       | 24.57          | 26.12          | 50.69           | 74.00          | -23.31      | peak   |

|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5570         |
| Polarity:  | Horizontal     | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9134.000        | 37.28          | 10.41          | 47.69           | 74.00          | -26.31      | peak   |
| 2   | 10025.000       | 36.20          | 11.82          | 48.02           | 74.00          | -25.98      | peak   |
| 3   | 11840.000       | 32.95          | 17.40          | 50.35           | 74.00          | -23.65      | peak   |
| 4   | 12687.000       | 32.48          | 18.05          | 50.53           | 74.00          | -23.47      | peak   |
| 5   | 13402.000       | 30.52          | 20.20          | 50.72           | 74.00          | -23.28      | peak   |
| 6   | 17989.000       | 24.44          | 26.04          | 50.48           | 74.00          | -23.52      | peak   |


|            |                |                 |              |
|------------|----------------|-----------------|--------------|
| Test Mode: | 802.11ax HE160 | Frequency(MHz): | 5570         |
| Polarity:  | Vertical       | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 9123.000        | 36.75          | 10.42          | 47.17           | 74.00          | -26.83      | peak   |
| 2   | 10245.000       | 36.25          | 12.28          | 48.53           | 74.00          | -25.47      | peak   |
| 3   | 11422.000       | 33.56          | 16.46          | 50.02           | 74.00          | -23.98      | peak   |
| 4   | 12676.000       | 31.91          | 18.05          | 49.96           | 74.00          | -24.04      | peak   |
| 5   | 13512.000       | 29.49          | 20.68          | 50.17           | 74.00          | -23.83      | peak   |
| 6   | 17956.000       | 25.07          | 25.82          | 50.89           | 74.00          | -23.11      | peak   |


#### 8.4. SPURIOUS EMISSIONS(9 KHZ~30 MHZ)

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |




| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.0100             | 78.22             | -101.40           | -23.18                    | 47.60                 | -74.68                     | -3.90                     | -70.78         | peak   |
| 2   | 0.0134             | 74.46             | -101.39           | -26.93                    | 45.06                 | -78.43                     | -6.44                     | -71.99         | peak   |
| 3   | 0.0188             | 72.14             | -101.35           | -29.21                    | 42.12                 | -80.71                     | -9.38                     | -71.33         | peak   |
| 4   | 0.0280             | 68.28             | -101.38           | -33.10                    | 38.66                 | -84.60                     | -12.84                    | -71.76         | peak   |
| 5   | 0.0417             | 64.58             | -101.44           | -36.86                    | 35.20                 | -88.36                     | -16.30                    | -72.06         | peak   |
| 6   | 0.0627             | 62.15             | -101.53           | -39.38                    | 31.66                 | -90.88                     | -19.84                    | -71.04         | peak   |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.1554             | 76.77             | -101.65           | -24.88                    | 23.77                 | -76.38                     | -27.73                    | -48.65         | peak   |
| 2   | 0.1748             | 72.70             | -101.68           | -28.98                    | 22.76                 | -80.48                     | -28.74                    | -51.74         | peak   |
| 3   | 0.2190             | 68.27             | -101.75           | -33.48                    | 20.79                 | -84.98                     | -30.71                    | -54.27         | peak   |
| 4   | 0.3159             | 62.67             | -101.87           | -39.20                    | 17.61                 | -90.70                     | -33.89                    | -56.81         | peak   |
| 5   | 0.3623             | 59.93             | -101.92           | -41.99                    | 16.42                 | -93.49                     | -35.08                    | -58.41         | peak   |
| 6   | 0.4364             | 57.36             | -101.99           | -44.63                    | 14.80                 | -96.13                     | -36.70                    | -59.43         | peak   |


|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a20  | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency<br>(MHz) | Reading<br>(dBuV) | Correct<br>(dB/m) | FCC<br>Result<br>(dBuV/m) | FCC Limit<br>(dBuV/m) | ISED<br>Result<br>(dBuA/m) | ISED<br>Limit<br>(dBuA/m) | Margin<br>(dB) | Remark |
|-----|--------------------|-------------------|-------------------|---------------------------|-----------------------|----------------------------|---------------------------|----------------|--------|
| 1   | 0.4900             | 63.72             | -62.06            | 1.66                      | 13.80                 | -49.84                     | -37.70                    | -12.14         | peak   |
| 2   | 0.8296             | 61.44             | -62.17            | -0.73                     | 29.23                 | -52.23                     | -22.27                    | -29.96         | peak   |
| 3   | 1.4048             | 57.40             | -62.09            | -4.69                     | 24.65                 | -56.19                     | -26.85                    | -29.34         | peak   |
| 4   | 3.7100             | 54.70             | -61.41            | -6.71                     | 29.54                 | -58.21                     | -21.96                    | -36.25         | peak   |
| 5   | 11.8513            | 52.56             | -60.88            | -8.32                     | 29.54                 | -59.82                     | -21.96                    | -37.86         | peak   |
| 6   | 16.3959            | 52.17             | -60.96            | -8.79                     | 29.54                 | -60.29                     | -21.96                    | -38.33         | peak   |


## 8.5. SPURIOUS EMISSIONS(18 GHZ~26 GHZ)

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 19328.000       | 49.27          | -5.58          | 43.69           | 74.00          | -30.31      | peak   |
| 2   | 20200.000       | 49.04          | -5.58          | 43.46           | 74.00          | -30.54      | peak   |
| 3   | 21248.000       | 48.29          | -4.77          | 43.52           | 74.00          | -30.48      | peak   |
| 4   | 22160.000       | 48.08          | -4.31          | 43.77           | 74.00          | -30.23      | peak   |
| 5   | 23480.000       | 47.54          | -3.16          | 44.38           | 74.00          | -29.62      | peak   |
| 6   | 25072.000       | 46.17          | -1.97          | 44.20           | 74.00          | -29.80      | peak   |


|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 18712.000       | 49.40          | -5.40          | 44.00           | 74.00          | -30.00      | peak   |
| 2   | 19768.000       | 49.03          | -5.26          | 43.77           | 74.00          | -30.23      | peak   |
| 3   | 21544.000       | 48.76          | -4.63          | 44.13           | 74.00          | -29.87      | peak   |
| 4   | 23088.000       | 48.02          | -3.41          | 44.61           | 74.00          | -29.39      | peak   |
| 5   | 24568.000       | 47.10          | -2.33          | 44.77           | 74.00          | -29.23      | peak   |
| 6   | 25784.000       | 45.35          | -0.67          | 44.68           | 74.00          | -29.32      | peak   |


## 8.6. SPURIOUS EMISSIONS(26 GHZ~40 GHZ)

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 29346.000       | 47.88          | -0.91          | 46.97           | 74.00          | -27.03      | peak   |
| 2   | 31194.000       | 48.54          | -0.80          | 47.74           | 74.00          | -26.26      | peak   |
| 3   | 31796.000       | 48.68          | -1.39          | 47.29           | 74.00          | -26.71      | peak   |
| 4   | 36262.000       | 45.10          | 3.28           | 48.38           | 74.00          | -25.62      | peak   |
| 5   | 38180.000       | 44.64          | 3.69           | 48.33           | 74.00          | -25.67      | peak   |
| 6   | 39958.000       | 43.58          | 5.12           | 48.70           | 74.00          | -25.30      | peak   |


|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 29276.000       | 47.51          | -1.01          | 46.50           | 74.00          | -27.50      | peak   |
| 2   | 31320.000       | 48.61          | -0.93          | 47.68           | 74.00          | -26.32      | peak   |
| 3   | 32104.000       | 48.99          | -1.75          | 47.24           | 74.00          | -26.76      | peak   |
| 4   | 34302.000       | 46.45          | 1.10           | 47.55           | 74.00          | -26.45      | peak   |
| 5   | 36388.000       | 44.82          | 3.52           | 48.34           | 74.00          | -25.66      | peak   |
| 6   | 38278.000       | 44.32          | 3.82           | 48.14           | 74.00          | -25.86      | peak   |


## 8.7. SPURIOUS EMISSIONS(30 MHZ~1 GHZ)

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180         |
| Polarity:  | Horizontal | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 33.8800         | 43.58          | -13.99         | 29.59           | 40.00          | -10.41      | QP     |
| 2   | 125.0600        | 48.64          | -14.82         | 33.82           | 43.50          | -9.68       | QP     |
| 3   | 189.0800        | 47.02          | -12.19         | 34.83           | 43.50          | -8.67       | QP     |
| 4   | 243.4000        | 49.42          | -14.38         | 35.04           | 46.00          | -10.96      | QP     |
| 5   | 342.3400        | 46.70          | -9.92          | 36.78           | 46.00          | -9.22       | QP     |
| 6   | 773.0200        | 36.77          | -3.11          | 33.66           | 46.00          | -12.34      | QP     |

|            |            |                 |              |
|------------|------------|-----------------|--------------|
| Test Mode: | 802.11a 20 | Frequency(MHz): | 5180         |
| Polarity:  | Vertical   | Test Voltage:   | AC 120V_60Hz |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB/m) | Result (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Remark |
|-----|-----------------|----------------|----------------|-----------------|----------------|-------------|--------|
| 1   | 38.7300         | 50.59          | -14.71         | 35.88           | 40.00          | -4.12       | QP     |
| 2   | 48.4300         | 49.99          | -15.44         | 34.55           | 40.00          | -5.45       | QP     |
| 3   | 95.9600         | 53.84          | -16.82         | 37.02           | 43.50          | -6.48       | QP     |
| 4   | 105.6600        | 52.15          | -15.99         | 36.16           | 43.50          | -7.34       | QP     |
| 5   | 177.4400        | 49.20          | -11.97         | 37.23           | 43.50          | -6.27       | QP     |
| 6   | 234.6700        | 46.85          | -13.81         | 33.04           | 46.00          | -12.96      | QP     |

## 9. AC POWER LINE CONDUCTED EMISSION

### LIMITS

Please refer to CFR 47 FCC §15.207 (a) and ISSED RSS-Gen Clause 8.8

| FREQUENCY (MHz) | Quasi-peak | Average   |
|-----------------|------------|-----------|
| 0.15 -0.5       | 66 - 56 *  | 56 - 46 * |
| 0.50 -5.0       | 56.00      | 46.00     |
| 5.0 -30.0       | 60.00      | 50.00     |


### TEST PROCEDURE

Refer to ANSI C63.10-2013 clause 6.2.

The EUT is put on a table of non-conducting material that is 80 cm high. The vertical conducting wall of shielding is located 40 cm to the rear of the EUT. The power line of the EUT is connected to the AC mains through a Artificial Mains Network (A.M.N.). A EMI Measurement Receiver (R&S Test Receiver ESR3) is used to test the emissions from both sides of AC line. According to the requirements in Section 6.2 of ANSI C63.10-2013. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30 MHz using CISPR Quasi-Peak and average detector mode. The bandwidth of EMI test receiver is set at 9 kHz.

The arrangement of the equipment is installed to meet the standards and operating in a manner, which tends to maximize its emission characteristics in a normal application.

### TEST SETUP



**TEST ENVIRONMENT**


|                     |        |                   |              |
|---------------------|--------|-------------------|--------------|
| Temperature         | 25.3°C | Relative Humidity | 60%          |
| Atmosphere Pressure | 101kPa | Test Voltage      | AC 120V_60Hz |

**TEST DATE / ENGINEER**

|           |                |         |           |
|-----------|----------------|---------|-----------|
| Test Date | March 27, 2024 | Test By | Wite Chen |
|-----------|----------------|---------|-----------|

## TEST RESULTS

|            |           |                 |      |
|------------|-----------|-----------------|------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Line:      | Line      |                 |      |




| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1513          | 39.27          | 10.34        | 49.61         | 65.93        | -16.32      | QP     |
| 2   | 0.1513          | 22.53          | 10.34        | 32.87         | 55.93        | -23.06      | AVG    |
| 3   | 0.2939          | 26.48          | 10.24        | 36.72         | 60.41        | -23.69      | QP     |
| 4   | 0.2939          | 16.91          | 10.24        | 27.15         | 50.41        | -23.26      | AVG    |
| 5   | 0.5635          | 25.23          | 10.24        | 35.47         | 56.00        | -20.53      | QP     |
| 6   | 0.5635          | 17.58          | 10.24        | 27.82         | 46.00        | -18.18      | AVG    |
| 7   | 1.1157          | 12.94          | 10.02        | 22.96         | 56.00        | -33.04      | QP     |
| 8   | 1.1157          | 7.10           | 10.02        | 17.12         | 46.00        | -28.88      | AVG    |
| 9   | 3.4087          | 11.35          | 10.14        | 21.49         | 56.00        | -34.51      | QP     |
| 10  | 3.4087          | 4.42           | 10.14        | 14.56         | 46.00        | -31.44      | AVG    |
| 11  | 19.6034         | 24.24          | 10.82        | 35.06         | 60.00        | -24.94      | QP     |
| 12  | 19.6034         | 18.05          | 10.82        | 28.87         | 50.00        | -21.13      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

|            |           |                 |      |
|------------|-----------|-----------------|------|
| Test Mode: | 802.11a20 | Frequency(MHz): | 5180 |
| Line:      | Neutral   |                 |      |



| No. | Frequency (MHz) | Reading (dBuV) | Correct (dB) | Result (dBuV) | Limit (dBuV) | Margin (dB) | Remark |
|-----|-----------------|----------------|--------------|---------------|--------------|-------------|--------|
| 1   | 0.1590          | 35.28          | 10.32        | 45.60         | 65.52        | -19.92      | QP     |
| 2   | 0.1590          | 21.18          | 10.32        | 31.50         | 55.52        | -24.02      | AVG    |
| 3   | 0.2887          | 23.33          | 10.24        | 33.57         | 60.56        | -26.99      | QP     |
| 4   | 0.2887          | 15.16          | 10.24        | 25.40         | 50.56        | -25.16      | AVG    |
| 5   | 0.4010          | 15.86          | 10.24        | 26.10         | 57.83        | -31.73      | QP     |
| 6   | 0.4010          | 9.67           | 10.24        | 19.91         | 47.83        | -27.92      | AVG    |
| 7   | 0.5624          | 23.72          | 10.24        | 33.96         | 56.00        | -22.04      | QP     |
| 8   | 0.5624          | 16.59          | 10.24        | 26.83         | 46.00        | -19.17      | AVG    |
| 9   | 3.8160          | 12.17          | 10.20        | 22.37         | 56.00        | -33.63      | QP     |
| 10  | 3.8160          | 4.88           | 10.20        | 15.08         | 46.00        | -30.92      | AVG    |
| 11  | 19.7925         | 23.88          | 10.83        | 34.71         | 60.00        | -25.29      | QP     |
| 12  | 19.7925         | 17.94          | 10.83        | 28.77         | 50.00        | -21.23      | AVG    |

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.

Note: All the modes have been tested, only the worst data was recorded in the report.

## 10. ANTENNA REQUIREMENT

### REQUIREMENT

Please refer to FCC part 15.203

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

Please refer to FCC part 15.407(a)

For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. In addition, the maximum power spectral density shall not exceed 17 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

### DESCRIPTION

Pass

## 11. TEST DATA

### 11.1. APPENDIX A: EMISSION BANDWIDTH

#### 11.1.1. Test Result

| Test Mode   | Antenna | Frequency[MHz] | 26db EBW [MHz] | FL[MHz]  | FH[MHz]  | Verdict |
|-------------|---------|----------------|----------------|----------|----------|---------|
| 11A         | Ant3    | 5180           | 20.360         | 5169.880 | 5190.240 | PASS    |
|             |         | 5200           | 20.600         | 5189.560 | 5210.160 | PASS    |
|             |         | 5240           | 19.600         | 5230.280 | 5249.880 | PASS    |
|             |         | 5260           | 19.400         | 5250.240 | 5269.640 | PASS    |
|             |         | 5280           | 20.960         | 5269.600 | 5290.560 | PASS    |
|             |         | 5320           | 20.120         | 5309.840 | 5329.960 | PASS    |
|             |         | 5500           | 23.400         | 5487.560 | 5510.960 | PASS    |
|             |         | 5580           | 19.200         | 5570.200 | 5589.400 | PASS    |
|             |         | 5700           | 20.680         | 5689.960 | 5710.640 | PASS    |
|             |         | 5720           | 19.840         | 5709.840 | 5729.680 | PASS    |
|             |         | 5720 UNII-2C   | 15.16          | 5709.840 | 5725     | PASS    |
|             |         | 5720 UNII-3    | 4.68           | 5725     | 5729.680 | PASS    |
|             |         | 5745           | 20.400         | 5734.720 | 5755.120 | PASS    |
|             |         | 5785           | 19.840         | 5775.080 | 5794.920 | PASS    |
|             |         | 5825           | 20.360         | 5814.720 | 5835.080 | PASS    |
| 11AX20SISO  | Ant3    | 5180           | 20.240         | 5169.840 | 5190.080 | PASS    |
|             |         | 5200           | 20.880         | 5189.400 | 5210.280 | PASS    |
|             |         | 5240           | 19.920         | 5230.040 | 5249.960 | PASS    |
|             |         | 5260           | 21.240         | 5249.320 | 5270.560 | PASS    |
|             |         | 5280           | 20.680         | 5269.840 | 5290.520 | PASS    |
|             |         | 5320           | 21.680         | 5309.160 | 5330.840 | PASS    |
|             |         | 5500           | 22.440         | 5489.040 | 5511.480 | PASS    |
|             |         | 5580           | 21.320         | 5569.120 | 5590.440 | PASS    |
|             |         | 5700           | 21.600         | 5689.440 | 5711.040 | PASS    |
|             |         | 5720           | 20.360         | 5709.680 | 5730.040 | PASS    |
|             |         | 5720 UNII-2C   | 15.32          | 5709.680 | 5725     | PASS    |
|             |         | 5720 UNII-3    | 5.04           | 5725     | 5730.040 | PASS    |
|             |         | 5745           | 20.200         | 5734.720 | 5754.920 | PASS    |
|             |         | 5785           | 20.640         | 5774.440 | 5795.080 | PASS    |
|             |         | 5825           | 21.320         | 5814.160 | 5835.480 | PASS    |
| 11AX40SISO  | Ant3    | 5190           | 39.280         | 5170.240 | 5209.520 | PASS    |
|             |         | 5230           | 39.440         | 5210.320 | 5249.760 | PASS    |
|             |         | 5270           | 39.360         | 5250.320 | 5289.680 | PASS    |
|             |         | 5310           | 39.520         | 5290.080 | 5329.600 | PASS    |
|             |         | 5510           | 39.280         | 5490.240 | 5529.520 | PASS    |
|             |         | 5550           | 39.120         | 5530.480 | 5569.600 | PASS    |
|             |         | 5670           | 39.680         | 5650.160 | 5689.840 | PASS    |
|             |         | 5710           | 39.200         | 5690.320 | 5729.520 | PASS    |
|             |         | 5710 UNII-2C   | 34.68          | 5690.320 | 5725     | PASS    |
|             |         | 5710 UNII-3    | 4.52           | 5725     | 5729.520 | PASS    |
|             |         | 5755           | 39.360         | 5735.320 | 5774.680 | PASS    |
|             |         | 5795           | 39.680         | 5775.080 | 5814.760 | PASS    |
|             |         | 5210           | 80.160         | 5170.000 | 5250.160 | PASS    |
|             |         | 5290           | 80.320         | 5249.680 | 5330.000 | PASS    |
|             |         | 5530           | 80.000         | 5490.000 | 5570.000 | PASS    |
| 11AX80SISO  | Ant3    | 5610           | 80.000         | 5570.000 | 5650.000 | PASS    |
|             |         | 5690           | 80.000         | 5650.000 | 5730.000 | PASS    |
|             |         | 5690 UNII-2C   | 75             | 5650.000 | 5725     | PASS    |
|             |         | 5690 UNII-3    | 5              | 5725     | 5730.000 | PASS    |
|             |         | 5775           | 80.000         | 5735.000 | 5815.000 | PASS    |
|             |         | 5250           | 161.280        | 5169.680 | 5330.960 | PASS    |
|             |         | 5250 UNII-1    | 80.32          | 5169.680 | 5250     | PASS    |
| 11AX160SISO | Ant3    | 5250 UNII-2A   | 80.96          | 5250     | 5330.960 | PASS    |
|             |         | 5570           | 161.920        | 5489.360 | 5651.280 | PASS    |
| 11N20SISO   | Ant3    | 5180           | 20.760         | 5169.920 | 5190.680 | PASS    |
|             |         | 5200           | 21.680         | 5188.760 | 5210.440 | PASS    |

|             |      |              |         |          |          |      |
|-------------|------|--------------|---------|----------|----------|------|
|             |      | 5240         | 19.800  | 5230.080 | 5249.880 | PASS |
|             |      | 5260         | 21.080  | 5249.640 | 5270.720 | PASS |
|             |      | 5280         | 21.200  | 5269.360 | 5290.560 | PASS |
|             |      | 5320         | 21.920  | 5309.200 | 5331.120 | PASS |
|             |      | 5500         | 20.960  | 5489.640 | 5510.600 | PASS |
|             |      | 5580         | 21.240  | 5569.280 | 5590.520 | PASS |
|             |      | 5700         | 20.920  | 5689.680 | 5710.600 | PASS |
|             |      | 5720         | 21.360  | 5709.080 | 5730.440 | PASS |
|             |      | 5720 UNII-2C | 15.92   | 5709.080 | 5725     | PASS |
|             |      | 5720 UNII-3  | 5.44    | 5725     | 5730.440 | PASS |
|             |      | 5745         | 21.040  | 5734.440 | 5755.480 | PASS |
|             |      | 5785         | 21.040  | 5774.360 | 5795.400 | PASS |
|             |      | 5825         | 20.720  | 5814.600 | 5835.320 | PASS |
|             |      | 5190         | 40.160  | 5169.680 | 5209.840 | PASS |
| 11N40SISO   | Ant3 | 5230         | 40.080  | 5210.000 | 5250.080 | PASS |
|             |      | 5270         | 40.720  | 5249.760 | 5290.480 | PASS |
|             |      | 5310         | 39.120  | 5290.560 | 5329.680 | PASS |
|             |      | 5510         | 39.040  | 5490.720 | 5529.760 | PASS |
|             |      | 5550         | 40.560  | 5530.000 | 5570.560 | PASS |
|             |      | 5670         | 40.400  | 5650.000 | 5690.400 | PASS |
|             |      | 5710         | 39.440  | 5690.160 | 5729.600 | PASS |
|             |      | 5710 UNII-2C | 34.84   | 5690.160 | 5725     | PASS |
|             |      | 5710 UNII-3  | 4.6     | 5725     | 5729.600 | PASS |
|             |      | 5755         | 39.600  | 5735.480 | 5775.080 | PASS |
|             |      | 5795         | 39.840  | 5775.000 | 5814.840 | PASS |
|             |      | 5210         | 79.200  | 5170.480 | 5249.680 | PASS |
|             |      | 5290         | 79.680  | 5250.160 | 5329.840 | PASS |
|             |      | 5530         | 79.200  | 5490.640 | 5569.840 | PASS |
|             |      | 5610         | 79.520  | 5570.320 | 5649.840 | PASS |
| 11AC80SISO  | Ant3 | 5690         | 79.840  | 5650.000 | 5729.840 | PASS |
|             |      | 5690 UNII-2C | 75      | 5650.000 | 5725     | PASS |
|             |      | 5690 UNII-3  | 4.84    | 5725     | 5729.840 | PASS |
|             |      | 5775         | 79.040  | 5735.800 | 5814.840 | PASS |
|             |      | 5250         | 169.280 | 5166.800 | 5336.080 | PASS |
|             |      | 5250 UNII-1  | 83.2    | 5166.800 | 5250     | PASS |
| 11AC160SISO | Ant3 | 5250 UNII-2A | 86.08   | 5250     | 5336.080 | PASS |
|             |      | 5570         | 168.960 | 5488.720 | 5657.680 | PASS |

### 11.1.2. Test Graphs

