

Appendix Test Data

|                  |                   |                    |                    |
|------------------|-------------------|--------------------|--------------------|
| Report No.:      | 1812C40093912503  | Test Sample No.:   | 1-2-2              |
| Start Test Date: | 2024.10.9         | Finish Test Date:  | 2024.11.22         |
| Test Engineer:   | <i>Foker Wang</i> | Auditor:           | <i>Justin Feng</i> |
| Temperature:     | 22.7℃             | Relative Humidity: | 52%                |
| Pressure:        | 101kPa            |                    |                    |

Appendix A: -6dB Bandwidth


| Condition | Antenna | Modulation    | Frequency (MHz) | -6dB BW(MHz) | limit(kHz) | Result |
|-----------|---------|---------------|-----------------|--------------|------------|--------|
| NVNT      | ANT1    | 802.11b       | 2412.00         | 8.65         | 500        | Pass   |
| NVNT      | ANT1    | 802.11b       | 2437.00         | 8.65         | 500        | Pass   |
| NVNT      | ANT1    | 802.11b       | 2462.00         | 8.18         | 500        | Pass   |
| NVNT      | ANT1    | 802.11g       | 2412.00         | 15.09        | 500        | Pass   |
| NVNT      | ANT1    | 802.11g       | 2437.00         | 16.23        | 500        | Pass   |
| NVNT      | ANT1    | 802.11g       | 2462.00         | 16.22        | 500        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2412.00         | 15.99        | 500        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2437.00         | 17.43        | 500        | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2462.00         | 17.33        | 500        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2422.00         | 34.99        | 500        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2437.00         | 35.73        | 500        | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2452.00         | 35.91        | 500        | Pass   |

|                                       |
|---------------------------------------|
| -6dB_Bandwidth_NVNT_ANT1_802_11b_2412 |
|---------------------------------------|





-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11b\_2437




-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11b\_2462





-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11g\_2412




-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11g\_2437






-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11g\_2462




-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT20)\_2412





-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT20)\_2437




-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT20)\_2462






-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT40)\_2422



-6dB\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT40)\_2437





## Appendix B: 99% Occupied Bandwidth

| Condition | Antenna | Modulation    | Frequency (MHz) | 99% BW (MHz) |
|-----------|---------|---------------|-----------------|--------------|
| NVNT      | ANT1    | 802.11b       | 2412.00         | 13.133       |
| NVNT      | ANT1    | 802.11b       | 2437.00         | 13.098       |
| NVNT      | ANT1    | 802.11b       | 2462.00         | 12.684       |
| NVNT      | ANT1    | 802.11g       | 2412.00         | 17.233       |
| NVNT      | ANT1    | 802.11g       | 2437.00         | 17.416       |
| NVNT      | ANT1    | 802.11g       | 2462.00         | 17.314       |
| NVNT      | ANT1    | 802.11n(HT20) | 2412.00         | 18.063       |
| NVNT      | ANT1    | 802.11n(HT20) | 2437.00         | 18.335       |
| NVNT      | ANT1    | 802.11n(HT20) | 2462.00         | 18.189       |
| NVNT      | ANT1    | 802.11n(HT40) | 2422.00         | 36.675       |
| NVNT      | ANT1    | 802.11n(HT40) | 2437.00         | 36.610       |
| NVNT      | ANT1    | 802.11n(HT40) | 2452.00         | 36.625       |

99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11b\_2412




99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11b\_2437





99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11b\_2462




99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11g\_2412






99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11g\_2437





99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11g\_2462






99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT20)\_2437





99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT40)\_2422





99%\_Occupied\_Bandwidth\_NVNT\_ANT1\_802\_11n(HT40)\_2452





## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com



## Appendix C: Duty Cycle


| Condition | Antenna | Modulation    | Frequency (MHz) | Duty cycle(%) | Duty factor(dB) |
|-----------|---------|---------------|-----------------|---------------|-----------------|
| NVNT      | ANT1    | 802.11b       | 2412.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11b       | 2437.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11b       | 2462.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11g       | 2412.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11g       | 2437.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11g       | 2462.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11n(HT20) | 2412.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11n(HT20) | 2437.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11n(HT20) | 2462.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11n(HT40) | 2422.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11n(HT40) | 2437.00         | 100           | 0.00            |
| NVNT      | ANT1    | 802.11n(HT40) | 2452.00         | 100           | 0.00            |

Duty\_Cycle\_NVNT\_ANT1\_802\_11b\_2412




Duty\_Cycle\_NVNT\_ANT1\_802\_11b\_2437






Duty\_Cycle\_NVNT\_ANT1\_802\_11b\_2462




Duty\_Cycle\_NVNT\_ANT1\_802\_11g\_2412






Duty\_Cycle\_NVNT\_ANT1\_802\_11g\_2437




Duty\_Cycle\_NVNT\_ANT1\_802\_11g\_2462






Duty\_Cycle\_NVNT\_ANT1\_802\_11n(HT20)\_2412




Duty\_Cycle\_NVNT\_ANT1\_802\_11n(HT20)\_2437






Duty\_Cycle\_NVNT\_ANT1\_802\_11n(HT20)\_2462




Duty\_Cycle\_NVNT\_ANT1\_802\_11n(HT40)\_2422






Duty\_Cycle\_NVNT\_ANT1\_802\_11n(HT40)\_2437



Duty\_Cycle\_NVNT\_ANT1\_802\_11n(HT40)\_2452





Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440      Email: service@anbotek.com

Hotline 400-003-0500  
www.anbotek.com



## Appendix D: MAX. Output Power


| Condition | Antenna | Modulation    | Frequency (MHz) | Detector | Conducted Power(dBm)(RBW=1MHz) | Duty factor(dB) | Total Power(dBm)(RBW=1MHz) | Total Power(dBm)(RBW=430kHz) | limit(dBm) | Result |
|-----------|---------|---------------|-----------------|----------|--------------------------------|-----------------|----------------------------|------------------------------|------------|--------|
| NVNT      | ANT1    | 802.11b       | 2412.00         | RMS      | 15.13                          | 0.00            | 15.13                      | 11.46                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11b       | 2437.00         | RMS      | 15.69                          | 0.00            | 15.69                      | 12.02                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11b       | 2462.00         | RMS      | 15.42                          | 0.00            | 15.42                      | 11.75                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11g       | 2412.00         | RMS      | 15.02                          | 0.00            | 15.02                      | 11.35                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11g       | 2437.00         | RMS      | 15.32                          | 0.00            | 15.32                      | 11.65                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11g       | 2462.00         | RMS      | 15.32                          | 0.00            | 15.32                      | 11.65                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2412.00         | RMS      | 14.88                          | 0.00            | 14.88                      | 11.21                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2437.00         | RMS      | 15.22                          | 0.00            | 15.22                      | 11.55                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2462.00         | RMS      | 15.19                          | 0.00            | 15.19                      | 11.52                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2422.00         | RMS      | 15.35                          | 0.00            | 15.35                      | 11.68                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2437.00         | RMS      | 15.39                          | 0.00            | 15.39                      | 11.72                        | 30         | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2452.00         | RMS      | 15.29                          | 0.00            | 15.29                      | 11.62                        | 30         | Pass   |

Note: 1. The cable loss are compensated in the graph.


2.  $\text{Total Power(dBm)(RBW=430kHz)} = \text{Total Power(dBm)(RBW=1MHz)} + 10 \cdot \log_{10}(430/1000)$

MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11b\_2412






MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11b\_2437




MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11b\_2462






MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11g\_2412




MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11g\_2437







MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11g\_2462




MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11n(HT20)\_2412






MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11n(HT20)\_2462






MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11n(HT40)\_2422



MAX\_\_Output\_Power\_NVNT\_ANT1\_802\_11n(HT40)\_2437






## Appendix E: Power Spectral Density

| Condi<br>on | Anten<br>na | Modulation        | Frequen<br>cy (MHz) | PSD(dBm/30k<br>Hz) | Duty<br>factor(d<br>B) | RB<br>factor(d<br>B) | PSD(dBm/3k<br>Hz) | limit(dBm/3k<br>Hz) | Resu<br>lt |
|-------------|-------------|-------------------|---------------------|--------------------|------------------------|----------------------|-------------------|---------------------|------------|
| NVNT        | ANT1        | 802.11b           | 2412.00             | 3.60               | N/A                    | -10.00               | -6.40             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11b           | 2437.00             | 4.18               | N/A                    | -10.00               | -5.82             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11b           | 2462.00             | 3.41               | N/A                    | -10.00               | -6.59             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11g           | 2412.00             | 0.08               | N/A                    | -10.00               | -9.92             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11g           | 2437.00             | 0.43               | N/A                    | -10.00               | -9.57             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11g           | 2462.00             | 0.16               | N/A                    | -10.00               | -9.84             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11n(HT<br>20) | 2412.00             | -0.43              | N/A                    | -10.00               | -10.43            | 8                   | Pass       |
| NVNT        | ANT1        | 802.11n(HT<br>20) | 2437.00             | -0.10              | N/A                    | -10.00               | -10.10            | 8                   | Pass       |
| NVNT        | ANT1        | 802.11n(HT<br>20) | 2462.00             | 0.57               | N/A                    | -10.00               | -9.43             | 8                   | Pass       |
| NVNT        | ANT1        | 802.11n(HT<br>40) | 2422.00             | -2.42              | N/A                    | -10.00               | -12.42            | 8                   | Pass       |
| NVNT        | ANT1        | 802.11n(HT<br>40) | 2437.00             | -3.17              | N/A                    | -10.00               | -13.17            | 8                   | Pass       |
| NVNT        | ANT1        | 802.11n(HT<br>40) | 2452.00             | -2.47              | N/A                    | -10.00               | -12.47            | 8                   | Pass       |

Note: The cable loss are compensated in the graph.



### Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotech.com

Hotline  
400-003-0500  
www.anbotech.com



Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11b\_2437



Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11b\_2462




Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11g\_2412






Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11g\_2437




Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11g\_2462





Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11n(HT20)\_2412




Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11n(HT20)\_2437






Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11n(HT20)\_2462




Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11n(HT40)\_2422






Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11n(HT40)\_2437



Power\_Spectral\_Density\_NVNT\_ANT1\_802\_11n(HT40)\_2452





## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com



## Appendix F: Bandedge

| Condition | Antenna | Modulation    | TX_Frequency<br>(MHz) | Max.<br>Mark_frequency(MHz) | Spurious<br>level(dBm) | limit(dBm) | Result |
|-----------|---------|---------------|-----------------------|-----------------------------|------------------------|------------|--------|
| NVNT      | ANT1    | 802.11b       | 2412.00               | 2398.480                    | -47.338                | -22.603    | Pass   |
| NVNT      | ANT1    | 802.11b       | 2462.00               | 2485.984                    | -54.478                | -22.214    | Pass   |
| NVNT      | ANT1    | 802.11g       | 2412.00               | 2399.488                    | -33.830                | -27.045    | Pass   |
| NVNT      | ANT1    | 802.11g       | 2462.00               | 2484.832                    | -40.668                | -27.615    | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2412.00               | 2397.472                    | -34.963                | -27.790    | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2462.00               | 2484.832                    | -44.110                | -28.665    | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2422.00               | 2399.760                    | -34.129                | -30.537    | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2452.00               | 2484.020                    | -32.964                | -31.730    | Pass   |

1\_Reference\_Level\_NVNT\_ANT1\_802\_11b\_2412




2\_Bandedge\_NVNT\_ANT1\_802\_11b\_2412





1\_Reference\_Level\_NVNT\_ANT1\_802\_11b\_2462




2\_Bandedge\_NVNT\_ANT1\_802\_11b\_2462






1\_Reference\_Level\_NVNT\_ANT1\_802\_11g\_2412




2\_Bandedge\_NVNT\_ANT1\_802\_11g\_2412





1\_Reference\_Level\_NVNT\_ANT1\_802\_11g\_2462




2\_Bandedge\_NVNT\_ANT1\_802\_11g\_2462






1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT20)\_2412




2\_Bandedge\_NVNT\_ANT1\_802\_11n(HT20)\_2412





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT20)\_2462




2\_Bandedge\_NVNT\_ANT1\_802\_11n(HT20)\_2462





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT40)\_2422




2\_Bandedge\_NVNT\_ANT1\_802\_11n(HT40)\_2422





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT40)\_2452



2\_Bandedge\_NVNT\_ANT1\_802\_11n(HT40)\_2452





## Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com



## Appendix G: Spurious Emission

| Condition | Antenna | Modulation    | TX_Frequency<br>(MHz) | Max.<br>Mark_frequency(MHz) | Spurious<br>level(dBm) | limit(dBm) | Result |
|-----------|---------|---------------|-----------------------|-----------------------------|------------------------|------------|--------|
| NVNT      | ANT1    | 802.11b       | 2412.00               | 24850.180                   | -59.750                | -23.446    | Pass   |
| NVNT      | ANT1    | 802.11b       | 2437.00               | 24870.156                   | -60.118                | -22.117    | Pass   |
| NVNT      | ANT1    | 802.11b       | 2462.00               | 24852.677                   | -55.893                | -22.570    | Pass   |
| NVNT      | ANT1    | 802.11g       | 2412.00               | 24810.228                   | -64.355                | -28.075    | Pass   |
| NVNT      | ANT1    | 802.11g       | 2437.00               | 24727.827                   | -56.370                | -27.400    | Pass   |
| NVNT      | ANT1    | 802.11g       | 2462.00               | 24847.683                   | -62.131                | -27.237    | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2412.00               | 24817.719                   | -64.193                | -28.256    | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2437.00               | 24850.180                   | -60.272                | -28.188    | Pass   |
| NVNT      | ANT1    | 802.11n(HT20) | 2462.00               | 24795.246                   | -62.156                | -28.751    | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2422.00               | 24827.707                   | -60.033                | -27.513    | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2437.00               | 24825.210                   | -68.459                | -30.651    | Pass   |
| NVNT      | ANT1    | 802.11n(HT40) | 2452.00               | 24852.677                   | -65.063                | -31.297    | Pass   |

1\_Reference\_Level\_NVNT\_ANT1\_802\_11b\_2412




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11b\_2412





1\_Reference\_Level\_NVNT\_ANT1\_802\_11b\_2437




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11b\_2437





1\_Reference\_Level\_NVNT\_ANT1\_802\_11b\_2462




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11b\_2462





1\_Reference\_Level\_NVNT\_ANT1\_802\_11g\_2412




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11g\_2412





1\_Reference\_Level\_NVNT\_ANT1\_802\_11g\_2437




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11g\_2437





1\_Reference\_Level\_NVNT\_ANT1\_802\_11g\_2462




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11g\_2462





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT20)\_2412




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11n(HT20)\_2412





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT20)\_2437




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11n(HT20)\_2437





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT20)\_2462




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11n(HT20)\_2462





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT40)\_2422




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11n(HT40)\_2422





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT40)\_2437




2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11n(HT40)\_2437





1\_Reference\_Level\_NVNT\_ANT1\_802\_11n(HT40)\_2452



2\_Spurious\_Emission\_NVNT\_ANT1\_802\_11n(HT40)\_2452





---END---

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,  
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China  
Tel: (86) 0755-26066440      Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com

