



Appendix A

RF Test Data for 2.4G WIFI (Conducted Measurement)

Product Name: Classic Photo Frame 10/8-Inch / WiFi Enabled

Test Model: RCF-1013W

Environmental Conditions

Temperature:	21.1° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Kay Hu
Supervised by:	Li Huan



A.1 6dB Bandwidth


Test Result

TestMode	Antenna	Channel	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11B	Ant1	2412	9.160	2407.400	2416.560	0.5	PASS
		2437	9.200	2432.400	2441.600	0.5	PASS
		2462	9.520	2457.040	2466.560	0.5	PASS
11G	Ant1	2412	16.640	2403.680	2420.320	0.5	PASS
		2437	16.560	2428.760	2445.320	0.5	PASS
		2462	16.560	2453.680	2470.240	0.5	PASS
11N20SISO	Ant1	2412	17.840	2403.080	2420.920	0.5	PASS
		2437	17.800	2428.160	2445.960	0.5	PASS
		2462	17.760	2453.080	2470.840	0.5	PASS
11N40SISO	Ant1	2422	36.560	2403.760	2440.320	0.5	PASS
		2437	36.560	2418.760	2455.320	0.5	PASS
		2452	36.160	2433.760	2469.920	0.5	PASS




Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462



11G_Ant1_2412




11G_Ant1_2437







11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N20SISO_Ant1_2462




11N40SISO_Ant1_2422






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





A.2 Maximum conducted output power

Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	2412	14.44	≤30	PASS
		2437	15.13	≤30	PASS
		2462	14.61	≤30	PASS
11G	Ant1	2412	15.47	≤30	PASS
		2437	15.41	≤30	PASS
		2462	14.91	≤30	PASS
11N20SISO	Ant1	2412	14.46	≤30	PASS
		2437	15.75	≤30	PASS
		2462	14.95	≤30	PASS
11N40SISO	Ant1	2422	13.36	≤30	PASS
		2437	13.88	≤30	PASS
		2452	13.66	≤30	PASS




A.3 Maximum power spectral density

Test Result


TestMode	Antenna	Channel	Result[dBm/3-100kHz]	Limit[dBm/3kHz]	Verdict
11B	Ant1	2412	-17.04	≤8	PASS
		2437	-16.17	≤8	PASS
		2462	-16.84	≤8	PASS
11G	Ant1	2412	-20.19	≤8	PASS
		2437	-19.69	≤8	PASS
		2462	-19.04	≤8	PASS
11N20SISO	Ant1	2412	-21.03	≤8	PASS
		2437	-18.96	≤8	PASS
		2462	-19.59	≤8	PASS
11N40SISO	Ant1	2422	-22.48	≤8	PASS
		2437	-21.41	≤8	PASS
		2452	-22.55	≤8	PASS




11B_Ant1_2462



11G_Ant1_2412




11G_Ant1_2437







11G_Ant1_2462




11N20SISO_Ant1_2412




11N20SISO_Ant1_2437



11N20SISO_Ant1_2462




11N40SISO_Ant1_2422






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





A.4 Band edge measurements


Test Result

TestMode	Antenna	ChName	Channel	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
11B	Ant1	Low	2412	1.39	-47.54	≤ -18.61	PASS
		High	2462	1.67	-48.52	≤ -18.33	PASS
11G	Ant1	Low	2412	-6.10	-45.66	≤ -26.1	PASS
		High	2462	-5.83	-46.3	≤ -25.83	PASS
11N20SISO	Ant1	Low	2412	-7.21	-49.23	≤ -27.21	PASS
		High	2462	-6.03	-45.7	≤ -26.03	PASS
11N40SISO	Ant1	Low	2422	-11.35	-48.26	≤ -31.35	PASS
		High	2452	-10.09	-48.12	≤ -30.09	PASS




Test Graphs


11B_Ant1_Low_2412




11B_Ant1_High_2462




11G_Ant1_Low_2412



11G_Ant1_High_2462




11N20SISO_Ant1_Low_2412







11N20SISO_Ant1_High_2462



11N40SISO_Ant1_Low_2422



11N40SISO_Ant1_High_2452





A.5 Conducted Spurious Emission


Test Result

TestMode	Antenna	Channel	FreqRange [Mhz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	2412	Reference	1.33	1.33	---	PASS
			30~1000	1.33	-57.56	≤-18.67	PASS
			1000~26500	1.33	-47.54	≤-18.67	PASS
		2437	Reference	2.10	2.10	---	PASS
			30~1000	2.10	-57.11	≤-17.9	PASS
			1000~26500	2.10	-46.38	≤-17.9	PASS
		2462	Reference	1.65	1.65	---	PASS
			30~1000	1.65	-55.8	≤-18.35	PASS
			1000~26500	1.65	-47.35	≤-18.35	PASS
11G	Ant1	2412	Reference	-6.13	-6.13	---	PASS
			30~1000	-6.13	-57.48	≤-26.13	PASS
			1000~26500	-6.13	-47.7	≤-26.13	PASS
		2437	Reference	-5.60	-5.60	---	PASS
			30~1000	-5.60	-57.55	≤-25.6	PASS
			1000~26500	-5.60	-47.15	≤-25.6	PASS
		2462	Reference	-5.94	-5.94	---	PASS
			30~1000	-5.94	-55.67	≤-25.94	PASS
			1000~26500	-5.94	-47.4	≤-25.94	PASS
11N20SISO	Ant1	2412	Reference	-7.30	-7.30	---	PASS
			30~1000	-7.30	-56.69	≤-27.3	PASS
			1000~26500	-7.30	-47.4	≤-27.3	PASS
		2437	Reference	-5.50	-5.50	---	PASS
			30~1000	-5.50	-57.03	≤-25.5	PASS
			1000~26500	-5.50	-47.76	≤-25.5	PASS
		2462	Reference	-5.98	-5.98	---	PASS
			30~1000	-5.98	-56.64	≤-25.98	PASS
			1000~26500	-5.98	-47.76	≤-25.98	PASS
11N40SISO	Ant1	2422	Reference	-10.29	-10.29	---	PASS
			30~1000	-10.29	-57.03	≤-30.29	PASS
			1000~26500	-10.29	-47.4	≤-30.29	PASS
		2437	Reference	-10.00	-10.00	---	PASS
			30~1000	-10.00	-56.36	≤-30	PASS
			1000~26500	-10.00	-46.75	≤-30	PASS
		2452	Reference	-9.90	-9.90	---	PASS
			30~1000	-9.90	-56.48	≤-29.9	PASS
			1000~26500	-9.90	-47.2	≤-29.9	PASS




Test Graphs


11B_Ant1_2412_0~Reference




11B_Ant1_2412_30~1000




11B_Ant1_2412_1000~26500



11B_Ant1_2437_0~Reference




11B_Ant1_2437_30~1000







11B_Ant1_2437_1000~26500




11B_Ant1_2462_0~Reference




11B_Ant1_2462_30~1000



11B_Ant1_2462_1000~26500




11G_Ant1_2412_0~Reference









11G_Ant1_2412_30~1000



11G_Ant1_2412_1000~26500




11G_Ant1_2437_0~Reference







11G_Ant1_2462_0~Reference




11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500



11N20SISO_Ant1_2412_0~Reference




11N20SISO_Ant1_2412_30~1000







11N20SISO_Ant1_2412_1000~26500




11N20SISO_Ant1_2437_0~Reference




11N20SISO_Ant1_2437_30~1000



11N20SISO_Ant1_2437_1000~26500




11N20SISO_Ant1_2462_0~Reference







11N20SISO_Ant1_2462_30~1000




11N20SISO_Ant1_2462_1000~26500




11N40SISO_Ant1_2422_0~Reference



11N40SISO_Ant1_2422_30~1000




11N40SISO_Ant1_2422_1000~26500







11N40SISO_Ant1_2437_0~Reference




11N40SISO_Ant1_2437_30~1000




11N40SISO_Ant1_2437_1000~26500



11N40SISO_Ant1_2452_0~Reference



11N40SISO_Ant1_2452_30~1000





Autent Spectrum Analyzer - Sweep 54

Center Freq 13.75000000 GHz

Ref Offset 7.81 dB
Ref 17.61 dBm

Mkr2 25.883 75 GHz
-47.204 dBm

Mkr	Mode	Freq	Level	Function	Function Width	Function Value
1	N	2.446 70 GHz	-10.237 dBm			
2	N	25.883 75 GHz	-47.204 dBm			



A.6 Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11B	Ant1	2412	30.00	30.00	100.00	---	PASS
		2437	30.00	30.00	100.00	---	PASS
		2462	30.00	30.00	100.00	---	PASS
11G	Ant1	2412	30.00	30.00	100.00	---	PASS
		2437	30.00	30.00	100.00	---	PASS
		2462	30.00	30.00	100.00	---	PASS
11N20SISO	Ant1	2412	30.00	30.00	100.00	---	PASS
		2437	30.00	30.00	100.00	---	PASS
		2462	30.00	30.00	100.00	---	PASS
11N40SISO	Ant1	2422	30.00	30.00	100.00	---	PASS
		2437	30.00	30.00	100.00	---	PASS
		2452	30.00	30.00	100.00	---	PASS




Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462



11G_Ant1_2412



11G_Ant1_2437





Spectrum Analyzer - Setup 54

Center Freq 2.462000000 GHz Span 0 Hz

Ref Offset 7.81 dB

Ref 27.81 dBm

10 dB/div

Log

Center Freq 2.462000000 GHz

Span 0 Hz

Res BW 8 MHz

#VBW 8.0 MHz

Sweep 30.00 ms (1001 pts)

Auto

Frequency

Auto Tune

Center Freq

2.462000000 GHz

Start Freq

2.462000000 GHz

Stop Freq

2.462000000 GHz

CF Step

8.000000 MHz

Auto

Man

Freq Offset

0 Hz

Autent Spectrum Analyzer - Setup 54

File Edit View Settings Help

Center Freq 2.412000000 GHz Trig Delay 2.000 ms #Avg Type: RMS

PRF: 1 ms Trig Video W Scan: 30 dB

Ref Offset 7.75 dB
Ref 27.79 dBm

10 dB/div Log

Center Freq 2.412000000 GHz Span 0 Hz
Res BW 8 MHz #VBW 8.0 MHz Sweep 30.00 ms (1001 pts)

MNR	MODE	TRC	SCN	V	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							

Frequency

Auto Tune

Center Freq 2.412000000 GHz


Start Freq 2.412000000 GHz

Stop Freq 2.412000000 GHz

CF Step 8.000000 MHz


Auto Man

Freq Offset 0 Hz






11N40SISO_Ant1_2437



11N40SISO_Ant1_2452





A.7 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq. [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-49.37	≤-41.20	45.83	≤54	PASS
				AV	2389.180	-48.96	≤-41.20	46.24	≤54	PASS
				AV	2390.000	-48.98	≤-41.20	46.22	≤54	PASS
				Peak	2310.000	-42.42	≤-21.20	52.78	≤74	PASS
				Peak	2326.520	-39.53	≤-21.20	55.67	≤74	PASS
				Peak	2390.000	-44.96	≤-21.20	50.24	≤74	PASS
		High	2462	AV	2483.500	-48.17	≤-41.20	47.03	≤54	PASS
				AV	2488.070	-47.42	≤-41.20	47.78	≤54	PASS
				AV	2500.000	-48.4	≤-41.20	46.80	≤54	PASS
				Peak	2483.500	-42.68	≤-21.20	52.52	≤74	PASS
				Peak	2489.280	-37.98	≤-21.20	57.22	≤74	PASS
				Peak	2500.000	-42.51	≤-21.20	52.69	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-49.38	≤-41.20	45.82	≤54	PASS
				AV	2389.960	-48.84	≤-41.20	46.36	≤54	PASS
				AV	2390.000	-48.84	≤-41.20	46.36	≤54	PASS
				Peak	2310.000	-44.72	≤-21.20	50.48	≤74	PASS
				Peak	2348.360	-39.7	≤-21.20	55.50	≤74	PASS
				Peak	2390.000	-43.06	≤-21.20	52.14	≤74	PASS
		High	2462	AV	2483.500	-47.52	≤-41.20	47.68	≤54	PASS
				AV	2487.960	-45.04	≤-41.20	50.16	≤54	PASS
				AV	2500.000	-48.36	≤-41.20	46.84	≤54	PASS
				Peak	2483.500	-42.81	≤-21.20	52.39	≤74	PASS
				Peak	2488.070	-39.43	≤-21.20	55.77	≤74	PASS
				Peak	2500.000	-39.44	≤-21.20	55.76	≤74	PASS
11N20SIS O	Ant1	Low	2412	AV	2310.000	-49.37	≤-41.20	45.83	≤54	PASS
				AV	2389.960	-48.86	≤-41.20	46.34	≤54	PASS
				AV	2390.000	-48.86	≤-41.20	46.34	≤54	PASS
				Peak	2310.000	-44.13	≤-21.20	51.07	≤74	PASS
				Peak	2365.650	-39.58	≤-21.20	55.62	≤74	PASS
				Peak	2390.000	-41.72	≤-21.20	53.48	≤74	PASS
		High	2462	AV	2483.500	-47.49	≤-41.20	47.71	≤54	PASS
				AV	2487.960	-45.03	≤-41.20	50.17	≤54	PASS
				AV	2500.000	-48.34	≤-41.20	46.86	≤54	PASS
				Peak	2483.500	-42.2	≤-21.20	53.00	≤74	PASS
				Peak	2487.740	-39.26	≤-21.20	55.94	≤74	PASS
				Peak	2500.000	-42.84	≤-21.20	52.36	≤74	PASS
11N40SIS	Ant1	Low	2422	AV	2310.000	-49.35	≤-41.20	45.85	≤54	PASS



O				AV	2389.830	-48.92	≤-41.20	46.28	≤54	PASS
				AV	2390.000	-48.92	≤-41.20	46.28	≤54	PASS
				Peak	2310.000	-43.13	≤-21.20	52.07	≤74	PASS
				Peak	2359.150	-40.06	≤-21.20	55.14	≤74	PASS
				Peak	2390.000	-44.35	≤-21.20	50.85	≤74	PASS
		High	2452	AV	2483.500	-47.94	≤-41.20	47.26	≤54	PASS
				AV	2485.320	-47.9	≤-41.20	47.30	≤54	PASS
				AV	2500.000	-48.38	≤-41.20	46.82	≤54	PASS
				Peak	2483.500	-41.92	≤-21.20	53.28	≤74	PASS
				Peak	2484.880	-38.75	≤-21.20	56.45	≤74	PASS
				Peak	2500.000	-41.16	≤-21.20	54.04	≤74	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Test Graphs




11B_Ant1_Low_2412_AV



11B_Ant1_Low_2412_Peak




11B_Ant1_High_2462_AV







11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV




11G_Ant1_High_2462_Peak



11N20SISO_Ant1_Low_2412_AV




11N20SISO_Ant1_Low_2412_Peak







11N20SISO_Ant1_High_2462_AV




11N20SISO_Ant1_High_2462_Peak



11N40SISO_Ant1_Low_2422_AV



11N40SISO_Ant1_Low_2422_Peak



11N40SISO_Ant1_High_2452_AV

