

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2385.99	55.34	23.22	32.12	74.00	-18.66	264	60	Peak	Horizontal		
2 *	2412.00	110.41	78.14	32.27	74.00	36.41	264	60	Peak	Horizontal		
3	2508.83	51.84	19.46	32.38	74.00	-22.16	264	60	Peak	Horizontal		

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.18	56.12	24.22	31.90	74.00	-17.88	278	28	Peak	Vertical		
2 *	2412.00	109.63	77.71	31.92	74.00	35.63	278	28	Peak	Vertical		
3	2493.25	51.02	18.76	32.26	74.00	-22.98	278	28	Peak	Vertical		

802.11b

Low Channel (Horizontal) Average



Low Channel (Vertical) Average




802.11b

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2364.99	55.14	17.78	37.36	74.00	-18.86	262	51	Peak	Horizontal		
2 *	2437.00	110.59	72.71	37.88	74.00	36.59	262	51	Peak	Horizontal		
3	2498.33	55.96	18.03	37.93	74.00	-18.04	262	51	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1900 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.70	55.68	18.24	37.36	74.00	-18.48	310	25	Peak	Vertical		
2 *	2437.00	111.62	73.74	37.88	74.00	37.62	310	25	Peak	Vertical		
3	2559.45	55.86	17.96	37.90	74.00	-18.14	310	25	Peak	Vertical		

802.11b

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2364.75	46.04	8.68	37.36	54.00	-7.96	262	51	Average	Horizontal	
2 *	2437.00	107.00	70.00	37.00	54.00	53.00	262	51	Average	Horizontal	
3	2488.89	45.17	7.23	37.94	54.00	-8.83	262	51	Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2364.63	44.11	6.75	37.36	54.00	-9.89	310	25	Average	Vertical	
2 *	2437.00	109.05	71.17	37.88	54.00	55.05	310	25	Average	Vertical	
3	2532.19	43.13	5.22	37.91	54.00	-10.87	310	25	Average	Vertical	

802.11b

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2369.83	55.37	17.97	37.40	74.00	-18.63	353	319	Peak	Horizontal	
2 *	2462.00	114.58	76.61	37.97	74.00	40.58	353	319	Peak	Horizontal	
3	2483.46	58.72	20.78	37.94	74.00	-15.28	353	319	Peak	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2336.55	54.82	17.63	37.19	74.00	-19.18	219	31	Peak	Vertical	
2 *	2462.00	113.74	75.77	37.97	74.00	39.74	219	31	Peak	Vertical	
3	2491.37	57.96	20.02	37.94	74.00	-16.04	219	31	Peak	Vertical	

802.11b

High Channel (Horizontal) Average




High Channel (Vertical) Average




802.11g

Low Channel (Horizontal) Peak



Low Channel (Vertical) Peak




802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	51.94	14.36	37.58	54.00	-2.06	239	52	Average	Horizontal	
2	2412.00	100.10	70.47	37.63	54.00	54.10	239	52	Average	Horizontal	
3	2506.47	44.81	7.26	37.55	54.00	-9.19	239	52	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.94	51.69	14.39	37.30	54.00	-2.31	314	360	Average	Vertical	
2	2412.00	107.87	70.52	37.35	54.00	53.87	314	360	Average	Vertical	
3	2510.36	43.79	5.95	37.84	54.00	-10.21	314	360	Average	Vertical	

802.11g

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.23	70.59	33.07	37.52	74.00	-3.41	242	45	Peak	Horizontal	
2	2437.00	119.75	81.87	37.88	74.00	45.75	242	45	Peak	Horizontal	
3	2491.01	68.02	30.08	37.94	74.00	-5.98	242	45	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2384.93	64.00	26.49	37.51	74.00	-10.00	200	30	Peak	Vertical	
2	2437.00	121.09	83.21	37.88	74.00	47.09	200	30	Peak	Vertical	
3	2484.52	63.82	25.88	37.94	74.00	-10.18	200	30	Peak	Vertical	

802.11g

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	51.85	14.31	37.54	54.00	-2.15	242	45	Average	Horizontal		
2	2437.00	109.86	71.98	37.88	54.00	55.86	242	45	Average	Horizontal		
3	2486.65	49.77	11.83	37.94	54.00	-4.23	242	45	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	49.64	12.18	37.54	54.00	-4.36	200	30	Average	Vertical		
2	2437.00	118.65	72.77	37.88	54.00	56.65	200	30	Average	Vertical		
3	2483.46	49.93	11.99	37.94	54.00	-4.07	200	30	Average	Vertical		

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2343.28	54.89	17.67	37.22	74.00	-19.11	234	318 Peak	Horizontal		
2 *	2462.00	118.15	80.18	37.97	74.00	44.15	234	318 Peak	Horizontal		
3	2483.46	64.50	26.56	37.94	74.00	-9.50	234	318 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2350.71	54.67	17.41	37.26	74.00	-19.33	198	32 Peak	Vertical		
2 *	2462.00	118.34	80.37	37.97	74.00	44.34	198	32 Peak	Vertical		
3	2483.81	66.00	28.06	37.94	74.00	-8.00	198	32 Peak	Vertical		

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.22	41.98	4.62	37.36	54.00	-12.02	234	318	Average	Horizontal		
2 *	2462.00	100.41	70.44	37.97	54.00	54.41	234	318	Average	Horizontal		
3 †	2483.70	50.10	12.16	37.94	54.00	-3.90	234	318	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2369.12	42.31	4.92	37.39	54.00	-11.69	198	32	Average	Vertical		
2 *	2462.00	100.67	70.70	37.97	54.00	54.67	198	32	Average	Vertical		
3 †	2483.46	52.89	14.95	37.94	54.00	-1.11	198	32	Average	Vertical		

802.11ax HE20

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	78.42	32.88	37.54	74.00	-3.58	271	47	Peak	Horizontal		
2	2412.00	119.60	81.90	37.70	74.00	45.60	271	47	Peak	Horizontal		
3	2503.17	56.34	18.42	37.92	74.00	-17.66	271	47	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.94	67.77	30.25	37.52	74.00	-6.23	319	21	Peak	Vertical		
2	2412.00	119.52	81.82	37.70	74.00	45.52	319	21	Peak	Vertical		
3	2834.51	56.01	17.62	38.39	74.00	-17.99	319	21	Peak	Vertical		

802.11ax HE20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	52.33	14.79	37.54	54.00	-1.67	271	47	Average	Horizontal		
2	2412.00	107.16	69.46	37.70	54.00	53.16	271	47	Average	Horizontal		
3	2509.54	43.69	5.77	37.92	54.00	-10.31	271	47	Average	Horizontal		

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	50.48	12.94	37.54	54.00	-3.52	319	21	Average	Vertical		
2	2412.00	106.50	66.00	37.70	54.00	52.50	319	21	Average	Vertical		
3	2510.01	42.93	5.01	37.92	54.00	-11.07	319	21	Average	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2398.00	65.68	28.14	37.54	74.00	-8.32	367	321	Peak	Horizontal		
2 *	2437.00	121.66	83.78	37.88	74.00	47.66	367	321	Peak	Horizontal		
3	2489.60	63.81	25.87	37.94	74.00	-10.19	367	321	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2399.41	65.93	28.39	37.54	74.00	-8.07	222	30	Peak	Vertical		
2 *	2437.00	120.97	83.09	37.88	74.00	46.97	222	30	Peak	Vertical		
3	2483.81	66.11	28.17	37.94	74.00	-7.89	222	30	Peak	Vertical		

802.11ax HE20

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	49.52	11.98	37.54	54.00	-4.48	367	321	Average	Horizontal		
2	2437.00	107.72	69.84	37.88	54.00	53.72	367	321	Average	Horizontal		
3	2488.42	48.79	10.85	37.94	54.00	-5.21	367	321	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.65	48.90	11.36	37.54	54.00	-5.10	222	30	Average	Vertical		
2	2437.00	107.56	69.68	37.88	54.00	53.56	222	30	Average	Vertical		
3	2484.17	51.23	13.29	37.94	54.00	-2.77	222	30	Average	Vertical		

802.11ax HE20

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.21	56.31	18.84	37.47	74.00	-17.69	252	66	Peak	Horizontal		
2 *	2462.00	110.91	80.94	37.97	74.00	44.91	252	66	Peak	Horizontal		
3	2484.05	64.79	26.85	37.94	74.00	-9.21	252	66	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2375.61	55.15	17.71	37.44	74.00	-18.85	193	29	Peak	Vertical		
2 *	2462.00	119.13	81.16	37.97	74.00	45.13	193	29	Peak	Vertical		
3	2484.17	65.96	28.02	37.94	74.00	-8.04	193	29	Peak	Vertical		

802.11ax HE20

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2367.35	42.79	5.41	37.38	54.00	-11.21	252	66	Average	Horizontal		
2 *	2462.00	105.96	67.99	37.97	54.00	51.96	252	66	Average	Horizontal		
3 †	2483.58	51.12	13.18	37.94	54.00	-2.88	252	66	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	42.05	4.51	37.54	54.00	-11.95	193	29	Average	Vertical		
2 *	2462.00	105.03	66.06	37.97	54.00	52.03	193	29	Average	Vertical		
3 †	2483.70	51.59	13.65	37.94	54.00	-2.41	193	29	Average	Vertical		

802.11ax HE40

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.00	70.93	33.40	37.53	74.00	-3.07	237	54	Peak	Horizontal		
2	2422.00	116.62	78.85	37.77	74.00	42.62	237	54	Peak	Horizontal		
3	2484.05	60.57	22.63	37.94	74.00	-13.43	237	54	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.88	70.68	33.15	37.53	74.00	-3.32	279	25	Peak	Vertical		
2	2422.00	116.70	78.93	37.77	74.00	42.70	279	25	Peak	Vertical		
3	2484.40	60.76	22.82	37.94	74.00	-13.24	279	25	Peak	Vertical		

802.11ax HE40

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2386.82	50.63	13.11	37.52	54.00	-3.37	239	46	Average	Horizontal	
2	2437.00	104.56	66.68	37.88	54.00	50.56	239	46	Average	Horizontal	
3	2483.46	51.42	13.48	37.94	54.00	-2.58	239	46	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.17	50.16	12.64	37.52	54.00	-3.84	280	26	Average	Vertical	
2	2437.00	104.94	67.06	37.88	54.00	50.94	280	26	Average	Vertical	
3	2483.81	48.42	10.48	37.94	54.00	-5.58	280	26	Average	Vertical	

802.11ax HE40

Middle Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2386.46	70.45	32.93	37.52	74.00	-3.55	239	46	Peak	Horizontal		
2 * 2437.00	116.86	78.98	37.88	74.00	42.86	239	46	Peak	Horizontal		
3 2485.58	70.44	32.50	37.94	74.00	-3.56	239	46	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 2385.99	70.79	33.27	37.52	74.00	-3.21	280	26	Peak	Vertical		
2 * 2437.00	116.35	78.47	37.88	74.00	42.35	280	26	Peak	Vertical		
3 2485.58	66.53	28.59	37.94	74.00	-7.47	280	26	Peak	Vertical		

802.11ax HE40

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.47	45.83	6.25	37.58	54.00	-8.17	210	62	Average	Horizontal		
2 *	2452.00	103.23	65.57	37.66	54.00	49.23	210	62	Average	Horizontal		
3 †	2483.93	51.70	14.13	37.57	54.00	-2.30	210	62	Average	Horizontal		

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.29	43.81	6.51	37.30	54.00	-10.19	194	32	Average	Vertical		
2 *	2452.00	103.53	66.05	37.48	54.00	49.53	194	32	Average	Vertical		
3 †	2484.88	52.88	15.16	37.72	54.00	-1.12	194	32	Average	Vertical		

802.11ax HE40

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.89	58.97	21.39	37.58	74.00	-15.03	210	62	Peak	Horizontal		
2 *	2452.00	114.48	76.82	37.66	74.00	40.48	210	62	Peak	Horizontal		
3 !	2483.46	68.56	30.98	37.58	74.00	-5.44	210	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2370.65	56.51	19.23	37.28	74.00	-17.49	194	32	Peak	Vertical		
2 *	2452.00	115.50	78.82	37.68	74.00	41.50	194	32	Peak	Vertical		
3 !	2484.40	69.00	31.28	37.72	74.00	-5.00	194	32	Peak	Vertical		

802.11ax HE40

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.47	45.83	6.25	37.58	54.00	-8.17	210	62	Average	Horizontal		
2 *	2452.00	103.23	65.57	37.66	54.00	49.23	210	62	Average	Horizontal		
3 †	2483.93	51.70	14.13	37.57	54.00	-2.30	210	62	Average	Horizontal		

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.29	43.81	6.51	37.30	54.00	-10.19	194	32	Average	Vertical		
2 *	2452.00	103.53	66.05	37.48	54.00	49.53	194	32	Average	Vertical		
3 †	2484.88	52.88	15.16	37.72	54.00	-1.12	194	32	Average	Vertical		

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11g

High Channel 9kHz~150kHz(Open)

High Channel 150kHz~30MHz(Open)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	66.27	47.09	19.18	119.18	-52.91	100	171	QP	Open	
2	0.04	54.36	34.91	19.45	116.45	-62.09	100	276	QP	Open	
3	0.07	54.31	35.38	18.93	111.04	-56.73	100	244	QP	Open	
4	0.09	36.70	18.35	18.35	108.16	-71.46	100	290	QP	Open	
5	0.11	32.59	14.32	18.27	106.49	-73.90	100	190	QP	Open	
6	0.13	35.00	16.66	18.34	105.02	-70.02	100	242	QP	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.93	46.94	27.73	19.21	68.27	-21.33	100	244	QP	Open	
2	2.78	36.67	17.20	19.47	69.50	-32.83	100	283	QP	Open	
3	9.82	34.67	13.35	21.32	69.50	-34.83	100	199	QP	Open	
4	17.13	36.03	14.16	21.87	69.50	-33.47	100	201	QP	Open	
5	21.76	35.79	13.67	22.12	69.50	-33.71	100	275	QP	Open	
6	26.45	37.37	15.07	22.30	69.50	-32.13	100	358	QP	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	76.56	32.62	42.34	-9.72	40.00	-7.38	400	97 Peak	Horizontal	
2	137.67	33.44	39.68	-6.24	43.50	-10.06	200	88 Peak	Horizontal	
3	376.29	29.21	32.42	-3.21	46.00	-16.79	100	128 Peak	Horizontal	
4	479.11	31.03	32.81	-1.78	46.00	-14.97	100	344 Peak	Horizontal	
5	794.36	42.79	39.63	3.16	46.00	-3.21	100	222 Peak	Horizontal	
6	967.02	35.18	29.43	5.75	54.00	-18.82	300	103 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	85.29	34.60	46.24	-11.64	40.00	-5.40	400	110 Peak	Vertical	
2	250.19	36.20	42.67	-6.47	46.00	-9.80	100	308 Peak	Vertical	
3	450.98	38.72	40.72	-2.00	46.00	-7.28	100	8 Peak	Vertical	
4	571.26	37.62	37.98	-0.36	46.00	-8.38	100	159 Peak	Vertical	
5	769.14	35.33	32.43	2.90	46.00	-10.67	200	217 Peak	Vertical	
6	941.80	35.66	30.37	5.29	46.00	-10.34	300	54 Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


802.11b

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	36.89	45.98	-9.01	54.00	-17.11	300	27	Average	Horizontal	
2	4824.00	41.78	50.79	-9.01	74.00	-32.22	300	27	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	41.21	50.57	-9.36	74.00	-32.79	245	360	Peak	Vertical	

802.11b


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	41.47	50.39	-8.92	74.00	-32.53	100	224	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	39.75	49.07	-9.32	54.00	-14.25	248	360	Average	Vertical	
2	4924.00	42.48	51.00	-9.32	74.00	-31.52	248	360	Peak	Vertical	


802.11g

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

Middle Channel (Horizontal)

Middle Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	39.32	48.31	-8.99	74.00	-34.68		200	40	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1 4874.00	33.63	42.97	-9.34	54.00	-20.37		218	360	Average	Vertical	
2 4874.00	41.71	51.05	-9.34	74.00	-32.29		218	360	Peak	Vertical	


802.11g

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	42.56	51.48	-8.92	74.00	-31.44		100	224	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4924.00	35.87	45.19	-9.32	54.00	-18.13		236	360	Average	Vertical	
2	4924.00	44.68	54.00	-9.32	74.00	-29.32		236	360	Peak	Vertical	

802.11ax HE20

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	37.96	46.97	-9.01	74.00	-36.04	100	360	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4824.00	30.21	39.57	-9.36	54.00	-23.79	300	31	Average	Vertical	
2	4824.00	40.15	49.51	-9.36	74.00	-33.85	300	31	Peak	Vertical	

802.11ax HE20

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	39.58	48.57	-8.99	74.00	-34.42	400	320	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4874.00	34.21	43.55	-9.34	54.00	-19.79	300	360	Average	Vertical	
2	4874.00	43.24	52.58	-9.34	74.00	-30.76	300	360	Peak	Vertical	

802.11ax HE20

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	39.47	48.39	-8.92	74.00	-34.53	371	360	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	34.52	43.84	-9.32	54.00	-19.48	254	360	Average	Vertical	
2	4924.00	41.46	50.78	-9.32	74.00	-32.54	254	360	Peak	Vertical	


802.11ax HE40

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	38.53	39.54	-9.01	54.00	-23.47	174	368	Average	Horizontal		
2	4844.00	38.91	47.92	-9.01	74.00	-35.09	174	368	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4844.00	37.88	47.20	-9.32	74.00	-36.12	280	359	Peak	Vertical		

802.11ax HE40

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	38.58	47.55	-8.97	74.00	-35.42		200	114	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322






	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4904.00	32.14	41.51	-9.37	54.00	-21.86		290	360	Average	Vertical	
2	4904.00	39.86	49.23	-9.37	74.00	-34.14		290	360	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz

Worst Band


(Line)

(Neutral)



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.16	24.45	14.76	9.69	55.54	-31.09	Average	line1	
2	0.16	42.32	32.63	9.69	65.54	-23.22	QP	line1	
3	0.41	25.45	15.77	9.68	47.68	-22.23	Average	line1	
4	0.41	35.72	26.04	9.68	57.68	-21.96	QP	line1	
5	1.10	13.65	3.96	9.69	46.00	-32.35	Average	line1	
6	1.10	22.45	12.76	9.69	56.00	-33.55	QP	line1	
7	2.37	12.22	2.50	9.72	46.00	-33.78	Average	line1	
8	2.37	20.78	11.06	9.72	56.00	-35.22	QP	line1	
9	9.25	25.22	15.41	9.81	50.00	-24.78	Average	line1	
10	9.25	31.26	21.45	9.81	60.00	-28.74	QP	line1	
11	21.92	29.20	19.41	9.79	50.00	-20.60	Average	line1	
12	21.92	34.75	24.96	9.79	60.00	-25.25	QP	line1	



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.20	28.05	18.39	9.66	53.60	-25.55	Average	neutral	
2	0.20	39.66	30.00	9.66	63.60	-23.94	QP	neutral	
3	0.22	25.86	16.20	9.66	52.69	-26.83	Average	neutral	
4	0.22	38.12	28.46	9.66	62.69	-24.57	QP	neutral	
5	0.40	34.12	24.46	9.66	47.89	-13.77	Average	neutral	
6	0.40	43.19	33.53	9.66	57.89	-14.70	QP	neutral	
7	1.22	20.86	11.20	9.66	46.00	-25.14	Average	neutral	
8	1.22	31.99	22.33	9.66	56.00	-24.01	QP	neutral	
9	9.63	26.66	16.87	9.79	50.00	-23.34	Average	neutral	
10	9.63	33.97	24.18	9.79	60.00	-26.03	QP	neutral	
11	21.92	29.30	20.03	9.87	50.00	-20.10	Average	neutral	
12	21.92	35.23	25.36	9.87	60.00	-24.77	QP	neutral	