

Appendix B: Test Results of Radiation Spurious Emissions & Mains

Conducted Emission

<AC Mode>

Band Edges, 4.5GHz ~ 5.15GHz

U-NII-1


802.11a

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5068.50	55.38	45.07	10.31	74.00	-18.62	256	115	Peak	Horizontal		
2 *	5180.00	106.02	96.63	10.29	74.00	32.92	256	115	Peak	Horizontal		
3	5373.00	55.35	45.01	10.34	74.00	-18.65	256	115	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4523.00	55.83	46.63	9.20	74.00	-18.17	290	44	Peak	Vertical		
2 *	5180.00	105.42	95.13	10.29	74.00	31.42	290	44	Peak	Vertical		
3	5383.50	55.18	44.76	10.42	74.00	-18.82	290	44	Peak	Vertical		

802.11a

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	42.93	32.77	10.16	54.00	-11.07	256	115	Average	Horizontal	
2 *	5180.00	97.86	87.57	10.29	54.00	43.86	256	115	Average	Horizontal	
3	5416.00	43.02	32.61	10.41	54.00	-10.98	256	115	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	42.77	32.60	10.17	54.00	-11.23	290	44	Average	Vertical	
2 *	5180.00	95.97	85.68	10.29	54.00	41.97	290	44	Average	Vertical	
3	5409.00	42.26	31.79	10.47	54.00	-11.74	290	44	Average	Vertical	

802.11a

CH 40 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4723.00	55.46	45.66	9.80	74.00	-18.54	249	116	Peak	Horizontal	
2 *	5200.00	107.07	96.67	10.40	74.00	33.07	249	116	Peak	Horizontal	
3	5375.50	55.98	45.63	10.35	74.00	-18.02	249	116	Peak	Horizontal	

CH 40 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5093.50	55.48	45.19	10.29	74.00	-18.52	259	43	Peak	Vertical	
2 *	5200.00	105.09	95.49	10.40	74.00	31.09	259	43	Peak	Vertical	
3	5426.50	55.14	44.80	10.34	74.00	-18.86	259	43	Peak	Vertical	

802.11a

CH 40 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5145.00	42.93	32.78	10.15	54.00	-11.07	249	116	Average	Horizontal	
2 *	5200.00	98.12	87.72	10.40	54.00	44.12	249	116	Average	Horizontal	
3	5416.00	42.96	32.55	10.41	54.00	-11.04	249	116	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	42.51	32.28	10.23	54.00	-11.49	259	43	Average	Vertical	
2 *	5200.00	96.86	86.46	10.40	54.00	42.86	259	43	Average	Vertical	
3	5399.00	42.36	31.84	10.52	54.00	-11.64	259	43	Average	Vertical	

802.11a

CH 48 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5146.00	56.34	46.19	10.15	74.00	-17.66	243	107	Peak	Horizontal	
2 *	5240.00	106.85	96.81	10.04	74.00	32.85	243	107	Peak	Horizontal	
3	5403.50	56.30	45.80	10.50	74.00	-17.70	243	107	Peak	Horizontal	

CH 48 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5120.00	55.61	45.41	10.20	74.00	-18.39	340	68	Peak	Vertical	
2 *	5240.00	107.18	97.14	10.04	74.00	33.18	340	68	Peak	Vertical	
3	5414.00	56.02	45.58	10.44	74.00	-17.98	340	68	Peak	Vertical	

802.11a

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5144.00	42.90	32.74	10.16	54.00	-11.10	243	107 Average	Horizontal	
2 *	5240.00	97.95	87.91	10.04	54.00	43.95	243	107 Average	Horizontal	
3	5400.00	43.93	33.40	10.53	54.00	-10.07	243	107 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5113.50	43.68	33.43	10.25	54.00	-10.32	340	68 Average	Vertical	
2 *	5240.00	98.79	88.66	10.04	54.00	44.79	340	68 Average	Vertical	
3	5398.00	43.66	33.15	10.51	54.00	-10.34	340	68 Average	Vertical	


802.11ax HE20

CH 36 (Horizontal) Peak

CH 36 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	55.85	45.65	10.20	74.00	-18.15	376	118	Peak	Horizontal	
2 *	5180.00	107.02	96.73	10.29	74.00	33.02	376	118	Peak	Horizontal	
3	5428.50	55.73	45.40	10.33	74.00	-18.27	376	118	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4950.50	55.89	45.68	10.21	74.00	-18.11	100	79	Peak	Vertical	
2 *	5180.00	104.44	94.15	10.29	74.00	30.44	100	79	Peak	Vertical	
3	5389.50	55.20	44.74	10.46	74.00	-18.80	100	79	Peak	Vertical	

802.11ax HE20

CH 36 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.00	44.00	33.92	10.16	54.00	-9.92	376	118	Average	Horizontal	
2 *	5180.00	96.39	86.10	10.29	54.00	42.39	376	118	Average	Horizontal	
3	5397.00	44.40	33.88	10.52	54.00	-9.60	376	118	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.00	44.43	34.26	10.17	54.00	-9.57	100	79	Average	Vertical	
2 *	5180.00	94.89	84.60	10.29	54.00	40.89	100	79	Average	Vertical	
3	5409.50	44.62	34.16	10.46	54.00	-9.38	100	79	Average	Vertical	


802.11ax HE20

CH 40 (Horizontal) Peak

CH 40 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5144.50	55.67	45.52	10.15	74.00	-18.33	354	114 Peak	Horizontal	
2 *	5200.00	106.56	96.16	10.40	74.00	32.56	354	114 Peak	Horizontal	
3	5416.50	55.52	45.11	10.41	74.00	-18.48	354	114 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5030.50	55.57	45.33	10.24	74.00	-18.43	282	71 Peak	Vertical	
2 *	5200.00	106.68	96.48	10.40	74.00	32.68	282	71 Peak	Vertical	
3	5389.50	55.04	44.58	10.46	74.00	-18.96	282	71 Peak	Vertical	

802.11ax HE20

CH 40 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5081.50	44.27	33.97	10.30	54.00	-9.73	354	114 Average	Horizontal	
2	5200.00	97.09	86.69	10.40	54.00	43.09	354	114 Average	Horizontal	
3	5372.00	44.50	34.16	10.34	54.00	-9.50	354	114 Average	Horizontal	

CH 40 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5079.50	43.40	33.10	10.30	54.00	-10.60	282	71 Average	Vertical	
2	5200.00	95.38	84.98	10.40	54.00	41.38	282	71 Average	Vertical	
3	5391.50	43.57	33.11	10.46	54.00	-10.43	282	71 Average	Vertical	


802.11ax HE20

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4574.50	55.97	46.60	9.37	74.00	-18.03	327	112	Peak	Horizontal	
2 *	5240.00	107.55	97.51	10.04	74.00	33.55	327	112	Peak	Horizontal	
3	5399.50	55.34	44.81	10.53	74.00	-18.66	327	112	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5143.50	55.80	45.64	10.16	74.00	-18.20	100	79	Peak	Vertical	
2 *	5240.00	104.89	94.85	10.04	74.00	30.89	100	79	Peak	Vertical	
3	5352.50	54.98	44.79	10.19	74.00	-19.02	100	79	Peak	Vertical	

802.11ax HE20

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5113.50	44.34	33.99	10.25	54.00	-9.76	327	112	Average	Horizontal		
2 *	5240.00	97.23	87.19	10.04	54.00	43.23	327	112	Average	Horizontal		
3	5400.00	44.97	34.44	10.53	54.00	-9.03	327	112	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	5132.50	43.62	33.43	10.19	54.00	-10.38	100	79	Average	Vertical		
2 *	5240.00	94.40	84.36	10.04	54.00	40.40	100	79	Average	Vertical		
3	5394.50	43.95	33.45	10.50	54.00	-10.05	100	79	Average	Vertical		


	Freq	Level	Std Level	Limit Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dB	dB/m	dBuV/m	dB	cm	deg			
1	4902.50	55.69	45.83	9.86	74.00	-18.31	100	103 Peak		Vertical	
2	5190.00	104.26	93.91	10.35	74.00	30.26	100	103 Peak		Vertical	
3	5435.50	56.12	45.83	10.29	74.00	-17.88	100	103 Peak		Vertical	

802.11ax HE40

CH 38 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	43.76	33.61	10.15	54.00	-10.24	316	93	Average	Horizontal	
2 *	5199.00	94.13	83.78	10.35	54.00	40.13	316	93	Average	Horizontal	
3	5352.00	43.84	33.65	10.19	54.00	-10.16	316	93	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5096.00	43.89	33.68	10.29	54.00	-10.11	100	103	Average	Vertical	
2 *	5199.00	92.73	82.38	10.35	54.00	38.73	100	103	Average	Vertical	
3	5350.00	44.15	33.98	10.17	54.00	-9.85	100	103	Average	Vertical	


802.11ax HE40

CH 46 (Horizontal) Peak

CH 46 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5113.58	56.38	46.13	10.25	74.00	-17.62	300	134	Peak	Horizontal	
2 *	5230.00	105.79	95.65	10.14	74.00	31.79	300	134	Peak	Horizontal	
3	5409.00	55.51	45.84	10.47	74.00	-18.49	300	134	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4967.00	55.83	45.70	10.13	74.00	-18.17	100	102	Peak	Vertical	
2 *	5230.00	105.02	94.88	10.14	74.00	31.02	100	102	Peak	Vertical	
3	5411.00	55.61	45.16	10.45	74.00	-18.39	100	102	Peak	Vertical	

802.11ax HE40

CH 46 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4910.00	47.46	37.53	9.93	54.00	-6.54	300	134	Average	Horizontal	
2 *	5239.00	96.66	86.52	10.14	54.00	42.66	300	134	Average	Horizontal	
3	5394.00	47.59	37.11	10.48	54.00	-6.41	300	134	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5140.50	47.76	37.59	10.17	54.00	-6.24	100	102	Average	Vertical	
2 *	5239.00	96.13	85.99	10.14	54.00	42.13	100	102	Average	Vertical	
3 !	5405.50	48.02	37.53	10.49	54.00	-5.98	100	102	Average	Vertical	


802.11ax HE80

CH 42 (Horizontal) Peak

CH 42 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5130.50	55.98	45.78	10.20	74.00	-18.02	327	117	Peak	Horizontal	
2 *	5210.00	103.97	92.76	10.31	74.00	29.07	327	117	Peak	Horizontal	
3	5379.50	56.37	45.99	10.38	74.00	-17.63	327	117	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5150.00	56.00	46.75	10.15	74.00	-17.10	100	100	Peak	Vertical	
2 *	5210.00	102.34	92.03	10.31	74.00	28.34	100	100	Peak	Vertical	
3	5391.00	55.55	45.08	10.47	74.00	-18.45	100	100	Peak	Vertical	

802.11ax HE80

CH 42 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	45.02	34.87	10.15	54.00	-8.98	327	117	Average	Horizontal	
2 *	5210.00	92.30	81.99	10.31	54.00	38.30	327	117	Average	Horizontal	
3	5364.50	43.99	33.71	10.28	54.00	-10.01	327	117	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.50	45.29	35.14	10.15	54.00	-8.71	100	100	Average	Vertical	
2 *	5210.00	90.55	80.24	10.31	54.00	36.55	100	100	Average	Vertical	
3	5400.50	43.67	33.14	10.53	54.00	-10.33	100	100	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5582.00	56.14	45.83	10.31	68.20	-12.06	331	270 Peak	Horizontal	
2	5663.00	55.63	45.32	10.31	77.85	-22.22	331	270 Peak	Horizontal	
3	5712.00	56.03	45.68	10.35	108.56	-52.53	331	270 Peak	Horizontal	
4	5725.00	55.28	44.83	10.45	135.00	-79.72	331	270 Peak	Horizontal	
5	5745.00	105.27	94.67	10.60	135.00	-29.73	331	270 Peak	Horizontal	
6	5852.00	55.69	45.14	10.55	125.32	-69.63	331	270 Peak	Horizontal	
7	5858.00	57.01	46.43	10.58	109.96	-52.95	331	270 Peak	Horizontal	
8	5908.50	56.58	45.81	10.77	80.38	-23.80	331	270 Peak	Horizontal	
9	5999.50	56.56	45.61	10.95	68.20	-11.64	331	270 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5589.00	56.15	45.86	10.29	68.20	-12.05	100	78 Peak	Vertical	
2	5687.50	55.40	45.13	10.27	95.98	-40.58	100	78 Peak	Vertical	
3	5716.00	55.46	45.88	10.38	109.68	-54.22	100	78 Peak	Vertical	
4	5720.50	55.16	44.76	10.40	113.22	-58.06	100	78 Peak	Vertical	
5	5745.00	104.96	94.36	10.60	135.00	-30.04	100	78 Peak	Vertical	
6	5854.50	55.38	44.73	10.57	113.22	-57.92	100	78 Peak	Vertical	
7	5869.50	56.28	45.69	10.59	109.26	-52.98	100	78 Peak	Vertical	
8	5918.50	56.90	46.11	10.79	72.99	-16.09	100	78 Peak	Vertical	
9	5963.00	56.43	45.55	10.88	68.20	-11.77	100	78 Peak	Vertical	

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5584.00	56.77	46.46	10.31	68.20	-11.43	112	116 Peak	Horizontal	
2	5662.00	56.72	46.40	10.32	77.11	-20.39	112	116 Peak	Horizontal	
3	5706.00	55.94	45.64	10.30	106.88	-50.94	112	116 Peak	Horizontal	
4	5725.00	55.24	44.79	10.45	135.00	-79.76	112	116 Peak	Horizontal	
5	5785.00	105.13	94.55	10.58	135.00	-29.87	112	116 Peak	Horizontal	
6	5853.50	56.28	45.72	10.56	118.06	-61.78	112	116 Peak	Horizontal	
7	5872.00	55.69	45.05	10.64	106.04	-50.35	112	116 Peak	Horizontal	
8	5892.00	56.48	45.76	10.72	92.58	-36.10	112	116 Peak	Horizontal	
9	5972.00	57.08	46.99	10.09	68.20	-10.32	112	116 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5487.00	54.90	44.61	10.37	68.20	-13.22	107	91 Peak	Vertical	
2	5690.50	55.30	45.03	10.27	90.20	-42.90	107	91 Peak	Vertical	
3	5709.50	55.42	45.10	10.32	107.86	-52.44	107	91 Peak	Vertical	
4	5720.50	54.61	44.21	10.40	113.22	-50.61	107	91 Peak	Vertical	
5	5785.00	104.94	94.36	10.58	135.00	-30.06	107	91 Peak	Vertical	
6	5851.50	56.61	46.06	10.55	127.74	-71.13	107	91 Peak	Vertical	
7	5862.50	55.78	45.18	10.60	100.70	-52.92	107	91 Peak	Vertical	
8	5924.50	56.57	45.77	10.80	68.57	-12.00	107	91 Peak	Vertical	
9	5949.50	56.88	46.03	10.85	68.20	-11.32	107	91 Peak	Vertical	


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5614.50	55.94	45.67	10.27	68.20	-12.26	100	118 Peak	Horizontal	
2	5665.00	55.80	45.48	10.32	79.13	-23.53	100	118 Peak	Horizontal	
3	5708.50	55.13	44.82	10.31	107.58	-52.45	100	118 Peak	Horizontal	
4	5724.50	54.68	44.23	10.45	132.58	-77.90	100	118 Peak	Horizontal	
5	5825.00	105.29	94.74	10.55	135.00	-29.71	100	118 Peak	Horizontal	
6	5854.50	56.29	45.72	10.57	113.22	-56.93	100	118 Peak	Horizontal	
7	5872.00	56.37	45.73	10.64	106.04	-49.67	100	118 Peak	Horizontal	
8	5896.00	56.73	46.00	10.73	89.62	-32.89	100	118 Peak	Horizontal	
9	5936.00	57.05	46.23	10.82	68.20	-11.15	100	118 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5641.00	56.02	45.70	10.32	68.20	-12.18	207	6 Peak	Vertical	
2	5694.00	55.89	45.63	10.26	100.78	-44.89	207	6 Peak	Vertical	
3	5708.50	55.38	45.07	10.31	107.58	-52.20	207	6 Peak	Vertical	
4	5722.00	54.78	44.36	10.42	120.48	-65.70	207	6 Peak	Vertical	
5	5825.00	106.47	95.92	10.55	135.00	-28.53	207	6 Peak	Vertical	
6	5850.00	56.58	46.03	10.55	135.00	-78.42	207	6 Peak	Vertical	
7	5856.50	56.21	45.63	10.58	110.38	-54.17	207	6 Peak	Vertical	
8	5881.50	57.12	46.44	10.68	100.37	-43.25	207	6 Peak	Vertical	
9	5982.00	57.00	46.09	10.91	68.20	-11.20	207	6 Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5591.00	56.75	46.47	10.28	68.20	-11.45	332	92 Peak	Horizontal	
2	5666.00	55.78	45.46	10.32	80.08	-24.30	332	92 Peak	Horizontal	
3	5702.50	56.07	45.80	10.27	105.90	-49.83	332	92 Peak	Horizontal	
4	5720.50	55.31	44.91	10.40	113.22	-57.91	332	92 Peak	Horizontal	
5	5745.00	105.52	94.92	10.60	135.00	-29.48	332	92 Peak	Horizontal	
6	5850.00	55.19	44.64	10.55	135.00	-79.81	332	92 Peak	Horizontal	
7	5859.00	56.38	45.79	10.59	109.68	-53.30	332	92 Peak	Horizontal	
8	5906.50	56.86	46.10	10.76	81.85	-24.99	332	92 Peak	Horizontal	
9	5992.50	57.45	46.51	10.94	68.20	-10.75	332	92 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5500.50	55.80	45.36	10.44	68.20	-12.40	100	90 Peak	Vertical	
2	5692.00	55.75	45.48	10.27	99.30	-43.55	100	90 Peak	Vertical	
3	5705.50	54.87	44.58	10.29	106.74	-51.87	100	90 Peak	Vertical	
4	5724.50	56.04	45.59	10.45	132.58	-76.54	100	90 Peak	Vertical	
5	5745.00	105.20	94.60	10.60	135.00	-29.00	100	90 Peak	Vertical	
6	5853.50	55.43	44.87	10.56	118.06	-62.63	100	90 Peak	Vertical	
7	5870.00	56.70	46.07	10.63	106.60	-49.90	100	90 Peak	Vertical	
8	5889.00	55.90	45.19	10.71	94.81	-38.91	100	90 Peak	Vertical	
9	5973.00	56.21	45.31	10.90	68.20	-11.99	100	90 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5536.50	56.22	45.77	10.45	68.20	-11.98	130	114 Peak	Horizontal	
2	5659.00	55.91	45.58	10.33	74.14	-18.23	130	114 Peak	Horizontal	
3	5717.00	56.23	45.84	10.39	109.96	-53.73	130	114 Peak	Horizontal	
4	5720.00	54.93	44.52	10.41	110.80	-55.87	130	114 Peak	Horizontal	
5	5785.00	104.66	94.08	10.58	135.00	-30.34	130	114 Peak	Horizontal	
6	5851.00	55.69	45.14	10.55	130.16	-74.47	130	114 Peak	Horizontal	
7	5872.00	56.39	45.75	10.64	106.04	-49.65	130	114 Peak	Horizontal	
8	5876.00	56.53	45.89	10.64	104.46	-47.93	130	114 Peak	Horizontal	
9	5974.00	57.50	46.60	10.90	68.20	-10.70	130	114 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5570.50	55.65	45.29	10.36	68.20	-12.55	115	360 Peak	Vertical	
2	5671.50	55.58	45.27	10.31	84.15	-28.57	115	360 Peak	Vertical	
3	5707.50	55.94	45.63	10.31	107.30	-51.36	115	360 Peak	Vertical	
4	5724.00	54.96	44.52	10.44	130.16	-75.20	115	360 Peak	Vertical	
5	5785.00	104.70	94.12	10.58	135.00	-30.30	115	360 Peak	Vertical	
6	5852.00	55.54	44.99	10.55	125.32	-69.78	115	360 Peak	Vertical	
7	5871.50	56.29	45.65	10.64	106.18	-49.89	115	360 Peak	Vertical	
8	5888.50	56.64	45.94	10.70	95.18	-38.54	115	360 Peak	Vertical	
9	5942.50	56.59	45.75	10.84	68.20	-11.61	115	360 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5585.50	56.57	46.12	10.45	68.20	-11.63	100	118 Peak	Horizontal	
2	5661.00	56.11	45.79	10.32	76.17	-20.26	100	118 Peak	Horizontal	
3	5702.50	55.52	45.25	10.27	105.90	-50.38	100	118 Peak	Horizontal	
4	5722.50	55.09	44.67	10.42	122.90	-67.81	100	118 Peak	Horizontal	
5	5825.00	104.63	94.08	10.55	135.00	-30.37	100	118 Peak	Horizontal	
6	5850.50	56.73	46.18	10.55	132.58	-75.85	100	118 Peak	Horizontal	
7	5874.00	56.70	46.05	10.65	105.48	-48.78	100	118 Peak	Horizontal	
8	5908.00	57.47	46.70	10.77	80.74	-23.27	100	118 Peak	Horizontal	
9	5990.50	57.13	46.20	10.93	68.20	-11.07	100	118 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5572.50	55.30	45.02	10.30	68.20	-12.82	236	4 Peak	Vertical	
2	5671.50	55.00	44.69	10.31	84.15	-29.15	236	4 Peak	Vertical	
3	5707.00	55.43	45.12	10.31	107.16	-51.73	236	4 Peak	Vertical	
4	5722.50	55.44	45.02	10.42	122.90	-67.46	236	4 Peak	Vertical	
5	5825.00	107.85	97.30	10.55	135.00	-27.15	236	4 Peak	Vertical	
6	5850.50	55.87	45.32	10.55	132.58	-76.71	236	4 Peak	Vertical	
7	5860.50	56.40	45.81	10.59	109.26	-52.86	236	4 Peak	Vertical	
8	5921.50	56.48	45.69	10.79	70.78	-14.30	236	4 Peak	Vertical	
9	5965.00	56.40	45.52	10.88	68.20	-11.80	236	4 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5599.50	56.69	46.28	10.41	68.20	-11.51	301	91 Peak	Horizontal	
2	5682.00	56.75	46.46	10.29	91.92	-35.17	301	91 Peak	Horizontal	
3	5712.00	56.21	45.86	10.35	108.56	-52.35	301	91 Peak	Horizontal	
4	5725.00	56.04	45.59	10.45	135.00	-78.96	301	91 Peak	Horizontal	
5	5755.00	103.67	93.03	10.64	135.00	-31.33	301	91 Peak	Horizontal	
6	5853.00	55.58	45.02	10.56	120.48	-64.90	301	91 Peak	Horizontal	
7	5860.50	56.85	46.26	10.59	109.26	-52.41	301	91 Peak	Horizontal	
8	5921.50	56.38	45.59	10.79	70.78	-14.40	301	91 Peak	Horizontal	
9	5955.50	56.06	46.00	10.86	68.20	-11.34	301	91 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5635.50	56.23	45.91	10.32	68.20	-11.97	100	109 Peak	Vertical	
2	5680.50	56.28	46.01	10.27	95.24	-38.96	100	109 Peak	Vertical	
3	5719.50	56.84	46.43	10.41	110.66	-53.82	100	109 Peak	Vertical	
4	5725.00	58.19	47.74	10.45	135.00	-76.81	100	109 Peak	Vertical	
5	5755.00	105.69	95.05	10.64	135.00	-29.31	100	109 Peak	Vertical	
6	5855.00	55.56	44.99	10.57	110.80	-55.24	100	109 Peak	Vertical	
7	5875.00	56.88	46.24	10.64	105.76	-48.88	100	109 Peak	Vertical	
8	5916.00	56.66	45.88	10.78	74.84	-18.18	100	109 Peak	Vertical	
9	5926.50	56.91	46.11	10.80	68.20	-11.29	100	109 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5644.50	56.34	46.00	10.34	68.20	-11.86	313	88 Peak	Horizontal	
2	5651.50	56.11	45.77	10.34	69.31	-13.20	313	88 Peak	Horizontal	
3	5715.50	55.40	45.03	10.37	109.54	-54.14	313	88 Peak	Horizontal	
4	5721.00	55.56	45.15	10.41	115.64	-60.08	313	88 Peak	Horizontal	
5	5795.00	104.95	94.39	10.56	135.00	-30.05	313	88 Peak	Horizontal	
6	5854.00	57.09	46.52	10.57	115.64	-58.55	313	88 Peak	Horizontal	
7	5864.00	56.39	45.79	10.60	108.28	-51.89	313	88 Peak	Horizontal	
8	5882.00	56.99	46.31	10.68	108.00	-43.01	313	88 Peak	Horizontal	
9	5999.50	57.26	46.31	10.95	68.20	-10.94	313	88 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5594.00	55.79	45.53	10.26	68.20	-12.41	100	131 Peak	Vertical	
2	5689.00	54.90	44.64	10.26	96.35	-41.45	100	131 Peak	Vertical	
3	5706.00	55.69	45.39	10.30	106.88	-51.19	100	131 Peak	Vertical	
4	5725.00	54.02	43.57	10.45	135.00	-80.98	100	131 Peak	Vertical	
5	5795.00	104.47	93.91	10.56	135.00	-30.53	100	131 Peak	Vertical	
6	5852.00	55.44	44.89	10.55	125.32	-69.88	100	131 Peak	Vertical	
7	5856.00	55.74	45.17	10.57	110.52	-54.78	100	131 Peak	Vertical	
8	5897.50	56.10	45.36	10.74	88.51	-32.41	100	131 Peak	Vertical	
9	5979.00	56.45	45.54	10.91	68.20	-11.75	100	131 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5567.50	55.97	45.60	10.37	68.20	-12.23	315	93 Peak	Horizontal	
2	5659.00	56.15	45.82	10.33	74.88	-18.73	315	93 Peak	Horizontal	
3	5719.00	58.28	47.88	10.40	110.52	-52.24	315	93 Peak	Horizontal	
4	5724.00	58.86	48.42	10.44	130.16	-71.30	315	93 Peak	Horizontal	
5	5775.00	102.81	92.21	10.60	135.00	-32.19	315	93 Peak	Horizontal	
6	5851.00	56.74	46.19	10.55	130.16	-73.42	315	93 Peak	Horizontal	
7	5865.50	57.32	46.71	10.61	107.66	-50.54	315	93 Peak	Horizontal	
8	5889.50	57.20	46.49	10.71	94.44	-37.24	315	93 Peak	Horizontal	
9	5995.00	56.94	46.00	10.94	68.20	-11.26	315	93 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5642.50	56.13	45.79	10.34	68.20	-12.07	100	111 Peak	Vertical	
2	5700.00	57.46	47.22	10.24	105.20	-47.74	100	111 Peak	Vertical	
3	5715.50	59.09	48.72	10.37	109.54	-50.45	100	111 Peak	Vertical	
4	5722.50	59.55	49.13	10.42	122.90	-63.35	100	111 Peak	Vertical	
5	5775.00	102.23	91.63	10.60	135.00	-32.77	100	111 Peak	Vertical	
6	5851.50	56.97	46.42	10.55	127.74	-70.77	100	111 Peak	Vertical	
7	5858.00	58.10	47.52	10.58	109.96	-51.06	100	111 Peak	Vertical	
8	5908.50	57.68	46.91	10.77	80.38	-22.70	100	111 Peak	Vertical	
9	5942.00	57.06	46.23	10.83	68.20	-11.14	100	111 Peak	Vertical	