

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	23.958M	19.175M	19M2D1D	23.364M	19.129M
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	45.144M	38.129M	38M1D1D	44.484M	38.043M
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	90.552M	78.17M	78M2D1D	88.968M	77.924M
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	175.824M	157.51M	158MD1D	171.072M	157.099M
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	489.984M	317.565M	318MD1D	340.032M	315.713M
6.425-6.525GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	23.496M	19.139M	19M1D1D	23.166M	19.109M
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	45.54M	38.148M	38M1D1D	44.94M	38.083M
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	90.84M	78.078M	78M1D1D	89.88M	77.967M
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	173.76M	157.34M	157MD1D	171.84M	157.3M
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	347.424M	317.797M	318MD1D	341.088M	316.34M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	23.76M	19.173M	19M2D1D	23.232M	19.115M
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	45.144M	38.138M	38M1D1D	44.088M	38.031M
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	90.288M	78.085M	78M1D1D	89.232M	77.942M
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	174.768M	157.394M	157MD1D	171.6M	157.242M
6.875-7.125GHz	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	23.76M	19.187M	19M2D1D	23.298M	19.121M
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	45.804M	38.173M	38M2D1D	43.956M	38.053M
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	90.36M	78.047M	78M0D1D	89.232M	77.824M
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	176.16M	157.662M	158MD1D	171.6M	156.911M
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	356.928M	317.166M	317MD1D	343.2M	316.479M

Max-N dB = Maximum 26dB down bandwidth

Max-OBW = Maximum 99% occupied bandwidth;

Min-N dB = Minimum 26dB down bandwidth

Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-
5935MHz	Pass	Inf	23.958M	19.155M	23.496M	19.175M
5955MHz	Pass	Inf	23.364M	19.129M	23.628M	19.164M
6175MHz	Pass	Inf	23.364M	19.131M	23.364M	19.151M
6415MHz	Pass	Inf	23.364M	19.137M	23.562M	19.149M
6435MHz	Pass	Inf	23.496M	19.135M	23.232M	19.139M
6475MHz	Pass	Inf	23.364M	19.124M	23.166M	19.119M
6515MHz	Pass	Inf	23.364M	19.139M	23.232M	19.109M
6535MHz	Pass	Inf	23.43M	19.134M	23.232M	19.115M
6715MHz	Pass	Inf	23.562M	19.14M	23.76M	19.173M
6855MHz	Pass	Inf	23.496M	19.127M	23.298M	19.169M
6875MHz Straddle 6.875-7.125GHz	Pass	Inf	23.67M	19.121M	23.58M	19.181M
6895MHz	Pass	Inf	23.298M	19.123M	23.76M	19.166M
7015MHz	Pass	Inf	23.298M	19.144M	23.562M	19.175M
7095MHz	Pass	Inf	23.364M	19.128M	23.562M	19.157M
7115MHz	Pass	Inf	23.298M	19.157M	23.628M	19.187M
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-
5965MHz	Pass	Inf	45.144M	38.129M	44.748M	38.043M
6165MHz	Pass	Inf	44.616M	38.095M	44.748M	38.05M
6405MHz	Pass	Inf	45.012M	38.1M	44.484M	38.119M
6445MHz	Pass	Inf	45.54M	38.148M	45.408M	38.113M
6485MHz	Pass	Inf	45.408M	38.099M	45.144M	38.109M
6525MHz Straddle 6.425-6.525GHz	Pass	Inf	44.94M	38.083M	45.06M	38.112M
6565MHz	Pass	Inf	44.352M	38.092M	45.012M	38.075M
6725MHz	Pass	Inf	45.144M	38.138M	44.088M	38.031M
6845MHz	Pass	Inf	44.484M	38.135M	44.484M	38.074M
6885MHz Straddle 6.875-7.125GHz	Pass	Inf	44.7M	38.153M	44.16M	38.08M
6925MHz	Pass	Inf	45.804M	38.153M	43.956M	38.095M
7005MHz	Pass	Inf	44.748M	38.144M	44.748M	38.053M
7085MHz	Pass	Inf	45.276M	38.173M	44.352M	38.06M
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-
5985MHz	Pass	Inf	90.024M	78.024M	89.232M	77.924M
6145MHz	Pass	Inf	90.552M	78.097M	89.232M	77.953M
6385MHz	Pass	Inf	90.024M	78M	88.968M	78.17M
6465MHz	Pass	Inf	90.552M	77.967M	90.816M	77.979M
6545MHz Straddle 6.425-6.525GHz	Pass	Inf	89.88M	77.987M	90.84M	78.078M
6625MHz	Pass	Inf	90.024M	77.96M	90.288M	77.942M
6705MHz	Pass	Inf	89.232M	78.003M	90.288M	77.962M
6785MHz	Pass	Inf	89.76M	78.085M	89.76M	77.999M

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
6865MHz Straddle 6.875-7.125GHz	Pass	Inf	90M	78.04M	90.36M	77.824M
6945MHz	Pass	Inf	90.024M	77.951M	89.232M	78.047M
7025MHz	Pass	Inf	89.496M	77.977M	90.024M	77.993M
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-
6025MHz	Pass	Inf	175.296M	157.51M	171.6M	157.099M
6185MHz	Pass	Inf	175.824M	157.499M	171.072M	157.256M
6345MHz	Pass	Inf	173.184M	157.354M	172.656M	157.301M
6505MHz Straddle 6.425-6.525GHz	Pass	Inf	173.76M	157.34M	171.84M	157.3M
6665MHz	Pass	Inf	174.768M	157.394M	171.6M	157.242M
6825MHz Straddle 6.875-7.125GHz	Pass	Inf	176.16M	157.662M	173.52M	156.911M
6985MHz	Pass	Inf	172.128M	157.253M	171.6M	157.256M
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-
6105MHz	Pass	Inf	489.984M	316.706M	340.032M	315.713M
6265MHz	Pass	Inf	483.648M	317.565M	341.088M	317.116M
6425MHz Straddle 5.925-6.425GHz	Pass	Inf	351.648M	317.325M	344.256M	317.428M
6585MHz Straddle 6.425-6.525GHz	Pass	Inf	347.424M	317.797M	341.088M	316.34M
6745MHz Straddle 6.875-7.125GHz	Pass	Inf	356.928M	317.166M	343.2M	316.886M
6905MHz Straddle 6.875-7.125GHz	Pass	Inf	343.2M	317.055M	343.2M	316.479M

Port X-N dB = 26dB down bandwidth



Port X-OBW = Port X 99% occupied bandwidth



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW



5935MHz



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

5955MHz







5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW



6175MHz



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

6415MHz






6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


6435MHz



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


6475MHz



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


6515MHz



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

6535MHz






6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


6715MHz



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

6855MHz






6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


6875MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW

6895MHz






6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


7015MHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


7095MHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

EBW


7115MHz



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW



5965MHz



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW



6165MHz



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

6405MHz






6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


6445MHz



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


6485MHz



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


6565MHz



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


6725MHz



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

6845MHz






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW


6885MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW



6925MHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW



7005MHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

EBW

7085MHz







5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW



5985MHz



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

6145MHz






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


6385MHz



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

6465MHz






6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


6625MHz



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


6705MHz



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

6785MHz






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


6865MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW

6945MHz






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

EBW


7025MHz



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW



6025MHz



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW



6185MHz



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW


6345MHz



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW


6505MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

6665MHz






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW


6825MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

EBW

6985MHz






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW


6105MHz



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW


6265MHz



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW


6425MHz Straddle 5.925-6.425GHz



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6585MHz Straddle 6.425-6.525GHz






6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW


6745MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

EBW

6905MHz Straddle 6.875-7.125GHz



Non-beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	10.28	0.01067	15.38	0.03451
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	13.14	0.02061	18.24	0.06668
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	15.99	0.03972	21.09	0.12853
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	18.85	0.07674	23.95	0.24831
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	21.70	0.14791	26.80	0.47863
6.425-6.525GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	10.50	0.01122	15.20	0.03311
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	13.49	0.02234	18.19	0.06592
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	16.02	0.03999	20.72	0.11803
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	18.91	0.07780	23.61	0.22961
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	21.94	0.15631	26.64	0.46132
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	10.42	0.01102	15.12	0.03251
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	13.49	0.02234	18.19	0.06592
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	16.07	0.04046	20.77	0.11940
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	18.97	0.07889	23.67	0.23281
6.875-7.125GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	10.37	0.01089	15.47	0.03524
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	13.15	0.02065	18.25	0.06683
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	16.07	0.04046	21.17	0.13092
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	18.78	0.07551	23.88	0.24434
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	21.70	0.14791	26.80	0.47863

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5935MHz	Pass	5.10	3.38	3.17	6.29	Inf	11.39	30.00
5955MHz	Pass	5.10	7.24	7.29	10.28	Inf	15.38	30.00
6175MHz	Pass	5.10	6.6	7.13	9.88	Inf	14.98	30.00
6415MHz	Pass	5.10	6.98	7.02	10.01	Inf	15.11	30.00
6435MHz	Pass	4.70	7.13	7.01	10.08	Inf	14.78	30.00
6475MHz	Pass	4.70	7.52	7.46	10.50	Inf	15.20	30.00
6515MHz	Pass	4.70	7.04	7.08	10.07	Inf	14.77	30.00
6535MHz	Pass	4.70	7.07	7.11	10.10	Inf	14.80	30.00
6715MHz	Pass	4.70	7.13	7.24	10.20	Inf	14.90	30.00
6855MHz	Pass	4.70	7.39	7.43	10.42	Inf	15.12	30.00
6875MHz Straddle 6.875-7.125GHz	Pass	5.10	7.03	7.04	10.05	Inf	15.15	30.00
6895MHz	Pass	5.10	6.99	6.89	9.95	Inf	15.05	30.00
7015MHz	Pass	5.10	7.44	7.18	10.32	Inf	15.42	30.00
7095MHz	Pass	5.10	7.47	7.24	10.37	Inf	15.47	30.00
7115MHz	Pass	5.10	3.68	3.85	6.78	Inf	11.88	30.00
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5965MHz	Pass	5.10	10.02	10.23	13.14	Inf	18.24	30.00
6165MHz	Pass	5.10	9.87	10.31	13.11	Inf	18.21	30.00
6405MHz	Pass	5.10	9.92	9.99	12.97	Inf	18.07	30.00
6445MHz	Pass	4.70	10.25	10.37	13.32	Inf	18.02	30.00
6485MHz	Pass	4.70	10.23	10.43	13.34	Inf	18.04	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.70	10.39	10.57	13.49	Inf	18.19	30.00
6565MHz	Pass	4.70	10.48	10.47	13.49	Inf	18.19	30.00
6725MHz	Pass	4.70	10.11	10.05	13.09	Inf	17.79	30.00
6845MHz	Pass	4.70	10.33	10.44	13.40	Inf	18.10	30.00
6885MHz Straddle 6.875-7.125GHz	Pass	5.10	9.92	10.06	13.00	Inf	18.10	30.00
6925MHz	Pass	5.10	10.05	10.07	13.07	Inf	18.17	30.00
7005MHz	Pass	5.10	10.14	10.13	13.15	Inf	18.25	30.00
7085MHz	Pass	5.10	10.08	9.97	13.04	Inf	18.14	30.00
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5985MHz	Pass	5.10	12.82	12.97	15.91	Inf	21.01	30.00
6145MHz	Pass	5.10	12.92	13.03	15.99	Inf	21.09	30.00
6385MHz	Pass	5.10	12.93	12.97	15.96	Inf	21.06	30.00
6465MHz	Pass	4.70	12.93	12.89	15.92	Inf	20.62	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.70	12.97	13.05	16.02	Inf	20.72	30.00
6625MHz	Pass	4.70	12.83	12.84	15.85	Inf	20.55	30.00
6705MHz	Pass	4.70	12.63	12.82	15.74	Inf	20.44	30.00
6785MHz	Pass	4.70	13.02	13.09	16.07	Inf	20.77	30.00

**Conducted Output Power(Average)****Appendix B**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6865MHz Straddle 6.875-7.125GHz	Pass	5.10	13.02	13.03	16.04	Inf	21.14	30.00
6945MHz	Pass	5.10	13.05	13.06	16.07	Inf	21.17	30.00
7025MHz	Pass	5.10	12.92	13.08	16.01	Inf	21.11	30.00
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6025MHz	Pass	5.10	15.71	15.97	18.85	Inf	23.95	30.00
6185MHz	Pass	5.10	15.61	16.02	18.83	Inf	23.93	30.00
6345MHz	Pass	5.10	15.52	15.76	18.65	Inf	23.75	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.70	15.84	15.96	18.91	Inf	23.61	30.00
6665MHz	Pass	4.70	15.77	16.15	18.97	Inf	23.67	30.00
6825MHz Straddle 6.875-7.125GHz	Pass	5.10	15.67	15.87	18.78	Inf	23.88	30.00
6985MHz	Pass	5.10	15.77	15.72	18.76	Inf	23.86	30.00
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6105MHz	Pass	5.10	18.49	18.43	21.47	Inf	26.57	30.00
6265MHz	Pass	5.10	18.62	18.76	21.70	Inf	26.80	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	5.10	18.61	18.39	21.51	Inf	26.61	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	4.70	18.93	18.92	21.94	Inf	26.64	30.00
6745MHz Straddle 6.875-7.125GHz	Pass	5.10	18.47	18.89	21.70	Inf	26.80	30.00
6905MHz Straddle 6.875-7.125GHz	Pass	5.10	18.65	18.63	21.65	Inf	26.75	30.00

DG = Directional Gain; Port X = Port X output power

Beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX-OFDMA	7.27	0.00533	15.23	0.03334
802.11be EHT40-BF_Nss1,(MCS0)_2TX-OFDMA	10.13	0.01030	18.09	0.06442
802.11be EHT80-BF_Nss1,(MCS0)_2TX-OFDMA	12.98	0.01986	20.94	0.12417
802.11be EHT160-BF_Nss1,(MCS0)_2TX-OFDMA	15.84	0.03837	23.80	0.23988
802.11be EHT320-BF_Nss1,(MCS0)_2TX-OFDMA	18.69	0.07396	26.65	0.46238
6.425-6.525GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX-OFDMA	7.49	0.00561	15.15	0.03273
802.11be EHT40-BF_Nss1,(MCS0)_2TX-OFDMA	10.48	0.01117	18.14	0.06516
802.11be EHT80-BF_Nss1,(MCS0)_2TX-OFDMA	13.01	0.02000	20.67	0.11668
802.11be EHT160-BF_Nss1,(MCS0)_2TX-OFDMA	15.90	0.03890	23.56	0.22699
802.11be EHT320-BF_Nss1,(MCS0)_2TX-OFDMA	18.93	0.07816	26.59	0.45604
6.525-6.875GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX-OFDMA	7.41	0.00551	15.07	0.03214
802.11be EHT40-BF_Nss1,(MCS0)_2TX-OFDMA	10.48	0.01117	18.14	0.06516
802.11be EHT80-BF_Nss1,(MCS0)_2TX-OFDMA	13.06	0.02023	20.72	0.11803
802.11be EHT160-BF_Nss1,(MCS0)_2TX-OFDMA	15.96	0.03945	23.62	0.23014
6.875-7.125GHz	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX-OFDMA	7.36	0.00545	15.18	0.03296
802.11be EHT40-BF_Nss1,(MCS0)_2TX-OFDMA	10.14	0.01033	17.96	0.06252
802.11be EHT80-BF_Nss1,(MCS0)_2TX-OFDMA	13.06	0.02023	20.88	0.12246
802.11be EHT160-BF_Nss1,(MCS0)_2TX-OFDMA	15.77	0.03776	23.59	0.22856
802.11be EHT320-BF_Nss1,(MCS0)_2TX-OFDMA	18.69	0.07396	26.51	0.44771

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20-BF_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5935MHz	Pass	7.96	0.37	0.16	3.28	Inf	11.24	30.00
5955MHz	Pass	7.96	4.23	4.28	7.27	Inf	15.23	30.00
6175MHz	Pass	7.96	3.59	4.12	6.87	Inf	14.83	30.00
6415MHz	Pass	7.96	3.97	4.01	7.00	Inf	14.96	30.00
6435MHz	Pass	7.66	4.12	4	7.07	Inf	14.73	30.00
6475MHz	Pass	7.66	4.51	4.45	7.49	Inf	15.15	30.00
6515MHz	Pass	7.66	4.03	4.07	7.06	Inf	14.72	30.00
6535MHz	Pass	7.66	4.06	4.1	7.09	Inf	14.75	30.00
6715MHz	Pass	7.66	4.12	4.23	7.19	Inf	14.85	30.00
6855MHz	Pass	7.66	4.38	4.42	7.41	Inf	15.07	30.00
6875MHz Straddle 6.875-7.125GHz	Pass	7.82	4.02	4.03	7.04	Inf	14.86	30.00
6895MHz	Pass	7.82	3.98	3.88	6.94	Inf	14.76	30.00
7015MHz	Pass	7.82	4.43	4.17	7.31	Inf	15.13	30.00
7095MHz	Pass	7.82	4.46	4.23	7.36	Inf	15.18	30.00
7115MHz	Pass	7.82	0.67	0.84	3.77	Inf	11.59	30.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5965MHz	Pass	7.96	7.01	7.22	10.13	Inf	18.09	30.00
6165MHz	Pass	7.96	6.86	7.3	10.10	Inf	18.06	30.00
6405MHz	Pass	7.96	6.91	6.98	9.96	Inf	17.92	30.00
6445MHz	Pass	7.66	7.24	7.36	10.31	Inf	17.97	30.00
6485MHz	Pass	7.66	7.22	7.42	10.33	Inf	17.99	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	7.66	7.38	7.56	10.48	Inf	18.14	30.00
6565MHz	Pass	7.66	7.47	7.46	10.48	Inf	18.14	30.00
6725MHz	Pass	7.66	7.1	7.04	10.08	Inf	17.74	30.00
6845MHz	Pass	7.66	7.32	7.43	10.39	Inf	18.05	30.00
6885MHz Straddle 6.875-7.125GHz	Pass	7.82	6.91	7.05	9.99	Inf	17.81	30.00
6925MHz	Pass	7.82	7.04	7.06	10.06	Inf	17.88	30.00
7005MHz	Pass	7.82	7.13	7.12	10.14	Inf	17.96	30.00
7085MHz	Pass	7.82	7.07	6.96	10.03	Inf	17.85	30.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5985MHz	Pass	7.96	9.81	9.96	12.90	Inf	20.86	30.00
6145MHz	Pass	7.96	9.91	10.02	12.98	Inf	20.94	30.00
6385MHz	Pass	7.96	9.92	9.96	12.95	Inf	20.91	30.00
6465MHz	Pass	7.66	9.92	9.88	12.91	Inf	20.57	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	7.66	9.96	10.04	13.01	Inf	20.67	30.00
6625MHz	Pass	7.66	9.82	9.83	12.84	Inf	20.50	30.00
6705MHz	Pass	7.66	9.62	9.81	12.73	Inf	20.39	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6785MHz	Pass	7.66	10.01	10.08	13.06	Inf	20.72	30.00
6865MHz Straddle 6.875-7.125GHz	Pass	7.82	10.01	10.02	13.03	Inf	20.85	30.00
6945MHz	Pass	7.82	10.04	10.05	13.06	Inf	20.88	30.00
7025MHz	Pass	7.82	9.91	10.07	13.00	Inf	20.82	30.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6025MHz	Pass	7.96	12.7	12.96	15.84	Inf	23.80	30.00
6185MHz	Pass	7.96	12.6	13.01	15.82	Inf	23.78	30.00
6345MHz	Pass	7.96	12.51	12.75	15.64	Inf	23.60	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	7.66	12.83	12.95	15.90	Inf	23.56	30.00
6665MHz	Pass	7.66	12.76	13.14	15.96	Inf	23.62	30.00
6825MHz Straddle 6.875-7.125GHz	Pass	7.82	12.66	12.86	15.77	Inf	23.59	30.00
6985MHz	Pass	7.82	12.76	12.71	15.75	Inf	23.57	30.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6105MHz	Pass	7.96	15.48	15.42	18.46	Inf	26.42	30.00
6265MHz	Pass	7.96	15.61	15.75	18.69	Inf	26.65	30.00
6425MHz Straddle 5.925-6.425GHz	Pass	7.96	15.6	15.38	18.50	Inf	26.46	30.00
6585MHz Straddle 6.425-6.525GHz	Pass	7.66	15.92	15.91	18.93	Inf	26.59	30.00
6745MHz Straddle 6.875-7.125GHz	Pass	7.82	15.46	15.88	18.69	Inf	26.51	30.00
6905MHz Straddle 6.875-7.125GHz	Pass	7.82	15.64	15.62	18.64	Inf	26.46	30.00

DG = Directional Gain; Port X = Port X output power

Directional gain = $10 \log \left[\left(10^{G1/20} + 10^{G2/20} \right)^2 / 2 \right]$

Ant. No.	Operating Frequencies (MHz) / Antenna Gain (dBi)			
	5925 ~ 6425	6425 ~ 6525	6525 ~ 6875	6875 ~ 7125
1	5.1	4.7	4.7	5.1
2	4.8	4.6	4.6	4.5
Directional Gain (dBi)	7.96	7.66	7.66	7.82

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-3.13	4.83
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-3.15	4.81
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-3.16	4.80
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-3.17	4.79
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-3.23	4.73
6.425-6.525GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-2.96	4.70
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-2.87	4.79
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-3.09	4.57
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-3.16	4.50
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-2.99	4.67
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-2.80	4.86
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-2.86	4.80
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-3.12	4.54
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-2.95	4.71
6.875-7.125GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-3.01	4.81
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-2.97	4.85
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-3.04	4.78
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-3.09	4.73
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-3.12	4.70

RBW = 1MHz

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5935MHz	Pass	7.96	-10.09	-10.04	-7.28	Inf	0.68	5.00
5955MHz	Pass	7.96	-6.06	-5.83	-3.13	Inf	4.83	5.00
6175MHz	Pass	7.96	-6.83	-6.08	-3.43	Inf	4.53	5.00
6415MHz	Pass	7.96	-6.34	-6.29	-3.44	Inf	4.52	5.00
6435MHz	Pass	7.66	-5.95	-6.27	-3.24	Inf	4.42	5.00
6475MHz	Pass	7.66	-5.75	-5.79	-2.96	Inf	4.70	5.00
6515MHz	Pass	7.66	-6.10	-6.11	-3.23	Inf	4.43	5.00
6535MHz	Pass	7.66	-5.94	-6.10	-3.24	Inf	4.42	5.00
6715MHz	Pass	7.66	-6.09	-5.80	-3.10	Inf	4.56	5.00
6855MHz	Pass	7.66	-5.88	-5.55	-2.80	Inf	4.86	5.00
6875MHz Straddle 6.875-7.125GHz	Pass	7.82	-6.15	-6.01	-3.22	Inf	4.60	5.00
6895MHz	Pass	7.82	-6.20	-6.33	-3.30	Inf	4.52	5.00
7015MHz	Pass	7.82	-5.80	-5.89	-3.01	Inf	4.81	5.00
7095MHz	Pass	7.82	-5.76	-5.97	-3.04	Inf	4.78	5.00
7115MHz	Pass	7.82	-9.65	-9.46	-6.73	Inf	1.09	5.00
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5965MHz	Pass	7.96	-6.17	-5.95	-3.21	Inf	4.75	5.00
6165MHz	Pass	7.96	-6.25	-5.64	-3.15	Inf	4.81	5.00
6405MHz	Pass	7.96	-6.26	-6.12	-3.43	Inf	4.53	5.00
6445MHz	Pass	7.66	-5.98	-5.72	-3.07	Inf	4.59	5.00
6485MHz	Pass	7.66	-6.12	-5.82	-3.04	Inf	4.62	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	7.66	-5.55	-5.36	-2.87	Inf	4.79	5.00
6565MHz	Pass	7.66	-5.81	-5.62	-2.93	Inf	4.73	5.00
6725MHz	Pass	7.66	-5.89	-6.07	-3.15	Inf	4.51	5.00
6845MHz	Pass	7.66	-5.50	-5.34	-2.86	Inf	4.80	5.00
6885MHz Straddle 6.875-7.125GHz	Pass	7.82	-6.15	-5.92	-3.27	Inf	4.55	5.00
6925MHz	Pass	7.82	-6.19	-6.05	-3.22	Inf	4.60	5.00
7005MHz	Pass	7.82	-5.60	-5.78	-2.97	Inf	4.85	5.00
7085MHz	Pass	7.82	-6.16	-6.03	-3.10	Inf	4.72	5.00
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5985MHz	Pass	7.96	-6.24	-6.03	-3.32	Inf	4.64	5.00
6145MHz	Pass	7.96	-6.17	-6.01	-3.22	Inf	4.74	5.00
6385MHz	Pass	7.96	-6.26	-5.77	-3.16	Inf	4.80	5.00
6465MHz	Pass	7.66	-6.00	-5.80	-3.12	Inf	4.54	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	7.66	-6.17	-5.60	-3.09	Inf	4.57	5.00
6625MHz	Pass	7.66	-5.68	-6.26	-3.17	Inf	4.49	5.00
6705MHz	Pass	7.66	-5.96	-5.60	-3.17	Inf	4.49	5.00
6785MHz	Pass	7.66	-5.85	-5.31	-3.12	Inf	4.54	5.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6865MHz Straddle 6.875-7.125GHz	Pass	7.82	-5.99	-5.53	-3.07	Inf	4.75	5.00
6945MHz	Pass	7.82	-5.75	-5.63	-3.11	Inf	4.71	5.00
7025MHz	Pass	7.82	-5.93	-5.61	-3.04	Inf	4.78	5.00
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6025MHz	Pass	7.96	-5.83	-5.78	-3.30	Inf	4.66	5.00
6185MHz	Pass	7.96	-6.17	-5.61	-3.17	Inf	4.79	5.00
6345MHz	Pass	7.96	-6.42	-5.79	-3.43	Inf	4.53	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	7.66	-6.06	-5.60	-3.16	Inf	4.50	5.00
6665MHz	Pass	7.66	-6.10	-5.17	-2.95	Inf	4.71	5.00
6825MHz Straddle 6.875-7.125GHz	Pass	7.82	-6.07	-5.86	-3.09	Inf	4.73	5.00
6985MHz	Pass	7.82	-5.74	-5.76	-3.13	Inf	4.69	5.00
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6105MHz	Pass	7.96	-5.86	-5.96	-3.34	Inf	4.62	5.00
6265MHz	Pass	7.96	-6.30	-5.99	-3.23	Inf	4.73	5.00
6425MHz Straddle 5.925-6.425GHz	Pass	7.96	-6.45	-5.79	-3.46	Inf	4.50	5.00
6585MHz Straddle 6.425-6.525GHz	Pass	7.66	-5.64	-5.41	-2.99	Inf	4.67	5.00
6745MHz Straddle 6.875-7.125GHz	Pass	7.82	-6.48	-5.61	-3.12	Inf	4.70	5.00
6905MHz Straddle 6.875-7.125GHz	Pass	7.82	-6.07	-5.64	-3.12	Inf	4.70	5.00

DG = Directional Gain; RBW = 1MHz

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Directional gain = $10 \log \left[\left(10^{G1/20} + 10^{G2/20} \right)^2 / 2 \right]$

Ant. No.	Operating Frequencies (MHz) / Antenna Gain (dBi)			
	5925 ~ 6425	6425 ~ 6525	6525 ~ 6875	6875 ~ 7125
1	5.1	4.7	4.7	5.1
2	4.8	4.6	4.6	4.5
Directional Gain (dBi)	7.96	7.66	7.66	7.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


5935MHz



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5955MHz



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6175MHz

CF (Hz)
6.175G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.43	-3.43	-6.83	-6.08

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

6415MHz

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 


Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.44	-3.44	-6.34	-6.29

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6435MHz



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6475MHz



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6515MHz



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6535MHz



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6715MHz



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6855MHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6875MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


6895MHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


7015MHz



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

7095MHz






6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD


7115MHz



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5965MHz






5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD


6165MHz



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6405MHz






6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6445MHz

CF (Hz)
6.445G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.07	-3.07	-5.98	-5.72

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6485MHz

CF (Hz)
6.485G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.04	-3.04	-6.12	-5.82



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD


6525MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6565MHz






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD


6725MHz



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6845MHz






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD


6885MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

6925MHz






6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD


7005MHz



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD


7085MHz



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD


5985MHz



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6145MHz






5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6385MHz

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.16	-3.16	-6.26	-5.77

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6465MHz

CF (Hz)
6.465G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.12	-3.12	-6.00	-5.80



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD


6545MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6625MHz






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD


6705MHz



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

6785MHz






6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD


6865MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD


6945MHz



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD


7025MHz



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6025MHz






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD


6185MHz



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6345MHz






6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD


6505MHz Straddle 6.425-6.525GHz



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6665MHz






6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD


6825MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

PSD

6985MHz






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD


6105MHz



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6265MHz






5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD


6425MHz Straddle 5.925-6.425GHz



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6585MHz Straddle 6.425-6.525GHz






6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD


6745MHz Straddle 6.875-7.125GHz



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

PSD

6905MHz Straddle 6.875-7.125GHz






Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	53.66M	36.52	40.00	-3.48	Vertical
Mode 2	Pass	PK	54.19M	36.48	40.00	-3.52	Vertical

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	56.36M	26.18	40.00	-13.82	-8.82	3	Horizontal	-	-	-	35.00	18.56	0.67	28.05		
PK	62.445M	25.42	40.00	-14.58	-9.80	3	Horizontal	-	-	-	35.22	17.56	0.69	28.05		
PK	97.88M	27.45	43.50	-16.05	-13.57	3	Horizontal	-	-	-	41.02	13.49	0.99	28.05		
PK	102.66M	28.79	43.50	-14.71	-12.87	3	Horizontal	-	-	-	41.66	14.17	1.01	28.05		
PK	305.87M	29.21	46.00	-16.79	-7.95	3	Horizontal	-	-	-	37.16	18.42	1.82	28.19		
PK	445.28M	31.08	46.00	-14.92	-3.94	3	Horizontal	-	-	-	35.02	21.61	2.40	27.95		

Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	53.66M	36.52	40.00	-3.48	-8.65	3	Vertical	-	-	-	45.17	18.73	0.67	28.05		
PK	60.45M	32.31	40.00	-7.69	-9.31	3	Vertical	-	-	-	41.62	18.06	0.68	28.05		
PK	77.48M	30.52	40.00	-9.48	-12.99	3	Vertical	-	-	-	43.51	14.26	0.80	28.05		
PK	164.44M	27.83	43.50	-15.67	-8.78	3	Vertical	-	-	-	36.61	18.06	1.26	28.10		
PK	307.89M	29.24	46.00	-16.76	-7.89	3	Vertical	-	-	-	37.13	18.46	1.83	28.18		
PK	585.25M	32.74	46.00	-13.26	-0.97	3	Vertical	-	-	-	33.71	23.91	2.95	27.83		

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	51.88M	25.92	40.00	-14.08	-8.68	3	Horizontal	-	-	-	34.60	18.71	0.66	28.05		
PK	55.48M	26.82	40.00	-13.18	-8.83	3	Horizontal	-	-	-	35.65	18.55	0.67	28.05		
PK	120.57M	23.78	43.50	-19.72	-10.90	3	Horizontal	-	-	-	34.68	16.10	1.07	28.07		
PK	133.44M	23.68	43.50	-19.82	-9.62	3	Horizontal	-	-	-	33.30	17.34	1.12	28.08		
PK	146.84M	23.34	43.50	-20.16	-8.54	3	Horizontal	-	-	-	31.88	18.37	1.18	28.09		
PK	207.93M	24.44	43.50	-19.06	-11.94	3	Horizontal	-	-	-	36.38	14.74	1.46	28.14		

Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	48.55M	34.42	40.00	-5.58	-8.71	3	Vertical	-	-	-	43.13	18.70	0.64	28.05		
PK	50.48M	34.62	40.00	-5.38	-8.64	3	Vertical	-	-	-	43.26	18.75	0.66	28.05		
PK	54.19M	36.48	40.00	-3.52	-8.72	3	Vertical	-	-	-	45.20	18.66	0.67	28.05		
PK	61.54M	31.27	40.00	-8.73	-9.62	3	Vertical	-	-	-	40.89	17.74	0.69	28.05		
PK	63.85M	28.64	40.00	-11.36	-9.85	3	Vertical	-	-	-	38.49	17.50	0.70	28.05		
PK	193.56M	25.96	43.50	-17.54	-11.49	3	Vertical	-	-	-	37.45	15.24	1.39	28.12		

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	5.925G	66.49	68.20	-1.71	3	Horizontal	14	1.61	-
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	12.33G	42.68	54.00	-11.32	3	Vertical	179	1.00	-
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	12.29G	42.74	54.00	-11.26	3	Vertical	184	1.00	-
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	12.05G	43.39	54.00	-10.61	3	Vertical	155	1.00	-
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	12.21G	43.69	54.00	-10.31	3	Horizontal	8	1.00	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	10.562G	45.35	68.20	-22.85	3	Horizontal	336	1.94	-
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	10.562G	45.56	68.20	-22.64	3	Horizontal	332	1.88	-
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	10.562G	45.02	68.20	-23.18	3	Horizontal	326	1.49	-
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	10.562G	45.11	68.20	-23.09	3	Horizontal	269	1.35	-
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	13.17G	46.38	68.20	-21.82	3	Horizontal	24	1.00	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	10.562G	45.18	68.20	-23.02	3	Horizontal	344	1.93	-
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	10.562G	45.28	68.20	-22.92	3	Horizontal	325	1.84	-
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	13.25G	42.71	54.00	-11.29	3	Horizontal	53	1.00	-
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	13.33G	44.29	54.00	-9.71	3	Horizontal	32	1.00	-
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	7.25G	50.17	54.00	-3.83	3	Vertical	25	3.50	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	7.125G	66.66	68.20	-1.54	3	Horizontal	356	1.55	-
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	7.125G	48.17	68.20	-20.03	3	Horizontal	1	1.42	-
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	7.125G	49.09	68.20	-19.11	3	Horizontal	2	1.65	-
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	AV	7.25G	46.40	54.00	-7.60	3	Horizontal	353	1.44	-

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	66.49	68.20	-1.71	65.48	3	Horizontal	14	1.61	-	32.30	7.33	38.62			
PK	5.925G	78.11	88.20	-10.09	77.10	3	Horizontal	14	1.61	-	32.30	7.33	38.62			
AV	10.562G	44.82	68.20	-23.38	36.67	3	Horizontal	324	2.05	-	39.65	9.97	41.47			
PK	10.562G	56.65	88.20	-31.55	48.50	3	Horizontal	324	2.05	-	39.65	9.97	41.47			
AV	11.87G	42.49	54.00	-11.51	35.41	3	Horizontal	28	1.00	-	38.70	10.50	42.12			
PK	11.87G	55.76	74.00	-18.24	48.68	3	Horizontal	28	1.00	-	38.70	10.50	42.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5935MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	60.60	68.20	-7.60	59.59	3	Vertical	16	1.02	-	32.30	7.33	38.62			
PK	5.925G	71.96	88.20	-16.24	70.95	3	Vertical	16	1.02	-	32.30	7.33	38.62			
AV	10.562G	42.74	68.20	-25.46	34.59	3	Vertical	169	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.68	88.20	-32.52	47.53	3	Vertical	169	1.00	-	39.65	9.97	41.47			
AV	11.87G	42.41	54.00	-11.59	35.33	3	Vertical	148	1.00	-	38.70	10.50	42.12			
PK	11.87G	55.62	74.00	-18.38	48.54	3	Vertical	148	1.00	-	38.70	10.50	42.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	43.98	68.20	-24.22	42.97	3	Horizontal	9	1.53	-	32.30	7.33	38.62			
PK	5.925G	57.88	88.20	-30.32	56.87	3	Horizontal	9	1.53	-	32.30	7.33	38.62			
AV	10.562G	45.14	68.20	-23.06	36.99	3	Horizontal	315	2.03	-	39.65	9.97	41.47			
PK	10.562G	56.85	88.20	-31.35	48.70	3	Horizontal	315	2.03	-	39.65	9.97	41.47			
AV	11.91G	42.64	54.00	-11.36	35.55	3	Horizontal	38	1.00	-	38.70	10.51	42.12			
PK	11.91G	55.96	74.00	-18.04	48.87	3	Horizontal	38	1.00	-	38.70	10.51	42.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	43.82	68.20	-24.38	42.81	3	Vertical	18	1.03	-	32.30	7.33	38.62			
PK	5.925G	57.68	88.20	-30.52	56.67	3	Vertical	18	1.03	-	32.30	7.33	38.62			
AV	10.562G	43.04	68.20	-25.16	34.89	3	Vertical	181	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.15	88.20	-32.05	48.00	3	Vertical	181	1.00	-	39.65	9.97	41.47			
AV	11.91G	42.54	54.00	-11.46	35.45	3	Vertical	136	1.00	-	38.70	10.51	42.12			
PK	11.91G	55.68	74.00	-18.32	48.59	3	Vertical	136	1.00	-	38.70	10.51	42.12			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.16	68.20	-30.04	39.15	3	Horizontal	102	1.15	-	30.53	6.42	37.94			
PK	4.438G	45.14	88.20	-43.06	46.13	3	Horizontal	102	1.15	-	30.53	6.42	37.94			
AV	10.562G	44.54	68.20	-23.66	36.39	3	Horizontal	312	1.95	-	39.65	9.97	41.47			
PK	10.562G	56.59	88.20	-31.61	48.44	3	Horizontal	312	1.95	-	39.65	9.97	41.47			
AV	12.35G	42.38	54.00	-11.62	35.57	3	Horizontal	20	1.00	-	38.60	10.66	42.45			
PK	12.35G	55.69	74.00	-18.31	48.88	3	Horizontal	20	1.00	-	38.60	10.66	42.45			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.68	68.20	-33.52	35.67	3	Vertical	335	1.46	-	30.53	6.42	37.94			
PK	4.438G	44.25	88.20	-43.95	45.24	3	Vertical	335	1.46	-	30.53	6.42	37.94			
AV	10.562G	43.12	68.20	-25.08	34.97	3	Vertical	164	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.98	88.20	-32.22	47.83	3	Vertical	164	1.00	-	39.65	9.97	41.47			
AV	12.35G	42.25	54.00	-11.75	35.44	3	Vertical	155	1.00	-	38.60	10.66	42.45			
PK	12.35G	55.46	74.00	-18.54	48.65	3	Vertical	155	1.00	-	38.60	10.66	42.45			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.22	68.20	-29.98	39.21	3	Horizontal	101	1.14	-	30.53	6.42	37.94			
PK	4.438G	44.95	88.20	-43.25	45.94	3	Horizontal	101	1.14	-	30.53	6.42	37.94			
AV	10.562G	45.23	68.20	-22.97	37.08	3	Horizontal	311	1.85	-	39.65	9.97	41.47			
PK	10.562G	57.21	88.20	-30.99	49.06	3	Horizontal	311	1.85	-	39.65	9.97	41.47			
AV	12.83G	42.35	68.20	-25.85	35.30	3	Horizontal	36	1.00	-	39.12	10.88	42.95			
PK	12.83G	55.64	88.20	-32.56	48.59	3	Horizontal	36	1.00	-	39.12	10.88	42.95			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.14	68.20	-34.06	35.13	3	Vertical	329	1.24	-	30.53	6.42	37.94			
PK	4.438G	43.96	88.20	-44.24	44.95	3	Vertical	329	1.24	-	30.53	6.42	37.94			
AV	10.562G	43.01	68.20	-25.19	34.86	3	Vertical	184	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.96	88.20	-32.24	47.81	3	Vertical	184	1.00	-	39.65	9.97	41.47			
AV	12.83G	42.36	68.20	-25.84	35.31	3	Vertical	115	1.00	-	39.12	10.88	42.95			
PK	12.83G	55.51	88.20	-32.69	48.46	3	Vertical	115	1.00	-	39.12	10.88	42.95			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.65	68.20	-30.55	38.64	3	Horizontal	95	1.11	-	30.53	6.42	37.94			
PK	4.438G	44.92	88.20	-43.28	45.91	3	Horizontal	95	1.11	-	30.53	6.42	37.94			
AV	10.562G	44.95	68.20	-23.25	36.80	3	Horizontal	305	1.64	-	39.65	9.97	41.47			
PK	10.562G	56.82	88.20	-31.38	48.67	3	Horizontal	305	1.64	-	39.65	9.97	41.47			
AV	12.87G	42.66	68.20	-25.54	35.59	3	Horizontal	31	1.00	-	39.16	10.90	42.99			
PK	12.87G	55.94	88.20	-32.26	48.87	3	Horizontal	31	1.00	-	39.16	10.90	42.99			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.51	68.20	-33.69	35.50	3	Vertical	298	1.25	-	30.53	6.42	37.94			
PK	4.438G	44.27	88.20	-43.93	45.26	3	Vertical	298	1.25	-	30.53	6.42	37.94			
AV	10.562G	42.98	68.20	-25.22	34.83	3	Vertical	155	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.75	88.20	-32.45	47.60	3	Vertical	155	1.00	-	39.65	9.97	41.47			
AV	12.87G	42.49	68.20	-25.71	35.42	3	Vertical	112	1.00	-	39.16	10.90	42.99			
PK	12.87G	55.67	88.20	-32.53	48.60	3	Vertical	112	1.00	-	39.16	10.90	42.99			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.84	68.20	-30.36	38.83	3	Horizontal	112	1.10	-	30.53	6.42	37.94			
PK	4.438G	44.95	88.20	-43.25	45.94	3	Horizontal	112	1.10	-	30.53	6.42	37.94			
AV	10.562G	45.35	68.20	-22.85	37.20	3	Horizontal	336	1.94	-	39.65	9.97	41.47			
PK	10.562G	56.98	88.20	-31.22	48.83	3	Horizontal	336	1.94	-	39.65	9.97	41.47			
AV	12.95G	42.63	68.20	-25.57	35.77	3	Horizontal	26	1.00	-	39.00	10.94	43.08			
PK	12.95G	55.73	88.20	-32.47	48.87	3	Horizontal	26	1.00	-	39.00	10.94	43.08			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.62	68.20	-33.58	35.61	3	Vertical	345	1.32	-	30.53	6.42	37.94			
PK	4.438G	44.32	88.20	-43.88	45.31	3	Vertical	345	1.32	-	30.53	6.42	37.94			
AV	10.562G	42.68	68.20	-25.52	34.53	3	Vertical	184	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.72	88.20	-32.48	47.57	3	Vertical	184	1.00	-	39.65	9.97	41.47			
AV	12.95G	42.47	68.20	-25.73	35.61	3	Vertical	161	1.00	-	39.00	10.94	43.08			
PK	12.95G	55.40	88.20	-32.80	48.54	3	Vertical	161	1.00	-	39.00	10.94	43.08			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.16	68.20	-30.04	39.15	3	Horizontal	92	1.56	-	30.53	6.42	37.94			
PK	4.438G	45.29	88.20	-42.91	46.28	3	Horizontal	92	1.56	-	30.53	6.42	37.94			
AV	10.562G	45.01	68.20	-23.19	36.86	3	Horizontal	258	1.44	-	39.65	9.97	41.47			
PK	10.562G	56.85	88.20	-31.35	48.70	3	Horizontal	258	1.44	-	39.65	9.97	41.47			
AV	13.03G	42.75	68.20	-25.45	35.91	3	Horizontal	34	1.00	-	39.04	10.98	43.18			
PK	13.03G	55.86	88.20	-32.34	49.02	3	Horizontal	34	1.00	-	39.04	10.98	43.18			

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.22	68.20	-33.98	35.21	3	Vertical	326	1.25	-	30.53	6.42	37.94			
PK	4.438G	44.06	88.20	-44.14	45.05	3	Vertical	326	1.25	-	30.53	6.42	37.94			
AV	10.562G	42.95	68.20	-25.25	34.80	3	Vertical	163	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.93	88.20	-32.27	47.78	3	Vertical	163	1.00	-	39.65	9.97	41.47			
AV	13.03G	42.62	68.20	-25.58	35.78	3	Vertical	135	1.00	-	39.04	10.98	43.18			
PK	13.03G	55.58	88.20	-32.62	48.74	3	Vertical	135	1.00	-	39.04	10.98	43.18			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.19	68.20	-31.01	38.18	3	Horizontal	104	1.12	-	30.53	6.42	37.94			
PK	4.438G	44.52	88.20	-43.68	45.51	3	Horizontal	104	1.12	-	30.53	6.42	37.94			
AV	10.562G	45.13	68.20	-23.07	36.98	3	Horizontal	335	1.92	-	39.65	9.97	41.47			
PK	10.562G	56.84	88.20	-31.36	48.69	3	Horizontal	335	1.92	-	39.65	9.97	41.47			
AV	13.07G	42.59	68.20	-25.61	35.82	3	Horizontal	39	1.00	-	39.00	11.00	43.23			
PK	13.07G	55.68	88.20	-32.52	48.91	3	Horizontal	39	1.00	-	39.00	11.00	43.23			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.86	68.20	-33.34	35.85	3	Vertical	306	1.54	-	30.53	6.42	37.94			
PK	4.438G	44.54	88.20	-43.66	45.53	3	Vertical	306	1.54	-	30.53	6.42	37.94			
AV	10.562G	42.71	68.20	-25.49	34.56	3	Vertical	144	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.65	88.20	-32.55	47.50	3	Vertical	144	1.00	-	39.65	9.97	41.47			
AV	13.07G	42.35	68.20	-25.85	35.58	3	Vertical	158	1.00	-	39.00	11.00	43.23			
PK	13.07G	55.29	88.20	-32.91	48.52	3	Vertical	158	1.00	-	39.00	11.00	43.23			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6715MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.68	68.20	-30.52	38.67	3	Horizontal	102	1.14	-	30.53	6.42	37.94			
PK	4.438G	44.82	88.20	-43.38	45.81	3	Horizontal	102	1.14	-	30.53	6.42	37.94			
AV	10.562G	44.78	68.20	-23.42	36.63	3	Horizontal	311	1.95	-	39.65	9.97	41.47			
PK	10.562G	56.55	88.20	-31.65	48.40	3	Horizontal	311	1.95	-	39.65	9.97	41.47			
AV	13.43G	44.06	68.20	-24.14	36.88	3	Horizontal	24	1.00	-	39.72	11.17	43.71			
PK	13.43G	57.05	88.20	-31.15	49.87	3	Horizontal	24	1.00	-	39.72	11.17	43.71			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6715MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.69	68.20	-33.51	35.68	3	Vertical	336	1.55	-	30.53	6.42	37.94			
PK	4.438G	44.38	88.20	-43.82	45.37	3	Vertical	336	1.55	-	30.53	6.42	37.94			
AV	10.562G	43.12	68.20	-25.08	34.97	3	Vertical	189	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.25	88.20	-31.95	48.10	3	Vertical	189	1.00	-	39.65	9.97	41.47			
AV	13.43G	43.93	68.20	-24.27	36.75	3	Vertical	159	1.00	-	39.72	11.17	43.71			
PK	13.43G	56.95	88.20	-31.25	49.77	3	Vertical	159	1.00	-	39.72	11.17	43.71			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.89	68.20	-30.31	38.88	3	Horizontal	135	1.12	-	30.53	6.42	37.94			
PK	4.438G	45.26	88.20	-42.94	46.25	3	Horizontal	135	1.12	-	30.53	6.42	37.94			
AV	10.562G	44.72	68.20	-23.48	36.57	3	Horizontal	335	2.04	-	39.65	9.97	41.47			
PK	10.562G	56.45	88.20	-31.75	48.30	3	Horizontal	335	2.04	-	39.65	9.97	41.47			
AV	13.71G	43.92	68.20	-24.28	36.79	3	Horizontal	29	1.00	-	40.00	11.23	44.10			
PK	13.71G	56.88	88.20	-31.32	49.75	3	Horizontal	29	1.00	-	40.00	11.23	44.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.22	68.20	-32.98	36.21	3	Vertical	306	1.59	-	30.53	6.42	37.94			
PK	4.438G	44.61	88.20	-43.59	45.60	3	Vertical	306	1.59	-	30.53	6.42	37.94			
AV	10.562G	42.79	68.20	-25.41	34.64	3	Vertical	181	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.72	88.20	-32.48	47.57	3	Vertical	181	1.00	-	39.65	9.97	41.47			
AV	13.71G	43.98	68.20	-24.22	36.85	3	Vertical	164	1.00	-	40.00	11.23	44.10			
PK	13.71G	57.21	88.20	-30.99	50.08	3	Vertical	164	1.00	-	40.00	11.23	44.10			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.45	68.20	-30.75	38.44	3	Horizontal	102	1.14	-	30.53	6.42	37.94			
PK	4.438G	44.81	88.20	-43.39	45.80	3	Horizontal	102	1.14	-	30.53	6.42	37.94			
AV	10.562G	45.18	68.20	-23.02	37.03	3	Horizontal	344	1.93	-	39.65	9.97	41.47			
PK	10.562G	56.88	88.20	-31.32	48.73	3	Horizontal	344	1.93	-	39.65	9.97	41.47			
AV	13.75G	44.16	68.20	-24.04	37.09	3	Horizontal	48	1.00	-	40.00	11.23	44.16			
PK	13.75G	57.22	88.20	-30.98	50.15	3	Horizontal	48	1.00	-	40.00	11.23	44.16			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.59	68.20	-33.61	35.58	3	Vertical	328	1.65	-	30.53	6.42	37.94			
PK	4.438G	44.26	88.20	-43.94	45.25	3	Vertical	328	1.65	-	30.53	6.42	37.94			
AV	10.562G	42.96	68.20	-25.24	34.81	3	Vertical	188	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.93	88.20	-32.27	47.78	3	Vertical	188	1.00	-	39.65	9.97	41.47			
AV	13.75G	44.24	68.20	-23.96	37.17	3	Vertical	124	1.00	-	40.00	11.23	44.16			
PK	13.75G	57.18	88.20	-31.02	50.11	3	Vertical	124	1.00	-	40.00	11.23	44.16			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.45	68.20	-30.75	38.44	3	Horizontal	96	1.12	-	30.53	6.42	37.94			
PK	4.438G	44.92	88.20	-43.28	45.91	3	Horizontal	96	1.12	-	30.53	6.42	37.94			
AV	10.562G	45.12	68.20	-23.08	36.97	3	Horizontal	305	1.94	-	39.65	9.97	41.47			
PK	10.562G	56.85	88.20	-31.35	48.70	3	Horizontal	305	1.94	-	39.65	9.97	41.47			
AV	13.79G	44.14	68.20	-24.06	37.03	3	Horizontal	15	1.00	-	40.08	11.24	44.21			
PK	13.79G	57.16	88.20	-31.04	50.05	3	Horizontal	15	1.00	-	40.08	11.24	44.21			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.26	68.20	-33.94	35.25	3	Vertical	318	1.39	-	30.53	6.42	37.94			
PK	4.438G	44.05	88.20	-44.15	45.04	3	Vertical	318	1.39	-	30.53	6.42	37.94			
AV	10.562G	43.01	68.20	-25.19	34.86	3	Vertical	188	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.98	88.20	-32.22	47.83	3	Vertical	188	1.00	-	39.65	9.97	41.47			
AV	13.79G	43.84	68.20	-24.36	36.73	3	Vertical	147	1.00	-	40.08	11.24	44.21			
PK	13.79G	56.82	88.20	-31.38	49.71	3	Vertical	147	1.00	-	40.08	11.24	44.21			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7015MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.11	68.20	-30.09	39.10	3	Horizontal	102	1.14	-	30.53	6.42	37.94			
PK	4.438G	45.26	88.20	-42.94	46.25	3	Horizontal	102	1.14	-	30.53	6.42	37.94			
AV	10.562G	45.39	68.20	-22.81	37.24	3	Horizontal	334	1.58	-	39.65	9.97	41.47			
PK	10.562G	57.24	88.20	-30.96	49.09	3	Horizontal	334	1.58	-	39.65	9.97	41.47			
AV	14.03G	45.52	68.20	-22.68	38.01	3	Horizontal	23	1.00	-	40.76	11.28	44.53			
PK	14.03G	57.44	88.20	-30.76	49.93	3	Horizontal	23	1.00	-	40.76	11.28	44.53			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7015MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.22	68.20	-32.98	36.21	3	Vertical	307	1.56	-	30.53	6.42	37.94			
PK	4.438G	44.68	88.20	-43.52	45.67	3	Vertical	307	1.56	-	30.53	6.42	37.94			
AV	10.562G	43.31	68.20	-24.89	35.16	3	Vertical	189	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.24	88.20	-31.96	48.09	3	Vertical	189	1.00	-	39.65	9.97	41.47			
AV	14.03G	45.32	68.20	-22.88	37.81	3	Vertical	153	1.00	-	40.76	11.28	44.53			
PK	14.03G	57.36	88.20	-30.84	49.85	3	Vertical	153	1.00	-	40.76	11.28	44.53			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	47.61	68.20	-20.59	42.38	3	Horizontal	343	1.59	-	36.00	8.17	38.94			
PK	7.125G	60.39	88.20	-27.81	55.16	3	Horizontal	343	1.59	-	36.00	8.17	38.94			
AV	10.562G	45.25	68.20	-22.95	37.10	3	Horizontal	294	1.95	-	39.65	9.97	41.47			
PK	10.562G	57.18	88.20	-31.02	49.03	3	Horizontal	294	1.95	-	39.65	9.97	41.47			
AV	14.19G	45.36	68.20	-22.84	37.57	3	Horizontal	28	1.00	-	41.08	11.32	44.61			
PK	14.19G	57.29	88.20	-30.91	49.50	3	Horizontal	28	1.00	-	41.08	11.32	44.61			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	47.58	68.20	-20.62	42.35	3	Vertical	59	1.00	-	36.00	8.17	38.94			
PK	7.125G	60.25	88.20	-27.95	55.02	3	Vertical	59	1.00	-	36.00	8.17	38.94			
AV	10.562G	43.38	68.20	-24.82	35.23	3	Vertical	162	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.13	88.20	-32.07	47.98	3	Vertical	162	1.00	-	39.65	9.97	41.47			
AV	14.19G	45.38	68.20	-22.82	37.59	3	Vertical	144	1.00	-	41.08	11.32	44.61			
PK	14.19G	57.42	88.20	-30.78	49.63	3	Vertical	144	1.00	-	41.08	11.32	44.61			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX


7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	66.66	68.20	-1.54	61.43	3	Horizontal	356	1.55	-	36.00	8.17	38.94			
PK	7.125G	79.25	88.20	-8.95	74.02	3	Horizontal	356	1.55	-	36.00	8.17	38.94			
AV	10.562G	44.78	68.20	-23.42	36.63	3	Horizontal	293	2.04	-	39.65	9.97	41.47			
PK	10.562G	56.55	88.20	-31.65	48.40	3	Horizontal	293	2.04	-	39.65	9.97	41.47			
AV	14.23G	45.25	68.20	-22.95	37.51	3	Horizontal	31	1.00	-	41.04	11.33	44.63			
PK	14.23G	57.29	88.20	-30.91	49.55	3	Horizontal	31	1.00	-	41.04	11.33	44.63			

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	61.57	68.20	-6.63	56.34	3	Vertical	63	1.00	-	36.00	8.17	38.94			
PK	7.125G	76.30	88.20	-11.90	71.07	3	Vertical	63	1.00	-	36.00	8.17	38.94			
AV	10.562G	43.24	68.20	-24.96	35.09	3	Vertical	122	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.35	88.20	-31.85	48.20	3	Vertical	122	1.00	-	39.65	9.97	41.47			
AV	14.23G	45.15	68.20	-23.05	37.41	3	Vertical	164	1.00	-	41.04	11.33	44.63			
PK	14.23G	57.21	88.20	-30.99	49.47	3	Vertical	164	1.00	-	41.04	11.33	44.63			