


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	44.98	68.20	-23.22	43.97	3	Horizontal	10	1.80	-	32.30	7.33	38.62			
PK	5.925G	56.78	88.20	-31.42	55.77	3	Horizontal	10	1.80	-	32.30	7.33	38.62			
AV	10.562G	44.77	68.20	-23.43	36.62	3	Horizontal	311	1.86	-	39.65	9.97	41.47			
PK	10.562G	56.54	88.20	-31.66	48.39	3	Horizontal	311	1.86	-	39.65	9.97	41.47			
AV	11.93G	42.56	54.00	-11.44	35.47	3	Horizontal	33	1.00	-	38.70	10.52	42.13			
PK	11.93G	55.85	74.00	-18.15	48.76	3	Horizontal	33	1.00	-	38.70	10.52	42.13			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	44.82	68.20	-23.38	43.81	3	Vertical	15	1.03	-	32.30	7.33	38.62			
PK	5.925G	56.69	88.20	-31.51	55.68	3	Vertical	15	1.03	-	32.30	7.33	38.62			
AV	10.562G	42.96	68.20	-25.24	34.81	3	Vertical	178	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.75	88.20	-32.45	47.60	3	Vertical	178	1.00	-	39.65	9.97	41.47			
AV	11.93G	42.58	54.00	-11.42	35.49	3	Vertical	153	1.00	-	38.70	10.52	42.13			
PK	11.93G	55.74	74.00	-18.26	48.65	3	Vertical	153	1.00	-	38.70	10.52	42.13			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.05	68.20	-30.15	39.04	3	Horizontal	109	1.11	-	30.53	6.42	37.94			
PK	4.438G	45.11	88.20	-43.09	46.10	3	Horizontal	109	1.11	-	30.53	6.42	37.94			
AV	10.562G	44.39	68.20	-23.81	36.24	3	Horizontal	324	1.55	-	39.65	9.97	41.47			
PK	10.562G	56.45	88.20	-31.75	48.30	3	Horizontal	324	1.55	-	39.65	9.97	41.47			
AV	12.33G	42.56	54.00	-11.44	35.66	3	Horizontal	31	1.00	-	38.68	10.65	42.43			
PK	12.33G	55.78	74.00	-18.22	48.88	3	Horizontal	31	1.00	-	38.68	10.65	42.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.82	68.20	-33.38	35.81	3	Vertical	339	1.31	-	30.53	6.42	37.94			
PK	4.438G	44.36	88.20	-43.84	45.35	3	Vertical	339	1.31	-	30.53	6.42	37.94			
AV	10.562G	43.24	68.20	-24.96	35.09	3	Vertical	133	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.15	88.20	-32.05	48.00	3	Vertical	133	1.00	-	39.65	9.97	41.47			
AV	12.33G	42.68	54.00	-11.32	35.78	3	Vertical	179	1.00	-	38.68	10.65	42.43			
PK	12.33G	55.81	74.00	-18.19	48.91	3	Vertical	179	1.00	-	38.68	10.65	42.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.95	68.20	-30.25	38.94	3	Horizontal	102	1.15	-	30.53	6.42	37.94			
PK	4.438G	44.62	88.20	-43.58	45.61	3	Horizontal	102	1.15	-	30.53	6.42	37.94			
AV	10.562G	45.44	68.20	-22.76	37.29	3	Horizontal	325	1.77	-	39.65	9.97	41.47			
PK	10.562G	57.46	88.20	-30.74	49.31	3	Horizontal	325	1.77	-	39.65	9.97	41.47			
AV	12.81G	42.58	68.20	-25.62	35.60	3	Horizontal	41	1.00	-	39.04	10.87	42.93			
PK	12.81G	55.79	88.20	-32.41	48.81	3	Horizontal	41	1.00	-	39.04	10.87	42.93			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.26	68.20	-33.94	35.25	3	Vertical	344	1.21	-	30.53	6.42	37.94			
PK	4.438G	44.05	88.20	-44.15	45.04	3	Vertical	344	1.21	-	30.53	6.42	37.94			
AV	10.562G	42.94	68.20	-25.26	34.79	3	Vertical	162	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.83	88.20	-32.37	47.68	3	Vertical	162	1.00	-	39.65	9.97	41.47			
AV	12.81G	42.49	68.20	-25.71	35.51	3	Vertical	121	1.00	-	39.04	10.87	42.93			
PK	12.81G	55.66	88.20	-32.54	48.68	3	Vertical	121	1.00	-	39.04	10.87	42.93			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.21	68.20	-29.99	39.20	3	Horizontal	96	1.14	-	30.53	6.42	37.94			
PK	4.438G	45.29	88.20	-42.91	46.28	3	Horizontal	96	1.14	-	30.53	6.42	37.94			
AV	10.562G	45.16	68.20	-23.04	37.01	3	Horizontal	311	1.58	-	39.65	9.97	41.47			
PK	10.562G	57.25	88.20	-30.95	49.10	3	Horizontal	311	1.58	-	39.65	9.97	41.47			
AV	12.89G	43.15	68.20	-25.05	36.14	3	Horizontal	56	1.00	-	39.12	10.91	43.02			
PK	12.89G	56.28	88.20	-31.92	49.27	3	Horizontal	56	1.00	-	39.12	10.91	43.02			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.66	68.20	-33.54	35.65	3	Vertical	294	1.22	-	30.53	6.42	37.94			
PK	4.438G	44.39	88.20	-43.81	45.38	3	Vertical	294	1.22	-	30.53	6.42	37.94			
AV	10.562G	43.25	68.20	-24.95	35.10	3	Vertical	147	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.86	88.20	-32.34	47.71	3	Vertical	147	1.00	-	39.65	9.97	41.47			
AV	12.89G	42.56	68.20	-25.64	35.55	3	Vertical	103	1.00	-	39.12	10.91	43.02			
PK	12.89G	55.77	88.20	-32.43	48.76	3	Vertical	103	1.00	-	39.12	10.91	43.02			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.16	68.20	-30.04	39.15	3	Horizontal	105	1.08	-	30.53	6.42	37.94			
PK	4.438G	45.22	88.20	-42.98	46.21	3	Horizontal	105	1.08	-	30.53	6.42	37.94			
AV	10.562G	45.56	68.20	-22.64	37.41	3	Horizontal	332	1.88	-	39.65	9.97	41.47			
PK	10.562G	57.05	88.20	-31.15	48.90	3	Horizontal	332	1.88	-	39.65	9.97	41.47			
AV	12.97G	42.74	68.20	-25.46	35.86	3	Horizontal	41	1.00	-	39.04	10.95	43.11			
PK	12.97G	55.81	88.20	-32.39	48.93	3	Horizontal	41	1.00	-	39.04	10.95	43.11			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.54	68.20	-33.66	35.53	3	Vertical	346	1.29	-	30.53	6.42	37.94			
PK	4.438G	44.17	88.20	-44.03	45.16	3	Vertical	346	1.29	-	30.53	6.42	37.94			
AV	10.562G	42.59	68.20	-25.61	34.44	3	Vertical	192	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.64	88.20	-32.56	47.49	3	Vertical	192	1.00	-	39.65	9.97	41.47			
AV	12.97G	42.35	68.20	-25.85	35.47	3	Vertical	186	1.00	-	39.04	10.95	43.11			
PK	12.97G	55.31	88.20	-32.89	48.43	3	Vertical	186	1.00	-	39.04	10.95	43.11			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.22	68.20	-29.98	39.21	3	Horizontal	95	1.46	-	30.53	6.42	37.94			
PK	4.438G	45.34	88.20	-42.86	46.33	3	Horizontal	95	1.46	-	30.53	6.42	37.94			
AV	10.562G	45.14	68.20	-23.06	36.99	3	Horizontal	263	1.41	-	39.65	9.97	41.47			
PK	10.562G	56.91	88.20	-31.29	48.76	3	Horizontal	263	1.41	-	39.65	9.97	41.47			
AV	13.05G	42.86	68.20	-25.34	36.08	3	Horizontal	59	1.00	-	39.00	10.99	43.21			
PK	13.05G	55.94	88.20	-32.26	49.16	3	Horizontal	59	1.00	-	39.00	10.99	43.21			

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.45	68.20	-33.75	35.44	3	Vertical	335	1.23	-	30.53	6.42	37.94			
PK	4.438G	44.18	88.20	-44.02	45.17	3	Vertical	335	1.23	-	30.53	6.42	37.94			
AV	10.562G	43.18	68.20	-25.02	35.03	3	Vertical	169	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.44	88.20	-31.76	48.29	3	Vertical	169	1.00	-	39.65	9.97	41.47			
AV	13.05G	42.79	68.20	-25.41	36.01	3	Vertical	144	1.00	-	39.00	10.99	43.21			
PK	13.05G	55.64	88.20	-32.56	48.86	3	Vertical	144	1.00	-	39.00	10.99	43.21			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.24	68.20	-30.96	38.23	3	Horizontal	106	1.15	-	30.53	6.42	37.94			
PK	4.438G	44.62	88.20	-43.58	45.61	3	Horizontal	106	1.15	-	30.53	6.42	37.94			
AV	10.562G	45.28	68.20	-22.92	37.13	3	Horizontal	325	1.84	-	39.65	9.97	41.47			
PK	10.562G	56.95	88.20	-31.25	48.80	3	Horizontal	325	1.84	-	39.65	9.97	41.47			
AV	13.13G	42.64	68.20	-25.56	35.80	3	Horizontal	45	1.00	-	39.12	11.03	43.31			
PK	13.13G	55.76	88.20	-32.44	48.92	3	Horizontal	45	1.00	-	39.12	11.03	43.31			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.92	68.20	-33.28	35.91	3	Vertical	256	1.47	-	30.53	6.42	37.94			
PK	4.438G	44.65	88.20	-43.55	45.64	3	Vertical	256	1.47	-	30.53	6.42	37.94			
AV	10.562G	42.56	68.20	-25.64	34.41	3	Vertical	132	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.48	88.20	-32.72	47.33	3	Vertical	132	1.00	-	39.65	9.97	41.47			
AV	13.13G	42.48	68.20	-25.72	35.64	3	Vertical	126	1.00	-	39.12	11.03	43.31			
PK	13.13G	55.43	88.20	-32.77	48.59	3	Vertical	126	1.00	-	39.12	11.03	43.31			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6725MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.71	68.20	-30.49	38.70	3	Horizontal	105	1.13	-	30.53	6.42	37.94			
PK	4.438G	44.89	88.20	-43.31	45.88	3	Horizontal	105	1.13	-	30.53	6.42	37.94			
AV	10.562G	44.88	68.20	-23.32	36.73	3	Horizontal	315	1.89	-	39.65	9.97	41.47			
PK	10.562G	56.64	88.20	-31.56	48.49	3	Horizontal	315	1.89	-	39.65	9.97	41.47			
AV	13.45G	44.15	68.20	-24.05	36.90	3	Horizontal	31	1.00	-	39.80	11.18	43.73			
PK	13.45G	57.22	88.20	-30.98	49.97	3	Horizontal	31	1.00	-	39.80	11.18	43.73			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6725MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.74	68.20	-33.46	35.73	3	Vertical	324	1.48	-	30.53	6.42	37.94			
PK	4.438G	44.45	88.20	-43.75	45.44	3	Vertical	324	1.48	-	30.53	6.42	37.94			
AV	10.562G	43.29	68.20	-24.91	35.14	3	Vertical	172	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.34	88.20	-31.86	48.19	3	Vertical	172	1.00	-	39.65	9.97	41.47			
AV	13.45G	44.24	68.20	-23.96	36.99	3	Vertical	168	1.00	-	39.80	11.18	43.73			
PK	13.45G	57.12	88.20	-31.08	49.87	3	Vertical	168	1.00	-	39.80	11.18	43.73			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.82	68.20	-30.38	38.81	3	Horizontal	129	1.14	-	30.53	6.42	37.94			
PK	4.438G	45.19	88.20	-43.01	46.18	3	Horizontal	129	1.14	-	30.53	6.42	37.94			
AV	10.562G	44.64	68.20	-23.56	36.49	3	Horizontal	326	1.94	-	39.65	9.97	41.47			
PK	10.562G	56.31	88.20	-31.89	48.16	3	Horizontal	326	1.94	-	39.65	9.97	41.47			
AV	13.69G	44.28	68.20	-23.92	37.12	3	Horizontal	65	1.00	-	40.00	11.23	44.07			
PK	13.69G	57.02	88.20	-31.18	49.86	3	Horizontal	65	1.00	-	40.00	11.23	44.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.29	68.20	-32.91	36.28	3	Vertical	315	1.62	-	30.53	6.42	37.94			
PK	4.438G	44.76	88.20	-43.44	45.75	3	Vertical	315	1.62	-	30.53	6.42	37.94			
AV	10.562G	42.91	68.20	-25.29	34.76	3	Vertical	165	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.83	88.20	-32.37	47.68	3	Vertical	165	1.00	-	39.65	9.97	41.47			
AV	13.69G	44.45	68.20	-23.75	37.29	3	Vertical	175	1.00	-	40.00	11.23	44.07			
PK	13.69G	57.67	88.20	-30.53	50.51	3	Vertical	175	1.00	-	40.00	11.23	44.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.24	68.20	-30.96	38.23	3	Horizontal	135	1.10	-	30.53	6.42	37.94			
PK	4.438G	44.65	88.20	-43.55	45.64	3	Horizontal	135	1.10	-	30.53	6.42	37.94			
AV	10.562G	45.05	68.20	-23.15	36.90	3	Horizontal	332	1.85	-	39.65	9.97	41.47			
PK	10.562G	56.75	88.20	-31.45	48.60	3	Horizontal	332	1.85	-	39.65	9.97	41.47			
AV	13.77G	44.28	68.20	-23.92	37.18	3	Horizontal	46	1.00	-	40.04	11.24	44.18			
PK	13.77G	57.05	88.20	-31.15	49.95	3	Horizontal	46	1.00	-	40.04	11.24	44.18			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.65	68.20	-33.55	35.64	3	Vertical	325	1.68	-	30.53	6.42	37.94			
PK	4.438G	44.32	88.20	-43.88	45.31	3	Vertical	325	1.68	-	30.53	6.42	37.94			
AV	10.562G	43.11	68.20	-25.09	34.96	3	Vertical	193	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.12	88.20	-32.08	47.97	3	Vertical	193	1.00	-	39.65	9.97	41.47			
AV	13.77G	44.39	68.20	-23.81	37.29	3	Vertical	122	1.00	-	40.04	11.24	44.18			
PK	13.77G	57.28	88.20	-30.92	50.18	3	Vertical	122	1.00	-	40.04	11.24	44.18			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.54	68.20	-30.66	38.53	3	Horizontal	88	1.15	-	30.53	6.42	37.94			
PK	4.438G	45.06	88.20	-43.14	46.05	3	Horizontal	88	1.15	-	30.53	6.42	37.94			
AV	10.562G	45.08	68.20	-23.12	36.93	3	Horizontal	342	1.78	-	39.65	9.97	41.47			
PK	10.562G	56.72	88.20	-31.48	48.57	3	Horizontal	342	1.78	-	39.65	9.97	41.47			
AV	13.85G	44.39	68.20	-23.81	37.34	3	Horizontal	23	1.00	-	40.10	11.25	44.30			
PK	13.85G	57.28	88.20	-30.92	50.23	3	Horizontal	23	1.00	-	40.10	11.25	44.30			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.35	68.20	-33.85	35.34	3	Vertical	322	1.34	-	30.53	6.42	37.94			
PK	4.438G	44.16	88.20	-44.04	45.15	3	Vertical	322	1.34	-	30.53	6.42	37.94			
AV	10.562G	43.15	68.20	-25.05	35.00	3	Vertical	191	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.16	88.20	-32.04	48.01	3	Vertical	191	1.00	-	39.65	9.97	41.47			
AV	13.85G	43.75	68.20	-24.45	36.70	3	Vertical	153	1.00	-	40.10	11.25	44.30			
PK	13.85G	56.77	88.20	-31.43	49.72	3	Vertical	153	1.00	-	40.10	11.25	44.30			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.23	68.20	-29.97	39.22	3	Horizontal	105	1.19	-	30.53	6.42	37.94			
PK	4.438G	45.41	88.20	-42.79	46.40	3	Horizontal	105	1.19	-	30.53	6.42	37.94			
AV	10.562G	45.61	68.20	-22.59	37.46	3	Horizontal	325	1.63	-	39.65	9.97	41.47			
PK	10.562G	57.48	88.20	-30.72	49.33	3	Horizontal	325	1.63	-	39.65	9.97	41.47			
AV	14.01G	45.64	68.20	-22.56	38.17	3	Horizontal	48	1.00	-	40.72	11.27	44.52			
PK	14.01G	57.56	88.20	-30.64	50.09	3	Horizontal	48	1.00	-	40.72	11.27	44.52			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.36	68.20	-32.84	36.35	3	Vertical	314	1.45	-	30.53	6.42	37.94			
PK	4.438G	44.72	88.20	-43.48	45.71	3	Vertical	314	1.45	-	30.53	6.42	37.94			
AV	10.562G	43.42	68.20	-24.78	35.27	3	Vertical	196	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.39	88.20	-31.81	48.24	3	Vertical	196	1.00	-	39.65	9.97	41.47			
AV	14.01G	45.44	68.20	-22.76	37.97	3	Vertical	149	1.00	-	40.72	11.27	44.52			
PK	14.01G	57.42	88.20	-30.78	49.95	3	Vertical	149	1.00	-	40.72	11.27	44.52			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	48.17	68.20	-20.03	42.94	3	Horizontal	1	1.42	-	36.00	8.17	38.94			
PK	7.125G	59.74	88.20	-28.46	54.51	3	Horizontal	1	1.42	-	36.00	8.17	38.94			
AV	10.562G	44.58	68.20	-23.62	36.43	3	Horizontal	348	2.11	-	39.65	9.97	41.47			
PK	10.562G	56.44	88.20	-31.76	48.29	3	Horizontal	348	2.11	-	39.65	9.97	41.47			
AV	14.17G	45.38	68.20	-22.82	37.63	3	Horizontal	59	1.00	-	41.04	11.31	44.60			
PK	14.17G	57.45	88.20	-30.75	49.70	3	Horizontal	59	1.00	-	41.04	11.31	44.60			

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	48.06	68.20	-20.14	42.83	3	Vertical	59	1.00	-	36.00	8.17	38.94			
PK	7.125G	59.56	88.20	-28.64	54.33	3	Vertical	59	1.00	-	36.00	8.17	38.94			
AV	10.562G	45.15	68.20	-23.05	37.00	3	Vertical	284	1.95	-	39.65	9.97	41.47			
PK	10.562G	56.84	88.20	-31.36	48.69	3	Vertical	284	1.95	-	39.65	9.97	41.47			
AV	14.17G	45.49	68.20	-22.71	37.74	3	Vertical	55	1.00	-	41.04	11.31	44.60			
PK	14.17G	57.62	88.20	-30.58	49.87	3	Vertical	55	1.00	-	41.04	11.31	44.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	45.96	68.20	-22.24	44.95	3	Horizontal	9	1.68	-	32.30	7.33	38.62			
PK	5.925G	57.88	88.20	-30.32	56.87	3	Horizontal	9	1.68	-	32.30	7.33	38.62			
AV	10.562G	44.71	68.20	-23.49	36.56	3	Horizontal	342	1.86	-	39.65	9.97	41.47			
PK	10.562G	56.52	88.20	-31.68	48.37	3	Horizontal	342	1.86	-	39.65	9.97	41.47			
AV	11.97G	42.56	54.00	-11.44	35.42	3	Horizontal	33	1.00	-	38.74	10.53	42.13			
PK	11.97G	55.84	74.00	-18.16	48.70	3	Horizontal	33	1.00	-	38.74	10.53	42.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	45.84	68.20	-22.36	44.83	3	Vertical	21	1.05	-	32.30	7.33	38.62			
PK	5.925G	57.65	88.20	-30.55	56.64	3	Vertical	21	1.05	-	32.30	7.33	38.62			
AV	10.562G	42.57	68.20	-25.63	34.42	3	Vertical	152	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.61	88.20	-32.59	47.46	3	Vertical	152	1.00	-	39.65	9.97	41.47			
AV	11.97G	42.53	54.00	-11.47	35.39	3	Vertical	126	1.00	-	38.74	10.53	42.13			
PK	11.97G	55.74	74.00	-18.26	48.60	3	Vertical	126	1.00	-	38.74	10.53	42.13			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.14	68.20	-30.06	39.13	3	Horizontal	112	1.14	-	30.53	6.42	37.94			
PK	4.438G	45.22	88.20	-42.98	46.21	3	Horizontal	112	1.14	-	30.53	6.42	37.94			
AV	10.562G	44.28	68.20	-23.92	36.13	3	Horizontal	314	1.51	-	39.65	9.97	41.47			
PK	10.562G	56.39	88.20	-31.81	48.24	3	Horizontal	314	1.51	-	39.65	9.97	41.47			
AV	12.29G	42.47	54.00	-11.53	35.42	3	Horizontal	39	1.00	-	38.80	10.64	42.39			
PK	12.29G	55.64	74.00	-18.36	48.59	3	Horizontal	39	1.00	-	38.80	10.64	42.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.85	68.20	-33.35	35.84	3	Vertical	332	1.36	-	30.53	6.42	37.94			
PK	4.438G	44.39	88.20	-43.81	45.38	3	Vertical	332	1.36	-	30.53	6.42	37.94			
AV	10.562G	43.35	68.20	-24.85	35.20	3	Vertical	136	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.24	88.20	-31.96	48.09	3	Vertical	136	1.00	-	39.65	9.97	41.47			
AV	12.29G	42.74	54.00	-11.26	35.69	3	Vertical	184	1.00	-	38.80	10.64	42.39			
PK	12.29G	55.85	74.00	-18.15	48.80	3	Vertical	184	1.00	-	38.80	10.64	42.39			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.85	68.20	-30.35	38.84	3	Horizontal	103	1.16	-	30.53	6.42	37.94			
PK	4.438G	44.54	88.20	-43.66	45.53	3	Horizontal	103	1.16	-	30.53	6.42	37.94			
AV	10.562G	45.53	68.20	-22.67	37.38	3	Horizontal	322	1.75	-	39.65	9.97	41.47			
PK	10.562G	57.56	88.20	-30.64	49.41	3	Horizontal	322	1.75	-	39.65	9.97	41.47			
AV	12.77G	42.64	68.20	-25.56	35.85	3	Horizontal	39	1.00	-	38.82	10.85	42.88			
PK	12.77G	55.81	88.20	-32.39	49.02	3	Horizontal	39	1.00	-	38.82	10.85	42.88			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.35	68.20	-33.85	35.34	3	Vertical	356	1.25	-	30.53	6.42	37.94			
PK	4.438G	44.21	88.20	-43.99	45.20	3	Vertical	356	1.25	-	30.53	6.42	37.94			
AV	10.562G	43.02	68.20	-25.18	34.87	3	Vertical	168	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.96	88.20	-32.24	47.81	3	Vertical	168	1.00	-	39.65	9.97	41.47			
AV	12.77G	42.54	68.20	-25.66	35.75	3	Vertical	135	1.00	-	38.82	10.85	42.88			
PK	12.77G	55.71	88.20	-32.49	48.92	3	Vertical	135	1.00	-	38.82	10.85	42.88			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.14	68.20	-30.06	39.13	3	Horizontal	91	1.12	-	30.53	6.42	37.94			
PK	4.438G	45.21	88.20	-42.99	46.20	3	Horizontal	91	1.12	-	30.53	6.42	37.94			
AV	10.562G	45.02	68.20	-23.18	36.87	3	Horizontal	326	1.49	-	39.65	9.97	41.47			
PK	10.562G	57.14	88.20	-31.06	48.99	3	Horizontal	326	1.49	-	39.65	9.97	41.47			
AV	12.93G	43.25	68.20	-24.95	36.34	3	Horizontal	61	1.00	-	39.04	10.93	43.06			
PK	12.93G	56.34	88.20	-31.86	49.43	3	Horizontal	61	1.00	-	39.04	10.93	43.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.85	68.20	-33.35	35.84	3	Vertical	291	1.29	-	30.53	6.42	37.94			
PK	4.438G	44.62	88.20	-43.58	45.61	3	Vertical	291	1.29	-	30.53	6.42	37.94			
AV	10.562G	43.36	68.20	-24.84	35.21	3	Vertical	142	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.94	88.20	-32.26	47.79	3	Vertical	142	1.00	-	39.65	9.97	41.47			
AV	12.93G	42.68	68.20	-25.52	35.77	3	Vertical	109	1.00	-	39.04	10.93	43.06			
PK	12.93G	55.82	88.20	-32.38	48.91	3	Vertical	109	1.00	-	39.04	10.93	43.06			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.34	68.20	-29.86	39.33	3	Horizontal	91	1.42	-	30.53	6.42	37.94			
PK	4.438G	45.46	88.20	-42.74	46.45	3	Horizontal	91	1.42	-	30.53	6.42	37.94			
AV	10.562G	45.02	68.20	-23.18	36.87	3	Horizontal	265	1.34	-	39.65	9.97	41.47			
PK	10.562G	56.84	88.20	-31.36	48.69	3	Horizontal	265	1.34	-	39.65	9.97	41.47			
AV	13.09G	43.13	68.20	-25.07	36.38	3	Horizontal	64	1.00	-	39.00	11.01	43.26			
PK	13.09G	56.22	88.20	-31.98	49.47	3	Horizontal	64	1.00	-	39.00	11.01	43.26			

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.52	68.20	-33.68	35.51	3	Vertical	339	1.25	-	30.53	6.42	37.94			
PK	4.438G	44.21	88.20	-43.99	45.20	3	Vertical	339	1.25	-	30.53	6.42	37.94			
AV	10.562G	43.04	68.20	-25.16	34.89	3	Vertical	162	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.35	88.20	-31.85	48.20	3	Vertical	162	1.00	-	39.65	9.97	41.47			
AV	13.09G	42.86	68.20	-25.34	36.11	3	Vertical	149	1.00	-	39.00	11.01	43.26			
PK	13.09G	55.75	88.20	-32.45	49.00	3	Vertical	149	1.00	-	39.00	11.01	43.26			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.46	68.20	-30.74	38.45	3	Horizontal	113	1.19	-	30.53	6.42	37.94			
PK	4.438G	44.72	88.20	-43.48	45.71	3	Horizontal	113	1.19	-	30.53	6.42	37.94			
AV	10.562G	45.35	68.20	-22.85	37.20	3	Horizontal	346	1.79	-	39.65	9.97	41.47			
PK	10.562G	57.12	88.20	-31.08	48.97	3	Horizontal	346	1.79	-	39.65	9.97	41.47			
AV	13.25G	42.71	54.00	-11.29	35.89	3	Horizontal	53	1.00	-	39.20	11.09	43.47			
PK	13.25G	55.84	74.00	-18.16	49.02	3	Horizontal	53	1.00	-	39.20	11.09	43.47			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.25	68.20	-32.95	36.24	3	Vertical	251	1.44	-	30.53	6.42	37.94			
PK	4.438G	44.81	88.20	-43.39	45.80	3	Vertical	251	1.44	-	30.53	6.42	37.94			
AV	10.562G	42.44	68.20	-25.76	34.29	3	Vertical	148	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.31	88.20	-32.89	47.16	3	Vertical	148	1.00	-	39.65	9.97	41.47			
AV	13.25G	42.58	54.00	-11.42	35.76	3	Vertical	129	1.00	-	39.20	11.09	43.47			
PK	13.25G	55.56	74.00	-18.44	48.74	3	Vertical	129	1.00	-	39.20	11.09	43.47			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.89	68.20	-30.31	38.88	3	Horizontal	112	1.15	-	30.53	6.42	37.94			
PK	4.438G	45.06	88.20	-43.14	46.05	3	Horizontal	112	1.15	-	30.53	6.42	37.94			
AV	10.562G	44.91	68.20	-23.29	36.76	3	Horizontal	316	1.88	-	39.65	9.97	41.47			
PK	10.562G	56.72	88.20	-31.48	48.57	3	Horizontal	316	1.88	-	39.65	9.97	41.47			
AV	13.41G	44.26	68.20	-23.94	37.14	3	Horizontal	55	1.00	-	39.64	11.16	43.68			
PK	13.41G	57.48	88.20	-30.72	50.36	3	Horizontal	55	1.00	-	39.64	11.16	43.68			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.61	68.20	-33.59	35.60	3	Vertical	322	1.44	-	30.53	6.42	37.94			
PK	4.438G	44.39	88.20	-43.81	45.38	3	Vertical	322	1.44	-	30.53	6.42	37.94			
AV	10.562G	43.35	68.20	-24.85	35.20	3	Vertical	178	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.49	88.20	-31.71	48.34	3	Vertical	178	1.00	-	39.65	9.97	41.47			
AV	13.41G	44.36	68.20	-23.84	37.24	3	Vertical	171	1.00	-	39.64	11.16	43.68			
PK	13.41G	57.24	88.20	-30.96	50.12	3	Vertical	171	1.00	-	39.64	11.16	43.68			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.16	68.20	-30.04	39.15	3	Horizontal	122	1.16	-	30.53	6.42	37.94			
PK	4.438G	45.35	88.20	-42.85	46.34	3	Horizontal	122	1.16	-	30.53	6.42	37.94			
AV	10.562G	44.75	68.20	-23.45	36.60	3	Horizontal	321	1.88	-	39.65	9.97	41.47			
PK	10.562G	56.48	88.20	-31.72	48.33	3	Horizontal	321	1.88	-	39.65	9.97	41.47			
AV	13.57G	44.35	68.20	-23.85	36.88	3	Horizontal	89	1.00	-	40.16	11.21	43.90			
PK	13.57G	57.16	88.20	-31.04	49.69	3	Horizontal	89	1.00	-	40.16	11.21	43.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.42	68.20	-32.78	36.41	3	Vertical	332	1.61	-	30.53	6.42	37.94			
PK	4.438G	44.81	88.20	-43.39	45.80	3	Vertical	332	1.61	-	30.53	6.42	37.94			
AV	10.562G	42.98	68.20	-25.22	34.83	3	Vertical	158	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.91	88.20	-32.29	47.76	3	Vertical	158	1.00	-	39.65	9.97	41.47			
AV	13.57G	44.52	68.20	-23.68	37.05	3	Vertical	181	1.00	-	40.16	11.21	43.90			
PK	13.57G	57.74	88.20	-30.46	50.27	3	Vertical	181	1.00	-	40.16	11.21	43.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.45	68.20	-30.75	38.44	3	Horizontal	142	1.13	-	30.53	6.42	37.94			
PK	4.438G	44.72	88.20	-43.48	45.71	3	Horizontal	142	1.13	-	30.53	6.42	37.94			
AV	10.562G	44.98	68.20	-23.22	36.83	3	Horizontal	339	1.76	-	39.65	9.97	41.47			
PK	10.562G	56.46	88.20	-31.74	48.31	3	Horizontal	339	1.76	-	39.65	9.97	41.47			
AV	13.73G	44.36	68.20	-23.84	37.26	3	Horizontal	53	1.00	-	40.00	11.23	44.13			
PK	13.73G	57.12	88.20	-31.08	50.02	3	Horizontal	53	1.00	-	40.00	11.23	44.13			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.81	68.20	-33.39	35.80	3	Vertical	329	1.64	-	30.53	6.42	37.94			
PK	4.438G	44.56	88.20	-43.64	45.55	3	Vertical	329	1.64	-	30.53	6.42	37.94			
AV	10.562G	43.29	68.20	-24.91	35.14	3	Vertical	185	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.35	88.20	-31.85	48.20	3	Vertical	185	1.00	-	39.65	9.97	41.47			
AV	13.73G	44.51	68.20	-23.69	37.41	3	Vertical	145	1.00	-	40.00	11.23	44.13			
PK	13.73G	57.46	88.20	-30.74	50.36	3	Vertical	145	1.00	-	40.00	11.23	44.13			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.62	68.20	-30.58	38.61	3	Horizontal	74	1.19	-	30.53	6.42	37.94			
PK	4.438G	45.14	88.20	-43.06	46.13	3	Horizontal	74	1.19	-	30.53	6.42	37.94			
AV	10.562G	45.14	68.20	-23.06	36.99	3	Horizontal	355	1.63	-	39.65	9.97	41.47			
PK	10.562G	56.88	88.20	-31.32	48.73	3	Horizontal	355	1.63	-	39.65	9.97	41.47			
AV	13.89G	44.27	68.20	-23.93	37.03	3	Horizontal	16	1.00	-	40.34	11.25	44.35			
PK	13.89G	57.15	88.20	-31.05	49.91	3	Horizontal	16	1.00	-	40.34	11.25	44.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.42	68.20	-33.78	35.41	3	Vertical	315	1.46	-	30.53	6.42	37.94			
PK	4.438G	44.21	88.20	-43.99	45.20	3	Vertical	315	1.46	-	30.53	6.42	37.94			
AV	10.562G	43.29	68.20	-24.91	35.14	3	Vertical	198	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.25	88.20	-31.95	48.10	3	Vertical	198	1.00	-	39.65	9.97	41.47			
AV	13.89G	43.86	68.20	-24.34	36.62	3	Vertical	155	1.00	-	40.34	11.25	44.35			
PK	13.89G	56.79	88.20	-31.41	49.55	3	Vertical	155	1.00	-	40.34	11.25	44.35			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	49.09	68.20	-19.11	43.86	3	Horizontal	2	1.65	-	36.00	8.17	38.94			
PK	7.125G	59.07	88.20	-29.13	53.84	3	Horizontal	2	1.65	-	36.00	8.17	38.94			
AV	10.562G	45.46	68.20	-22.74	37.31	3	Horizontal	316	1.44	-	39.65	9.97	41.47			
PK	10.562G	57.29	88.20	-30.91	49.14	3	Horizontal	316	1.44	-	39.65	9.97	41.47			
AV	14.05G	45.68	68.20	-22.52	38.14	3	Horizontal	41	1.00	-	40.80	11.28	44.54			
PK	14.05G	57.55	88.20	-30.65	50.01	3	Horizontal	41	1.00	-	40.80	11.28	44.54			

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	48.95	68.20	-19.25	43.72	3	Vertical	56	1.00	-	36.00	8.17	38.94			
PK	7.125G	58.84	88.20	-29.36	53.61	3	Vertical	56	1.00	-	36.00	8.17	38.94			
AV	10.562G	43.54	68.20	-24.66	35.39	3	Vertical	193	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.38	88.20	-31.82	48.23	3	Vertical	193	1.00	-	39.65	9.97	41.47			
AV	14.05G	45.39	68.20	-22.81	37.85	3	Vertical	146	1.00	-	40.80	11.28	44.54			
PK	14.05G	57.45	88.20	-30.75	49.91	3	Vertical	146	1.00	-	40.80	11.28	44.54			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	47.85	68.20	-20.35	46.68	3	Horizontal	6	1.72	-	32.60	7.42	38.85			
PK	5.925G	60.79	88.20	-27.41	59.62	3	Horizontal	6	1.72	-	32.60	7.42	38.85			
AV	10.562G	45.13	68.20	-23.07	37.41	3	Horizontal	354	1.92	-	39.92	10.03	42.23			
PK	10.562G	57.02	88.20	-31.18	49.30	3	Horizontal	354	1.92	-	39.92	10.03	42.23			
AV	12.05G	43.35	54.00	-10.65	36.46	3	Horizontal	44	1.00	-	39.50	10.24	42.85			
PK	12.05G	54.12	74.00	-19.88	47.23	3	Horizontal	44	1.00	-	39.50	10.24	42.85			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	47.64	68.20	-20.56	46.47	3	Vertical	46	3.25	-	32.60	7.42	38.85			
PK	5.925G	60.58	88.20	-27.62	59.41	3	Vertical	46	3.25	-	32.60	7.42	38.85			
AV	10.562G	43.56	68.20	-24.64	35.84	3	Vertical	142	1.00	-	39.92	10.03	42.23			
PK	10.562G	56.31	88.20	-31.89	48.59	3	Vertical	142	1.00	-	39.92	10.03	42.23			
AV	12.05G	43.39	54.00	-10.61	36.50	3	Vertical	155	1.00	-	39.50	10.24	42.85			
PK	12.05G	54.08	74.00	-19.92	47.19	3	Vertical	155	1.00	-	39.50	10.24	42.85			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.25	68.20	-29.95	39.24	3	Horizontal	105	1.12	-	30.53	6.42	37.94			
PK	4.438G	45.29	88.20	-42.91	46.28	3	Horizontal	105	1.12	-	30.53	6.42	37.94			
AV	10.562G	44.41	68.20	-23.79	36.26	3	Horizontal	314	1.88	-	39.65	9.97	41.47			
PK	10.562G	56.48	88.20	-31.72	48.33	3	Horizontal	314	1.88	-	39.65	9.97	41.47			
AV	12.37G	42.41	54.00	-11.59	35.72	3	Horizontal	35	1.00	-	38.48	10.67	42.46			
PK	12.37G	55.76	74.00	-18.24	49.07	3	Horizontal	35	1.00	-	38.48	10.67	42.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.55	68.20	-33.65	35.54	3	Vertical	336	1.41	-	30.53	6.42	37.94			
PK	4.438G	44.16	88.20	-44.04	45.15	3	Vertical	336	1.41	-	30.53	6.42	37.94			
AV	10.562G	43.24	68.20	-24.96	35.09	3	Vertical	161	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.15	88.20	-32.05	48.00	3	Vertical	161	1.00	-	39.65	9.97	41.47			
AV	12.37G	42.39	54.00	-11.61	35.70	3	Vertical	149	1.00	-	38.48	10.67	42.46			
PK	12.37G	55.52	74.00	-18.48	48.83	3	Vertical	149	1.00	-	38.48	10.67	42.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.35	68.20	-29.85	39.34	3	Horizontal	102	1.19	-	30.53	6.42	37.94			
PK	4.438G	45.06	88.20	-43.14	46.05	3	Horizontal	102	1.19	-	30.53	6.42	37.94			
AV	10.562G	45.39	68.20	-22.81	37.24	3	Horizontal	316	1.94	-	39.65	9.97	41.47			
PK	10.562G	57.42	88.20	-30.78	49.27	3	Horizontal	316	1.94	-	39.65	9.97	41.47			
AV	12.69G	42.17	54.00	-11.83	35.45	3	Horizontal	49	1.00	-	38.70	10.81	42.79			
PK	12.69G	55.51	74.00	-18.49	48.79	3	Horizontal	49	1.00	-	38.70	10.81	42.79			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.02	68.20	-34.18	35.01	3	Vertical	322	1.25	-	30.53	6.42	37.94			
PK	4.438G	43.84	88.20	-44.36	44.83	3	Vertical	322	1.25	-	30.53	6.42	37.94			
AV	10.562G	43.28	68.20	-24.92	35.13	3	Vertical	196	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.14	88.20	-32.06	47.99	3	Vertical	196	1.00	-	39.65	9.97	41.47			
AV	12.69G	42.49	54.00	-11.51	35.77	3	Vertical	143	1.00	-	38.70	10.81	42.79			
PK	12.69G	55.63	74.00	-18.37	48.91	3	Vertical	143	1.00	-	38.70	10.81	42.79			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.36	68.20	-29.84	39.35	3	Horizontal	85	1.42	-	30.53	6.42	37.94			
PK	4.438G	45.16	88.20	-43.04	46.15	3	Horizontal	85	1.42	-	30.53	6.42	37.94			
AV	10.562G	45.11	68.20	-23.09	36.96	3	Horizontal	269	1.35	-	39.65	9.97	41.47			
PK	10.562G	56.94	88.20	-31.26	48.79	3	Horizontal	269	1.35	-	39.65	9.97	41.47			
AV	13.01G	42.86	68.20	-25.34	35.96	3	Horizontal	51	1.00	-	39.08	10.97	43.15			
PK	13.01G	55.94	88.20	-32.26	49.04	3	Horizontal	51	1.00	-	39.08	10.97	43.15			

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.15	68.20	-34.05	35.14	3	Vertical	305	1.22	-	30.53	6.42	37.94			
PK	4.438G	44.19	88.20	-44.01	45.18	3	Vertical	305	1.22	-	30.53	6.42	37.94			
AV	10.562G	42.84	68.20	-25.36	34.69	3	Vertical	146	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.81	88.20	-32.39	47.66	3	Vertical	146	1.00	-	39.65	9.97	41.47			
AV	13.01G	42.79	68.20	-25.41	35.89	3	Vertical	104	1.00	-	39.08	10.97	43.15			
PK	13.01G	55.67	88.20	-32.53	48.77	3	Vertical	104	1.00	-	39.08	10.97	43.15			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.52	68.20	-30.68	38.51	3	Horizontal	109	1.12	-	30.53	6.42	37.94			
PK	4.438G	44.76	88.20	-43.44	45.75	3	Horizontal	109	1.12	-	30.53	6.42	37.94			
AV	10.562G	44.67	68.20	-23.53	36.52	3	Horizontal	305	1.91	-	39.65	9.97	41.47			
PK	10.562G	56.42	88.20	-31.78	48.27	3	Horizontal	305	1.91	-	39.65	9.97	41.47			
AV	13.33G	44.29	54.00	-9.71	37.27	3	Horizontal	32	1.00	-	39.48	11.12	43.58			
PK	13.33G	57.26	74.00	-16.74	50.24	3	Horizontal	32	1.00	-	39.48	11.12	43.58			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.54	68.20	-33.66	35.53	3	Vertical	338	1.47	-	30.53	6.42	37.94			
PK	4.438G	44.29	88.20	-43.91	45.28	3	Vertical	338	1.47	-	30.53	6.42	37.94			
AV	10.562G	43.05	68.20	-25.15	34.90	3	Vertical	172	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.12	88.20	-32.08	47.97	3	Vertical	172	1.00	-	39.65	9.97	41.47			
AV	13.33G	44.15	54.00	-9.85	37.13	3	Vertical	146	1.00	-	39.48	11.12	43.58			
PK	13.33G	57.06	74.00	-16.94	50.04	3	Vertical	146	1.00	-	39.48	11.12	43.58			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.94	68.20	-30.26	38.93	3	Horizontal	154	1.18	-	30.53	6.42	37.94			
PK	4.438G	45.36	88.20	-42.84	46.35	3	Horizontal	154	1.18	-	30.53	6.42	37.94			
AV	10.562G	44.89	68.20	-23.31	36.74	3	Horizontal	321	1.98	-	39.65	9.97	41.47			
PK	10.562G	56.55	88.20	-31.65	48.40	3	Horizontal	321	1.98	-	39.65	9.97	41.47			
AV	13.65G	44.05	68.20	-24.15	36.84	3	Horizontal	22	1.00	-	40.00	11.22	44.01			
PK	13.65G	56.94	88.20	-31.26	49.73	3	Horizontal	22	1.00	-	40.00	11.22	44.01			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	35.26	68.20	-32.94	36.25	3	Vertical	289	1.64	-	30.53	6.42	37.94			
PK	4.438G	44.68	88.20	-43.52	45.67	3	Vertical	289	1.64	-	30.53	6.42	37.94			
AV	10.562G	42.84	68.20	-25.36	34.69	3	Vertical	132	1.10	-	39.65	9.97	41.47			
PK	10.562G	55.89	88.20	-32.31	47.74	3	Vertical	132	1.10	-	39.65	9.97	41.47			
AV	13.65G	44.36	68.20	-23.84	37.15	3	Vertical	153	1.10	-	40.00	11.22	44.01			
PK	13.65G	57.62	88.20	-30.58	50.41	3	Vertical	153	1.10	-	40.00	11.22	44.01			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	48.26	68.20	-19.94	43.03	3	Horizontal	353	1.44	-	36.00	8.17	38.94			
PK	7.125G	58.84	88.20	-29.36	53.61	3	Horizontal	353	1.44	-	36.00	8.17	38.94			
AV	7.25G	46.40	54.00	-7.60	40.86	3	Horizontal	353	1.44	-	36.40	8.22	39.08			
PK	7.25G	59.37	74.00	-14.63	53.83	3	Horizontal	353	1.44	-	36.40	8.22	39.08			
AV	13.97G	46.38	68.20	-21.82	38.94	3	Horizontal	44	1.00	-	40.64	11.27	44.47			
PK	13.97G	56.32	88.20	-31.88	48.88	3	Horizontal	44	1.00	-	40.64	11.27	44.47			

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	48.12	68.20	-20.08	42.89	3	Vertical	28	3.44	-	36.00	8.17	38.94			
PK	7.125G	58.66	88.20	-29.54	53.43	3	Vertical	28	3.44	-	36.00	8.17	38.94			
AV	7.25G	46.29	54.00	-7.71	40.75	3	Vertical	28	3.44	-	36.40	8.22	39.08			
PK	7.25G	59.26	74.00	-14.74	53.72	3	Vertical	28	3.44	-	36.40	8.22	39.08			
AV	13.97G	45.64	68.20	-22.56	38.20	3	Vertical	139	1.00	-	40.64	11.27	44.47			
PK	13.97G	55.93	88.20	-32.27	48.49	3	Vertical	139	1.00	-	40.64	11.27	44.47			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	55.68	68.20	-12.52	54.67	3	Horizontal	8	1.71	-	32.30	7.33	38.62			
PK	5.925G	68.64	88.20	-19.56	67.63	3	Horizontal	8	1.71	-	32.30	7.33	38.62			
AV	10.562G	44.78	68.20	-23.42	36.63	3	Horizontal	306	1.84	-	39.65	9.97	41.47			
PK	10.562G	56.52	88.20	-31.68	48.37	3	Horizontal	306	1.84	-	39.65	9.97	41.47			
AV	12.21G	43.69	54.00	-10.31	36.60	3	Horizontal	8	1.00	-	38.80	10.61	42.32			
PK	12.21G	54.32	74.00	-19.68	47.23	3	Horizontal	8	1.00	-	38.80	10.61	42.32			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	5.925G	52.04	68.20	-16.16	51.03	3	Vertical	44	3.49	-	32.30	7.33	38.62			
PK	5.925G	64.38	88.20	-23.82	63.37	3	Vertical	44	3.49	-	32.30	7.33	38.62			
AV	10.562G	43.45	68.20	-24.75	35.30	3	Vertical	188	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.19	88.20	-32.01	48.04	3	Vertical	188	1.00	-	39.65	9.97	41.47			
AV	12.21G	43.39	54.00	-10.61	36.30	3	Vertical	152	1.00	-	38.80	10.61	42.32			
PK	12.21G	54.14	74.00	-19.86	47.05	3	Vertical	152	1.00	-	38.80	10.61	42.32			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.56	68.20	-30.64	38.55	3	Horizontal	124	1.11	-	30.53	6.42	37.94			
PK	4.438G	44.95	88.20	-43.25	45.94	3	Horizontal	124	1.11	-	30.53	6.42	37.94			
AV	10.562G	45.17	68.20	-23.03	37.02	3	Horizontal	258	1.75	-	39.65	9.97	41.47			
PK	10.562G	56.85	88.20	-31.35	48.70	3	Horizontal	258	1.75	-	39.65	9.97	41.47			
AV	12.53G	43.51	54.00	-10.49	36.99	3	Horizontal	25	1.00	-	38.40	10.73	42.61			
PK	12.53G	54.26	74.00	-19.74	47.74	3	Horizontal	25	1.00	-	38.40	10.73	42.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.51	68.20	-33.69	35.50	3	Vertical	301	1.29	-	30.53	6.42	37.94			
PK	4.438G	44.28	88.20	-43.92	45.27	3	Vertical	301	1.29	-	30.53	6.42	37.94			
AV	10.562G	43.04	68.20	-25.16	34.89	3	Vertical	165	1.00	-	39.65	9.97	41.47			
PK	10.562G	55.93	88.20	-32.27	47.78	3	Vertical	165	1.00	-	39.65	9.97	41.47			
AV	12.53G	43.26	54.00	-10.74	36.74	3	Vertical	149	1.00	-	38.40	10.73	42.61			
PK	12.53G	53.96	74.00	-20.04	47.44	3	Vertical	149	1.00	-	38.40	10.73	42.61			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz Straddle 5.925-6.425GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	37.44	68.20	-30.76	38.43	3	Horizontal	56	1.12	-	30.53	6.42	37.94			
PK	4.438G	44.78	88.20	-43.42	45.77	3	Horizontal	56	1.12	-	30.53	6.42	37.94			
AV	10.562G	44.72	68.20	-23.48	36.57	3	Horizontal	309	2.15	-	39.65	9.97	41.47			
PK	10.562G	56.49	88.20	-31.71	48.34	3	Horizontal	309	2.15	-	39.65	9.97	41.47			
AV	12.85G	43.66	68.20	-24.54	36.54	3	Horizontal	44	1.00	-	39.20	10.89	42.97			
PK	12.85G	54.59	88.20	-33.61	47.47	3	Horizontal	44	1.00	-	39.20	10.89	42.97			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6425MHz Straddle 5.925-6.425GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.59	68.20	-33.61	35.58	3	Vertical	259	1.26	-	30.53	6.42	37.94			
PK	4.438G	44.28	88.20	-43.92	45.27	3	Vertical	259	1.26	-	30.53	6.42	37.94			
AV	10.562G	43.25	68.20	-24.95	35.10	3	Vertical	184	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.02	88.20	-32.18	47.87	3	Vertical	184	1.00	-	39.65	9.97	41.47			
AV	12.85G	43.45	68.20	-24.75	36.33	3	Vertical	128	1.00	-	39.20	10.89	42.97			
PK	12.85G	54.15	88.20	-34.05	47.03	3	Vertical	128	1.00	-	39.20	10.89	42.97			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	38.45	68.20	-29.75	39.44	3	Horizontal	131	1.25	-	30.53	6.42	37.94			
PK	4.438G	45.56	88.20	-42.64	46.55	3	Horizontal	131	1.25	-	30.53	6.42	37.94			
AV	10.562G	45.13	68.20	-23.07	36.98	3	Horizontal	294	1.89	-	39.65	9.97	41.47			
PK	10.562G	56.87	88.20	-31.33	48.72	3	Horizontal	294	1.89	-	39.65	9.97	41.47			
AV	13.17G	46.38	68.20	-21.82	39.53	3	Horizontal	24	1.00	-	39.16	11.05	43.36			
PK	13.17G	56.33	88.20	-31.87	49.48	3	Horizontal	24	1.00	-	39.16	11.05	43.36			

6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6585MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	4.438G	34.75	68.20	-33.45	35.74	3	Vertical	321	1.46	-	30.53	6.42	37.94			
PK	4.438G	44.53	88.20	-43.67	45.52	3	Vertical	321	1.46	-	30.53	6.42	37.94			
AV	10.562G	43.06	68.20	-25.14	34.91	3	Vertical	152	1.00	-	39.65	9.97	41.47			
PK	10.562G	56.21	88.20	-31.99	48.06	3	Vertical	152	1.00	-	39.65	9.97	41.47			
AV	13.17G	45.96	68.20	-22.24	39.11	3	Vertical	144	1.00	-	39.16	11.05	43.36			
PK	13.17G	56.22	88.20	-31.98	49.37	3	Vertical	144	1.00	-	39.16	11.05	43.36			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	46.27	68.20	-21.93	41.04	3	Horizontal	12	1.61	-	36.00	8.17	38.94			
PK	7.125G	60.36	88.20	-27.84	55.13	3	Horizontal	12	1.61	-	36.00	8.17	38.94			
AV	7.25G	46.36	54.00	-7.64	40.82	3	Horizontal	12	1.61	-	36.40	8.22	39.08			
PK	7.25G	59.55	74.00	-14.45	54.01	3	Horizontal	12	1.61	-	36.40	8.22	39.08			
AV	13.49G	46.24	68.20	-21.96	38.87	3	Horizontal	28	1.00	-	39.96	11.20	43.79			
PK	13.49G	56.24	88.20	-31.96	48.87	3	Horizontal	28	1.00	-	39.96	11.20	43.79			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6745MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	46.14	68.20	-22.06	40.91	3	Vertical	28	3.46	-	36.00	8.17	38.94			
PK	7.125G	60.25	88.20	-27.95	55.02	3	Vertical	28	3.46	-	36.00	8.17	38.94			
AV	7.25G	46.21	54.00	-7.79	40.67	3	Vertical	28	3.46	-	36.40	8.22	39.08			
PK	7.25G	59.44	74.00	-14.56	53.90	3	Vertical	28	3.46	-	36.40	8.22	39.08			
AV	13.49G	45.72	68.20	-22.48	38.35	3	Vertical	152	1.00	-	39.96	11.20	43.79			
PK	13.49G	56.03	88.20	-32.17	48.66	3	Vertical	152	1.00	-	39.96	11.20	43.79			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6905MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	50.24	68.20	-17.96	45.01	3	Horizontal	15	1.64	-	36.00	8.17	38.94			
PK	7.125G	62.11	88.20	-26.09	56.88	3	Horizontal	15	1.64	-	36.00	8.17	38.94			
AV	7.25G	49.55	54.00	-4.45	44.01	3	Horizontal	15	1.64	-	36.40	8.22	39.08			
PK	7.25G	61.28	74.00	-12.72	55.74	3	Horizontal	15	1.64	-	36.40	8.22	39.08			
AV	13.81G	46.15	68.20	-22.05	39.05	3	Horizontal	34	1.00	-	40.10	11.24	44.24			
PK	13.81G	56.12	88.20	-32.08	49.02	3	Horizontal	34	1.00	-	40.10	11.24	44.24			

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB/m)	CL (dB)	PA (dB)			
AV	7.125G	52.04	68.20	-16.16	46.81	3	Vertical	25	3.50	-	36.00	8.17	38.94			
PK	7.125G	63.57	88.20	-24.63	58.34	3	Vertical	25	3.50	-	36.00	8.17	38.94			
AV	7.25G	50.17	54.00	-3.83	44.63	3	Vertical	25	3.50	-	36.40	8.22	39.08			
PK	7.25G	62.58	74.00	-11.42	57.04	3	Vertical	25	3.50	-	36.40	8.22	39.08			
AV	13.81G	45.62	68.20	-22.58	38.52	3	Vertical	142	1.00	-	40.10	11.24	44.24			
PK	13.81G	55.91	88.20	-32.29	48.81	3	Vertical	142	1.00	-	40.10	11.24	44.24			

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	5.94G	-13.74	5.972G	-59.78	-53.74	-6.04	1
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	6.4022G	-7.97	6.5G	-55.91	-47.97	-7.94	1
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	6.17257G	-4.73	6.321G	-51.91	-44.73	-7.18	2
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	6.11867G	-2.28	6.5098G	-47.85	-42.28	-5.57	1
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	Pass	6.233G	2.17	6.8202G	-41.40	-37.83	-3.57	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	6.50801G	-9.99	6.4685G	-58.69	-49.99	-8.70	2
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	6.46742G	-7.64	6.4144G	-56.13	-47.64	-8.49	1
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	6.44062G	-4.79	6.3254G	-51.81	-44.79	-7.02	2
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	6.53777G	-1.83	6.8986G	-47.42	-41.83	-5.59	1
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	Pass	6.6393G	2.46	6.049G	-41.63	-37.54	-4.09	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	6.8537G	-9.70	6.8919G	-58.36	-49.70	-8.66	1
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	6.8426G	-7.36	6.943G	-55.09	-47.36	-7.73	1
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	6.7022G	-5.11	6.8994G	-51.19	-45.11	-6.08	1
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	6.68018G	-1.29	6.9882G	-46.81	-41.29	-5.52	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	Pass	7.12G	-13.59	7.1601G	-58.29	-53.59	-4.70	1
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	Pass	7.06742G	-7.83	6.9886G	-54.39	-47.83	-6.56	2
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	Pass	6.88218G	-4.65	7.0082G	-50.49	-44.65	-5.84	1
802.11be EHT160_Nss1,(MCS0)_2TX-OFDMA	Pass	6.83859G	-2.27	7.2114G	-47.26	-42.27	-4.99	1
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	Pass	6.6891G	1.85	7.4954G	-42.16	-38.15	-4.01	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5935MHz	Pass	5.94G	-13.74	5.972G	-59.78	-53.74	-6.04	1
5935MHz	Pass	5.94259G	-13.51	5.9771G	-59.67	-53.51	-6.16	2
5955MHz	Pass	5.9573G	-9.92	6.0038G	-59.52	-49.92	-9.60	1
5955MHz	Pass	5.96359G	-9.50	5.995G	-59.44	-49.50	-9.94	2
6175MHz	Pass	6.18079G	-10.67	6.223G	-59.46	-50.67	-8.79	1
6175MHz	Pass	6.18199G	-10.04	6.2216G	-59.33	-50.04	-9.29	2
6415MHz	Pass	6.42329G	-9.96	6.463G	-58.93	-49.96	-8.97	1
6415MHz	Pass	6.4174G	-9.99	6.4512G	-58.76	-49.99	-8.77	2
6435MHz	Pass	6.42751G	-9.84	6.4755G	-58.89	-49.84	-9.05	1
6435MHz	Pass	6.44129G	-9.91	6.4771G	-58.75	-49.91	-8.84	2
6475MHz	Pass	6.48379G	-9.22	6.5099G	-58.74	-49.08	-9.66	1
6475MHz	Pass	6.4724G	-9.49	6.4378G	-58.83	-49.49	-9.34	2
6515MHz	Pass	6.52119G	-10.06	6.4765G	-58.91	-50.06	-8.85	1
6515MHz	Pass	6.50801G	-9.99	6.4685G	-58.69	-49.99	-8.70	2
6535MHz	Pass	6.54249G	-9.80	6.497G	-58.82	-49.80	-9.02	1
6535MHz	Pass	6.5319G	-9.94	6.4904G	-58.71	-49.94	-8.77	2
6715MHz	Pass	6.7105G	-10.07	6.764G	-59.56	-50.07	-9.49	1
6715MHz	Pass	6.70731G	-9.68	6.7584G	-59.08	-49.68	-9.40	2
6855MHz	Pass	6.8537G	-9.70	6.8919G	-58.36	-49.70	-8.66	1
6855MHz	Pass	6.84751G	-9.54	6.8987G	-58.26	-49.54	-8.72	2
6875MHz Straddle 6.875-7.125GHz	Pass	6.8725G	-9.95	6.9121G	-58.07	-49.95	-8.12	1
6875MHz Straddle 6.875-7.125GHz	Pass	6.86751G	-9.82	6.9121G	-57.30	-49.82	-7.48	2
6895MHz	Pass	6.88871G	-10.14	6.9441G	-57.87	-50.14	-7.73	1
6895MHz	Pass	6.88871G	-9.90	6.9395G	-57.98	-49.90	-8.08	2
7015MHz	Pass	7.00611G	-9.56	6.9655G	-57.66	-49.56	-8.10	1
7015MHz	Pass	7.02239G	-9.44	6.9718G	-57.63	-49.44	-8.19	2
7095MHz	Pass	7.0944G	-9.77	7.1431G	-58.33	-49.77	-8.56	1
7095MHz	Pass	7.10149G	-9.79	7.1424G	-58.04	-49.79	-8.25	2
7115MHz	Pass	7.12G	-13.59	7.1601G	-58.29	-53.59	-4.70	1
7115MHz	Pass	7.12249G	-13.31	7.1561G	-58.35	-53.31	-5.04	2
802.11be EHT40_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9626G	-7.66	6.039G	-56.93	-47.66	-9.27	1
5965MHz	Pass	5.97879G	-7.35	6.0476G	-56.91	-47.35	-9.56	2
6165MHz	Pass	6.14642G	-8.16	6.2578G	-56.62	-48.16	-8.46	1
6165MHz	Pass	6.15141G	-7.11	6.2588G	-56.51	-47.11	-9.40	2
6405MHz	Pass	6.4022G	-7.97	6.5G	-55.91	-47.97	-7.94	1
6405MHz	Pass	6.38782G	-7.61	6.4798G	-56.00	-47.61	-8.39	2
6445MHz	Pass	6.43281G	-7.32	6.3732G	-56.39	-47.32	-9.07	1
6445MHz	Pass	6.43121G	-7.31	6.361G	-56.31	-47.31	-9.00	2

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6485MHz	Pass	6.46742G	-7.64	6.4144G	-56.13	-47.64	-8.49	1
6485MHz	Pass	6.50118G	-7.13	6.41G	-56.17	-47.13	-9.04	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.54238G	-7.28	6.4576G	-56.14	-47.27	-8.87	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.52G	-6.82	6.4564G	-56.12	-46.82	-9.30	2
6565MHz	Pass	6.5624G	-7.23	6.4894G	-55.98	-47.23	-8.75	1
6565MHz	Pass	6.55981G	-7.05	6.4976G	-55.93	-46.99	-8.94	2
6725MHz	Pass	6.7224G	-7.72	6.8248G	-56.21	-47.72	-8.49	1
6725MHz	Pass	6.71641G	-7.26	6.8234G	-56.42	-47.26	-9.16	2
6845MHz	Pass	6.8426G	-7.36	6.943G	-55.09	-47.36	-7.73	1
6845MHz	Pass	6.83641G	-7.45	6.912G	-55.22	-47.45	-7.77	2
6885MHz Straddle 6.875-7.125GHz	Pass	6.86702G	-7.60	6.9842G	-54.90	-47.60	-7.30	1
6885MHz Straddle 6.875-7.125GHz	Pass	6.89619G	-7.40	6.9808G	-55.02	-47.40	-7.62	2
6925MHz	Pass	6.90862G	-7.65	6.9994G	-54.89	-47.65	-7.24	1
6925MHz	Pass	6.91121G	-7.45	7.0074G	-54.86	-47.45	-7.41	2
7005MHz	Pass	7.0024G	-7.36	6.938G	-55.24	-47.29	-7.95	1
7005MHz	Pass	6.99341G	-7.29	6.912G	-55.01	-47.29	-7.72	2
7085MHz	Pass	7.0826G	-7.96	7.0092G	-54.86	-47.96	-6.90	1
7085MHz	Pass	7.06742G	-7.83	6.9886G	-54.39	-47.83	-6.56	2
802.11be EHT80_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
5985MHz	Pass	6.02016G	-4.84	6.1726G	-52.51	-44.84	-7.67	1
5985MHz	Pass	5.99139G	-4.50	6.175G	-52.30	-44.50	-7.80	2
6145MHz	Pass	6.17017G	-4.65	6.3354G	-52.00	-44.65	-7.35	1
6145MHz	Pass	6.17257G	-4.73	6.321G	-51.91	-44.73	-7.18	2
6385MHz	Pass	6.42216G	-4.46	6.2414G	-52.19	-44.46	-7.73	1
6385MHz	Pass	6.34704G	-4.15	6.2514G	-52.03	-44.15	-7.88	2
6465MHz	Pass	6.45861G	-4.80	6.3162G	-51.94	-44.80	-7.14	1
6465MHz	Pass	6.44062G	-4.79	6.3254G	-51.81	-44.79	-7.02	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.53661G	-4.38	6.405G	-51.85	-44.38	-7.47	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.5426G	-4.13	6.3562G	-51.72	-44.13	-7.59	2
6625MHz	Pass	6.61941G	-4.76	6.4902G	-51.64	-44.70	-6.94	1
6625MHz	Pass	6.61701G	-4.42	6.4834G	-51.54	-44.42	-7.12	2
6705MHz	Pass	6.7022G	-5.11	6.8994G	-51.19	-45.11	-6.08	1
6705MHz	Pass	6.701G	-4.71	6.8974G	-51.20	-44.71	-6.49	2
6785MHz	Pass	6.80018G	-4.35	6.9706G	-50.63	-44.35	-6.28	1
6785MHz	Pass	6.781G	-4.43	6.981G	-50.60	-44.43	-6.17	2
6865MHz Straddle 6.875-7.125GHz	Pass	6.88218G	-4.65	7.0082G	-50.49	-44.65	-5.84	1
6865MHz Straddle 6.875-7.125GHz	Pass	6.85381G	-3.99	7.0018G	-50.59	-43.99	-6.60	2
6945MHz	Pass	6.91623G	-4.44	7.1426G	-51.48	-44.44	-7.04	1
6945MHz	Pass	6.93501G	-4.30	7.143G	-51.39	-44.30	-7.09	2
7025MHz	Pass	7.00222G	-3.83	7.2222G	-50.92	-43.83	-7.09	1
7025MHz	Pass	7.00022G	-4.72	7.1978G	-50.94	-44.72	-6.22	2
802.11be	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
EHT160_Nss1,(MCS0)_2TX-OFDMA								
6025MHz	Pass	6.04658G	-1.56	6.4002G	-48.27	-41.56	-6.71	1
6025MHz	Pass	6.05057G	-1.08	6.3154G	-47.83	-41.08	-6.75	2
6185MHz	Pass	6.11867G	-2.28	6.5098G	-47.85	-42.28	-5.57	1
6185MHz	Pass	6.189G	-0.94	6.4594G	-47.58	-40.94	-6.64	2
6345MHz	Pass	6.41053G	-2.04	5.9618G	-48.55	-42.04	-6.51	1
6345MHz	Pass	6.32822G	-1.65	6.013G	-48.40	-41.65	-6.75	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.53777G	-1.83	6.8986G	-47.42	-41.83	-5.59	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.42988G	-1.32	6.901G	-47.41	-41.32	-6.09	2
6665MHz	Pass	6.68018G	-1.29	6.9882G	-46.81	-41.29	-5.52	1
6665MHz	Pass	6.61865G	-1.10	6.989G	-46.82	-41.10	-5.72	2
6825MHz Straddle 6.875-7.125GHz	Pass	6.83859G	-2.27	7.2114G	-47.26	-42.27	-4.99	1
6825MHz Straddle 6.875-7.125GHz	Pass	6.77305G	-1.61	7.2218G	-47.27	-41.61	-5.66	2
6985MHz	Pass	6.96182G	-1.98	7.3778G	-46.97	-41.98	-4.99	1
6985MHz	Pass	6.99139G	-1.57	7.3834G	-46.94	-41.57	-5.37	2
802.11be EHT320_Nss1,(MCS0)_2TX-OFDMA	-	-	-	-	-	-	-	-
6105MHz	Pass	6.081G	2.22	6.9034G	-43.69	-37.78	-5.91	1
6105MHz	Pass	6.0523G	2.09	6.649G	-41.84	-37.91	-3.93	2
6265MHz	Pass	6.1116G	2.34	7.0026G	-42.94	-37.66	-5.28	1
6265MHz	Pass	6.233G	2.17	6.8202G	-41.40	-37.83	-3.57	2
6425MHz Straddle 5.925-6.425GHz	Pass	6.4122G	2.24	6.969G	-41.41	-37.76	-3.65	1
6425MHz Straddle 5.925-6.425GHz	Pass	6.3707G	2.30	6.9738G	-42.18	-37.70	-4.48	2
6585MHz Straddle 6.425-6.525GHz	Pass	6.5402G	2.89	6.049G	-42.35	-37.11	-5.24	1
6585MHz Straddle 6.425-6.525GHz	Pass	6.6393G	2.46	6.049G	-41.63	-37.54	-4.09	2
6745MHz Straddle 6.875-7.125GHz	Pass	6.6891G	1.85	7.4954G	-42.16	-38.15	-4.01	1
6745MHz Straddle 6.875-7.125GHz	Pass	6.6986G	2.51	7.4954G	-42.09	-37.49	-4.60	2
6905MHz Straddle 6.875-7.125GHz	Pass	6.8826G	2.56	6.3738G	-41.73	-37.44	-4.29	1
6905MHz Straddle 6.875-7.125GHz	Pass	6.7548G	2.83	6.3738G	-41.72	-37.17	-4.55	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


5935MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


5955MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6175MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6415MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6435MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6475MHz_TX



6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6515MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6535MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6715MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6855MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6875MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


6895MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


7015MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


7095MHz_TX



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK


7115MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


5965MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6165MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6405MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6445MHz_TX



6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX






6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6525MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6565MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6725MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6845MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6885MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


6925MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


7005MHz_TX



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK


7085MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


5985MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6145MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6385MHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6465MHz_TX



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6545MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6625MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6705MHz_TX



6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6785MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6865MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


6945MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK


7025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6025MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6185MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6345MHz_TX



6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6505MHz Straddle 6.425-6.525GHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6665MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6825MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK


6985MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK


6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK


6265MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK


6425MHz Straddle 5.925-6.425GHz_TX



6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX






6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK


6745MHz Straddle 6.875-7.125GHz_TX



6.875-7.125GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz Straddle 6.875-7.125GHz_TX





Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°C Vmax	0.18	0.22	0.26	0.30
T20°C Vmin	0.07	0.12	0.19	0.21
T40°C Vnom	-1.08	-0.65	-0.24	-0.08
T30°C Vnom	-0.69	-0.36	-0.09	0.04
T20°C Vnom	0.16	0.19	0.21	0.22
T10°C Vnom	1.97	2.15	2.34	2.39
T0°C Vnom	3.28	3.78	4.21	4.40
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°C Vmax	0.19	0.16	0.21	0.25
T20°C Vmin	0.04	0.16	0.17	0.16
T40°C Vnom	-1.14	-0.94	-0.72	-0.64
T30°C Vnom	-0.75	-0.58	-0.42	-0.38
T20°C Vnom	0.14	0.16	0.19	0.20
T10°C Vnom	1.83	2.00	2.15	2.19
T0°C Vnom	2.99	3.38	3.80	3.92
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 40		Tmin [°C]: 0	

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-66.25	4.8	-71.05	-62	Ceased
				-69.25	4.8	-74.05	-62	Minimal
				-86.25	4.8	-91.05	-62	Normal
	6	6475	6474	-65.07	4.6	-69.67	-62	Ceased
				-69.07	4.6	-73.67	-62	Minimal
				-85.07	4.6	-89.67	-62	Normal
	7	6695	6694	-67.48	4.6	-72.08	-62	Ceased
				-70.48	4.6	-75.08	-62	Minimal
				-87.48	4.6	-92.08	-62	Normal
	8	6995	6994	-67.4	4.5	-71.9	-62	Ceased
				-70.4	4.5	-74.9	-62	Minimal
				-87.4	4.5	-91.9	-62	Normal


Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6105	5950	-68.8	4.8	-73.6	-62	Ceased
				-71.8	4.8	-76.6	-62	Minimal
				-88.8	4.8	-93.6	-62	Normal
	5 / 6 / 7	6425	6270	-68.97	4.6	-73.57	-62	Ceased
				-72.97	4.6	-77.57	-62	Minimal
				-89.97	4.6	-94.57	-62	Normal
	7 / 8	6905	6900	-69.06	4.5	-73.56	-62	Ceased
				-72.06	4.5	-76.56	-62	Minimal
				-89.06	4.5	-93.56	-62	Normal

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-66.25	-71.05	V	V	V	V	V	V	V	V	V	V	100	90
	6	6475	6474	-65.07	-69.67	V	V	V	V	V	V	V	V	V	V	100	90
	7	6695	6694	-67.48	-72.08	V	V	V	V	V	V	V	V	V	X	90	90
	8	6995	6994	-67.4	-71.9	V	V	V	V	V	V	V	V	V	V	100	90


Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT320	5	6105	5950	-68.8	-73.6	V	V	V	V	V	V	V	V	X	V	90	90
			6100	-70.34	-75.14	V	V	V	V	V	X	V	V	V	V	90	90
			6260	-71.85	-76.65	V	V	V	V	V	V	V	V	V	V	100	90
	5/6/7	6425	6270	-68.97	-73.57	V	V	V	V	V	V	V	V	V	V	100	90
			6420	-70.48	-75.08	V	V	V	V	V	V	X	V	V	V	90	90
			6580	-70.18	-74.78	V	V	V	V	V	V	V	V	V	V	100	90
	7/8	6905	6750	-70.72	-75.22	V	V	V	V	V	V	V	V	V	X	90	90
			6900	-69.06	-73.56	V	V	V	V	V	V	X	V	V	V	90	90
			7060	-69.36	-73.86	V	V	V	V	V	V	V	V	V	V	100	90

Test plot of Incumbent signal

BW: 20 MHz / Frequency: 6194 MHz



BW: 20 MHz / Frequency: 6474 MHz



BW: 20 MHz / Frequency: 6694 MHz



BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 5950 MHz



BW: 320 MHz / Frequency: 6100 MHz




BW: 320 MHz / Frequency: 6260 MHz




BW: 320 MHz / Frequency: 6270 MHz



BW: 320 MHz / Frequency: 6420 MHz



BW: 320 MHz / Frequency: 6580 MHz



BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz



BW: 320 MHz / Frequency: 7060 MHz

