
Instruction for 2.4G Remote Controller of Electric Baby Carrier



Buttons:

Forward: Direct the baby carrier to move forward

Backward: Direct the baby carrierto move backward

Paring: Pair the baby carrierwith a remote controller

Left: Direct the baby carrierto turn left

Right: Direct the baby carrierto turn right

Speed: Adjust the speed of the baby carrier's movement as low, moderate or high

Brake: Immediately stop the baby carrierand render it immovable until unlocking

Pairing Instruction

1. Turn on the power of the baby carrier, press and hold the pairing button until the

speed indicator light switches on without flashing

- 2. Release the pairing button, and the speed indicator light will switch off
- If the speed indicator light switches on again, then the pairing is successful; if not, please repeat steps 1 and 2
- 4. One successful pairing is all, and no more pairings are needed in later use

Warning Statement

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.