



Shenzhen CTL Testing Technology Co., Ltd.

Tel: +86-755-89486194 E-mail: ctl@ctl-lab.com

Appendix for 15.247


1. Bandwidth



1.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	6dB Bandwidth	Verdict
				Test Result (MHz)	
1M	2402	SISO	1	0.737	PASS
	2440	SISO	1	0.718	PASS
	2480	SISO	1	0.730	PASS



Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
1M	2402	SISO	1	1.044	Only for Report Use
	2440	SISO	1	1.050	Only for Report Use
	2480	SISO	1	1.044	Only for Report Use


1.2 Test Graph - 6dB Bandwidth





1.3 Test Graph - 99% Occupied Bandwidth








2. Maximum Conducted Output Power

2.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Peak Output Power (dBm)	Limits (dBm)	Verdict
			Ant 1		
1M	2402	SISO	-4.57	30	PASS
	2440	SISO	-4.15	30	PASS
	2480	SISO	-4.52	30	PASS

2.2 Test Graph








3. Maximum Power Spectral Density (PSD)

3.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Maximum Power Spectral Density (dBm/3KHz)	Limits (dBm/3kHz)	Verdict
			Ant 1		
1M	2402	SISO	-19.11	≤8	PASS
	2440	SISO	-18.09	≤8	PASS
	2480	SISO	-19.74	≤8	PASS

3.2 Test Graph





4. Unwanted Emissions in Non-restricted Frequency Bands

4.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	Spurious Conducted Emission (dBm)	Limits (dBm)	Verdict
1M	2402	SISO	1	Refer to test graph	-25.02	PASS
	2440	SISO	1	Refer to test graph	-25.02	PASS
	2480	SISO	1	Refer to test graph	-25.02	PASS

4.2 Test Graph

