



802.11ax-HE40 PSD - Ant 0 / Ant 0 + 1

Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11b PSD - Ant 1 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11g PSD - Ant 1 / Ant 0 + 1

Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11n-HT20 PSD - Ant 1 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11n-HT40 PSD - Ant 1 / Ant 0 + 1

Channel 03 (2422MHz)




Channel 06 (2437MHz)



Channel 09 (2452MHz)



Channel 06 (2437MHz)




The screenshot shows a Spectrum Analyzer interface. The main display area shows a signal spectrum with a prominent peak at 2.463523 GHz, labeled 'Mkr1'. The peak is marked with a green arrow and the value '-13.923 dBm'. The x-axis is labeled 'Frequency' and ranges from 2.450 GHz to 2.475 GHz. The y-axis is labeled 'Amplitude' and ranges from -80.00 dBm to 0.00 dBm. The display includes various settings and parameters:


- Input:** Input 1, 50 Ohm, Corrections Off, Fine Ref. Int (S), NE-E Off
- Coupling:** AC, Auto
- Attenuation:** #Att: 10 dB
- Power:** PNO: Fast Gate Off, IF Gain: Low, Sig Track: Off
- Power (RMS):** Avg/hold: 100/100, Trig: Free Run
- Frequency:** 2.463523 GHz
- Amplitude:** -13.923 dBm
- Marker:** Marker 1
- Marker Frequency:** 2.463523535 GHz
- Settings:** Peak Search, Next Peak, Next Pk Right, Next Pk Left, Minimum Peak, Marker Delta, Mkr --CF, Mkr --Ref Lvl
- Continuous Peak Search:** On
- Center:** 2.462000 GHz
- #Video BW:** 30 kHz
- Span:** 29.00 MHz
- Sweep:** 117 ms (12000 pts)
- Resolution:** BW 10 kHz
- OS:** Oct 26, 2018 7:43:42 PM

802.11VHT40 PSD - Ant 1 / Ant 0 + 1


Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11ax-HE20 PSD - Ant 1 / Ant 0 + 1

Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11ax-HE40 PSD - Ant 1 / Ant 0 + 1

Channel 03 (2422MHz)



Channel 06 (2437MHz)



Channel 09 (2452MHz)



Product	HAN Access Point	Temperature	23°C
Test Engineer	Andy Zhu	Relative Humidity	54%
Test Site	TR3	Test Date	2019/10/25
Configuration	AP321	Test Item	Power Spectral Density
Antenna Model No	Scan Antenna		


Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	AVG PSD (dBm / 10kHz)	Duty Cycle (%)	Constant Factor	Total AVG PSD (dBm / 3kHz)	Limit (dBm / 3kHz)	Result
11b	1Mbps	01	2412	-14.73	99.43	-5.23	-19.96	≤ 8.00	Pass
11b	1Mbps	06	2437	-17.77	99.43	-5.23	-23.00	≤ 8.00	Pass
11b	1Mbps	11	2462	-14.25	99.43	-5.23	-19.48	≤ 8.00	Pass
11g	6Mbps	01	2412	-22.40	95.51	-5.23	-27.43	≤ 8.00	Pass
11g	6Mbps	06	2437	-18.59	95.51	-5.23	-23.62	≤ 8.00	Pass
11g	6Mbps	11	2462	-18.29	95.51	-5.23	-23.32	≤ 8.00	Pass

Note 1: When EUT duty cycle ≥ 98%, Total AVG PSD = Scan antenna AVG PSD + Constant Factor.


Note 2: When EUT duty cycle < 98%, Total AVG PSD = Scan antenna AVG PSD + 10*log (1/duty cycle) + Constant Factor.

802.11b PSD - Scan Antenna


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11g PSD - Scan Antenna


Channel 01 (2412MHz)



Channel 06 (2437MHz)



Channel 11 (2462MHz)




Product	HAN Access Point	Temperature	23°C
Test Engineer	Andy Zhu	Relative Humidity	54%
Test Site	TR3	Test Date	2019/10/23
Configuration	AP321e	Test Item	Power Spectral Density

Test Mode	Data Rate/ MCS	Channel No.	Freq. (MHz)	Ant 0 AVGPPSD (dBm / 10kHz)	Ant 1 AVGPPSD (dBm / 10kHz)	Duty Cycle (%)	Constant Factor	Total AVGPPSD (dBm / 3kHz)	Limit (dBm / 3kHz)	Result
Ant 0 + 1										
11b	1Mbps	01	2412	-8.31	-8.14	60.38	-5.23	-8.25	≤ 7.49	Pass
11b	1Mbps	06	2437	-8.91	-8.79	60.38	-5.23	-8.88	≤ 7.49	Pass
11b	1Mbps	11	2462	-9.10	-11.53	60.38	-5.23	-10.17	≤ 7.49	Pass
11g	6Mbps	01	2412	-12.78	-15.18	91.08	-5.23	-15.63	≤ 7.49	Pass
11g	6Mbps	06	2437	-11.41	-11.36	91.08	-5.23	-13.20	≤ 7.49	Pass
11g	6Mbps	11	2462	-13.35	-13.79	91.08	-5.23	-15.38	≤ 7.49	Pass
11n-HT20	MCS0	01	2412	-13.59	-13.96	95.26	-5.23	-15.78	≤ 7.49	Pass
11n-HT20	MCS0	06	2437	-11.84	-12.17	95.26	-5.23	-14.01	≤ 7.49	Pass
11n-HT20	MCS0	11	2462	-14.80	-15.33	95.26	-5.23	-17.06	≤ 7.49	Pass
11n-HT40	MCS0	03	2422	-17.03	-17.57	85.94	-5.23	-18.85	≤ 7.49	Pass
11n-HT40	MCS0	06	2437	-14.22	-15.22	85.94	-5.23	-16.25	≤ 7.49	Pass
11n-HT40	MCS0	09	2452	-19.03	-19.41	85.94	-5.23	-20.78	≤ 7.49	Pass
11ac-VHT20	MCS0	01	2412	-13.93	-14.27	94.93	-5.23	-16.09	≤ 7.49	Pass
11ac-VHT20	MCS0	06	2437	-11.45	-12.50	94.93	-5.23	-13.94	≤ 7.49	Pass
11ac-VHT20	MCS0	11	2462	-15.43	-16.50	94.93	-5.23	-17.92	≤ 7.49	Pass
11ac-VHT40	MCS0	03	2422	-15.93	-16.39	86.11	-5.23	-17.72	≤ 7.49	Pass
11ac-VHT40	MCS0	06	2437	-14.72	-14.62	86.11	-5.23	-16.24	≤ 7.49	Pass
11ac-VHT40	MCS0	09	2452	-19.16	-19.46	86.11	-5.23	-20.88	≤ 7.49	Pass
11ax-HE20	MCS0	01	2412	-15.27	-15.65	95.24	-5.23	-17.46	≤ 7.49	Pass
11ax-HE20	MCS0	06	2437	-12.96	-12.81	95.24	-5.23	-14.89	≤ 7.49	Pass
11ax-HE20	MCS0	11	2462	-16.23	-16.91	95.24	-5.23	-18.56	≤ 7.49	Pass
11ax-HE40	MCS0	03	2422	-18.33	-19.19	93.70	-5.23	-20.67	≤ 7.49	Pass
11ax-HE40	MCS0	06	2437	-15.60	-15.87	93.70	-5.23	-17.67	≤ 7.49	Pass
11ax-HE40	MCS0	09	2452	-20.47	-21.24	93.70	-5.23	-22.77	≤ 7.49	Pass


Note: When EUT duty cycle < 98%, Total AVGPPSD = $10 \cdot \log \{10^{(\text{Ant 0 AVGPPSD}/10)} + 10^{(\text{Ant 1 AVGPPSD}/10)}\} + 10 \cdot \log (1/\text{duty cycle}) + \text{Constant Factor}$.

802.11b PSD - Ant 0 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11g PSD - Ant 0 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11n-HT20 PSD - Ant 0 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11n-HT40 PSD - Ant 0 / Ant 0 + 1


Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11VHT20 PSD - Ant 0 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11VHT40 PSD - Ant 0 / Ant 0 + 1


Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11ax-HE20 PSD - Ant 0 / Ant 0 + 1


Channel 03 (2412MHz)



Channel 06 (2437MHz)




Channel 09 (2462MHz)




802.11ax-HE40 PSD - Ant 0 / Ant 0 + 1


Channel 03 (2422MHz)



Channel 06 (2437MHz)




Channel 09 (2452MHz)




802.11b PSD - Ant 1 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11g PSD - Ant 1 / Ant 0 + 1


Channel 01 (2412MHz)



Channel 06 (2437MHz)




Channel 11 (2462MHz)




802.11n-HT20 PSD - Ant 1 / Ant 0 + 1

Channel 01 (2412MHz)



Channel 06 (2437MHz)



Channel 11 (2462MHz)

