


EXHIBIT C

1. LTE_Band5


**1.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-69.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.54	-13	Pass	2985
30	814	0.1	RMS	608.474	-62.01	-13	Pass	7840
814	860	0.1	RMS	824.273	21.21	60	Pass	601
860	1000	0.1	RMS	871.408	-62.62	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.71	-13	Pass	2000
3000	10000	1	RMS	9985.998	-45.04	-13	Pass	7000




1.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.77	-13	Pass	2985
30	814	0.1	RMS	812.6	-62.09	-13	Pass	7840
814	860	0.1	RMS	824.273	20.2	60	Pass	601
860	1000	0.1	RMS	920.043	-62.74	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.66	-13	Pass	2000
3000	10000	1	RMS	9982.998	-45.08	-13	Pass	7000




1.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-70.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.86	-13	Pass	2985
30	814	0.1	RMS	797.898	-62.2	-13	Pass	7840
814	860	0.1	RMS	836.08	21.35	60	Pass	601
860	1000	0.1	RMS	870.708	-62.73	-13	Pass	1400
1000	3000	1	RMS	2434.717	-45.55	-13	Pass	2000
3000	10000	1	RMS	9983.998	-45.04	-13	Pass	7000




1.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-70.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.91	-13	Pass	2985
30	814	0.1	RMS	810.5	-62.23	-13	Pass	7840
814	860	0.1	RMS	836.08	20.31	60	Pass	601
860	1000	0.1	RMS	899.929	-62.79	-13	Pass	1400
1000	3000	1	RMS	1672.336	-47.12	-13	Pass	2000
3000	10000	1	RMS	9979.997	-44.96	-13	Pass	7000




1.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.03	-13	Pass	2985
30	814	0.1	RMS	808.999	-62.13	-13	Pass	7840
814	860	0.1	RMS	847.887	21.16	60	Pass	601
860	1000	0.1	RMS	914.139	-62.68	-13	Pass	1400
1000	3000	1	RMS	2428.714	-46.05	-13	Pass	2000
3000	10000	1	RMS	9985.998	-45.1	-13	Pass	7000




1.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-69.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.82	-13	Pass	2985
30	814	0.1	RMS	803.399	-62.29	-13	Pass	7840
814	860	0.1	RMS	847.887	20.45	60	Pass	601
860	1000	0.1	RMS	860.1	-62.74	-13	Pass	1400
1000	3000	1	RMS	2434.717	-43.28	-13	Pass	2000
3000	10000	1	RMS	9987.998	-45.07	-13	Pass	7000




1.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-69.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.47	-13	Pass	2985
30	814	0.1	RMS	608.474	-61.93	-13	Pass	7840
814	860	0.1	RMS	824.273	20.97	60	Pass	601
860	1000	0.1	RMS	871.808	-62.69	-13	Pass	1400
1000	3000	1	RMS	1648.324	-45.68	-13	Pass	2000
3000	10000	1	RMS	9982.998	-45.02	-13	Pass	7000




1.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.142	-69.94	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.6	-13	Pass	2985
30	814	0.1	RMS	801.598	-62.15	-13	Pass	7840
814	860	0.1	RMS	824.273	20.33	60	Pass	601
860	1000	0.1	RMS	913.738	-62.72	-13	Pass	1400
1000	3000	1	RMS	2432.716	-44.74	-13	Pass	2000
3000	10000	1	RMS	9991.999	-45.01	-13	Pass	7000




1.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-68.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.77	-13	Pass	2985
30	814	0.1	RMS	804.699	-62.08	-13	Pass	7840
814	860	0.1	RMS	835.237	21.54	60	Pass	601
860	1000	0.1	RMS	891.422	-62.52	-13	Pass	1400
1000	3000	1	RMS	2430.715	-45.63	-13	Pass	2000
3000	10000	1	RMS	9974.996	-45.08	-13	Pass	7000




1.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-69.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63	-13	Pass	2985
30	814	0.1	RMS	807.099	-62.26	-13	Pass	7840
814	860	0.1	RMS	835.237	20.66	60	Pass	601
860	1000	0.1	RMS	910.536	-62.73	-13	Pass	1400
1000	3000	1	RMS	1670.335	-47.05	-13	Pass	2000
3000	10000	1	RMS	9985.998	-45.05	-13	Pass	7000




1.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-70.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.49	-13	Pass	2985
30	814	0.1	RMS	800.098	-62.04	-13	Pass	7840
814	860	0.1	RMS	846.277	21.36	60	Pass	601
860	1000	0.1	RMS	900.229	-62.62	-13	Pass	1400
1000	3000	1	RMS	2538.769	-46.43	-13	Pass	2000
3000	10000	1	RMS	9981.997	-44.94	-13	Pass	7000




1.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-70.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.06	-13	Pass	2985
30	814	0.1	RMS	801.998	-62.23	-13	Pass	7840
814	860	0.1	RMS	846.277	20.35	60	Pass	601
860	1000	0.1	RMS	870.307	-62.74	-13	Pass	1400
1000	3000	1	RMS	2538.769	-47.04	-13	Pass	2000
3000	10000	1	RMS	9993.999	-45.04	-13	Pass	7000




1.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-70.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.72	-13	Pass	2985
30	814	0.1	RMS	608.374	-61.77	-13	Pass	7840
814	860	0.1	RMS	824.35	21.31	60	Pass	601
860	1000	0.1	RMS	910.536	-62.62	-13	Pass	1400
1000	3000	1	RMS	1648.324	-46.21	-13	Pass	2000
3000	10000	1	RMS	9991.999	-45.04	-13	Pass	7000




1.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.146	-70.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.66	-13	Pass	2985
30	814	0.1	RMS	608.374	-62.03	-13	Pass	7840
814	860	0.1	RMS	824.35	20.6	60	Pass	601
860	1000	0.1	RMS	910.836	-62.64	-13	Pass	1400
1000	3000	1	RMS	1648.324	-47.01	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.06	-13	Pass	7000




1.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-68.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.01	-13	Pass	2985
30	814	0.1	RMS	800.398	-62.13	-13	Pass	7840
814	860	0.1	RMS	834.317	21.61	60	Pass	601
860	1000	0.1	RMS	921.544	-62.62	-13	Pass	1400
1000	3000	1	RMS	1668.334	-46.31	-13	Pass	2000
3000	10000	1	RMS	9990.999	-44.97	-13	Pass	7000




1.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-70.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.97	-13	Pass	2985
30	814	0.1	RMS	793.397	-62.25	-13	Pass	7840
814	860	0.1	RMS	834.317	20.93	60	Pass	601
860	1000	0.1	RMS	890.021	-62.62	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.19	-13	Pass	2000
3000	10000	1	RMS	9978.997	-44.99	-13	Pass	7000




1.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-70.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.94	-13	Pass	2985
30	814	0.1	RMS	752.292	-62.19	-13	Pass	7840
814	860	0.1	RMS	844.36	21.56	60	Pass	601
860	1000	0.1	RMS	900.029	-62.39	-13	Pass	1400
1000	3000	1	RMS	2432.716	-45.43	-13	Pass	2000
3000	10000	1	RMS	9975.997	-44.94	-13	Pass	7000




1.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-69.97	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.37	-13	Pass	2985
30	814	0.1	RMS	809.599	-62.16	-13	Pass	7840
814	860	0.1	RMS	844.36	20.95	60	Pass	601
860	1000	0.1	RMS	910.936	-62.64	-13	Pass	1400
1000	3000	1	RMS	2434.717	-45.29	-13	Pass	2000
3000	10000	1	RMS	9978.997	-45.02	-13	Pass	7000




1.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-69.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.71	-13	Pass	2985
30	814	0.1	RMS	607.974	-62.04	-13	Pass	7840
814	860	0.1	RMS	824.58	21.49	60	Pass	601
860	1000	0.1	RMS	882.516	-62.59	-13	Pass	1400
1000	3000	1	RMS	1649.325	-45.65	-13	Pass	2000
3000	10000	1	RMS	9990.999	-45.06	-13	Pass	7000




1.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-70.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.25	-13	Pass	2985
30	814	0.1	RMS	608.074	-62.12	-13	Pass	7840
814	860	0.1	RMS	824.58	20.68	60	Pass	601
860	1000	0.1	RMS	879.114	-62.69	-13	Pass	1400
1000	3000	1	RMS	2432.716	-45.45	-13	Pass	2000
3000	10000	1	RMS	9989.999	-45.01	-13	Pass	7000




1.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-70.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.78	-13	Pass	2985
30	814	0.1	RMS	775.195	-62.15	-13	Pass	7840
814	860	0.1	RMS	832.093	21.64	60	Pass	601
860	1000	0.1	RMS	889.121	-62.65	-13	Pass	1400
1000	3000	1	RMS	1664.332	-45.95	-13	Pass	2000
3000	10000	1	RMS	9974.996	-45.02	-13	Pass	7000




1.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-70.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.82	-13	Pass	2985
30	814	0.1	RMS	778.996	-62.27	-13	Pass	7840
814	860	0.1	RMS	832.093	20.69	60	Pass	601
860	1000	0.1	RMS	911.737	-62.76	-13	Pass	1400
1000	3000	1	RMS	1664.332	-47.12	-13	Pass	2000
3000	10000	1	RMS	9974.996	-45.03	-13	Pass	7000




1.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-70.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.06	-13	Pass	2985
30	814	0.1	RMS	792.997	-62.15	-13	Pass	7840
814	860	0.1	RMS	839.607	21.6	60	Pass	601
860	1000	0.1	RMS	895.125	-62.64	-13	Pass	1400
1000	3000	1	RMS	2430.715	-43.64	-13	Pass	2000
3000	10000	1	RMS	9992.999	-45.03	-13	Pass	7000



1.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-69.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.14	-13	Pass	2985
30	814	0.1	RMS	777.395	-62.23	-13	Pass	7840
814	860	0.1	RMS	839.607	20.72	60	Pass	601
860	1000	0.1	RMS	896.526	-62.74	-13	Pass	1400
1000	3000	1	RMS	1679.34	-47	-13	Pass	2000
3000	10000	1	RMS	9982.998	-45.04	-13	Pass	7000



2. LTE_Band12


**2.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-69.83	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.67	-13	Pass	2985
30	689	0.1	RMS	490.27	-62.74	-13	Pass	6590
689	726	0.1	RMS	699.237	21.34	60	Pass	601
726	1000	0.1	RMS	775.218	-58.74	-13	Pass	2740
1000	3000	1	RMS	1398.199	-44.59	-13	Pass	2000
3000	10000	1	RMS	9973.996	-45.03	-13	Pass	7000




2.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.135	-68.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.2	-13	Pass	2985
30	689	0.1	RMS	484.269	-62.85	-13	Pass	6590
689	726	0.1	RMS	699.237	20.38	60	Pass	601
726	1000	0.1	RMS	775.218	-59.81	-13	Pass	2740
1000	3000	1	RMS	1398.199	-45.64	-13	Pass	2000
3000	10000	1	RMS	9977.997	-45.04	-13	Pass	7000




2.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.147	-70.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.43	-13	Pass	2985
30	689	0.1	RMS	497.971	-62.68	-13	Pass	6590
689	726	0.1	RMS	707.068	21.37	60	Pass	601
726	1000	0.1	RMS	764.714	-59.1	-13	Pass	2740
1000	3000	1	RMS	1414.207	-43.58	-13	Pass	2000
3000	10000	1	RMS	9985.998	-45.04	-13	Pass	7000




2.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-69.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.08	-13	Pass	2985
30	689	0.1	RMS	451.564	-62.86	-13	Pass	6590
689	726	0.1	RMS	707.068	20.23	60	Pass	601
726	1000	0.1	RMS	764.714	-59.72	-13	Pass	2740
1000	3000	1	RMS	1414.207	-44.76	-13	Pass	2000
3000	10000	1	RMS	9985.998	-45.06	-13	Pass	7000




2.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-70.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.17	-13	Pass	2985
30	689	0.1	RMS	456.965	-62.78	-13	Pass	6590
689	726	0.1	RMS	714.838	21.38	60	Pass	601
726	1000	0.1	RMS	754.41	-59.17	-13	Pass	2740
1000	3000	1	RMS	1429.215	-45.2	-13	Pass	2000
3000	10000	1	RMS	9982.998	-45.03	-13	Pass	7000




2.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-70.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.84	-13	Pass	2985
30	689	0.1	RMS	454.664	-62.89	-13	Pass	6590
689	726	0.1	RMS	714.838	20.59	60	Pass	601
726	1000	0.1	RMS	754.41	-59.79	-13	Pass	2740
1000	3000	1	RMS	2434.717	-44.94	-13	Pass	2000
3000	10000	1	RMS	9981.997	-45.02	-13	Pass	7000




2.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-69.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.72	-13	Pass	2985
30	689	0.1	RMS	451.164	-62.83	-13	Pass	6590
689	726	0.1	RMS	699.237	21.29	60	Pass	601
726	1000	0.1	RMS	775.218	-58.83	-13	Pass	2740
1000	3000	1	RMS	1398.199	-44.59	-13	Pass	2000
3000	10000	1	RMS	9982.998	-45.05	-13	Pass	7000




2.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-69.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.97	-13	Pass	2985
30	689	0.1	RMS	446.763	-62.86	-13	Pass	6590
689	726	0.1	RMS	699.237	20.53	60	Pass	601
726	1000	0.1	RMS	775.218	-59.05	-13	Pass	2740
1000	3000	1	RMS	2432.716	-44.3	-13	Pass	2000
3000	10000	1	RMS	9978.997	-45.05	-13	Pass	7000




2.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-69.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.31	-13	Pass	2985
30	689	0.1	RMS	449.964	-62.74	-13	Pass	6590
689	726	0.1	RMS	706.267	21.38	60	Pass	601
726	1000	0.1	RMS	765.815	-59.11	-13	Pass	2740
1000	3000	1	RMS	1412.206	-43.8	-13	Pass	2000
3000	10000	1	RMS	9986.998	-45.08	-13	Pass	7000




2.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.088	-70.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.04	-13	Pass	2985
30	689	0.1	RMS	480.268	-62.88	-13	Pass	6590
689	726	0.1	RMS	706.267	20.43	60	Pass	601
726	1000	0.1	RMS	765.915	-59.79	-13	Pass	2740
1000	3000	1	RMS	1412.206	-44.94	-13	Pass	2000
3000	10000	1	RMS	9994.999	-45.03	-13	Pass	7000




2.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-70.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.7	-13	Pass	2985
30	689	0.1	RMS	451.964	-62.79	-13	Pass	6590
689	726	0.1	RMS	713.235	21.4	60	Pass	601
726	1000	0.1	RMS	756.511	-59.11	-13	Pass	2740
1000	3000	1	RMS	1426.213	-44.57	-13	Pass	2000
3000	10000	1	RMS	9976.997	-45.07	-13	Pass	7000




2.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.112	-69.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.55	-13	Pass	2985
30	689	0.1	RMS	450.364	-62.89	-13	Pass	6590
689	726	0.1	RMS	713.235	20.47	60	Pass	601
726	1000	0.1	RMS	756.511	-59.59	-13	Pass	2740
1000	3000	1	RMS	1426.213	-45.49	-13	Pass	2000
3000	10000	1	RMS	9991.999	-45.04	-13	Pass	7000




2.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.117	-69.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.09	-13	Pass	2985
30	689	0.1	RMS	462.266	-62.72	-13	Pass	6590
689	726	0.1	RMS	699.36	21.19	60	Pass	601
726	1000	0.1	RMS	775.118	-59.05	-13	Pass	2740
1000	3000	1	RMS	2433.717	-44.24	-13	Pass	2000
3000	10000	1	RMS	9983.998	-45.04	-13	Pass	7000




2.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.102	-69.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.14	-13	Pass	2985
30	689	0.1	RMS	464.666	-62.78	-13	Pass	6590
689	726	0.1	RMS	699.36	20.59	60	Pass	601
726	1000	0.1	RMS	775.018	-59.27	-13	Pass	2740
1000	3000	1	RMS	2433.717	-44.14	-13	Pass	2000
3000	10000	1	RMS	9978.997	-45.02	-13	Pass	7000




2.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.132	-69.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.31	-13	Pass	2985
30	689	0.1	RMS	443.963	-62.81	-13	Pass	6590
689	726	0.1	RMS	705.342	21.46	60	Pass	601
726	1000	0.1	RMS	767.015	-59.17	-13	Pass	2740
1000	3000	1	RMS	1410.205	-44.67	-13	Pass	2000
3000	10000	1	RMS	9969.996	-45	-13	Pass	7000




2.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.52	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.8	-13	Pass	2985
30	689	0.1	RMS	468.166	-62.87	-13	Pass	6590
689	726	0.1	RMS	705.342	20.7	60	Pass	601
726	1000	0.1	RMS	767.015	-59.26	-13	Pass	2740
1000	3000	1	RMS	2430.715	-44.49	-13	Pass	2000
3000	10000	1	RMS	9980.997	-44.9	-13	Pass	7000




2.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-68.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.16	-13	Pass	2985
30	689	0.1	RMS	461.666	-62.73	-13	Pass	6590
689	726	0.1	RMS	711.323	21.33	60	Pass	601
726	1000	0.1	RMS	759.012	-59.14	-13	Pass	2740
1000	3000	1	RMS	2434.717	-45.04	-13	Pass	2000
3000	10000	1	RMS	9980.997	-45.04	-13	Pass	7000




2.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.142	-69.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.68	-13	Pass	2985
30	689	0.1	RMS	481.168	-62.83	-13	Pass	6590
689	726	0.1	RMS	711.323	20.45	60	Pass	601
726	1000	0.1	RMS	759.112	-59.4	-13	Pass	2740
1000	3000	1	RMS	1422.211	-46.15	-13	Pass	2000
3000	10000	1	RMS	9984.998	-44.97	-13	Pass	7000




2.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-69.16	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.2	-13	Pass	2985
30	689	0.1	RMS	479.168	-62.69	-13	Pass	6590
689	726	0.1	RMS	699.607	21.27	60	Pass	601
726	1000	0.1	RMS	774.718	-58.76	-13	Pass	2740
1000	3000	1	RMS	1399.2	-44.32	-13	Pass	2000
3000	10000	1	RMS	9476.925	-45.05	-13	Pass	7000




2.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-70.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62	-13	Pass	2985
30	689	0.1	RMS	452.264	-62.78	-13	Pass	6590
689	726	0.1	RMS	699.607	20.63	60	Pass	601
726	1000	0.1	RMS	774.718	-59.32	-13	Pass	2740
1000	3000	1	RMS	2429.715	-44.75	-13	Pass	2000
3000	10000	1	RMS	9979.997	-44.97	-13	Pass	7000




2.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-69.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.96	-13	Pass	2985
30	689	0.1	RMS	468.667	-62.79	-13	Pass	6590
689	726	0.1	RMS	703.122	21.19	60	Pass	601
726	1000	0.1	RMS	770.016	-58.86	-13	Pass	2740
1000	3000	1	RMS	1406.203	-43.86	-13	Pass	2000
3000	10000	1	RMS	9991.999	-45.05	-13	Pass	7000




2.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-69.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.15	-13	Pass	2985
30	689	0.1	RMS	464.566	-62.77	-13	Pass	6590
689	726	0.1	RMS	703.122	20.12	60	Pass	601
726	1000	0.1	RMS	770.016	-59.62	-13	Pass	2740
1000	3000	1	RMS	1406.203	-45.12	-13	Pass	2000
3000	10000	1	RMS	9982.998	-44.99	-13	Pass	7000




2.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-69.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.39	-13	Pass	2985
30	689	0.1	RMS	452.264	-62.67	-13	Pass	6590
689	726	0.1	RMS	706.575	21.35	60	Pass	601
726	1000	0.1	RMS	765.414	-58.79	-13	Pass	2740
1000	3000	1	RMS	1413.207	-43.47	-13	Pass	2000
3000	10000	1	RMS	9999	-45	-13	Pass	7000



2.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-69.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.82	-13	Pass	2985
30	689	0.1	RMS	463.066	-62.83	-13	Pass	6590
689	726	0.1	RMS	706.575	20.54	60	Pass	601
726	1000	0.1	RMS	765.414	-59.31	-13	Pass	2740
1000	3000	1	RMS	1413.207	-44.51	-13	Pass	2000
3000	10000	1	RMS	9977.997	-45.07	-13	Pass	7000



3. LTE_Band41 full


3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-70.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.48	-25	Pass	2985
30	1000	0.1	RMS	885.788	-62.01	-25	Pass	9700
1000	2486	1	RMS	2416.954	-47.02	-25	Pass	1486
2486	2700	1	RMS	2495.987	18.25	60	Pass	601
2700	3000	1	RMS	2709	-48.64	-25	Pass	601
3000	12000	1	RMS	11519.947	-53.48	-25	Pass	9000
12000	27000	1	RMS	25240.883	-40.41	-25	Pass	15000




3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-70.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.38	-25	Pass	2985
30	1000	0.1	RMS	906.89	-61.9	-25	Pass	9700
1000	2486	1	RMS	2414.952	-37.07	-25	Pass	1486
2486	2700	1	RMS	2495.987	17.46	60	Pass	601
2700	3000	1	RMS	2704	-48.68	-25	Pass	601
3000	12000	1	RMS	11516.946	-53.41	-25	Pass	9000
12000	27000	1	RMS	25251.883	-40.47	-25	Pass	15000




3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-70.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.93	-25	Pass	2985
30	1000	0.1	RMS	906.69	-61.95	-25	Pass	9700
1000	2486	1	RMS	2475.993	-49.21	-25	Pass	1486
2486	2700	1	RMS	2590.86	18.75	60	Pass	601
2700	3000	1	RMS	2706.5	-48.57	-25	Pass	601
3000	12000	1	RMS	11518.947	-53.48	-25	Pass	9000
12000	27000	1	RMS	25247.883	-40.36	-25	Pass	15000




3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-70.33	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.09	-25	Pass	2985
30	1000	0.1	RMS	918.092	-62.02	-25	Pass	9700
1000	2486	1	RMS	2450.976	-49.18	-25	Pass	1486
2486	2700	1	RMS	2590.86	17.35	60	Pass	601
2700	3000	1	RMS	2706	-48.59	-25	Pass	601
3000	12000	1	RMS	11506.945	-53.43	-25	Pass	9000
12000	27000	1	RMS	25264.884	-40.38	-25	Pass	15000




3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.08	-70.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.79	-25	Pass	2985
30	1000	0.1	RMS	908.191	-61.99	-25	Pass	9700
1000	2486	1	RMS	2454.979	-49.24	-25	Pass	1486
2486	2700	1	RMS	2685.377	19.11	60	Pass	601
2700	3000	1	RMS	2704.5	-47.51	-25	Pass	601
3000	12000	1	RMS	11519.947	-53.49	-25	Pass	9000
12000	27000	1	RMS	25242.883	-40.43	-25	Pass	15000




3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.139	-69.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.45	-25	Pass	2985
30	1000	0.1	RMS	914.291	-61.98	-25	Pass	9700
1000	2486	1	RMS	2451.977	-49.14	-25	Pass	1486
2486	2700	1	RMS	2685.377	18.45	60	Pass	601
2700	3000	1	RMS	2704.5	-47.76	-25	Pass	601
3000	12000	1	RMS	11512.946	-53.47	-25	Pass	9000
12000	27000	1	RMS	25243.883	-40.41	-25	Pass	15000




3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-70.74	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.81	-25	Pass	2985
30	1000	0.1	RMS	909.791	-61.98	-25	Pass	9700
1000	2486	1	RMS	2416.954	-45.44	-25	Pass	1486
2486	2700	1	RMS	2496.343	18.71	60	Pass	601
2700	3000	1	RMS	2701	-48.67	-25	Pass	601
3000	12000	1	RMS	4993.221	-52.61	-25	Pass	9000
12000	27000	1	RMS	25243.883	-40.25	-25	Pass	15000




3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-70.23	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.99	-25	Pass	2985
30	1000	0.1	RMS	896.589	-61.72	-25	Pass	9700
1000	2486	1	RMS	2408.948	-38.64	-25	Pass	1486
2486	2700	1	RMS	2496.7	17.26	60	Pass	601
2700	3000	1	RMS	2702	-48.66	-25	Pass	601
3000	12000	1	RMS	4993.221	-53.23	-25	Pass	9000
12000	27000	1	RMS	25254.884	-40.42	-25	Pass	15000




3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-69.71	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.73	-25	Pass	2985
30	1000	0.1	RMS	916.391	-61.85	-25	Pass	9700
1000	2486	1	RMS	2417.954	-47.83	-25	Pass	1486
2486	2700	1	RMS	2588.72	18.88	60	Pass	601
2700	3000	1	RMS	2703.5	-48.51	-25	Pass	601
3000	12000	1	RMS	11513.946	-53.48	-25	Pass	9000
12000	27000	1	RMS	25250.883	-40.32	-25	Pass	15000




3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.116	-70.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.09	-25	Pass	2985
30	1000	0.1	RMS	918.592	-61.88	-25	Pass	9700
1000	2486	1	RMS	2415.953	-39.08	-25	Pass	1486
2486	2700	1	RMS	2588.72	17.82	60	Pass	601
2700	3000	1	RMS	2703.5	-48.39	-25	Pass	601
3000	12000	1	RMS	11517.946	-53.38	-25	Pass	9000
12000	27000	1	RMS	25264.884	-40.25	-25	Pass	15000




3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.141	-69.98	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.83	-25	Pass	2985
30	1000	0.1	RMS	882.988	-61.7	-25	Pass	9700
1000	2486	1	RMS	2418.955	-47.08	-25	Pass	1486
2486	2700	1	RMS	2680.74	19.49	60	Pass	601
2700	3000	1	RMS	2700	-47.51	-25	Pass	601
3000	12000	1	RMS	11530.948	-53.4	-25	Pass	9000
12000	27000	1	RMS	25252.884	-40.22	-25	Pass	15000




3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-70.43	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.71	-25	Pass	2985
30	1000	0.1	RMS	925.292	-61.97	-25	Pass	9700
1000	2486	1	RMS	2405.946	-48.89	-25	Pass	1486
2486	2700	1	RMS	2680.383	18.4	60	Pass	601
2700	3000	1	RMS	2700	-47.52	-25	Pass	601
3000	12000	1	RMS	11525.947	-53.42	-25	Pass	9000
12000	27000	1	RMS	25261.884	-40.17	-25	Pass	15000




3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-70.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.19	-25	Pass	2985
30	1000	0.1	RMS	924.992	-61.85	-25	Pass	9700
1000	2486	1	RMS	2407.947	-42.36	-25	Pass	1486
2486	2700	1	RMS	2497.057	18.51	60	Pass	601
2700	3000	1	RMS	2704.5	-48.48	-25	Pass	601
3000	12000	1	RMS	11514.946	-53.36	-25	Pass	9000
12000	27000	1	RMS	25268.885	-40.25	-25	Pass	15000




3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-70.31	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.08	-25	Pass	2985
30	1000	0.1	RMS	923.692	-61.81	-25	Pass	9700
1000	2486	1	RMS	2482.998	-42.94	-25	Pass	1486
2486	2700	1	RMS	2497.057	18.34	60	Pass	601
2700	3000	1	RMS	2705	-48.46	-25	Pass	601
3000	12000	1	RMS	11514.946	-53.42	-25	Pass	9000
12000	27000	1	RMS	25250.883	-40.23	-25	Pass	15000




3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.148	-69.71	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.86	-25	Pass	2985
30	1000	0.1	RMS	906.89	-61.85	-25	Pass	9700
1000	2486	1	RMS	2470.99	-48.62	-25	Pass	1486
2486	2700	1	RMS	2586.58	18.78	60	Pass	601
2700	3000	1	RMS	2701.5	-48.28	-25	Pass	601
3000	12000	1	RMS	7759.529	-52.93	-25	Pass	9000
12000	27000	1	RMS	25253.884	-40.26	-25	Pass	15000




3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.59	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.52	-25	Pass	2985
30	1000	0.1	RMS	906.59	-61.89	-25	Pass	9700
1000	2486	1	RMS	2408.948	-40.2	-25	Pass	1486
2486	2700	1	RMS	2586.223	18.15	60	Pass	601
2700	3000	1	RMS	2701.5	-48.33	-25	Pass	601
3000	12000	1	RMS	11517.946	-53.35	-25	Pass	9000
12000	27000	1	RMS	25260.884	-40.28	-25	Pass	15000




3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-70.64	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.09	-25	Pass	2985
30	1000	0.1	RMS	927.893	-61.89	-25	Pass	9700
1000	2486	1	RMS	2415.953	-39.15	-25	Pass	1486
2486	2700	1	RMS	2675.747	19.07	60	Pass	601
2700	3000	1	RMS	2703	-48.14	-25	Pass	601
3000	12000	1	RMS	11520.947	-53.37	-25	Pass	9000
12000	27000	1	RMS	25246.883	-40.09	-25	Pass	15000




3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-70.53	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.54	-25	Pass	2985
30	1000	0.1	RMS	860.286	-61.81	-25	Pass	9700
1000	2486	1	RMS	2404.945	-47.86	-25	Pass	1486
2486	2700	1	RMS	2676.103	18.1	60	Pass	601
2700	3000	1	RMS	2702.5	-48.05	-25	Pass	601
3000	12000	1	RMS	11511.946	-53.38	-25	Pass	9000
12000	27000	1	RMS	25253.884	-40.18	-25	Pass	15000




3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.134	-70.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.4	-25	Pass	2985
30	1000	0.1	RMS	885.588	-61.92	-25	Pass	9700
1000	2486	1	RMS	2478.995	-41.48	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.86	60	Pass	601
2700	3000	1	RMS	2704.5	-48.41	-25	Pass	601
3000	12000	1	RMS	11518.947	-53.34	-25	Pass	9000
12000	27000	1	RMS	25244.883	-40.21	-25	Pass	15000




3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.133	-70.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.85	-25	Pass	2985
30	1000	0.1	RMS	901.29	-61.84	-25	Pass	9700
1000	2486	1	RMS	2407.947	-42.42	-25	Pass	1486
2486	2700	1	RMS	2497.057	19.06	60	Pass	601
2700	3000	1	RMS	2700	-48.48	-25	Pass	601
3000	12000	1	RMS	11510.946	-53.45	-25	Pass	9000
12000	27000	1	RMS	25248.883	-40.25	-25	Pass	15000




3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.067	-70.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.96	-25	Pass	2985
30	1000	0.1	RMS	922.492	-61.86	-25	Pass	9700
1000	2486	1	RMS	2408.948	-38.58	-25	Pass	1486
2486	2700	1	RMS	2584.083	18.94	60	Pass	601
2700	3000	1	RMS	2705	-48.46	-25	Pass	601
3000	12000	1	RMS	11516.946	-53.37	-25	Pass	9000
12000	27000	1	RMS	25273.885	-40.2	-25	Pass	15000




3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-70.28	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.57	-25	Pass	2985
30	1000	0.1	RMS	901.49	-61.78	-25	Pass	9700
1000	2486	1	RMS	2468.989	-48.82	-25	Pass	1486
2486	2700	1	RMS	2584.083	17.78	60	Pass	601
2700	3000	1	RMS	2700	-48.41	-25	Pass	601
3000	12000	1	RMS	7752.528	-53.13	-25	Pass	9000
12000	27000	1	RMS	25268.885	-40.32	-25	Pass	15000




3.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-70.69	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.74	-25	Pass	2985
30	1000	0.1	RMS	891.689	-61.88	-25	Pass	9700
1000	2486	1	RMS	2445.973	-49.03	-25	Pass	1486
2486	2700	1	RMS	2671.11	19.8	60	Pass	601
2700	3000	1	RMS	2707	-48.21	-25	Pass	601
3000	12000	1	RMS	11507.945	-53.4	-25	Pass	9000
12000	27000	1	RMS	25276.885	-40.11	-25	Pass	15000



3.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-70.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.63	-25	Pass	2985
30	1000	0.1	RMS	909.591	-61.87	-25	Pass	9700
1000	2486	1	RMS	2413.952	-44.39	-25	Pass	1486
2486	2700	1	RMS	2671.11	17.85	60	Pass	601
2700	3000	1	RMS	2700	-48.24	-25	Pass	601
3000	12000	1	RMS	11507.945	-53.34	-25	Pass	9000
12000	27000	1	RMS	25250.883	-40.19	-25	Pass	15000




END

4. LTE_Band66


**4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-70.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.74	-13	Pass	2985
30	1000	0.1	RMS	917.191	-62.02	-13	Pass	9700
1000	1700	1	RMS	1603.863	-52.14	-13	Pass	700
1700	1790	1	RMS	1710.35	-8.86	60	Pass	601
1790	3000	1	RMS	2706.758	-48.66	-13	Pass	1210
3000	12000	1	RMS	11516.946	-43.53	-13	Pass	9000
12000	20000	1	RMS	19314.914	-35.97	-13	Pass	8000




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.144	-70.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.45	-13	Pass	2985
30	1000	0.1	RMS	892.989	-62.02	-13	Pass	9700
1000	1700	1	RMS	1621.888	-52.12	-13	Pass	700
1700	1790	1	RMS	1710.35	-9.89	60	Pass	601
1790	3000	1	RMS	2688.743	-48.63	-13	Pass	1210
3000	12000	1	RMS	11516.946	-43.5	-13	Pass	9000
12000	20000	1	RMS	19309.914	-35.95	-13	Pass	8000




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-70.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.41	-13	Pass	2985
30	1000	0.1	RMS	911.391	-62.02	-13	Pass	9700
1000	1700	1	RMS	1598.856	-52.14	-13	Pass	700
1700	1790	1	RMS	1742.75	-8.51	60	Pass	601
1790	3000	1	RMS	2406.51	-44.35	-13	Pass	1210
3000	12000	1	RMS	11506.945	-43.45	-13	Pass	9000
12000	20000	1	RMS	19321.915	-35.93	-13	Pass	8000




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-69.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.12	-13	Pass	2985
30	1000	0.1	RMS	887.288	-61.92	-13	Pass	9700
1000	1700	1	RMS	1594.85	-52.19	-13	Pass	700
1700	1790	1	RMS	1742.75	-9.54	60	Pass	601
1790	3000	1	RMS	2414.516	-41.66	-13	Pass	1210
3000	12000	1	RMS	11504.945	-43.53	-13	Pass	9000
12000	20000	1	RMS	19318.915	-35.94	-13	Pass	8000




4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.13	-70.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.21	-13	Pass	2985
30	1000	0.1	RMS	906.19	-61.89	-13	Pass	9700
1000	1700	1	RMS	1623.891	-52.14	-13	Pass	700
1700	1790	1	RMS	1775.3	-7.75	60	Pass	601
1790	3000	1	RMS	2687.742	-48.61	-13	Pass	1210
3000	12000	1	RMS	11507.945	-43.4	-13	Pass	9000
12000	20000	1	RMS	19315.914	-35.95	-13	Pass	8000




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.145	-69.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.33	-13	Pass	2985
30	1000	0.1	RMS	918.692	-61.73	-13	Pass	9700
1000	1700	1	RMS	1588.841	-52.15	-13	Pass	700
1700	1790	1	RMS	1775.3	-8.39	60	Pass	601
1790	3000	1	RMS	2408.511	-40.86	-13	Pass	1210
3000	12000	1	RMS	11505.945	-43.5	-13	Pass	9000
12000	20000	1	RMS	19320.915	-35.91	-13	Pass	8000




4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.138	-69.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.41	-13	Pass	2985
30	1000	0.1	RMS	915.791	-61.95	-13	Pass	9700
1000	1700	1	RMS	1605.866	-52.14	-13	Pass	700
1700	1790	1	RMS	1710.65	-8.76	60	Pass	601
1790	3000	1	RMS	2410.513	-32.23	-13	Pass	1210
3000	12000	1	RMS	11517.946	-43.51	-13	Pass	9000
12000	20000	1	RMS	19312.914	-35.94	-13	Pass	8000




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-70.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.8	-13	Pass	2985
30	1000	0.1	RMS	874.987	-61.87	-13	Pass	9700
1000	1700	1	RMS	1601.86	-52.11	-13	Pass	700
1700	1790	1	RMS	1710.65	-9.82	60	Pass	601
1790	3000	1	RMS	2697.75	-48.62	-13	Pass	1210
3000	12000	1	RMS	11508.945	-43.47	-13	Pass	9000
12000	20000	1	RMS	19309.914	-35.85	-13	Pass	8000




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.135	-70.15	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.28	-13	Pass	2985
30	1000	0.1	RMS	882.088	-62	-13	Pass	9700
1000	1700	1	RMS	1618.884	-52.13	-13	Pass	700
1700	1790	1	RMS	1740.65	-8.75	60	Pass	601
1790	3000	1	RMS	2411.514	-34.26	-13	Pass	1210
3000	12000	1	RMS	11515.946	-43.51	-13	Pass	9000
12000	20000	1	RMS	19319.915	-35.88	-13	Pass	8000




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.121	-69.95	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.52	-13	Pass	2985
30	1000	0.1	RMS	910.591	-61.98	-13	Pass	9700
1000	1700	1	RMS	1624.893	-52.17	-13	Pass	700
1700	1790	1	RMS	1740.65	-9.68	60	Pass	601
1790	3000	1	RMS	2419.52	-48.55	-13	Pass	1210
3000	12000	1	RMS	11510.946	-43.47	-13	Pass	9000
12000	20000	1	RMS	19317.915	-35.9	-13	Pass	8000




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.115	-70.13	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.62	-13	Pass	2985
30	1000	0.1	RMS	906.99	-61.85	-13	Pass	9700
1000	1700	1	RMS	1602.861	-52.16	-13	Pass	700
1700	1790	1	RMS	1770.65	-7.75	60	Pass	601
1790	3000	1	RMS	2698.751	-48.65	-13	Pass	1210
3000	12000	1	RMS	11513.946	-43.45	-13	Pass	9000
12000	20000	1	RMS	19313.914	-35.95	-13	Pass	8000




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.46	-13	Pass	2985
30	1000	0.1	RMS	898.19	-61.77	-13	Pass	9700
1000	1700	1	RMS	1611.874	-52.16	-13	Pass	700
1700	1790	1	RMS	1770.5	-8.66	60	Pass	601
1790	3000	1	RMS	2692.746	-48.6	-13	Pass	1210
3000	12000	1	RMS	11517.946	-43.51	-13	Pass	9000
12000	20000	1	RMS	19315.914	-35.95	-13	Pass	8000




4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-69.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.92	-13	Pass	2985
30	1000	0.1	RMS	904.79	-61.91	-13	Pass	9700
1000	1700	1	RMS	1627.897	-52.09	-13	Pass	700
1700	1790	1	RMS	1710.8	-9.26	60	Pass	601
1790	3000	1	RMS	2691.745	-48.61	-13	Pass	1210
3000	12000	1	RMS	11512.946	-43.45	-13	Pass	9000
12000	20000	1	RMS	19313.914	-35.94	-13	Pass	8000




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.123	-69.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.83	-13	Pass	2985
30	1000	0.1	RMS	954.395	-61.91	-13	Pass	9700
1000	1700	1	RMS	1625.894	-52.11	-13	Pass	700
1700	1790	1	RMS	1710.8	-10.12	60	Pass	601
1790	3000	1	RMS	2688.743	-48.66	-13	Pass	1210
3000	12000	1	RMS	11515.946	-43.43	-13	Pass	9000
12000	20000	1	RMS	19318.915	-35.94	-13	Pass	8000




4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-70.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.79	-13	Pass	2985
30	1000	0.1	RMS	893.689	-62.04	-13	Pass	9700
1000	1700	1	RMS	1621.888	-52.14	-13	Pass	700
1700	1790	1	RMS	1738.25	-9.32	60	Pass	601
1790	3000	1	RMS	2411.514	-33.08	-13	Pass	1210
3000	12000	1	RMS	11515.946	-43.49	-13	Pass	9000
12000	20000	1	RMS	19318.915	-35.91	-13	Pass	8000




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.08	-13	Pass	2985
30	1000	0.1	RMS	886.488	-62.02	-13	Pass	9700
1000	1700	1	RMS	1598.856	-52.14	-13	Pass	700
1700	1790	1	RMS	1738.4	-10.22	60	Pass	601
1790	3000	1	RMS	2408.511	-34.19	-13	Pass	1210
3000	12000	1	RMS	11511.946	-43.48	-13	Pass	9000
12000	20000	1	RMS	19300.913	-35.99	-13	Pass	8000




4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.129	-70.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.15	-13	Pass	2985
30	1000	0.1	RMS	924.292	-61.94	-13	Pass	9700
1000	1700	1	RMS	1612.876	-52.15	-13	Pass	700
1700	1790	1	RMS	1765.85	-8.42	60	Pass	601
1790	3000	1	RMS	2704.756	-48.67	-13	Pass	1210
3000	12000	1	RMS	11509.946	-43.5	-13	Pass	9000
12000	20000	1	RMS	19319.915	-35.92	-13	Pass	8000




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-70.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.79	-13	Pass	2985
30	1000	0.1	RMS	921.692	-61.8	-13	Pass	9700
1000	1700	1	RMS	1622.89	-52.13	-13	Pass	700
1700	1790	1	RMS	1765.85	-9.33	60	Pass	601
1790	3000	1	RMS	2417.519	-41.4	-13	Pass	1210
3000	12000	1	RMS	11516.946	-43.51	-13	Pass	9000
12000	20000	1	RMS	19324.916	-35.94	-13	Pass	8000




4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-70.91	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.45	-13	Pass	2985
30	1000	0.1	RMS	915.391	-61.93	-13	Pass	9700
1000	1700	1	RMS	1618.884	-52.15	-13	Pass	700
1700	1790	1	RMS	1711.1	-9.2	60	Pass	601
1790	3000	1	RMS	2413.515	-38.5	-13	Pass	1210
3000	12000	1	RMS	11519.947	-43.42	-13	Pass	9000
12000	20000	1	RMS	19309.914	-35.94	-13	Pass	8000




4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-70.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.86	-13	Pass	2985
30	1000	0.1	RMS	873.287	-61.95	-13	Pass	9700
1000	1700	1	RMS	1625.894	-52.17	-13	Pass	700
1700	1790	1	RMS	1711.1	-10.08	60	Pass	601
1790	3000	1	RMS	2413.515	-38.07	-13	Pass	1210
3000	12000	1	RMS	11523.947	-43.44	-13	Pass	9000
12000	20000	1	RMS	19311.914	-35.92	-13	Pass	8000




4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-70.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63	-13	Pass	2985
30	1000	0.1	RMS	911.591	-61.94	-13	Pass	9700
1000	1700	1	RMS	1611.874	-52.15	-13	Pass	700
1700	1790	1	RMS	1736	-9.27	60	Pass	601
1790	3000	1	RMS	2696.749	-48.63	-13	Pass	1210
3000	12000	1	RMS	11507.945	-43.51	-13	Pass	9000
12000	20000	1	RMS	19310.914	-35.94	-13	Pass	8000




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-70.71	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.37	-13	Pass	2985
30	1000	0.1	RMS	913.491	-61.96	-13	Pass	9700
1000	1700	1	RMS	1620.887	-52.14	-13	Pass	700
1700	1790	1	RMS	1736	-10.05	60	Pass	601
1790	3000	1	RMS	2416.518	-36.95	-13	Pass	1210
3000	12000	1	RMS	11511.946	-43.47	-13	Pass	9000
12000	20000	1	RMS	19317.915	-35.89	-13	Pass	8000



4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.105	-69.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.43	-13	Pass	2985
30	1000	0.1	RMS	913.391	-61.94	-13	Pass	9700
1000	1700	1	RMS	1605.866	-52.13	-13	Pass	700
1700	1790	1	RMS	1761.05	-8.6	60	Pass	601
1790	3000	1	RMS	2414.516	-40.45	-13	Pass	1210
3000	12000	1	RMS	11519.947	-43.51	-13	Pass	9000
12000	20000	1	RMS	19299.912	-35.92	-13	Pass	8000



4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.122	-70.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.2	-13	Pass	2985
30	1000	0.1	RMS	900.29	-61.96	-13	Pass	9700
1000	1700	1	RMS	1618.884	-52.08	-13	Pass	700
1700	1790	1	RMS	1761.05	-9.48	60	Pass	601
1790	3000	1	RMS	2406.51	-44.09	-13	Pass	1210
3000	12000	1	RMS	11509.946	-43.51	-13	Pass	9000
12000	20000	1	RMS	19314.914	-35.99	-13	Pass	8000

