

# **FCC Test Report**

Report No.: AGC06100201101FE02

FCC ID : 2AM3SABH-130

APPLICATION PURPOSE : Original Equipment

**PRODUCT DESIGNATION**: BeHear PROXY

**BRAND NAME**: Wear&Hear

**MODEL NAME** : ABH-130, ABH-130x

**APPLICANT**: ALANGO TECHNOLOGIES, LTD.

**DATE OF ISSUE** : Nov. 24,2020

**STANDARD(S)** : FCC Part 15.247

**REPORT VERSION**: V1.0

Attestation of Globa Compliance (Shenzhen) Co., Ltd



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test result presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 2 of 53

#### REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date  | Valid Version | Notes           |
|----------------|-------------|--------------|---------------|-----------------|
| V1.0           | /           | Nov. 24,2020 | Valid         | Initial Release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restrict/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 3 of 53

#### **TABLE OF CONTENTS**

| 1. VERIFICATION OF COMPLIANCE   |          |
|---|----------|
| 2. GENERAL INFORMATION  | 6        |
| 2.1. PRODUCT DESCRIPTION  2.2. TABLE OF CARRIER FREQUENCYS  2.3. RELATED SUBMITTAL(S)/GRANT(S)  2.4. TEST METHODOLOGY  2.5. SPECIAL ACCESSORIES  2.6. EQUIPMENT MODIFICATIONS  2.7. ANTENNA REQUIREMENT |          |
| 3. MEASUREMENT UNCERTAINTY  |          |
| 4. DESCRIPTION OF TEST MODES  |          |
| 5. SYSTEM TEST CONFIGURATION  |          |
| 5.1. CONFIGURATION OF TESTED SYSTEM   |          |
| 6. TEST FACILITY  |          |
| 7. PEAK OUTPUT POWER  |          |
| 7.1. MEASUREMENT PROCEDURE  | 12<br>13 |
| 8. 6 DB BANDWIDTH   |          |
| 8.1. MEASUREMENT PROCEDURE  |          |
| 9. CONDUCTED SPURIOUS EMISSION  | 17       |
| 9.1. MEASUREMENT PROCEDURE 9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) 9.3. MEASUREMENT EQUIPMENT USED 9.4. LIMITS AND MEASUREMENT RESULT   | 17<br>17 |
| 10. MAXIMUM CONDUCTED OUTPUT POWER SPECTRAL DENSITY   | 25       |
| 10.1. MEASUREMENT PROCEDURE  10.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)  10.3. MEASUREMENT EQUIPMENT USED  10.4. LIMITS AND MEASUREMENT RESULT  |          |
| 11. RADIATED EMISSION   | 27       |
| 11.1. MEASUREMENT PROCEDURE   |          |
| 12. FCC LINE CONDUCTED EMISSION TEST  |          |
| 12.1. LIMITS OF LINE CONDUCTED EMISSION TEST  | 39       |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 4 of 53

| 12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST | 40 |
|---|----|
| 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST       | 40 |
| 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST           | 41 |
| APPENDIX A: PHOTOGRAPHS OF TEST SETUP                       | 43 |
| APPENDIX B. PHOTOGRAPHS OF FUT                              | 45 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Resting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 5 of 53

#### 1. VERIFICATION OF COMPLIANCE

| ALANGO TECHNOLOGIES, LTD.  |  |  |
|--|--|--|
| 2 Etgar St., POB62 Tirat Carmel 39100, Israel  |  |  |
| Shenzhen Shuaixian Electronic Equipment Co., Ltd   |  |  |
| No.10 Lane 3, Longxing Rd., Dakang Long Village, Henggang Town, Longgang District, Shenzhen, China |  |  |
| Shenzhen Shuaixian Electronic Equipment Co., Ltd   |  |  |
| No.10 Lane 3, Longxing Rd., Dakang Long Village, Henggang Town, Longgang District, Shenzhen, China |  |  |
| BeHear PROXY   |  |  |
| Wear&Hear  |  |  |
| ABH-130  |  |  |
| ABH-130x   |  |  |
| All the same except for the model name and color.  |  |  |
| Nov. 16,2020 to Nov. 24,2020   |  |  |
| No any deviation from the test method  |  |  |
| e Normal   |  |  |
| Pass   |  |  |
| AGCRT-US-BLE/RF  |  |  |
|  |  |  |

We hereby certify that:

The above equipment was tested by Attestation of Global Compliance (Shenzhen) Co., Ltd. The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10 (2013) and the energy emitted by the sample EUT tested as described in this report is in compliance with radiated emission limits of FCC part 15.247.

| Prepared By | Eddy · Liu                     | ·            |
|-------------|--------------------------------|--------------|
| NG N        | Eddy Liu<br>Project Engineer   | Nov. 24,2020 |
| Reviewed By | Max 2 hang                     | Pac Fe       |
| -C          | Max Zhang<br>Reviewer          | Nov. 24,2020 |
| Approved By | Formesties                     |              |
|             | Forrest Lei Authorized Officer | Nov. 24,2020 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Coedicated Postuagina Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written pathorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 6 of 53

#### 2. GENERAL INFORMATION

#### 2.1. PRODUCT DESCRIPTION

The EUT is designed as a "BeHear PROXY". It is designed by way of utilizing the GFSK technology to achieve the system operation.

A major technical description of EUT is described as following

| Operation Frequency | 2.402 GHz to 2.480GHz  |  |  |
|---------------------|--|--|--|
| RF Output Power     | 2.124dBm (Max)   |  |  |
| Bluetooth Version   | V4.2   |  |  |
| Modulation          | BLE ⊠GFSK 1Mbps □GFSK 2Mbps  |  |  |
| Number of channels  | 40 Channel   |  |  |
| Antenna Designation | Integral Antenna (Comply with requirements of the FCC part 15.203) |  |  |
| Antenna Gain        | 2dBi   |  |  |
| Hardware Version    | V2.0   |  |  |
| Software Version    | vare Version MID0402   |  |  |
| Power Supply        | DC 3.7V by battery or DC 5V by adapter                             |  |  |

#### 2.2. TABLE OF CARRIER FREQUENCYS

| Frequency Band | Channel Number | Frequency                             |
|----------------|----------------|---------------------------------------|
| 100 -C         | 0              | 2402 MHz                              |
| 100            | 1 0 d          | 2404 MHz                              |
| 2400~2483.5MHz | 30             | · · · · · · · · · · · · · · · · · · · |
| NO GO          | 38             | 2478 MHz                              |
|                | 39             | 2480 MHz                              |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter portorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 7 of 53

#### 2.3. RELATED SUBMITTAL(S)/GRANT(S)

This submittal(s) (test report) is intended for **FCC ID: 2AM3SABH-130** filing to comply with the FCC Part 15.247 requirements.

#### 2.4. TEST METHODOLOGY

Both conducted and radiated testing was performed according to the procedures in ANSI C63.10 (2013). Radiated testing was performed at an antenna to EUT distance 3 meters.

#### 2.5. SPECIAL ACCESSORIES

Refer to section 5.2.

#### 2.6. EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

#### 2.7. ANTENNA REQUIREMENT

This intentional radiator is designed with a permanently attached antenna of an antenna to ensure that no antenna other than that furnished by the responsible party shall be used with the device. For more information of the antenna, please refer to the APPENDIX B: PHOTOGRAPHS OF EUT.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Residual Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 8 of 53

#### 3. MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement y ±U, where expended uncertainty U is based on a standard uncertainty multiplied by a coverage factor of k=2, providing a level of confidence of approximately 95%.

- Uncertainty of Conducted Emission, Uc = ±3.2 dB
- Uncertainty of Radiated Emission below 1GHz, Uc = ±3.9 dB
- Uncertainty of Radiated Emission above 1GHz, Uc = ±4.8 dB
- Uncertainty of total RF power, conducted,  $Uc = \pm 0.8 \text{ dB}$
- Uncertainty of RF power density, conducted, Uc = ±2.6 dB
- Uncertainty of spurious emissions, conducted, Uc = ±2.7 dB
- Uncertainty of Occupied Channel Bandwidth: Uc = ±2 %

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Factorian (Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of ACC whe test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 9 of 53

#### 4. DESCRIPTION OF TEST MODES

| NO. TEST MODE DESCRIPTION |                   |  |
|---------------------------|-------------------|--|
| 1                         | Low channel TX    |  |
| 2                         | Middle channel TX |  |
| 3                         | High channel TX   |  |

#### Note:

- 1. Only the result of the worst case was recorded in the report, if no other cases.
- 2. For Radiated Emission, 3axis were chosen for testing for each applicable mode.
- 3. For Conducted Test method, a temporary antenna connector is provided by the manufacture.

Software Setting

Test Commands

FAISE
RADIO STATUS
RADIO STATUS FULL

TESTAR

TEMBATA

TEMBA

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condition of stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written permitted without the written permitted without the written permitted in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 10 of 53

#### 5. SYSTEM TEST CONFIGURATION

#### **5.1. CONFIGURATION OF TESTED SYSTEM**

Radiated Emission Configure:

| EUT |  |
|-----|--|
|     |  |

Conducted Emission Configure:

#### **5.2. EQUIPMENT USED IN TESTED SYSTEM**

| Item | Equipment     | Model No.     | ID or Specification | Remark |
|------|---------------|---------------|---------------------|--------|
| 1    | BeHear PROXY  | ABH-130       | 2AM3SABH-130        | EUT    |
| 2    | Adapter       | TY0500100E1MN | N/A                 | AE     |
| 3    | Charger line  | G258          | N/A                 | AE     |
| 4    | control board | EPS-35-3.3    | DC 3.3V             | AE     |

#### **5.3. SUMMARY OF TEST RESULTS**

| FCC RULES     | DESCRIPTION OF TEST                    | RESULT    |
|---------------|--|-----------|
| 15.247 (b)(3) | Peak Output Power                      | Compliant |
| 15.247 (a)(2) | 6 dB Bandwidth                         | Compliant |
| 15.247 (d)    | Conducted Spurious Emission            | Compliant |
| 15.247 (e)    | Maximum Conducted Output Power Density | Compliant |
| 15.209        | Radiated Emission                      | Compliant |
| 15.207        | Conducted Emission                     | Compliant |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Sedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 11 of 53

#### 6. TEST FACILITY

| Test Site  | Attestation of Global Compliance (Shenzhen) Co., Ltd                       |  |  |  |
|--|--|--|--|--|
| Location  1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Co |  |  |  |  |
| Designation Number   | CN1259   |  |  |  |
| FCC Test Firm Registration Number  | 975832   |  |  |  |
| A2LA Cert. No.   | 5054.02  |  |  |  |
| Description  | Attestation of Global Compliance (Shenzhen) Co., Ltd is accredited by A2LA |  |  |  |

#### TEST EQUIPMENT OF CONDUCTED EMISSION TEST

| Equipment     | Manufacturer | Model            | S/N    | Cal. Date    | Cal. Due     |
|---------------|--------------|------------------|--------|--------------|--------------|
| TEST RECEIVER | R&S          | ESPI             | 101206 | May 15, 2020 | May 14, 2021 |
| LISN          | R&S          | ESH2-Z5          | 100086 | Jul. 03,2020 | Jul. 02,2021 |
| Test software | R&S          | ES-K1(Ver.V1.71) | N/A    | N/A          | N/A          |

#### **TEST EQUIPMENT OF RADIATED EMISSION TEST**

| Equipment                            | Manufacturer         | Model                | S/N        | Cal. Date     | Cal. Due      |  |
|--------------------------------------|----------------------|----------------------|------------|---------------|---------------|--|
| TEST RECEIVER                        | R&S                  | ESCI                 | 10096      | May 15, 2020  | May 14, 2021  |  |
| EXA Signal<br>Analyzer               | Aglient              | N9010A               | MY53470504 | Dec. 12, 2019 | Dec. 11, 2020 |  |
| 2.4GHz Filter                        | EM Electronics       | 2400-2500MHz         | N/A        | Mar. 23, 2020 | Mar. 22, 2022 |  |
| Attenuator                           | ZHINAN               | E-002                | N/A        | N/A           | N/A           |  |
| Horn antenna                         | SCHWARZBECK          | BBHA 9170            | #768       | Sep. 09, 2019 | Sep. 08, 2021 |  |
| Active loop<br>antenna<br>(9K-30MHz) | ZHINAN               | ZN30900C             | 18051      | May 22, 2020  | May 21, 2022  |  |
| Double-Ridged<br>Waveguide Horn      | ETS LINDGREN         | 3117                 | 00034609   | May 17, 2019  | May 16, 2021  |  |
| Broadband<br>Preamplifier            | ETS LINDGREN         | 3117PA               | 00225134   | Sep. 03,2020  | Sep. 02,2022  |  |
| ANTENNA                              | SCHWARZBECK VULB9168 |                      | 494        | Jan. 09, 2019 | Jan. 08, 2021 |  |
| Test software                        | Tonscend             | JS32-RE<br>(Ver.2.5) | N/A        | N/A           | N/A           |  |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 12 of 53

#### 7. PEAK OUTPUT POWER


#### 7.1. MEASUREMENT PROCEDURE

For peak power test:

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. RBW≥DTS bandwidth
- 3. VBW≥3\*RBW.
- 4. SPAN≥VBW.
- 5. Sweep: Auto.
- 6. Detector function: Peak.
- 7. Trace: Max hold.

Allow trace to stabilize. Use the marker-to-peak function to set the marker to the peak of the emission. The indicated level is the peak output power, after any corrections for external attenuators and cables.

## 7.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION) PEAK POWER TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter exphorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 13 of 53


#### 7.3. LIMITS AND MEASUREMENT RESULT

|  | PEAK OUTPUT POWER MEASUREMENT RESULT |         |      |  |  |  |  |  |
|--|--------------------------------------|---------|------|--|--|--|--|--|
|  | FOR GFSK MOUD                        | ULATION |      |  |  |  |  |  |
| Frequency (GHz)  Peak Power (dBm)  Applicable Limits (dBm)  Pass or Fail |                                      |         |      |  |  |  |  |  |
| 2.402  | 0.845                                | 30      | Pass |  |  |  |  |  |
| 2.440  | 1.632                                | 30      | Pass |  |  |  |  |  |
| 2.480  | 2.124                                | 30      | Pass |  |  |  |  |  |

CH<sub>0</sub>




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condition of stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written permitted without the written permitted without the written permitted in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





**CH19** 





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 15 of 53

#### 8. 6 DB BANDWIDTH

#### **8.1. MEASUREMENT PROCEDURE**

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2. Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Centre Frequency = Operation Frequency, RBW= 100 kHz, VBW ≥ 3×RBW.
- 4. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to ANSI C63.10 for compliance to FCC PART 15.247 requirements.

#### 8.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 7.2.


#### 8.3. LIMITS AND MEASUREMENT RESULTS

|                   | LIMITS AND MEASUR | REMENT RESULT |      |  |  |
|-------------------|-------------------|---------------|------|--|--|
|                   | Applicable Limits |               |      |  |  |
| Applicable Limits | Test Data         | Criteria      |      |  |  |
| 60 6              | Low Channel       | 712.8         | PASS |  |  |
| >500KHZ           | Middle Channel    | 713.1         | PASS |  |  |
|                   | High Channel      | 700.4         | PASS |  |  |

#### TEST PLOT OF BANDWIDTH FOR LOW CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restroy/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.





#### TEST PLOT OF BANDWIDTH FOR MIDDLE CHANNEL



#### TEST PLOT OF BANDWIDTH FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written portorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 17 of 53

#### 9. CONDUCTED SPURIOUS EMISSION

#### 9.1. MEASUREMENT PROCEDURE

- 1. Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- 2, Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- 3. Set SPA Trace 1 Max hold, then View.

Note: The EUT was tested according to ANSI C63.10 for compliance to FCC PART 15.247 requirements.

## 9.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

The same as described in section 7.2.


#### 9.3. MEASUREMENT EQUIPMENT USED

The same as described in section 6.

#### 9.4. LIMITS AND MEASUREMENT RESULT

| LIMITS AND MEASUREMENT RESULT  |  |          |  |  |  |
|--|--|----------|--|--|--|
| A marilla a la l   | Measurement Result                       |          |  |  |  |
| Applicable Limits  | Test Data                                | Criteria |  |  |  |
| In any 100 kHz Bandwidth Outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produce by the intentional radiator shall be at least 20 dB below that in 100KHz bandwidth within the band that contains the highest level of the desired power. | At least -20dBc than the reference level | PASS     |  |  |  |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bolicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.






TEST RESULT FOR ENTIRE FREQUENCY RANGE

GFSK MODULATION IN LOW CHANNEL




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




g/Inspection
The test results
the test report.





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Pesting Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuence of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







#### GFSK MODULATION IN MIDDLE CHANNEL




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pest no/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.







#### GFSK MODULATION IN HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Pestho/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.








Note: The peak emissions without marker on the above plots are fundamental wave and need not to compare with the limit.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






### **TEST RESULT FOR BAND EDGE**

#### GFSK MODULATION IN LOW CHANNEL



#### GFSK MODULATION IN HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Dedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC he test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 25 of 53

#### 10. MAXIMUM CONDUCTED OUTPUT POWER SPECTRAL DENSITY

#### 10.1. MEASUREMENT PROCEDURE

- (1). Connect EUT RF output port to the Spectrum Analyzer through an RF attenuator
- (2). Set the EUT Work on the top, the middle and the bottom operation frequency individually.
- (3). Set the SPA Trace 1 Max hold, then View.

Note: The method of PKPSD in the KDB 558074 item 10.2 was used in this testing.

## 10.2. TEST SET-UP (BLOCK DIAGRAM OF CONFIGURATION)

Refer to Section 7.2.


#### 10.3. MEASUREMENT EQUIPMENT USED

Refer to Section 6.


#### 10.4. LIMITS AND MEASUREMENT RESULT

| Channel No.    | PSD<br>(dBm/3kHz) | Limit<br>(dBm/3kHz) | Result |
|----------------|-------------------|---------------------|--------|
| Low Channel    | -14.990           | 8                   | Pass   |
| Middle Channel | -14.093           | 8                   | Pass   |
| High Channel   | -13.598           | 8                   | Pass   |





Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the a/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter withorization of AĞÇ The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15d 🖟 Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






TEST PLOT OF SPECTRAL DENSITY FOR MIDDLE CHANNEL



#### TEST PLOT OF SPECTRAL DENSITY FOR HIGH CHANNEL



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 27 of 53

#### 11. RADIATED EMISSION

#### 11.1. MEASUREMENT PROCEDURE

- 1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
- 2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
- 3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
- 4. For each suspected emission, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
- Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
- 6. For emissions above 1GHz, use 1MHz RBW and 3MHz VBW for peak reading. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
- 7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
- 8.If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
- 9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.
- 10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High Low scan is not required in this case.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Festivo/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.






#### 11.2. TEST SETUP


#### Radiated Emission Test-Setup Frequency Below 30MHz



#### RADIATED EMISSION TEST SETUP 30MHz-1000MHz



#### RADIATED EMISSION TEST SETUP ABOVE 1000MHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Coedicated Postuagina Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written pathorization of AGC where the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 29 of 53

#### 11.3. LIMITS AND MEASUREMENT RESULT

15.209 Limit in the below table has to be followed

| Frequencies<br>(MHz) | Field Strength (microvolts/meter) | Measurement Distance (meters) |
|----------------------|-----------------------------------|-------------------------------|
| 0.009~0.490          | 2400/F(kHz)                       | 300                           |
| 0.490~1.705          | 24000/F(kHz)                      | 30                            |
| 1.705~30.0           | 30                                | 30                            |
| 30~88                | 100                               | 3                             |
| 88~216               | 150                               | 3                             |
| 216~960              | 200                               | 3                             |
| Above 960            | 500                               | 3                             |

Note: All modes were tested for restricted band radiated emission, the test records reported below are the worst result compared to other modes.

#### 11.4. TEST RESULT

#### **RADIATED EMISSION BELOW 30MHz**

The amplitude of spurious emissions from 9kHz to 30MHz which are attenuated more than 20 dB below the permissible value need not be reported.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter exphorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 30 of 53

#### **RADIATED EMISSION BELOW 1GHZ**

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3       | Antenna           | Horizontal     |



| No. | Mk. | Freq.    | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit  | Over   |          |
|-----|-----|----------|------------------|-------------------|------------------|--------|--------|----------|
|     |     | MHz      | dBuV             | dB                | dBuV/m           | dBuV/m | dB     | Detector |
| 1   |     | 68.7999  | 5.70             | 16.96             | 22.66            | 40.00  | -17.34 | peak     |
| 2   |     | 117.2999 | 6.15             | 17.03             | 23.18            | 43.50  | -20.32 | peak     |
| 3   | ;   | 320.0298 | 5.63             | 21.37             | 27.00            | 46.00  | -19.00 | peak     |
| 4   | ;   | 518.8799 | 6.07             | 25.36             | 31.43            | 46.00  | -14.57 | peak     |
| 5   |     | 738.1000 | 7.19             | 29.01             | 36.20            | 46.00  | -9.80  | peak     |
| 6   | *   | 922.3999 | 5.51             | 31.89             | 37.40            | 46.00  | -8.60  | peak     |


**RESULT: PASS** 

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 31 of 53

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3       | Antenna           | Vertical       |



| No. | Mk | . Freq.  | Reading<br>Level | Correct<br>Factor | Measure-<br>ment | Limit  | Over   |          |
|-----|----|----------|------------------|-------------------|------------------|--------|--------|----------|
|     |    | MHz      | dBuV             | dB                | dBuV/m           | dBuV/m | dB     | Detector |
| 1   |    | 69.7699  | 6.31             | 17.08             | 23.39            | 40.00  | -16.61 | peak     |
| 2   |    | 287.0500 | 5.38             | 20.48             | 25.86            | 46.00  | -20.14 | peak     |
| 3   |    | 463.5899 | 6.33             | 23.53             | 29.86            | 46.00  | -16.14 | peak     |
| 4   |    | 663.4098 | 5.70             | 27.71             | 33.41            | 46.00  | -12.59 | peak     |
| 5   | *  | 817.6399 | 5.92             | 30.64             | 36.56            | 46.00  | -9.44  | peak     |
| 6   |    | 979.6299 | 6.76             | 32.38             | 39.14            | 54.00  | -14.86 | peak     |

## RESULT: PASS

#### Note:

- 1. Factor=Antenna Factor + Cable loss, Over= Measurement –Limit.
- 2. All test modes had been tested. The mode 3 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Pestud/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc~cert.com.



Page 32 of 53

/Inspection The test results

#### **RADIATED EMISSION ABOVE 1GHZ**

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1       | Antenna           | Horizontal     |

| Frequency     | Meter Reading    | Factor        | Emission Level | Limits   | Margin | Value Type |
|---------------|------------------|---------------|----------------|----------|--------|------------|
| (MHz)         | (dBµV)           | (dB)          | (dBµV/m)       | (dBµV/m) | (dB)   | value Type |
| 4804.000      | 46.91            | 0.08          | 46.99          | 74       | -27.01 | peak       |
| 4804.000      | 36.26            | 0.08          | 36.34          | 54       | -17.66 | AVG        |
| 7206.000      | 39.14            | 2.21          | 41.35          | 74       | -32.65 | peak       |
| 7206.000      | 32.38            | 2.21          | 34.59          | 54       | -19.41 | AVG        |
| C             | 0                | (a)           |                | C        | 8      | (8)        |
| emark:        | 60               |               |                |          | 104    | 2.0        |
| actor = Anter | na Factor + Cabl | e Loss – Pre- | amplifier.     | (a)      |        |            |

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 1       | Antenna           | Vertical       |

| Frequency     | Meter Reading      | Factor      | Emission Level | Limits   | Margin | Value Type   |
|---------------|--------------------|-------------|----------------|----------|--------|--------------|
| (MHz)         | (dBµV)             | (dB)        | (dBµV/m)       | (dBµV/m) | (dB)   | - value Type |
| 4804.000      | 45.78              | 0.08        | 45.86          | 74       | -28.14 | peak         |
| 4804.000      | 35.63              | 0.08        | 35.71          | 54       | -18.29 | AVG          |
| 7206.000      | 39.32              | 2.21        | 41.53          | 74       | -32.47 | peak         |
| 7206.000      | 31.14              | 2.21        | 33.35          | 54       | -20.65 | AVG          |
|               |                    |             |                |          |        |              |
| temark:       |                    |             |                |          | ®      |              |
| actor = Anter | nna Factor + Cable | Loss – Pre- | amplifier.     |          |        | 8            |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Fight Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 33 of 53

g/Inspection The test results

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 2       | Antenna           | Horizontal     |

| Frequency     | Meter Reading      | Factor      | Emission Level | Limits   | Margin | Value Type |
|---------------|--------------------|-------------|----------------|----------|--------|------------|
| (MHz)         | (dBµV)             | (dB)        | (dBµV/m)       | (dBµV/m) | (dB)   |            |
| 4880.000      | 47.85              | 0.14        | 47.99          | 74       | -26.01 | peak       |
| 4880.000      | 36.47              | 0.14        | 36.61          | 54       | -17.39 | AVG        |
| 7320.000      | 40.36              | 2.36        | 42.72          | 74       | -31.28 | peak       |
| 7320.000      | 33.21              | 2.36        | 35.57          | 54       | -18.43 | AVG        |
| 8             |                    |             | 3 - 0          | (8)      | (6)    |            |
| emark:        | - 6                | ®           |                |          | _6     | <u> </u>   |
| actor = Anter | nna Factor + Cable | Loss - Pre- | amplifier.     |          | 10     | a.C        |

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 2       | Antenna           | Vertical       |

| Meter Reading | Factor                           | Emission Level  | Limits  | Margin  | Value Type  |
|---------------|----------------------------------|---|---|---|---|
| (dBµV)        | (dB)                             | (dBµV/m)  | (dBµV/m)  | (dB)  | value Type  |
| 47.97         | 0.14                             | 48.11   | 74  | -25.89  | peak  |
| 39.84         | 0.14                             | 39.98   | 54  | -14.02  | AVG   |
| 41.65         | 2.36                             | 44.01   | 74  | -29.99  | peak  |
| 33.63         | 2.36                             | 35.99   | 54  | -18.01  | AVG   |
| 10            | -60                              | 8   |   |   |   |
|               |                                  |   | <u> </u>  | 8   |   |
|               | 47.97<br>39.84<br>41.65<br>33.63 | 47.97     0.14       39.84     0.14       41.65     2.36       33.63     2.36 | 47.97     0.14     48.11       39.84     0.14     39.98       41.65     2.36     44.01       33.63     2.36     35.99 | 47.97     0.14     48.11     74       39.84     0.14     39.98     54       41.65     2.36     44.01     74 | 47.97     0.14     48.11     74     -25.89       39.84     0.14     39.98     54     -14.02       41.65     2.36     44.01     74     -29.99       33.63     2.36     35.99     54     -18.01 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Fight Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 34 of 53

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3       | Antenna           | Horizontal     |

| Frequency     | Meter Reading      | Factor      | Emission Level | Limits   | Margin | Value Type   |
|---------------|--------------------|-------------|----------------|----------|--------|--------------|
| (MHz)         | (dBµV)             | (dB)        | (dBµV/m)       | (dBµV/m) | (dB)   | - Value Type |
| 4960.000      | 45.67              | 0.22        | 45.89          | 74       | -28.11 | peak         |
| 4960.000      | 36.28              | 0.22        | 36.5           | 54       | -17.5  | AVG          |
| 7440.000      | 39.34              | 2.64        | 41.98          | 74       | -32.02 | peak         |
| 7440.000      | 30.32              | 2.64        | 32.96          | 54       | -21.04 | AVG          |
| @             |                    | _ (         | 0              | ©        |        |              |
|               | 8                  |             |                |          |        |              |
| temark:       | - 0                | (3)         |                | 100      | - 0    | (0)          |
| actor = Anter | nna Factor + Cable | Loss – Pre- | amplifier.     |          |        | - C          |

| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3       | Antenna           | Vertical       |

| Frequency     | Meter Reading      | Factor       | Emission Level | Limits   | Margin | Value Type   |
|---------------|--------------------|--------------|----------------|----------|--------|--------------|
| (MHz)         | (dBµV)             | (dB)         | (dBµV/m)       | (dBµV/m) | (dB)   | - Value Type |
| 4960.000      | 45.66              | 0.22         | 45.88          | 74       | -28.12 | peak         |
| 4960.000      | 35.47              | 0.22         | 35.69          | 54       | -18.31 | AVG          |
| 7440.000      | 39.25              | 2.64         | 41.89          | 74       | -32.11 | peak         |
| 7440.000      | 30.23              | 2.64         | 32.87          | 54       | -21.13 | AVG          |
|               |                    |              |                |          |        | -0           |
| emark:        |                    | CO           |                | ®        |        |              |
| actor = Anter | nna Factor + Cable | Loss - Pre-a | mplifier       |          |        |              |

## RESULT: PASS

#### Note:

The amplitude of other spurious emissions from 1G to 25 GHz which are attenuated more than 20 dB below the permissible value need not be reported.

Factor = Antenna Factor + Cable loss - Amplifier gain, Margin= Level -Limit.

The "Factor" value can be calculated automatically by software of measurement system.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.





Page 35 of 53

#### TEST RESULT FOR RESTRICTED BANDS REQUIREMENTS

| EUT         | BeHear PROXY | Model Name        | ABH-130        |  |
|-------------|--------------|-------------------|----------------|--|
| Temperature | 25° C        | Relative Humidity | 55.4%          |  |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |  |
| Test Mode   | Mode 1       | Antenna           | Horizontal     |  |









**RESULT: PASS** 


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Belloaded Pesting/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written achorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. The test results Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






| EUT         | BeHear PROXY | Model Name        | ABH-130        |  |
|-------------|--------------|-------------------|----------------|--|
| Temperature | 25° C        | Relative Humidity | 55.4%          |  |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |  |
| Test Mode   | Mode 1       | Antenna           | Vertical       |  |






**RESULT: PASS** 


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter perhorization of AGE. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.






**EUT BeHear PROXY Model Name ABH-130** 25° C 55.4% **Temperature Relative Humidity** 960hPa **Test Voltage** Normal Voltage **Pressure Test Mode Antenna** Mode 3 Horizontal





**RESULT: PASS** 


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the bedicated restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




g/Inspection
The test results
If the test report.



| EUT         | BeHear PROXY | Model Name        | ABH-130        |
|-------------|--------------|-------------------|----------------|
| Temperature | 25° C        | Relative Humidity | 55.4%          |
| Pressure    | 960hPa       | Test Voltage      | Normal Voltage |
| Test Mode   | Mode 3       | Antenna           | Vertical       |





**RESULT: PASS** 

Note: The factor had been edited in the "Input Correction" of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Festivation" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 39 of 53

/Inspection The test results

he test report.

#### 12. FCC LINE CONDUCTED EMISSION TEST


#### 12.1. LIMITS OF LINE CONDUCTED EMISSION TEST

| Francis       | Maximum RF Line Voltage |                |  |  |  |
|---------------|-------------------------|----------------|--|--|--|
| Frequency     | Q.P.( dBuV)             | Average( dBuV) |  |  |  |
| 150kHz~500kHz | 66-56                   | 56-46          |  |  |  |
| 500kHz~5MHz   | 56                      | 46             |  |  |  |
| 5MHz~30MHz    | 60                      | 50             |  |  |  |

#### Note:

- 1. The lower limit shall apply at the transition frequency.
- 2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

#### 12.2. BLOCK DIAGRAM OF LINE CONDUCTED EMISSION TEST



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the stamp? Is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written appropriate of AGC presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuence Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 40 of 53

#### 12.3. PRELIMINARY PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
- 2. Support equipment, if needed, was placed as per ANSI C63.10.
- 3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
- 4. All support equipment received AC120V/60Hz power from a LISN, if any.
- 5. The EUT received DC 3.3V power from control board which received AC120V/60Hz power from a LISN.
- 6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side). Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 ohm load; the second scan had Line 1 connected to a 50 ohm load and Line 2 connected to the Analyzer / Receiver.
- 7. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
- 8. During the above scans, the emissions were maximized by cable manipulation.
- 9. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

#### 12.4. FINAL PROCEDURE OF LINE CONDUCTED EMISSION TEST

- 1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
- 2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
- 3. The test data of the worst case condition(s) was reported on the Summary Data page.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Bedicated Festing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written exporization of AGE, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc=cert.com.



Page 41 of 53

#### 12.5. TEST RESULT OF LINE CONDUCTED EMISSION TEST

#### Line Conducted Emission Test Line 1-L




| No. | Freq.<br>(MHz) | (0001) |       | Correct Measurement<br>Factor (dBuV) |       | Limit<br>(dBuV) |       | Margin<br>(dB) |        | P/F    |   |
|-----|----------------|--------|-------|--------------------------------------|-------|-----------------|-------|----------------|--------|--------|---|
|     |                | Peak   | AVG   | dB                                   | Peak  | AVG             | QP    | AVG            | QP     | AVG    |   |
| 1   | 0.3899         | 23.26  | 19.07 | 13.46                                | 36.72 | 32.53           | 58.06 | 48.06          | -21.34 | -15.53 | Р |
| 2   | 0.5580         | 31.33  | 26.50 | 13.79                                | 45.12 | 40.29           | 56.00 | 46.00          | -10.88 | -5.71  | Р |
| 3   | 1.1618         | 25.50  | 17.61 | 13.79                                | 39.29 | 31.40           | 56.00 | 46.00          | -16.71 | -14.60 | Р |
| 4   | 3.4980         | 24.14  | 13.13 | 12.84                                | 36.98 | 25.97           | 56.00 | 46.00          | -19.02 | -20.03 | Р |
| 5   | 6.5937         | 26.14  | 14.77 | 13.35                                | 39.49 | 28.12           | 60.00 | 50.00          | -20.51 | -21.88 | Р |
| 6   | 11.6339        | 24.96  | 13.31 | 13.16                                | 38.12 | 26.47           | 60.00 | 50.00          | -21.88 | -23.53 | Р |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the Bedicated Restriction Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 42 of 53

## Line Conducted Emission Test Line 2-N



| No. | No. | Freq.  | req. (dBuV) Facto |       | Correct<br>Factor |       |       | Limit<br>(dBuV) |       | Margin<br>(dB) |        | P/F |
|-----|-----|--------|-------------------|-------|-------------------|-------|-------|-----------------|-------|----------------|--------|-----|
|     |     | (MHz)  | Peak              | AVG   | dB                | Peak  | AVG   | QP              | AVG   | QP             | AVG    |     |
|     | 1   | 0.2779 | 26.48             | 10.00 | 12.98             | 39.46 | 22.98 | 60.88           | 50.88 | -21.42         | -27.90 | Р   |
|     | 2   | 0.5540 | 31.93             | 19.67 | 13.78             | 45.71 | 33.45 | 56.00           | 46.00 | -10.29         | -12.55 | Р   |
| 1   | 3   | 0.9899 | 24.30             | 11.59 | 13.81             | 38.11 | 25.40 | 56.00           | 46.00 | -17.89         | -20.60 | Р   |
|     | 4   | 1.1658 | 27.34             | 9.10  | 13.79             | 41.13 | 22.89 | 56.00           | 46.00 | -14.87         | -23.11 | Р   |
|     | 5   | 2.7620 | 21.84             | 7.65  | 13.40             | 35.24 | 21.05 | 56.00           | 46.00 | -20.76         | -24.95 | Р   |
|     | 6   | 6.6097 | 24.09             | 15.32 | 13.36             | 37.45 | 28.68 | 60.00           | 50.00 | -22.55         | -21.32 | Р   |

#### **RESULT: PASS**

Note: All the test modes had been tested, the mode 3 was the worst case. Only the data of the worst case would be record in this test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the condition of stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written permitted without the written permitted without the written permitted in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Page 43 of 53

#### APPENDIX A: PHOTOGRAPHS OF TEST SETUP

RADIATED EMISSION TEST SETUP BELOW 1GHZ



RADIATED EMISSION TEST SETUP ABOVE 1GHZ



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.




Page 44 of 53





CONDUCTED TEST SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the specificated resting/inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the writter pathorization of AGC, the test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15day after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.