


8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2358.65	52.31	15.07	37.24	74.00	-21.69	150		74 Peak	Horizontal	
2 *	2402.00	97.73	60.36	37.37	74.00	23.73	150		74 Peak	Horizontal	
3	2839.22	54.28	16.25	38.03	74.00	-19.72	150		74 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.40	53.42	16.21	37.21	74.00	-20.58	105		241 Peak	Vertical	
2 *	2402.00	98.27	60.90	37.37	74.00	24.27	105		241 Peak	Vertical	
3	2619.31	54.00	16.07	37.93	74.00	-20.00	105		241 Peak	Vertical	

8DPSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2358.65	31.03	-6.21	37.24	54.00	-22.97	150	74	Average	Horizontal	DF
2 *	2402.00	76.46	39.09	37.37	54.00	22.46	150	74	Average	Horizontal	DF
3	2839.22	33.01	-5.02	38.03	54.00	-20.99	150	74	Average	Horizontal	DF



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.40	32.16	-5.05	37.21	54.00	-21.84	105	241	Average	Vertical	DF
2 *	2402.00	77.00	39.63	37.37	54.00	23.00	105	241	Average	Vertical	DF
3	2619.31	32.73	-5.20	37.93	54.00	-21.27	105	241	Average	Vertical	DF

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2365.36	52.67	15.42	37.25	74.00	-21.33	242	203 Peak	Horizontal		
2 *	2480.00	95.58	56.82	37.56	74.00	19.58	242	203 Peak	Horizontal		
3	2635.92	55.78	17.89	37.89	74.00	-18.22	242	203 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2316.60	52.14	15.04	37.10	74.00	-21.86	188	240 Peak	Vertical		
2 *	2480.00	92.31	54.75	37.56	74.00	18.31	188	240 Peak	Vertical		
3	2849.00	54.25	16.19	38.06	74.00	-19.75	188	240 Peak	Vertical		

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2365.36	31.40	-5.85	37.25	54.00	-22.60	242	203	Average	Horizontal	DF	
2 *	2488.00	72.31	34.75	37.56	54.00	18.31	242	203	Average	Horizontal	DF	
3	2635.92	34.51	-3.38	37.89	54.00	-19.49	242	203	Average	Horizontal	DF	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2316.60	30.87	-6.23	37.10	54.00	-23.13	188	240	Average	Vertical	DF	
2 *	2488.00	71.04	33.48	37.56	54.00	17.04	188	240	Average	Vertical	DF	
3	2849.00	32.98	-5.08	38.06	54.00	-21.02	188	240	Average	Vertical	DF	

Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


GFSK

Low Channel(Open) 9kHz~150kHz

Low Channel(Open) 150kHz~30MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.01	85.58	6.07	79.51	128.13	-42.55	100	300	Q°	Open		
2	0.02	74.45	2.21	72.24	128.88	-46.43	100	347	Q°	Open		
3	0.04	65.73	-0.83	66.56	114.73	-49.00	100	0	Q°	Open		
4	0.07	60.52	-1.94	62.46	110.80	-50.28	100	103	Q°	Open		
5	0.10	56.98	-2.15	59.13	107.41	-50.43	100	319	Q°	Open		
6	0.12	54.30	-3.66	57.96	105.85	-51.55	100	315	Q°	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	0.39	59.77	11.30	48.47	95.68	-35.91	100	158	Q°	Open		
2	4.83	50.63	12.29	38.34	69.50	-18.87	100	0	Q°	Open		
3	11.01	50.21	13.01	37.20	69.50	-19.29	100	61	Q°	Open		
4	15.39	49.88	12.23	37.65	69.50	-19.62	100	40	Q°	Open		
5	19.78	49.99	13.69	36.30	69.50	-19.51	100	278	Q°	Open		
6	24.35	48.19	13.61	34.58	69.50	-21.31	100	109	Q°	Open		

GFSK

Low Channel(Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	81.64	3.48	78.16	126.70	-45.06	100	260 QP	Close	
2	0.03	71.70	1.09	70.61	117.92	-46.22	100	227 QP	Close	
3	0.05	65.41	0.51	64.90	113.42	-48.01	100	184 QP	Close	
4	0.06	61.59	-1.67	63.26	111.60	-50.01	100	257 QP	Close	
5	0.08	59.87	-1.25	61.12	109.36	-49.49	100	269 QP	Close	
6	0.11	56.47	-2.23	58.70	106.81	-50.34	100	250 QP	Close	

Low Channel(Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.49	60.11	13.18	46.93	73.79	-13.68	100	250 QP	Close	
2	1.85	52.31	13.42	38.89	69.50	-17.19	100	338 QP	Close	
3	5.04	50.09	11.75	38.34	69.50	-19.41	100	99 QP	Close	
4	12.71	49.17	11.79	37.38	69.50	-20.33	100	222 QP	Close	
5	15.67	50.24	12.64	37.60	69.50	-19.26	100	150 QP	Close	
6	21.87	48.59	12.69	35.90	69.50	-20.91	100	347 QP	Close	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


GFSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	78.06	24.56	34.63	-10.07	40.00	-15.44	300	156	QP	Horizontal	
2	144.75	27.62	35.26	-7.64	43.50	-15.88	200	59	QP	Horizontal	
3	321.29	25.03	31.11	-6.08	46.00	-20.97	100	40	QP	Horizontal	
4	543.32	27.45	29.98	-2.53	46.00	-18.55	200	41	QP	Horizontal	
5	662.93	28.83	29.36	-0.53	46.00	-17.17	400	0	QP	Horizontal	
6	763.81	30.91	29.54	1.37	46.00	-15.09	300	360	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	46.39	27.22	34.74	-7.52	40.00	-12.78	100	360	QP	Vertical	
2	147.66	25.67	33.33	-7.66	43.50	-17.83	200	141	QP	Vertical	
3	334.39	23.82	29.55	-5.73	46.00	-22.18	300	75	QP	Vertical	
4	548.47	27.67	30.11	-2.44	46.00	-18.33	322	360	QP	Vertical	
5	699.69	30.34	30.19	0.15	46.00	-15.66	300	0	QP	Vertical	
6	812.50	31.19	29.23	1.96	46.00	-14.81	100	360	QP	Vertical	


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	38.48	48.68	-10.20	54.00	-15.52	266	236	Average	Horizontal	DF
2	4894.00	59.75	69.95	-10.20	74.00	-14.25	266	236	Peak	Horizontal	
3	7206.00	30.63	38.28	-7.65	54.00	-23.37	100	43	Average	Horizontal	DF
4	7206.00	51.91	59.56	-7.65	74.00	-22.09	100	43	Peak	Horizontal	
5	9608.00	46.18	51.47	-5.29	74.00	-27.82	300	41	Peak	Horizontal	
6	14412.00	39.61	37.77	1.84	54.00	-14.39	300	32	Average	Horizontal	DF
7	14412.00	60.88	59.04	1.84	74.00	-13.12	300	32	Peak	Horizontal	
8	16812.89	55.75	49.19	6.56	74.00	-18.25	200	32	Peak	Horizontal	
9	16814.00	34.48	27.92	6.56	54.00	-19.52	200	32	Average	Horizontal	DF
10	19216.00	30.45	32.22	-1.77	54.00	-23.55	100	73	Average	Horizontal	DF
11	19216.00	51.71	53.48	-1.77	74.00	-22.29	100	73	Peak	Horizontal	
12	24020.00	29.89	26.44	3.45	54.00	-24.11	200	71	Average	Horizontal	DF
13	24020.00	51.16	47.71	3.45	74.00	-22.84	200	71	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	39.88	50.08	-10.20	54.00	-14.12	104	100	Average	Vertical	DF
2	4894.00	61.15	71.35	-10.20	74.00	-12.85	104	100	Peak	Vertical	
3	7206.00	33.29	40.94	-7.65	54.00	-20.71	100	51	Average	Vertical	DF
4	7206.00	54.56	62.21	-7.65	74.00	-19.44	100	51	Peak	Vertical	
5	9608.00	47.79	53.08	-5.29	74.00	-26.21	200	60	Peak	Vertical	
6	14412.00	44.44	42.60	1.84	54.00	-9.56	207	67	Average	Vertical	DF
7	14412.00	65.71	63.87	1.84	74.00	-8.29	207	67	Peak	Vertical	
8	19216.00	32.59	34.36	-1.77	54.00	-21.41	300	80	Average	Vertical	DF
9	19216.00	53.85	55.62	-1.77	74.00	-20.15	300	80	Peak	Vertical	

GFSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	39.59	49.65	-10.06	54.00	-14.41	289	241	Average	Horizontal	DF
2	4882.00	60.85	70.91	-10.06	74.00	-13.15	289	241	Peak	Horizontal	
3	7323.00	30.64	38.43	-7.79	54.00	-23.36	100	45	Average	Horizontal	DF
4	7323.00	51.91	59.70	-7.79	74.00	-22.09	100	45	Peak	Horizontal	
5	9764.00	44.82	49.78	-4.96	74.00	-29.18	200	123	Peak	Horizontal	
6	14646.00	39.28	36.00	2.48	54.00	-14.72	285	19	Average	Horizontal	DF
7	14646.00	60.55	58.07	2.48	74.00	-13.45	285	19	Peak	Horizontal	
8	17087.00	32.94	26.51	6.43	54.00	-21.06	200	46	Average	Horizontal	
9	17087.00	54.21	47.78	6.43	74.00	-19.79	200	46	Peak	Horizontal	
10	19528.00	33.21	34.91	-1.70	54.00	-20.79	100	53	Average	horizontal	DF
11	19528.00	54.48	56.18	-1.70	74.00	-19.52	100	53	Peak	horizontal	
12	21969.00	26.93	25.68	1.25	54.00	-27.07	100	24	Average	horizontal	DF
13	21969.00	48.21	46.96	1.25	74.00	-25.79	100	24	Peak	horizontal	
14	24410.00	29.90	26.32	3.58	54.00	-24.10	100	70	Average	horizontal	DF
15	24410.00	51.16	47.58	3.58	74.00	-22.84	100	70	Peak	horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	42.17	52.23	-10.06	54.00	-11.83	180	180	Average	Vertical	DF
2	4882.00	63.43	73.49	-10.06	74.00	-10.57	180	180	Peak	Vertical	
3	7323.00	32.89	40.68	-7.79	54.00	-21.11	200	44	Average	Vertical	DF
4	7323.00	54.16	61.95	-7.79	74.00	-19.84	200	44	Peak	Vertical	
5	9764.00	47.87	52.83	-4.96	74.00	-26.13	200	72	Peak	Vertical	
6	14646.00	43.42	40.94	2.48	54.00	-10.58	172	74	Average	Vertical	DF
7	14646.00	64.69	62.21	2.48	74.00	-9.31	172	74	Peak	Vertical	
8	17087.00	33.26	26.83	6.43	54.00	-20.74	281	78	Average	Vertical	DF
9	17087.00	54.53	48.10	6.43	74.00	-19.47	281	78	Peak	Vertical	
10	19528.00	32.34	34.04	-1.70	54.00	-21.66	300	52	Average	vertical	DF
11	19528.00	53.61	55.31	-1.70	74.00	-20.39	300	52	Peak	vertical	
12	21969.00	29.88	28.63	1.25	54.00	-24.12	156	360	Average	vertical	DF
13	21969.00	48.15	46.90	1.25	74.00	-25.85	156	360	Peak	vertical	

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	43.02	52.78	-9.76	54.00	-10.98	238	233	Average	Horizontal	DF
2	4960.00	64.29	74.05	-9.76	74.00	-9.71	238	233	Peak	Horizontal	
3	7440.00	47.77	55.49	-7.72	74.00	-26.23	100	48	Peak	Horizontal	
4	9920.00	46.32	51.00	-4.68	74.00	-27.68	300	44	Peak	Horizontal	
5	12400.00	47.20	47.37	-0.17	74.00	-26.80	300	114	Peak	Horizontal	
6	14880.00	38.71	36.02	2.69	54.00	-15.29	204	20	Average	Horizontal	DF
7	14880.00	59.98	57.29	2.69	74.00	-14.02	204	20	Peak	Horizontal	
8	19840.00	30.26	31.57	-1.31	54.00	-23.74	100	58	Average	Horizontal	DF
9	19840.00	51.53	52.84	-1.31	74.00	-22.47	100	58	Peak	Horizontal	
10	22320.00	28.38	26.67	1.71	54.00	-25.62	100	20	Average	Horizontal	DF
11	22320.00	49.66	47.95	1.71	74.00	-24.34	100	20	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	43.02	52.78	-9.76	54.00	-10.98	184	186	Average	Vertical	DF
2	4960.00	64.29	74.05	-9.76	74.00	-9.71	184	186	Peak	Vertical	
3	7440.00	31.88	39.60	-7.72	54.00	-22.12	195	49	Average	Vertical	DF
4	7440.00	53.15	60.87	-7.72	74.00	-20.85	195	49	Peak	Vertical	
5	9920.00	47.08	51.76	-4.68	74.00	-26.92	200	69	Peak	Vertical	
6	12400.00	46.71	46.68	-0.17	74.00	-27.29	100	34	Peak	Vertical	
7	14880.00	38.90	36.21	2.69	54.00	-15.10	294	76	Average	Vertical	DF
8	14880.00	60.17	57.48	2.69	74.00	-13.83	294	76	Peak	Vertical	
9	19840.00	30.34	31.65	-1.31	54.00	-23.66	300	55	Average	Vertical	DF
10	19840.00	51.61	52.92	-1.31	74.00	-22.39	300	55	Peak	Vertical	
11	22320.00	29.83	28.12	1.71	54.00	-24.17	200	78	Average	Vertical	DF
12	22320.00	51.11	49.40	1.71	74.00	-22.89	200	78	Peak	Vertical	


	Freq	Level	Lead	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	4804.00	39.46	49.66	-10.20	74.00	-14.54	104	180	Average	vertical	DF
2	4804.00	60.73	70.93	-10.20	74.00	-14.54	104	180	Peak	vertical	
3	7206.00	31.00	38.65	-7.65	74.00	-23.00	187	28	Average	vertical	DF
4	7206.00	52.27	59.92	-7.65	74.00	-21.73	187	28	Peak	vertical	
5	9608.00	46.50	51.79	-5.29	74.00	-27.50	200	63	Peak	vertical	
6	14412.00	43.91	42.07	1.84	74.00	-10.09	114	64	Average	vertical	DF
7	14412.00	65.18	63.34	1.84	74.00	-8.62	114	64	Peak	vertical	
8	16814.00	39.72	46.01	-6.29	74.00	-34.29	54	50	Average	vertical	DF
9	16814.00	59.99	47.43	6.56	74.00	-20.01	300	50	Peak	vertical	
10	19216.00	30.51	32.28	-1.77	74.00	-23.49	300	62	Average	Vertical	DF
11	19216.00	51.77	53.54	-1.77	74.00	-22.23	300	62	Peak	Vertical	

8DPSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	39.90	49.96	-10.06	54.00	-14.10	235	222	Average	Horizontal	DF	
2	4882.00	61.17	71.23	-10.06	74.00	-12.83	235	222	Peak	Horizontal		
3	7323.00	47.49	55.28	-7.79	74.00	-26.51	100	42	Peak	Horizontal	DF	
4	14646.00	38.82	36.34	2.48	54.00	-15.18	215	15	Average	Horizontal	DF	
5	14646.00	60.14	57.66	2.48	74.00	-13.86	215	15	Peak	Horizontal		
6	19528.00	30.92	32.62	-1.70	54.00	-23.08	100	55	Average	Horizontal	DF	
7	19528.00	52.19	53.09	-1.70	74.00	-21.81	100	55	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	41.59	51.65	-10.06	54.00	-12.41	100	100	Average	Vertical	DF	
2	4882.00	62.86	72.92	-10.06	74.00	-11.14	100	100	Peak	Vertical		
3	7323.00	32.41	40.20	-7.79	54.00	-21.59	105	49	Average	Vertical	DF	
4	7323.00	53.68	61.47	-7.79	74.00	-20.32	105	49	Peak	Vertical		
5	9764.00	46.21	51.17	-4.96	74.00	-27.79	200	70	Peak	Vertical		
6	14646.00	42.21	39.73	2.48	54.00	-11.79	170	74	Average	Vertical	DF	
7	14646.00	63.48	61.00	2.48	74.00	-10.52	170	74	Peak	Vertical		
8	19528.00	29.00	30.70	-1.70	54.00	-25.00	300	49	Average	Vertical	DF	
9	19528.00	50.27	51.97	-1.70	74.00	-23.73	300	49	Peak	Vertical		

8DPSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	42.44	52.20	-9.76	54.00	-11.56	228	223	Average	Horizontal	DF	
2	4960.00	63.71	73.47	-9.76	74.00	-10.29	228	223	Peak	Horizontal		
3	7440.00	46.63	54.35	-7.72	74.00	-27.37	100	47	Peak	Horizontal		
4	14880.00	37.27	34.58	2.69	54.00	-16.73	205	15	Average	Horizontal	DF	
5	14880.00	58.54	55.85	2.69	74.00	-15.46	205	15	Peak	Horizontal		
6	19840.00	28.02	29.33	-1.31	54.00	-25.98	100	56	Average	Horizontal	DF	
7	19840.00	49.29	50.60	-1.31	74.00	-24.71	100	56	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	42.81	52.57	-9.76	54.00	-11.19	183	180	Average	Vertical	DF	
2	4960.00	64.08	73.84	-9.76	74.00	-9.92	183	180	Peak	Vertical		
3	7440.00	31.02	38.74	-7.72	54.00	-22.98	184	59	Average	Vertical	DF	
4	7440.00	52.29	60.01	-7.72	74.00	-21.71	184	59	Peak	Vertical		
5	14880.00	39.88	37.19	2.69	54.00	-14.12	174	74	Average	Vertical	DF	
6	14880.00	61.15	58.46	2.69	74.00	-12.85	174	74	Peak	Vertical		
7	19840.00	28.57	29.88	-1.31	54.00	-25.43	199	0	Average	Vertical	DF	
8	19840.00	49.84	51.15	-1.31	74.00	-24.16	199	0	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Po1/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.198	33.27	10.11	43.38	63.68	-20.30	QP	line1	
2	0.198	20.67	10.11	30.78	53.68	-22.90	Average	line1	
3	0.276	29.32	10.11	39.43	60.95	-21.52	QP	line1	
4	0.276	17.52	10.11	27.63	50.95	-23.32	Average	line1	
5	0.417	32.04	10.12	42.16	57.51	-15.35	QP	line1	
6	0.417	18.83	10.12	28.95	47.51	-18.56	Average	line1	
7	3.887	28.29	10.21	38.50	56.00	-17.50	QP	line1	
8	3.887	20.19	10.21	30.40	46.00	-15.60	Average	line1	
9	22.807	18.22	10.57	28.79	60.00	-31.21	QP	line1	
10	22.807	11.11	10.57	21.68	50.00	-28.32	Average	line1	
11	26.354	28.53	10.60	39.13	60.00	-20.87	QP	line1	
12	26.354	19.84	10.60	30.44	50.00	-19.56	Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Po1/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.195	32.31	10.11	42.42	63.81	-21.39	QP	neutral	
2	0.195	9.64	10.11	19.75	53.81	-34.06	Average	neutral	
3	0.276	27.24	10.11	37.35	60.95	-23.60	QP	neutral	
4	0.276	9.33	10.11	19.44	50.95	-31.51	Average	neutral	
5	0.328	25.39	10.10	35.49	59.50	-24.01	QP	neutral	
6	0.328	10.02	10.10	20.12	49.50	-29.38	Average	neutral	
7	0.394	25.72	10.11	35.83	57.97	-22.14	QP	neutral	
8	0.394	12.16	10.11	22.27	47.97	-25.70	Average	neutral	
9	0.486	24.91	10.11	35.02	56.23	-21.21	QP	neutral	
10	0.486	9.88	10.11	19.99	46.23	-26.24	Average	neutral	
11	26.354	24.79	10.62	35.41	60.00	-24.59	QP	neutral	
12	26.354	16.35	10.62	26.97	50.00	-23.03	Average	neutral	

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test_37130-AKD3


Band Edges, 2.31GHz ~ 2.9GHz

GFSK

Low Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.99	53.62	16.40	37.22	74.00	-20.38	100	308	Peak	Horizontal		
2 *	2402.00	99.16	61.79	37.37	74.00	25.16	100	308	Peak	Horizontal		
3	2893.52	55.12	16.84	38.28	74.00	-18.88	100	308	Peak	Horizontal		

Low Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2318.48	52.86	15.75	37.11	74.00	-21.14	104	212	Peak	Vertical		
2 *	2402.00	102.05	64.68	37.37	74.00	28.05	104	212	Peak	Vertical		
3	2829.56	54.43	16.43	38.00	74.00	-19.57	104	212	Peak	Vertical		

GFSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.99	32.35	-4.87	37.22	54.00	-21.65	100	308	Average	Horizontal	DF
2 *	2402.00	77.89	40.52	37.37	54.00	23.89	100	308	Average	Horizontal	DF
3	2893.55	33.86	-4.42	38.28	54.00	-20.14	100	308	Average	Horizontal	DF



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2318.48	31.59	-5.52	37.11	54.00	-22.41	104	212	Average	Vertical	DF
2 *	2402.00	80.78	43.41	37.37	54.00	26.78	104	212	Average	Vertical	DF
3	2829.56	33.16	-4.84	38.00	54.00	-20.84	104	212	Average	Vertical	DF

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.92	53.31	15.98	37.33	74.00	-20.69	100	387 Peak	Horizontal		
2 *	2488.00	95.25	57.69	37.56	74.00	21.25	100	387 Peak	Horizontal		
3	2631.68	54.63	16.74	37.89	74.00	-19.37	100	387 Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.31	52.85	15.58	37.27	74.00	-21.15	219	196 Peak	Vertical		
2 *	2488.00	97.53	59.97	37.56	74.00	23.53	219	196 Peak	Vertical		
3	2785.86	54.36	16.47	37.89	74.00	-19.64	219	196 Peak	Vertical		

GFSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.92	32.04	-5.29	37.33	54.00	-21.96	100	387	Average	Horizontal	DF
2 *	2488.00	73.98	36.42	37.56	54.00	19.98	100	387	Average	Horizontal	DF
3	2631.68	33.37	-4.52	37.89	54.00	-20.63	100	387	Average	Horizontal	DF

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2378.31	31.58	-5.69	37.27	54.00	-22.42	219	196	Average	Vertical	DF
2 *	2488.00	76.26	38.78	37.56	54.00	22.26	219	196	Average	Vertical	DF
3	2785.86	33.09	-4.80	37.89	54.00	-20.91	219	196	Average	Vertical	DF

8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2381.05	53.05	15.75	37.30	74.00	-20.95	100	311	Peak	Horizontal		
2 *	2402.00	98.36	60.99	37.37	74.00	24.36	100	311	Peak	Horizontal		
3	2821.08	55.09	17.12	37.97	74.00	-18.91	100	311	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2323.31	53.07	15.94	37.13	74.00	-20.93	104	211	Peak	Vertical		
2 *	2402.00	101.06	63.69	37.37	74.00	27.06	104	211	Peak	Vertical		
3	2629.79	55.14	17.24	37.90	74.00	-18.86	104	211	Peak	Vertical		

8DPSK

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2381.05	31.79	-5.51	37.30	54.00	-22.21	100	311	Average	Horizontal	DF
2 *	2402.00	77.09	39.72	37.37	54.00	23.09	100	311	Average	Horizontal	DF
3	2821.08	33.83	-4.14	37.97	54.00	-20.17	100	311	Average	Horizontal	DF

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2323.31	31.79	-5.34	37.13	54.00	-22.21	104	211	Average	Vertical	DF
2 *	2402.00	79.79	42.42	37.37	54.00	25.79	104	211	Average	Vertical	DF
3	2629.79	33.67	-4.03	37.90	54.00	-20.13	104	211	Average	Vertical	DF

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2319.78	53.06	15.95	37.11	74.00	-20.94	106	326	Peak	Horizontal	
2 *	2480.00	95.19	57.63	37.56	74.00	21.19	106	326	Peak	Horizontal	
3	2804.59	54.44	16.51	37.93	74.00	-19.56	106	326	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	cm	deg			
1	2315.54	53.34	16.24	37.10	74.00	-20.66	218	194	Peak	Vertical	
2 *	2480.00	97.16	59.60	37.56	74.00	23.16	218	194	Peak	Vertical	
3	2483.50	55.65	18.09	37.56	74.00	-18.35	218	194	Peak	Vertical	

8DPSK

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2319.78	31.79	-5.32	37.11	54.00	-22.21	106	326	Average	Horizontal DF
2 *	2480.00	73.92	36.36	37.56	54.00	19.92	106	326	Average	Horizontal DF
3	2804.59	33.16	-4.77	37.93	54.00	-20.84	106	326	Average	Horizontal DF

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2315.54	32.67	-5.03	37.10	54.00	-21.93	218	194	Average	Vertical DF
2 *	2480.00	75.89	38.33	37.56	54.00	21.89	218	194	Average	Vertical DF
3	2483.50	34.38	-3.18	37.56	54.00	-19.62	218	194	Average	Vertical DF


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

Low Channel(Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.69	4.25	77.44	125.05	-44.16	100	143	QP	Open		
2	0.03	70.60	1.17	69.43	116.93	-46.33	100	217	QP	Open		
3	0.05	64.53	-0.05	64.58	113.05	-48.52	100	153	QP	Open		
4	0.08	60.19	-1.29	61.48	109.76	-49.57	100	66	QP	Open		
5	0.10	56.22	-2.84	59.06	107.31	-51.09	100	243	QP	Open		
6	0.13	53.53	-3.75	57.28	105.06	-51.53	100	271	QP	Open		

Low Channel(Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.37	62.22	13.31	48.91	96.15	-33.93	100	173	QP	Open		
2	3.93	51.04	12.72	38.32	69.50	-18.46	100	352	QP	Open		
3	9.76	49.73	12.09	37.64	69.50	-19.77	100	155	QP	Open		
4	11.33	50.90	13.67	37.23	69.50	-18.60	100	0	QP	Open		
5	13.73	50.73	13.16	37.57	69.50	-18.77	100	315	QP	Open		
6	28.35	49.00	12.81	36.19	69.50	-20.50	100	346	QP	Open		

GFSK

Low Channel(Close) 9kHz~150kHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	83.64	4.27	79.37	128.01	-44.37	100	4 QP	Close	
2	0.03	71.38	0.62	70.76	118.07	-46.69	100	18 QP	Close	
3	0.06	63.56	-0.22	63.78	112.17	-48.61	100	28 QP	Close	
4	0.08	58.72	-2.17	60.89	109.05	-50.33	100	16 QP	Close	
5	0.10	56.42	-2.57	58.99	107.22	-50.80	100	275 QP	Close	
6	0.12	56.60	-1.37	57.97	105.87	-49.27	100	73 QP	Close	

Low/ Channel(Close) 150kHz~30MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.38	60.80	11.05	48.85	96.80	-35.28	100	355 QP	Close	
2	4.45	49.98	11.65	38.33	69.50	-19.52	100	346 QP	Close	
3	11.20	48.89	11.67	37.22	69.50	-20.61	100	224 QP	Close	
4	13.27	50.40	12.94	37.46	69.50	-19.10	100	80 QP	Close	
5	23.22	49.76	14.33	35.43	69.50	-19.74	100	355 QP	Close	
6	26.15	46.96	12.66	34.30	69.50	-22.54	100	92 QP	Close	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

GFSK/8DPSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	70.93	23.44	33.70	-10.26	40.00	-16.56	200	0	QP	Horizontal	
2	153.29	29.80	37.44	-7.64	43.50	-13.70	300	89	QP	Horizontal	
3	180.74	27.69	36.25	-8.56	43.50	-15.81	200	115	QP	Horizontal	
4	532.75	28.30	30.95	-2.65	46.00	-17.70	200	168	QP	Horizontal	
5	638.00	29.66	30.35	-0.69	46.00	-16.34	200	225	QP	Horizontal	
6	742.17	30.83	29.88	0.95	46.00	-15.17	100	360	QP	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	45.91	26.87	34.39	-7.52	40.00	-13.13	100	224	QP	Vertical	
2	154.94	26.75	34.37	-7.62	43.50	-16.75	200	151	QP	Vertical	
3	182.19	25.63	34.42	-8.79	43.50	-17.87	100	172	QP	Vertical	
4	372.80	24.33	29.47	-5.14	46.00	-21.67	200	296	QP	Vertical	
5	625.10	28.64	29.43	-0.79	46.00	-17.36	100	224	QP	Vertical	
6	782.14	30.78	29.25	1.53	46.00	-15.22	100	273	QP	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz


GFSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	34.88	45.00	-10.20	54.00	-19.12	223	229	Average	horizontal	DF
2	4894.00	56.15	66.35	-10.20	74.00	-17.85	223	229	Peak	horizontal	
3	7206.00	47.94	55.59	-7.65	74.00	-26.06	300	114	Peak	horizontal	
4	9608.00	46.93	52.22	-5.29	74.00	-27.07	100	70	Peak	horizontal	
5	14412.00	40.58	38.74	1.84	54.00	-13.42	232	0	Average	horizontal	DF
6	14412.00	61.58	59.74	1.84	74.00	-12.42	232	0	Peak	horizontal	
7	16814.00	33.92	27.36	6.56	54.00	-20.08	200	60	Average	horizontal	DF
8	16814.00	55.20	48.64	6.56	74.00	-18.80	200	60	Peak	horizontal	
9	19216.00	39.61	41.38	-1.77	54.00	-14.39	100	68	Average	horizontal	DF
10	19216.00	60.88	62.65	-1.77	74.00	-13.12	100	68	Peak	horizontal	
11	21618.00	28.17	27.22	0.95	54.00	-25.83	220	0	Average	horizontal	DF
12	21618.00	49.44	48.49	0.95	74.00	-24.56	220	0	Peak	horizontal	
13	24020.00	33.94	30.49	3.45	54.00	-20.06	100	79	Average	horizontal	DF
14	24020.00	55.21	51.76	3.45	74.00	-18.79	100	79	Peak	horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	36.45	46.65	-10.20	54.00	-17.55	221	149	Average	vertical	DF
2	4894.00	57.72	67.92	-10.20	74.00	-16.28	221	149	Peak	vertical	
3	7206.00	31.42	39.07	-7.65	54.00	-22.58	107	61	Average	vertical	DF
4	7206.00	52.69	60.34	-7.65	74.00	-21.31	107	61	Peak	vertical	
5	9608.00	47.88	53.17	-5.29	74.00	-26.12	200	46	Peak	vertical	
6	14412.00	46.79	44.95	1.84	54.00	-7.21	177	69	Average	vertical	DF
7	14412.00	68.06	66.22	1.84	74.00	-5.94	177	69	Peak	vertical	
8	16814.00	34.79	28.23	6.56	54.00	-19.21	176	75	Average	vertical	DF
9	16814.00	56.06	49.50	6.56	74.00	-17.94	176	75	Peak	vertical	
10	19216.00	40.39	42.16	-1.77	54.00	-13.61	191	75	Average	vertical	DF
11	19216.00	61.66	63.43	-1.77	74.00	-12.34	191	75	Peak	vertical	
12	21618.00	30.49	29.54	0.95	54.00	-23.51	100	192	Average	vertical	DF
13	21618.00	51.76	50.81	0.95	74.00	-22.24	100	192	Peak	vertical	
14	24020.00	33.56	30.11	3.45	54.00	-20.44	100	52	Average	vertical	DF
15	24020.00	54.83	51.38	3.45	74.00	-19.17	100	52	Peak	vertical	

GFSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	40.10	50.16	-10.06	54.00	-13.90	216	145	Average	Horizontal	DF
2	4882.00	61.37	71.43	-10.06	74.00	-12.63	216	145	Peak	Horizontal	
3	7323.00	30.45	38.24	-7.79	54.00	-23.55	201	226	Average	Horizontal	DF
4	7323.00	51.72	59.51	-7.79	74.00	-22.28	201	226	Peak	Horizontal	
5	9764.00	47.85	52.81	-4.96	74.00	-26.15	100	58	Peak	Horizontal	
6	14646.00	38.65	36.17	2.48	54.00	-15.35	256	30	Average	Horizontal	DF
7	14646.00	59.92	57.44	2.48	74.00	-14.08	266	30	Peak	Horizontal	
8	17087.00	34.89	28.46	6.43	54.00	-19.11	198	68	Average	Horizontal	DF
9	17087.00	56.16	49.73	6.43	74.00	-17.84	198	68	Peak	Horizontal	
10	19528.00	37.22	38.92	-1.70	54.00	-16.78	100	77	Average	Horizontal	DF
11	19528.00	58.50	60.20	-1.70	74.00	-15.50	100	77	Peak	Horizontal	
12	24410.00	32.39	28.81	3.58	54.00	-21.61	100	77	Average	Horizontal	DF
13	24410.00	53.66	50.08	3.58	74.00	-20.34	100	77	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	39.34	49.40	-10.06	54.00	-14.66	100	165	Average	Vertical	DF
2	4882.00	60.61	70.67	-10.06	74.00	-13.39	100	165	Peak	Vertical	
3	7323.00	32.18	39.97	-7.79	54.00	-21.82	100	31	Average	Vertical	DF
4	7323.00	53.45	61.24	-7.79	74.00	-20.55	100	31	Peak	Vertical	
5	9764.00	47.78	52.74	-4.96	74.00	-26.22	300	60	Peak	Vertical	
6	14646.00	43.10	40.62	2.48	54.00	-10.90	200	68	Average	Vertical	DF
7	14646.00	64.01	61.53	2.48	74.00	-9.99	200	68	Peak	Vertical	
8	17087.00	36.21	29.78	6.43	54.00	-17.79	200	73	Average	Vertical	DF
9	17087.00	57.48	51.05	6.43	74.00	-16.52	200	73	Peak	Vertical	
10	19528.00	36.71	38.41	-1.70	54.00	-17.29	200	53	Average	Vertical	DF
11	19528.00	57.99	59.69	-1.70	74.00	-16.01	200	53	Peak	Vertical	
12	24410.00	32.45	28.87	3.58	54.00	-21.55	100	48	Average	Vertical	DF
13	24410.00	53.73	50.15	3.58	74.00	-20.27	100	48	Peak	Vertical	

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenglin Rd., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	43.21	52.97	-9.76	54.00	-10.79	358	44	Average	Horizontal	DF
2	4968.00	64.48	74.24	-9.76	74.00	-9.52	358	44	Peak	Horizontal	
3	7440.00	30.06	37.78	-7.72	54.00	-23.94	113	44	Average	Horizontal	DF
4	7440.00	51.33	59.05	-7.72	74.00	-22.67	113	44	Peak	Horizontal	
5	9920.00	46.64	51.32	-4.68	74.00	-27.36	100	74	Peak	Horizontal	
6	14880.00	37.07	34.38	2.69	54.00	-16.93	272	32	Average	Horizontal	DF
7	14880.00	58.34	55.65	2.69	74.00	-15.66	272	32	Peak	Horizontal	
8	19840.00	35.10	36.41	-1.31	54.00	-18.90	100	79	Average	Horizontal	DF
9	19840.00	56.38	57.69	-1.31	74.00	-17.62	100	79	Peak	Horizontal	
10	22320.00	29.11	27.40	1.71	54.00	-24.89	200	118	Average	Horizontal	DF
11	22320.00	50.39	48.68	1.71	74.00	-25.61	200	118	Peak	Horizontal	
12	24800.00	33.43	29.36	4.07	54.00	-20.57	100	83	Average	Horizontal	DF
13	24800.00	54.71	50.64	4.07	74.00	-19.29	100	83	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenglin Rd., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	42.34	52.10	-9.76	54.00	-11.66	221	148	Average	Vertical	DF
2	4968.00	63.61	73.37	-9.76	74.00	-10.39	221	148	Peak	Vertical	
3	7440.00	31.43	39.15	-7.72	54.00	-22.57	212	42	Average	Vertical	DF
4	7440.00	52.70	60.42	-7.72	74.00	-21.30	212	42	Peak	Vertical	
5	9920.00	29.38	34.06	-4.68	54.00	-24.62	266	59	Average	Vertical	DF
6	9920.00	50.65	55.33	-4.68	74.00	-23.35	266	59	Peak	Vertical	
7	12400.00	30.56	38.73	-0.17	54.00	-23.44	190	194	Average	Vertical	DF
8	12400.00	51.83	52.00	-0.17	74.00	-22.17	190	194	Peak	Vertical	
9	14880.00	40.81	38.12	2.69	54.00	-13.19	200	70	Average	Vertical	DF
10	14880.00	61.08	58.39	2.69	74.00	-12.92	200	70	Peak	Vertical	
11	17360.00	33.35	26.81	6.54	54.00	-20.65	100	66	Average	Vertical	DF
12	17360.00	54.62	48.08	6.54	74.00	-19.38	100	66	Peak	Vertical	
13	19840.00	34.77	36.08	-1.31	54.00	-19.23	200	53	Average	Vertical	DF
14	19840.00	56.04	57.35	-1.31	74.00	-17.96	200	53	Peak	Vertical	
15	22320.00	30.37	28.66	1.71	54.00	-23.63	200	51	Average	Vertical	DF
16	22320.00	51.65	49.94	1.71	74.00	-22.35	200	51	Peak	Vertical	
17	24800.00	31.62	27.55	4.07	54.00	-22.38	200	56	Average	Vertical	DF
18	24800.00	52.89	48.82	4.07	74.00	-21.11	200	56	Peak	Vertical	

8DPSK

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	32.45	42.65	-10.20	54.00	-21.55	295	148	Average	horizontal	DF
2	4894.00	53.72	63.92	-10.20	74.00	-20.28	295	148	Peak	horizontal	
3	7206.00	29.34	36.99	-7.65	54.00	-24.66	294	110	Average	horizontal	DF
4	7206.00	50.61	58.26	-7.65	74.00	-23.39	294	110	Peak	horizontal	
5	9608.00	45.63	50.92	-5.29	74.00	-28.37	100	63	Peak	horizontal	
6	14412.00	38.36	36.52	1.84	54.00	-15.64	247	8	Average	horizontal	DF
7	14412.00	59.63	57.79	1.84	74.00	-14.37	247	8	Peak	horizontal	
8	19216.00	35.95	37.72	-1.77	54.00	-18.05	100	68	Average	Horizontal	DF
9	19216.00	57.22	58.99	-1.77	74.00	-16.78	100	68	Peak	Horizontal	
10	24020.00	32.72	29.27	3.45	54.00	-21.28	200	58	Average	Horizontal	DF
11	24020.00	53.99	50.54	3.45	74.00	-20.01	200	58	Peak	Horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	32.25	42.45	-10.20	54.00	-21.75	104	64	Average	vertical	DF
2	4894.00	53.52	63.72	-10.20	74.00	-20.48	104	64	Peak	vertical	
3	7206.00	30.64	38.29	-7.65	54.00	-23.36	215	44	Average	vertical	DF
4	7206.00	51.91	59.56	-7.65	74.00	-22.09	215	44	Peak	vertical	
5	9608.00	45.51	50.80	-5.29	74.00	-28.49	100	56	Peak	vertical	
6	14412.00	45.79	43.95	1.84	54.00	-8.21	174	68	Average	vertical	DF
7	14412.00	67.06	65.22	1.84	74.00	-6.94	174	68	Peak	vertical	
8	16814.00	33.17	26.61	6.56	54.00	-20.83	200	70	Average	vertical	DF
9	16814.00	54.44	47.88	6.56	74.00	-19.56	200	70	Peak	vertical	
10	19216.00	36.58	38.35	-1.77	54.00	-17.42	200	52	Average	Vertical	DF
11	19216.00	57.85	59.62	-1.77	74.00	-16.15	200	52	Peak	Vertical	
12	24020.00	34.29	30.84	3.45	54.00	-19.71	100	47	Average	Vertical	DF
13	24020.00	55.56	52.11	3.45	74.00	-18.44	100	47	Peak	Vertical	

8DPSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	38.14	48.20	-10.06	54.00	-15.86	3974	34	Average	Horizontal	DF	
2	4882.00	59.41	69.47	-10.06	74.00	-14.59	3974	34	Peak	Horizontal		
3	7323.00	47.87	55.66	-7.79	74.00	-26.13	100	38	Peak	Horizontal		
4	9764.00	45.78	50.74	-4.96	74.00	-28.22	100	56	Peak	Horizontal		
5	14646.00	37.11	34.63	2.48	54.00	-16.89	238	0	Average	Horizontal	DF	
6	14646.00	58.38	55.90	2.48	74.00	-15.62	238	0	Peak	Horizontal		
7	19528.00	33.78	35.48	-1.70	54.00	-20.22	100	83	Average	Horizontal	DF	
8	19528.00	55.05	56.75	-1.70	74.00	-18.95	100	83	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	38.09	48.15	-10.06	54.00	-15.91	183	58	Average	Vertical	DF	
2	4882.00	59.36	69.42	-10.06	74.00	-14.64	183	58	Peak	Vertical		
3	7323.00	29.85	37.64	-7.79	54.00	-24.15	100	63	Average	Vertical	DF	
4	7323.00	51.12	58.91	-7.79	74.00	-22.88	100	63	Peak	Vertical		
5	9764.00	45.55	50.51	-4.96	74.00	-28.45	200	58	Peak	Vertical		
6	14646.00	41.88	39.40	2.48	54.00	-12.12	170	68	Average	Vertical	DF	
7	14646.00	63.15	68.67	2.48	74.00	-10.85	170	68	Peak	Vertical		
8	17087.00	33.36	26.93	6.43	54.00	-20.64	305	79	Average	Vertical	DF	
9	17087.00	54.63	48.20	6.43	74.00	-19.37	305	79	Peak	Vertical		
10	19528.00	36.26	37.96	-1.70	54.00	-17.74	200	53	Average	Vertical	DF	
11	19528.00	57.54	59.24	-1.70	74.00	-16.46	200	53	Peak	Vertical		
12	24410.00	30.51	26.93	3.58	54.00	-23.49	200	55	Average	Vertical	DF	
13	24410.00	51.79	48.21	3.58	74.00	-22.21	200	55	Peak	Vertical		

8DPSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	42.56	52.32	-9.76	54.00	-11.44	214	233	Average	Horizontal	DF	
2	4960.00	63.83	73.59	-9.76	74.00	-10.17	214	233	Peak	Horizontal		
3	7440.00	46.30	54.02	-7.72	74.00	-27.70	200	223	Peak	Horizontal		
4	14880.00	35.29	32.60	2.69	54.00	-18.71	272	26	Average	Horizontal	DF	
5	14880.00	56.56	53.87	2.69	74.00	-17.44	272	26	Peak	Horizontal		
6	19840.00	32.89	34.20	-1.31	54.00	-21.11	180	52	Average	Horizontal	DF	
7	19840.00	54.17	55.48	-1.31	74.00	-19.83	180	52	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	40.82	50.58	-9.76	54.00	-13.18	180	59	Average	Vertical	DF	
2	4960.00	62.09	71.85	-9.76	74.00	-11.91	180	59	Peak	Vertical		
3	7440.00	29.86	37.58	-7.72	54.00	-24.14	213	43	Average	Vertical	DF	
4	7440.00	51.13	58.85	-7.72	74.00	-22.87	213	43	Peak	Vertical		
5	9920.00	45.99	50.67	-4.68	74.00	-28.01	300	56	Peak	Vertical		
6	14880.00	39.49	36.80	2.69	54.00	-14.51	174	69	Average	Vertical	DF	
7	14880.00	60.76	58.07	2.69	74.00	-13.24	174	69	Peak	Vertical		
8	19840.00	37.13	38.44	-1.31	54.00	-16.87	192	51	Average	Vertical	DF	
9	19840.00	58.40	59.71	-1.31	74.00	-15.60	192	51	Peak	Vertical		

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Po1/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.207	33.92	10.11	44.03	63.31	-19.28	QP	line1	
2	0.207	19.12	10.11	29.23	53.31	-24.08	Average	line1	
3	0.273	28.81	10.11	38.92	61.03	-22.11	QP	line1	
4	0.273	14.69	10.11	24.80	51.03	-26.23	Average	line1	
5	0.387	26.92	10.12	37.04	58.13	-21.09	QP	line1	
6	0.387	12.25	10.12	22.37	48.13	-25.76	Average	line1	
7	0.467	27.64	10.12	37.76	56.56	-18.80	QP	line1	
8	0.467	11.41	10.12	21.53	46.56	-25.03	Average	line1	
9	3.887	27.07	10.21	37.28	56.00	-18.72	QP	line1	
10	3.887	18.55	10.21	28.76	46.00	-17.24	Average	line1	
11	25.833	27.40	10.59	37.99	60.00	-22.01	QP	line1	
12	25.833	19.78	10.59	30.37	50.00	-19.63	Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Limit Line	Over Limit	Remark	Po1/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.197	33.48	10.11	43.59	63.72	-20.13	QP	neutral	
2	0.197	14.72	10.11	24.83	53.72	-28.89	Average	neutral	
3	0.282	28.82	10.11	38.93	60.74	-21.81	QP	neutral	
4	0.282	13.87	10.11	23.98	50.74	-26.76	Average	neutral	
5	0.415	32.30	10.11	42.41	57.55	-15.14	QP	neutral	
6	0.415	19.60	10.11	29.71	47.55	-17.84	Average	neutral	
7	0.479	32.74	10.11	42.85	56.35	-13.50	QP	neutral	
8	0.479	18.99	10.11	29.10	46.35	-17.25	Average	neutral	
9	3.536	21.37	10.19	31.56	56.00	-24.44	QP	neutral	
10	3.536	13.83	10.19	24.02	46.00	-21.98	Average	neutral	
11	27.426	22.28	10.63	32.91	60.00	-27.09	QP	neutral	
12	27.426	13.43	10.63	24.06	50.00	-25.94	Average	neutral	