



BLE_2M

Channel	Channel Frequency (MHz)	6 dB Bandwidth (kHz)	Limit (kHz)	Result
Low Channel	2402	1263.74	> 500	Pass
Middle Channel	2440	1263.74	> 500	Pass
High Channel	2480	1258.74	> 500	Pass


Low Channel



Middle Channel



High Channel




Test Result of Power Spectral Density

BLE_1M


Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-18.03	8	Pass
Middle Channel	2440	-18.03	8	Pass
High Channel	2480	-18.58	8	Pass

Low Channel




Date: 7.JAN.2021 11:18:19

Middle Channel



Date: 7.JAN.2021 11:20:16

High Channel




Date: 7.JAN.2021 11:22:08


BLE_2M

Channel	Channel Frequency (MHz)	Power Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Low Channel	2402	-20.97	8	Pass
Middle Channel	2440	-20.86	8	Pass
High Channel	2480	-21.39	8	Pass


Low Channel



Middle Channel




High Channel




Test Result of Conducted Spurious Emissions, Tx Mode

BLE_1M




BLE_2M


Low Channel



Middle Channel




High Channel




Test Result of Conducted Band Edge, Tx Mode

BLE_1M



BLE_2M



Appendix B: Test Results of Radiated Emissions & Mains Conducted Emission Test

Band Edges, 2.31GHz ~ 2.9GHz


BLE_1M

Low Channel (Horizontal) Peak

Low Channel (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2329.55	48.69	14.92	33.68	74.00	-25.49	196	55	Peak	Horizontal	
2 *	2402.00	85.61	51.76	33.85	74.00	11.61	196	55	Peak	Horizontal	
3	2808.13	49.91	15.79	34.12	74.00	-24.09	106	55	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	Apos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2387.50	48.75	14.92	33.83	74.00	-25.25	264	333	Peak	Vertical	
2 *	2402.00	89.23	55.38	33.85	74.00	15.23	264	333	Peak	Vertical	
3	2738.87	49.81	15.73	34.08	74.00	-24.19	264	333	Peak	Vertical	

BLE_1M

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2352.29	35.53	1.00	33.73	54.00	-18.47	106	55	Average	Horizontal	
2 *	2402.00	84.58	50.73	33.85	54.00	30.58	106	55	Average	Horizontal	
3	2899.53	36.66	2.23	34.43	54.00	-17.34	106	55	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2358.18	35.50	1.75	33.75	54.00	-18.50	264	333	Average	Vertical	
2 *	2402.00	88.10	54.25	33.85	54.00	34.10	264	333	Average	Vertical	
3	2630.38	36.49	2.27	34.22	54.00	-17.51	264	333	Average	Vertical	

BLE_1M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2353.70	48.38	14.64	33.74	74.00	-25.62	105	59	Peak	Horizontal	
2 *	2488.00	86.01	52.03	33.98	74.00	12.01	105	59	Peak	Horizontal	
3	2777.74	49.44	15.35	34.09	74.00	-24.56	105	59	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2368.31	48.50	14.72	33.78	74.00	-25.50	304	338	Peak	Vertical	
2 *	2488.00	89.54	55.56	33.98	74.00	15.54	304	338	Peak	Vertical	
3	2486.21	51.67	17.89	33.98	74.00	-22.13	304	338	Peak	Vertical	

BLE_1M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.35	35.49	1.66	33.74	54.00	-18.60	195	59	Average	Horizontal	
2 *	2460.00	84.05	50.67	33.98	54.00	30.05	195	59	Average	Horizontal	
3	2632.03	36.58	2.37	34.21	54.00	-17.42	195	59	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2357.12	35.38	1.64	33.74	54.00	-18.62	394	338	Average	Vertical	
2 *	2460.00	80.53	54.55	33.98	54.00	34.53	394	338	Average	Vertical	
3	2634.86	36.54	2.34	34.20	54.00	-17.46	394	338	Average	Vertical	

BLE_2M

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2316.95	48.61	14.96	33.65	74.00	-25.39	105	58	Peak	Horizontal	
2 *	2402.00	85.73	51.88	33.85	74.00	11.73	105	58	Peak	Horizontal	
3	2545.34	49.60	15.41	34.19	74.00	-24.40	105	58	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2359.71	48.34	14.59	33.75	74.00	-25.66	264	334	Peak	Vertical	
2 *	2402.00	89.36	55.51	33.85	74.00	15.36	264	334	Peak	Vertical	
3	2824.97	49.64	15.48	34.16	74.00	-24.36	264	334	Peak	Vertical	

BLE_2M

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2322.25	35.36	1.70	33.66	54.00	-18.64	105	58	Average	Horizontal	
2 *	2402.00	82.50	46.65	33.85	54.00	28.50	105	58	Average	Horizontal	
3	2899.53	36.57	2.14	34.43	54.00	-17.43	105	58	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2321.43	35.46	1.00	33.66	54.00	-18.54	264	334	Average	Vertical	
2 *	2402.00	86.30	52.45	33.85	54.00	32.30	264	334	Average	Vertical	
3	2799.17	36.60	2.50	34.10	54.00	-17.40	264	334	Average	Vertical	

BLE_2M

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.38	47.91	14.14	33.77	74.00	-26.09	185	59	Peak	Horizontal		
2 *	2480.00	86.00	52.02	33.98	74.00	12.00	185	59	Peak	Horizontal		
3	2797.17	50.83	16.73	34.10	74.00	-23.17	185	59	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2314.71	48.22	14.57	33.65	74.00	-25.78	304	337	Peak	Vertical		
2 *	2480.00	89.47	55.49	33.98	74.00	15.47	304	337	Peak	Vertical		
3	2487.62	51.73	17.74	33.99	74.00	-22.27	304	337	Peak	Vertical		

BLE_2M

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2370.78	35.33	1.55	33.78	54.00	-18.67	105	59	Average	Horizontal	
2 *	2480.00	82.06	40.88	33.98	54.00	28.06	105	59	Average	Horizontal	
3	2622.85	36.60	2.36	34.24	54.00	-17.40	105	59	Average	Horizontal	

High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2323.55	35.50	1.83	33.67	54.00	-18.50	304	337	Average	Vertical	
2 *	2480.00	86.45	52.47	33.98	54.00	32.45	304	337	Average	Vertical	
3	2483.50	37.33	3.35	33.98	54.00	-16.67	304	337	Average	Vertical	


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	81.68	4.00	77.68	126.02	-44.42	100	22	QP	Open		
2	0.03	73.00	1.55	71.45	119.27	-46.27	100	12	QP	Open		
3	0.06	62.91	-1.36	64.27	112.70	-49.79	100	172	QP	Open		
4	0.06	62.20	-1.06	63.26	111.61	-49.41	100	189	QP	Open		
5	0.10	56.48	-3.06	59.54	107.81	-51.33	100	335	QP	Open		
6	0.13	54.57	-3.05	57.62	105.44	-50.87	100	3	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.53	57.84	11.49	46.35	73.18	-15.34	100	46	QP	Open		
2	3.61	51.20	12.92	38.28	69.50	-18.30	100	99	QP	Open		
3	7.73	49.56	11.41	38.15	69.50	-19.94	100	233	QP	Open		
4	13.17	49.49	12.05	37.44	69.50	-20.01	100	0	QP	Open		
5	17.03	49.88	12.75	37.13	69.50	-19.62	100	227	QP	Open		
6	24.91	46.65	12.58	34.07	69.50	-22.85	100	253	QP	Open		

BLE_1M

Low Channel (Close) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	83.68	4.61	78.99	127.71	-44.11	100	288 QP	Close		
2	0.03	70.82	0.83	69.99	117.39	-46.57	100	57 QP	Close		
3	0.06	61.56	-1.87	63.43	111.79	-50.23	100	137 QP	Close		
4	0.09	57.54	-3.23	60.77	108.91	-51.37	100	90 QP	Close		
5	0.11	56.21	-2.61	58.82	106.97	-50.76	100	203 QP	Close		
6	0.12	54.22	-3.70	57.92	105.81	-51.59	100	261 QP	Close		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.61	56.53	11.53	45.00	71.90	-15.37	100	102 QP	Close		
2	4.45	59.93	21.59	38.34	69.50	-9.57	100	185 QP	Close		
3	6.15	55.65	17.29	38.36	69.50	-13.85	100	128 QP	Close		
4	13.36	55.85	18.38	37.47	69.50	-13.65	100	87 QP	Close		
5	17.79	55.95	19.05	36.90	69.50	-13.55	100	233 QP	Close		
6	23.35	49.39	14.05	35.34	69.50	-20.11	100	316 QP	Close		

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	75.59	35.87	47.09	-11.22	40.00	-4.13	400	288	QP	Horizontal		
2	162.31	32.81	40.16	-7.35	43.50	-10.69	200	314	QP	Horizontal		
3	372.02	31.91	37.05	-5.14	46.00	-14.09	100	204	QP	Horizontal		
4	528.10	31.55	34.24	-2.69	46.00	-14.45	200	99	QP	Horizontal		
5	672.04	31.91	32.27	-0.36	46.00	-14.09	100	357	QP	Horizontal		
6	818.22	33.69	31.60	2.09	46.00	-12.31	400	106	QP	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	75.69	30.20	41.44	-11.24	40.00	-9.80	303	360	QP	Vertical		
2	159.98	25.31	32.76	-7.45	43.50	-18.19	100	219	QP	Vertical		
3	511.99	30.47	33.39	-2.92	46.00	-15.53	100	98	QP	Vertical		
4	603.46	32.17	33.36	-1.19	46.00	-13.83	100	31	QP	Vertical		
5	741.11	32.64	31.67	0.97	46.00	-13.36	300	160	QP	Vertical		
6	862.55	32.90	30.33	2.57	46.00	-13.10	150	360	QP	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	7206.00	41.19	48.19	-7.00	54.00	-12.81	200	71	Average	Horizontal		
2	7206.00	51.34	58.34	-7.00	74.00	-22.66	200	71	Peak	Horizontal		

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4894.00	44.71	54.00	-10.00	74.00	-29.29	200	113	Peak	Vertical		
2	7206.00	41.48	48.48	-7.00	54.00	-12.52	191	82	Average	Vertical		
3	7206.00	51.95	58.95	-7.00	74.00	-22.05	191	82	Peak	Vertical		

BLE_1M


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_1M

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	7440.00	48.12	47.68	-7.48	54.00	-13.88	287	76	Average	Horizontal	
2	7440.00	50.39	57.67	-7.48	74.00	-23.61	287	76	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4968.00	43.06	52.71	-9.65	74.00	-30.94	280	102	Peak	Vertical	
2	7440.00	44.66	52.14	-7.48	74.00	-29.34	400	130	Peak	Vertical	


BLE_2M

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




BLE_2M


High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Rx Mode, 9kHz ~ 30MHz

BLE_1M

Low Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.02	77.54	3.17	74.37	122.93	-45.39	100	53	QP	Open		
2	0.04	66.82	-0.53	67.35	115.38	-48.56	100	2	QP	Open		
3	0.08	61.74	0.45	61.29	109.57	-47.83	100	162	QP	Open		
4	0.09	60.06	-0.68	60.74	108.87	-48.81	100	139	QP	Open		
5	0.10	58.32	-0.81	59.13	107.42	-49.10	100	271	QP	Open		
6	0.12	55.78	-2.51	58.29	106.27	-50.49	100	188	QP	Open		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.61	58.52	13.60	44.92	71.86	-13.34	100	4	QP	Open		
2	4.07	49.73	11.40	38.33	69.50	-19.77	100	325	QP	Open		
3	9.06	49.61	11.84	37.77	69.50	-19.89	100	216	QP	Open		
4	15.84	49.93	12.37	37.56	69.50	-19.57	100	230	QP	Open		
5	21.78	48.17	12.26	35.91	69.50	-21.33	100	123	QP	Open		
6	26.10	46.36	12.06	34.30	69.50	-23.14	100	288	QP	Open		

BLE_1M

Low Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.02	78.50	2.81	75.69	124.06	-45.56	100	126 QP	Close	
2	0.04	66.90	-0.48	67.38	115.40	-48.50	100	74 QP	Close	
3	0.05	65.10	0.08	65.02	113.58	-48.48	100	340 QP	Close	
4	0.08	60.03	-1.25	61.28	109.57	-49.54	100	358 QP	Close	
5	0.11	56.28	-2.51	58.79	106.93	-50.65	100	245 QP	Close	
6	0.13	54.88	-3.68	57.76	105.62	-51.54	100	161 QP	Close	

Low Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.51	59.03	12.34	46.69	73.53	-14.50	100	303 QP	Close	
2	4.45	60.58	22.25	38.33	69.50	-8.92	100	166 QP	Close	
3	6.31	55.91	17.56	38.35	69.50	-13.59	100	60 QP	Close	
4	13.23	55.13	17.67	37.46	69.50	-14.37	100	20 QP	Close	
5	17.72	56.51	19.59	36.92	69.50	-12.99	100	109 QP	Close	
6	18.36	55.65	18.94	36.71	69.50	-13.85	100	65 QP	Close	

Spurious Emissions, Rx Mode, 30MHz ~ 1GHz


BLE_1M

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	72.00	34.75	45.23	-10.48	40.00	-5.25	100	100	QP	horizontal		
2	156.10	32.67	40.45	-7.58	43.50	-10.63	200	167	QP	horizontal		
3	168.03	31.68	38.88	-7.20	43.50	-11.82	200	146	QP	horizontal		
4	288.02	34.60	41.33	-6.73	46.00	-11.40	100	181	QP	horizontal		
5	384.05	30.69	35.63	-4.94	46.00	-15.31	100	181	QP	horizontal		
6	528.10	30.36	33.05	-2.69	46.00	-15.64	200	80	QP	horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	75.30	30.90	42.06	-11.16	40.00	-9.10	200	216	QP	vertical		
2	168.03	24.89	32.09	-7.20	43.50	-18.61	200	268	QP	vertical		
3	408.01	28.43	32.95	-4.52	46.00	-17.57	200	246	QP	vertical		
4	480.08	29.58	33.15	-3.57	46.00	-16.42	100	359	QP	vertical		
5	511.99	32.17	35.09	-2.92	46.00	-13.83	100	162	QP	vertical		
6	606.67	30.80	31.67	-1.07	46.00	-15.20	100	250	QP	vertical		


Spurious Emissions, Rx Mode, 1GHz ~ 26.5GHz

BLE_1M

Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2383.00	38.82	53.10	-14.28	74.00	-35.18	100	47	Peak	horizontal	
2	4861.00	41.27	51.23	-9.96	74.00	-32.73	200	249	Peak	horizontal	
3	6646.00	43.00	50.67	-7.67	74.00	-31.00	400	7	Peak	horizontal	

Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
 No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	1725.00	41.52	58.96	-17.44	74.00	-32.48	111	360	Peak	vertical	
2	2658.00	41.57	55.34	-13.77	74.00	-32.43	200	136	Peak	vertical	
3	4406.00	40.67	51.24	-10.57	74.00	-33.33	235	0	Peak	vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Read Level	Factor	Level	Limit	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.178	38.87	9.65	48.52	64.59	-16.07	QP	line1	
2	0.178	23.83	9.65	33.48	54.59	-21.11	Average	line1	
3	0.291	27.37	9.64	37.01	60.49	-23.48	QP	line1	
4	0.291	16.97	9.64	26.61	50.49	-23.88	Average	line1	
5	0.477	22.30	9.65	31.95	56.40	-24.45	QP	line1	
6	0.477	13.81	9.65	23.46	46.40	-22.94	Average	line1	
7	1.986	22.91	9.68	32.59	56.00	-23.41	QP	line1	
8	1.986	14.45	9.68	24.13	46.00	-21.87	Average	line1	
9	4.651	27.49	9.71	37.20	56.00	-18.80	QP	line1	
10	4.651	18.30	9.71	28.01	46.00	-17.99	Average	line1	
11	7.357	26.59	9.74	36.33	60.00	-23.67	QP	line1	
12	7.357	17.93	9.74	27.67	50.00	-22.33	Average	line1	



TÜV Rheinland Taiwan Ltd(New Taipei City Branch),
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Limit	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.159	41.67	9.68	51.35	65.50	-14.15	QP	neutral	
2	0.159	25.01	9.68	34.69	55.50	-20.81	Average	neutral	
3	0.241	29.61	9.66	39.27	62.07	-22.80	QP	neutral	
4	0.241	14.23	9.66	23.89	52.07	-28.18	Average	neutral	
5	0.672	11.83	9.67	21.50	56.00	-34.50	QP	neutral	
6	0.672	0.88	9.67	10.55	46.00	-35.45	Average	neutral	
7	2.191	23.75	9.70	33.45	56.00	-22.55	QP	neutral	
8	2.191	15.77	9.70	25.47	46.00	-20.53	Average	neutral	
9	5.037	23.11	9.73	32.84	60.00	-27.16	QP	neutral	
10	5.037	14.67	9.73	24.40	50.00	-25.60	Average	neutral	
11	12.171	21.90	9.81	31.71	60.00	-28.29	QP	neutral	
12	12.171	14.60	9.81	24.41	50.00	-25.59	Average	neutral	