



Appendix C

1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dbi)	ERP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	23.35	3.00	24.20	<=38.45	Pass
		12.2kbps AMR	826.4	23.39	3.00	24.24	<=38.45	Pass
		12.2kbps RMC	836.6	23.44	3.00	24.29	<=38.45	Pass
		12.2kbps AMR	836.6	23.44	3.00	24.29	<=38.45	Pass
		12.2kbps RMC	846.6	23.49	3.00	24.34	<=38.45	Pass
		12.2kbps AMR	846.6	23.45	3.00	24.30	<=38.45	Pass
	HSDPA	Subtest 1	826.4	21.05	3.00	21.90	<=38.45	Pass
		Subtest 2	826.4	21.06	3.00	21.91	<=38.45	Pass
		Subtest 3	826.4	21.05	3.00	21.90	<=38.45	Pass
		Subtest 4	826.4	21.05	3.00	21.90	<=38.45	Pass
		Subtest 1	836.6	21.10	3.00	21.95	<=38.45	Pass
		Subtest 2	836.6	21.11	3.00	21.96	<=38.45	Pass
		Subtest 3	836.6	21.11	3.00	21.96	<=38.45	Pass
		Subtest 4	836.6	21.09	3.00	21.94	<=38.45	Pass
		Subtest 1	846.6	21.10	3.00	21.95	<=38.45	Pass
		Subtest 2	846.6	21.11	3.00	21.96	<=38.45	Pass
		Subtest 3	846.6	21.09	3.00	21.94	<=38.45	Pass
		Subtest 4	846.6	21.11	3.00	21.96	<=38.45	Pass
	HSUPA	Subtest 1	826.4	18.88	3.00	19.73	<=38.45	Pass
		Subtest 2	826.4	18.83	3.00	19.68	<=38.45	Pass
		Subtest 3	826.4	19.08	3.00	19.93	<=38.45	Pass
		Subtest 4	826.4	19.08	3.00	19.93	<=38.45	Pass
		Subtest 5	826.4	19.08	3.00	19.93	<=38.45	Pass
		Subtest 1	836.6	19.14	3.00	19.99	<=38.45	Pass
		Subtest 2	836.6	18.70	3.00	19.55	<=38.45	Pass
		Subtest 3	836.6	19.00	3.00	19.85	<=38.45	Pass
		Subtest 4	836.6	19.12	3.00	19.97	<=38.45	Pass
		Subtest 5	836.6	19.18	3.00	20.03	<=38.45	Pass
		Subtest 1	846.6	19.15	3.00	20.00	<=38.45	Pass
		Subtest 2	846.6	18.59	3.00	19.44	<=38.45	Pass
		Subtest 3	846.6	19.21	3.00	20.06	<=38.45	Pass
		Subtest 4	846.6	19.14	3.00	19.99	<=38.45	Pass
		Subtest 5	846.6	19.12	3.00	19.97	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5

Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.27	-14.13	-0.02	-2.5 to 2.5	Pass
			3.85	-4.93	-0.01	-2.5 to 2.5	Pass
			4.43	-5.45	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-9.03	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-9.61	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-10.21	-0.01	-2.5 to 2.5	Pass
		0	3.85	-11.74	-0.01	-2.5 to 2.5	Pass
		10	3.85	-7.25	-0.01	-2.5 to 2.5	Pass
		30	3.85	-10.39	-0.01	-2.5 to 2.5	Pass
		40	3.85	-13.13	-0.02	-2.5 to 2.5	Pass
		50	3.85	-8.35	-0.01	-2.5 to 2.5	Pass
	836.6	20	3.27	-6.92	-0.01	-2.5 to 2.5	Pass
			3.85	-9.53	-0.01	-2.5 to 2.5	Pass
			4.43	-12.39	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-12.70	-0.02	-2.5 to 2.5	Pass
		-20	3.85	-10.50	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-14.63	-0.02	-2.5 to 2.5	Pass
		0	3.85	-10.49	-0.01	-2.5 to 2.5	Pass
		10	3.85	-13.17	-0.02	-2.5 to 2.5	Pass
		30	3.85	-8.20	-0.01	-2.5 to 2.5	Pass
		40	3.85	-11.41	-0.01	-2.5 to 2.5	Pass
		50	3.85	-13.89	-0.02	-2.5 to 2.5	Pass
	846.6	20	3.27	-12.73	-0.01	-2.5 to 2.5	Pass
			3.85	-6.12	-0.01	-2.5 to 2.5	Pass
			4.43	-14.00	-0.02	-2.5 to 2.5	Pass
		-30	3.85	-9.27	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-11.69	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-9.13	-0.01	-2.5 to 2.5	Pass
		0	3.85	-14.80	-0.02	-2.5 to 2.5	Pass
		10	3.85	-8.23	-0.01	-2.5 to 2.5	Pass
		30	3.85	-11.39	-0.01	-2.5 to 2.5	Pass
		40	3.85	-6.88	-0.01	-2.5 to 2.5	Pass
HSDPA	826.4	20	3.27	-9.12	-0.01	-2.5 to 2.5	Pass
			3.85	-6.79	-0.01	-2.5 to 2.5	Pass
			4.43	-4.43	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-8.95	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-4.13	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-9.92	-0.01	-2.5 to 2.5	Pass
		0	3.85	-4.96	-0.01	-2.5 to 2.5	Pass
		10	3.85	-11.87	-0.01	-2.5 to 2.5	Pass
		30	3.85	-6.08	-0.01	-2.5 to 2.5	Pass
		40	3.85	-6.04	-0.01	-2.5 to 2.5	Pass
		50	3.85	-8.08	-0.01	-2.5 to 2.5	Pass
	836.6	20	3.27	-6.67	-0.01	-2.5 to 2.5	Pass
			3.85	-5.08	-0.01	-2.5 to 2.5	Pass
			4.43	-8.93	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-10.49	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-10.99	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-10.26	-0.01	-2.5 to 2.5	Pass
		0	3.85	-7.17	-0.01	-2.5 to 2.5	Pass
		10	3.85	-4.03	-0.00	-2.5 to 2.5	Pass
		30	3.85	-10.46	-0.01	-2.5 to 2.5	Pass
		40	3.85	-6.50	-0.01	-2.5 to 2.5	Pass
		50	3.85	-3.66	-0.00	-2.5 to 2.5	Pass
	846.6	20	3.27	-13.09	-0.02	-2.5 to 2.5	Pass
			3.85	-13.25	-0.02	-2.5 to 2.5	Pass

			4.43	-12.16	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-11.86	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-11.19	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-10.04	-0.01	-2.5 to 2.5	Pass
		0	3.85	-8.91	-0.01	-2.5 to 2.5	Pass
		10	3.85	-8.40	-0.01	-2.5 to 2.5	Pass
		30	3.85	-7.95	-0.01	-2.5 to 2.5	Pass
		40	3.85	-6.41	-0.01	-2.5 to 2.5	Pass
HSUPA	826.4	20	3.27	-8.87	-0.01	-2.5 to 2.5	Pass
			3.85	-11.92	-0.01	-2.5 to 2.5	Pass
			4.43	-13.90	-0.02	-2.5 to 2.5	Pass
		-30	3.85	-11.12	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-11.53	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-11.21	-0.01	-2.5 to 2.5	Pass
		0	3.85	-13.42	-0.02	-2.5 to 2.5	Pass
		10	3.85	-13.70	-0.02	-2.5 to 2.5	Pass
		30	3.85	-16.34	-0.02	-2.5 to 2.5	Pass
		40	3.85	-7.50	-0.01	-2.5 to 2.5	Pass
		50	3.85	-9.78	-0.01	-2.5 to 2.5	Pass
	836.6	20	3.27	-7.78	-0.01	-2.5 to 2.5	Pass
			3.85	-12.09	-0.01	-2.5 to 2.5	Pass
			4.43	-12.27	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-13.90	-0.02	-2.5 to 2.5	Pass
		-20	3.85	-15.41	-0.02	-2.5 to 2.5	Pass
		-10	3.85	-7.55	-0.01	-2.5 to 2.5	Pass
		0	3.85	-8.13	-0.01	-2.5 to 2.5	Pass
		10	3.85	-9.15	-0.01	-2.5 to 2.5	Pass
		30	3.85	-9.50	-0.01	-2.5 to 2.5	Pass
		40	3.85	-10.79	-0.01	-2.5 to 2.5	Pass
		50	3.85	-11.99	-0.01	-2.5 to 2.5	Pass
	846.6	20	3.27	-11.04	-0.01	-2.5 to 2.5	Pass
			3.85	-7.96	-0.01	-2.5 to 2.5	Pass
			4.43	-11.26	-0.01	-2.5 to 2.5	Pass
		-30	3.85	-12.57	-0.01	-2.5 to 2.5	Pass
		-20	3.85	-9.45	-0.01	-2.5 to 2.5	Pass
		-10	3.85	-10.49	-0.01	-2.5 to 2.5	Pass
		0	3.85	-12.23	-0.01	-2.5 to 2.5	Pass
		10	3.85	-14.65	-0.02	-2.5 to 2.5	Pass
		30	3.85	-6.18	-0.01	-2.5 to 2.5	Pass
		40	3.85	-9.03	-0.01	-2.5 to 2.5	Pass
		50	3.85	-10.80	-0.01	-2.5 to 2.5	Pass


3. Modulation Characteristics


3.1 Band5

3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Modulation Characteristics		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	836.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	836.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	836.6	Refer To Test Graph		Pass

3.1.2 Test Graph






4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.190	Pass
			836.6	4.179	Pass
			846.6	4.176	Pass
	HSDPA	Subtest 1	826.4	4.202	Pass
			836.6	4.190	Pass
			846.6	4.209	Pass
	HSUPA	Subtest 1	826.4	4.205	Pass
			836.6	4.201	Pass
			846.6	4.206	Pass


4.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV






4.2 Band5_XDB


4.2.1 Test Result

Band: 5					
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)	Verdict
	Network	Subset		Result	
NTNV	RMC	12.2kbps RMC	826.4	4.757	Pass
			836.6	4.753	Pass
			846.6	4.748	Pass
	HSDPA	Subtest 1	826.4	4.752	Pass
			836.6	4.757	Pass
			846.6	5.100	Pass
	HSUPA	Subtest 1	826.4	4.764	Pass
			836.6	4.745	Pass
			846.6	5.754	Pass


4.2.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV






5. Peak-Average Ratio

5.1 Band5


5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.93	<=13	Pass
			836.6	2.82	<=13	Pass
			846.6	3.03	<=13	Pass
	HSDPA	Subtest 1	826.4	5.99	<=13	Pass
			836.6	6.03	<=13	Pass
			846.6	5.89	<=13	Pass
	HSUPA	Subtest 1	826.4	5.92	<=13	Pass
			836.6	5.89	<=13	Pass
			846.6	5.96	<=13	Pass


5.1.2 Test Graph




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



2021-12-16 17:56:56


6. Spurious Emission

6.1 Band5


6.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass


6.1.2 Test Graph




Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV




Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



7. Form731

7.1 Form731

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.223	2.5	ppm	4M21F9W	24E	23.49