






(2) Conducted Test





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a mode(U-NII-1) / 5180MHz&5240MHz AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(20) mode(U-NII-1) / 5180MHz&5240MHz Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(20) mode(U-NII-1) / 5180MHz&5240MHz AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(20) mode(U-NII-1) / 5180MHz&5240MHz Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(20) mode(U-NII-1) / 5180MHz&5240MHz AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(40) mode(U-NII-1) / 5190MHz&5230MHz Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(40) mode(U-NII-1) / 5190MHz&5230MHz AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(40) mode(U-NII-1) / 5190MHz&5230MHz Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(40) mode(U-NII-1) / 5190MHz&5230MHz AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(80) mode(U-NII-1) / 5210MHz Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(80) mode(U-NII-1) / 5210MHz AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode 5745MHz /5825MHz (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode 5745MHz /5825MHz (U-NII-3) AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(20) Mode 5745MHz /5825MHz (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11n(20) Mode 5745MHz /5825MHz (U-NII-3) AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(20) Mode 5745MHz /5825MHz (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11ac(20) Mode 5745MHz /5825MHz (U-NII-3) AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11 n(40) Mode 5755MHz/5795 (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11 n(40) Mode 5755MHz/5795 (U-NII-3) AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11 ac(40) Mode 5755MHz/5795 (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		





Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11 ac(40) Mode 5755MHz/5795 (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		




Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11 ac(80) Mode 5775MHz (U-NII-3) Main Antenna		
Remark:	The EUT is programed in continuously transmitting mode		



Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11 ac(80) Mode 5775MHz (U-NII-3) AUX Antenna		
Remark:	The EUT is programed in continuously transmitting mode		




Attachment D--Bandwidth Test Data

Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-1) Main Antenna		
Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Bandwidth (MHz)
36	5180	30.33	17.316
40	5200	29.48	17.330
48	5240	29.43	17.216
802.11a Mode			
5180 MHz			
 The screenshot shows a Keysight Spectrum Analyzer interface. The main display is a log-scale plot of power spectral density (PSD) in dBm/Hz versus frequency in MHz. The center frequency is 5.18 GHz. The plot shows a signal with a bandwidth of 17.316 MHz. The total power is 2.17 dBm. The occupied bandwidth is 17.316 MHz. The transmit frequency error is -117.65 kHz. The percentage of occupied bandwidth power is 99.00%. The x-axis is labeled 'x dB Bandwidth' and the y-axis is labeled 'x dB'.			


802.11a Mode


5200 MHz



802.11a Mode


5240 MHz






802.11a Mode


5200 MHz



802.11a Mode


5240 MHz






802.11n(HT20) Mode


5200 MHz



802.11n(HT20) Mode


5240 MHz






802.11n(HT20) Mode


5200 MHz



802.11n(HT20) Mode


5240 MHz






802.11ac(VHT20) Mode


5200 MHz



802.11ac(VHT20) Mode


5240 MHz






802.11ac(VHT20) Mode


5200 MHz



802.11ac(VHT20) Mode


5240 MHz






802.11N(HT40) Mode


5230 MHz






802.11N(HT40) Mode


5230 MHz






802.11ac(VHT40) Mode


5230 MHz








802.11ac(VHT40) Mode

5230 MHz








Temperature:	25 °C	Relative Humidity:	55%
Test Voltage:	AC 120V/60Hz		
Test Mode:	TX 802.11a Mode (U-NII-3) Main Antenna		
Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Bandwidth (MHz)
149	5745	16.08	16.486
157	5785	16.05	16.575
165	5825	16.29	16.586
802.11a Mode			
5745 MHz			
			


802.11a Mode


5785 MHz



802.11a Mode


5825 MHz






802.11a Mode


5785 MHz



802.11a Mode


5825 MHz






802.11n(HT20) Mode


5785 MHz



802.11n(HT20) Mode


5825 MHz






802.11n(HT20) Mode


5785 MHz



802.11n(HT20) Mode


5825 MHz






802.11ac(VHT20) Mode


5785 MHz



802.11ac(VHT20) Mode


5825 MHz






802.11ac(VHT20) Mode


5785 MHz



802.11ac(VHT20) Mode

5825 MHz





802.11n(HT40) Mode

5795 MHz

