





11AX20MIMO_Ant3_6415_106Tone_RU54



Date: 16.OCT.2024 06:35:29


11AX20MIMO_Ant4_6415_26Tone_RU8



Date: 16.OCT.2024 07:21:22




11AX20MIMO_Ant4_6415_52Tone_RU40



Date: 16.OCT.2024 07:22:16


11AX20MIMO_Ant4_6415_106Tone_RU54



Date: 16.OCT.2024 07:23:07




11AX20MIMO_Ant3_6435_26Tone_RU0



Date: 16.OCT.2024 06:36:36


11AX20MIMO_Ant3_6435_52Tone_RU37



Date: 16.OCT.2024 06:37:28




11AX20MIMO_Ant3_6435_106Tone_RU53



Date: 16.OCT.2024 06:38:11


11AX20MIMO_Ant4_6435_26Tone_RU0



Date: 16.OCT.2024 07:23:48




11AX20MIMO_Ant4_6435_52Tone_RU37



Date: 16.OCT.2024 07:24:27


11AX20MIMO_Ant4_6435_106Tone_RU53



Date: 16.OCT.2024 07:25:06




11AX20MIMO_Ant3_6475_26Tone_RU0



Date: 16.OCT.2024 06:38:59


11AX20MIMO_Ant3_6475_52Tone_RU37



Date: 16.OCT.2024 06:39:42




11AX20MIMO_Ant3_6475_106Tone_RU53



Date: 16.OCT.2024 06:40:29


11AX20MIMO_Ant4_6475_26Tone_RU0



Date: 16.OCT.2024 07:25:44




11AX20MIMO_Ant4_6475_52Tone_RU37



Date: 16.OCT.2024 07:26:29


11AX20MIMO_Ant4_6475_106Tone_RU53



Date: 16.OCT.2024 07:27:19




11AX20MIMO_Ant3_6515_26Tone_RU8



Date: 16.OCT.2024 06:41:16


11AX20MIMO_Ant3_6515_52Tone_RU40



Date: 16.OCT.2024 06:41:57




11AX20MIMO_Ant3_6515_106Tone_RU54



Date: 16.OCT.2024 06:42:42


11AX20MIMO_Ant4_6515_26Tone_RU8



Date: 16.OCT.2024 07:28:08




11AX20MIMO_Ant4_6515_52Tone_RU40



Date: 16.OCT.2024 07:28:48


11AX20MIMO_Ant4_6515_106Tone_RU54



Date: 16.OCT.2024 07:31:03




11AX20MIMO_Ant3_6535_26Tone_RU0



Date: 16.OCT.2024 06:43:32


11AX20MIMO_Ant3_6535_52Tone_RU37




Date: 16.OCT.2024 06:44:22



11AX20MIMO_Ant3_6535_106Tone_RU53




11AX20MIMO_Ant4_6535_26Tone_RU0






11AX20MIMO_Ant4_6535_52Tone_RU37



Date: 16.OCT.2024 07:31:42


11AX20MIMO_Ant4_6535_106Tone_RU53



Date: 16.OCT.2024 07:32:26




11AX20MIMO_Ant3_6695_26Tone_RU0



Date: 16.OCT.2024 06:46:28


11AX20MIMO_Ant3_6695_52Tone_RU37



Date: 16.OCT.2024 06:47:52




11AX20MIMO_Ant3_6695_106Tone_RU53



Date: 16.OCT.2024 06:49:01


11AX20MIMO_Ant4_6695_26Tone_RU0



Date: 16.OCT.2024 07:33:04




11AX20MIMO_Ant4_6695_52Tone_RU37



Date: 16.OCT.2024 07:33:51


11AX20MIMO_Ant4_6695_106Tone_RU53



Date: 16.OCT.2024 07:34:29




11AX20MIMO_Ant3_6855_26Tone_RU8



Date: 16.OCT.2024 06:49:43


11AX20MIMO_Ant3_6855_52Tone_RU40



Date: 16.OCT.2024 06:50:39




11AX20MIMO_Ant3_6855_106Tone_RU54



Date: 16.OCT.2024 06:55:51


11AX20MIMO_Ant4_6855_26Tone_RU6



Date: 16.OCT.2024 07:35:07




11AX20MIMO_Ant4_6855_52Tone_RU40



Date: 16.OCT.2024 07:35:46


11AX20MIMO_Ant4_6855_106Tone_RU54



Date: 16.OCT.2024 07:36:24




11AX20MIMO_Ant3_6875_26Tone_RU8



Date: 16.OCT.2024 06:57:07


11AX20MIMO_Ant3_6875_52Tone_RU40



Date: 16.OCT.2024 06:59:33




11AX20MIMO_Ant3_6875_106Tone_RU54



Date: 16.OCT.2024 07:07:47


11AX20MIMO_Ant4_6875_26Tone_RU8



Date: 16.OCT.2024 07:37:01




11AX20MIMO_Ant4_6875_52Tone_RU40



Date: 16.OCT.2024 07:37:41


11AX20MIMO_Ant4_6875_106Tone_RU54



Date: 16.OCT.2024 07:38:30




11AX20MIMO_Ant3_6895_26Tone_RU0



Date: 16.OCT.2024 07:08:51


11AX20MIMO_Ant3_6895_52Tone_RU37



Date: 16.OCT.2024 07:09:43




11AX20MIMO_Ant3_6895_106Tone_RU53



Date: 16.OCT.2024 07:11:07


11AX20MIMO_Ant4_6895_26Tone_RU0



Date: 16.OCT.2024 07:39:16




11AX20MIMO_Ant4_6895_52Tone_RU37



Date: 16.OCT.2024 07:40:03


11AX20MIMO_Ant4_6895_106Tone_RU53



Date: 16.OCT.2024 07:40:57




11AX20MIMO_Ant3_6995_26Tone_RU0



Date: 16.OCT.2024 07:11:44


11AX20MIMO_Ant3_6995_52Tone_RU37



Date: 16.OCT.2024 07:12:23




11AX20MIMO_Ant3_6995_106Tone_RU53



Date: 16.OCT.2024 07:13:03


11AX20MIMO_Ant4_6995_26Tone_RU0



Date: 16.OCT.2024 07:41:37




11AX20MIMO_Ant4_6995_52Tone_RU37



Date: 16.OCT.2024 07:42:53


11AX20MIMO_Ant4_6995_106Tone_RU53



Date: 16.OCT.2024 07:43:33




11AX20MIMO_Ant3_7095_26Tone_RU8



Date: 16.OCT.2024 07:13:41


11AX20MIMO_Ant3_7095_52Tone_RU40



Date: 16.OCT.2024 07:14:24




11AX20MIMO_Ant3_7095_106Tone_RU54



Date: 16.OCT.2024 07:15:02


11AX20MIMO_Ant4_7095_26Tone_RU8



Date: 16.OCT.2024 07:44:14




11AX20MIMO_Ant4_7095_52Tone_RU40



Date: 16.OCT.2024 07:45:01

11AX20MIMO_Ant4_7095_106Tone_RU54




Date: 16.OCT.2024 07:45:40



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.169	43.06	-21.93	64.99	32.51	0.10	10.45	QP
2	0.169	28.06	-26.93	54.99	17.51	0.10	10.45	Average
3	0.239	35.05	-27.08	62.13	24.50	0.08	10.47	QP
4	0.239	21.05	-31.08	52.13	10.50	0.08	10.47	Average
5	0.402	33.76	-24.05	57.81	23.29	-0.02	10.49	QP
6	0.402	19.06	-28.75	47.81	8.59	-0.02	10.49	Average
7 *	0.535	39.78	-16.22	56.00	29.50	-0.12	10.40	QP
8	0.535	24.58	-21.42	46.00	14.30	-0.12	10.40	Average
9	0.598	34.74	-21.26	56.00	24.50	-0.13	10.37	QP
10	0.598	19.84	-26.16	46.00	9.60	-0.13	10.37	Average
11	12.920	31.26	-28.74	60.00	21.19	-0.20	10.27	QP
12	12.920	19.36	-30.64	50.00	9.29	-0.20	10.27	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.185	38.78	-25.46	64.24	28.19	0.13	10.46	QP
2	0.185	24.78	-29.46	54.24	14.19	0.13	10.46	Average
3	0.535	38.44	-17.56	56.00	28.19	-0.15	10.40	QP
4 *	0.535	30.54	-15.46	46.00	20.29	-0.15	10.40	Average
5	0.579	36.12	-19.88	56.00	25.90	-0.16	10.38	QP
6	0.579	28.82	-17.18	46.00	18.60	-0.16	10.38	Average
7	2.736	32.32	-23.68	56.00	22.30	-0.21	10.23	QP
8	2.736	23.52	-22.48	46.00	13.50	-0.21	10.23	Average
9	3.985	32.20	-23.80	56.00	22.20	-0.21	10.21	QP
10	3.985	22.80	-23.20	46.00	12.80	-0.21	10.21	Average
11	13.267	36.66	-23.34	60.00	26.60	-0.21	10.27	QP
12	13.267	23.86	-26.14	50.00	13.80	-0.21	10.27	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix A.Radiated Spurious Emission Test Data

Test Engineer :	Wenbo Xiao	Relative Humidity :	50%
		Temperature :	20~22℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	CDD3+4	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	CDD3+4	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	CDD3+4	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	6.425-6.525	CDD3+4	802.11a	97	6435	6Mbps	-	-
Mode 5	U-NII-6	6.425-6.525	CDD3+4	802.11a	105	6475	6Mbps	-	-
Mode 6	U-NII-6	6.425-6.525	CDD3+4	802.11a	113	6515	6Mbps	-	-
Mode 7	U-NII-7	6.525-6.875	CDD3+4	802.11a	117	6535	6Mbps	-	-
Mode 8	U-NII-7	6.525-6.875	CDD3+4	802.11a	149	6695	6Mbps	-	-
Mode 9	U-NII-7	6.525-6.875	CDD3+4	802.11a	181	6855	6Mbps	-	-
Mode 10	U-NII-8	6.875-7.125	CDD3+4	802.11a	189	6895	6Mbps	-	-
Mode 11	U-NII-8	6.875-7.125	CDD3+4	802.11a	209	6995	6Mbps	-	-
Mode 12	U-NII-8	6.875-7.125	CDD3+4	802.11a	229	7095	6Mbps	-	-
Mode 13	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	1	5955	MCS0	Partial RU26/0	-
Mode 15	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	1	5955	MCS0	Partial RU52/37	-
Mode 16	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	1	5955	MCS0	Partial RU106/53	-
Mode 17	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	45	6175	MCS0	-	-
Mode 18	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	93	6415	MCS0	-	-
Mode 19	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE40	3	5965	MCS0	-	-
Mode 20	U-NII-6	5.925-6.425	CDD3+4	802.11ax HE40	43	6165	MCS0	-	-
Mode 21	U-NII-6	5.925-6.425	CDD3+4	802.11ax HE40	91	6405	MCS0	-	-
Mode 22	U-NII-5	6.525-6.875	CDD3+4	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 23	U-NII-7	6.525-6.875	CDD3+4	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 24	U-NII-7	5.925-6.425	CDD3+4	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 25	U-NII-8	5.925-6.425	CDD3+4	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 26	U-NII-8	5.925-6.425	CDD3+4	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 27	U-NII-8	5.925-6.425	CDD3+4	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 28	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	97	6435	MCS0	Full RU	-
Mode 29	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 30	U-NII-5	5.925-6.425	CDD3+4	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 31	U-NII-6	6.425-6.525	CDD3+4	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 32	U-NII-6	6.425-6.525	CDD3+4	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 33	U-NII-7	6.425-6.525	CDD3+4	802.11ax HE80	103	6465	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.425-6.525	CDD3+4	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 35	U-NII-7	6.425-6.525	CDD3+4	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 36	U-NII-8	6.425-6.525	CDD3+4	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 37	U-NII-8	6.425-6.525	CDD3+4	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 38	U-NII-8	6.425-6.525	CDD3+4	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 39	U-NII-5	6.425-6.525	CDD3+4	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 40	U-NII-5	6.525-6.875	CDD3+4	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 41	U-NII-5	6.525-6.875	CDD3+4	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 42	U-NII-6	6.525-6.875	CDD3+4	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	CDD3+4	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	CDD3+4	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 45	U-NII-7	6.525-6.875	CDD3+4	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 46	U-NII-8	6.525-6.875	CDD3+4	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 47	U-NII-8	6.525-6.875	CDD3+4	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 48	U-NII-5	6.525-6.875	CDD3+4	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-5	6.525-6.875	CDD3+4	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-5	6.525-6.875	CDD3+4	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 51	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE20	229	7095	MCS0	Partial RU26/8	-
Mode 52	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE20	229	7095	MCS0	Partial RU52/40	-
Mode 53	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE20	229	7095	MCS0	Partial RU106/54	-
Mode 54	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 56	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	CDD3+4	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	CDD3+4	802.11a-LF	229	7095	6Mbps	-	LF



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5871.06	43.50	68.20	-24.70	H	AVERAGE	Pass	Band Edge
1	802.11a	1	17865.00	48.18	74.00	-25.82	H	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	46.21	74.00	-27.79	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	45.36	88.20	-42.84	H	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	45.59	88.20	-42.61	H	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	45.83	88.20	-42.37	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	45.80	88.20	-42.40	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	45.71	88.20	-42.49	H	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	47.55	74.00	-26.45	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	46.51	88.20	-41.69	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	47.24	88.20	-40.96	H	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	46.19	88.20	-42.01	H	Peak	Pass	Harmonic
12	802.11a	229	7250.77	42.61	54.00	-11.39	H	AVERAGE	Pass	Band Edge
12	802.11a	229	14190.00	45.23	88.20	-42.97	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	5852.72	43.45	68.20	-24.75	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	17865.00	48.38	74.00	-25.62	H	Peak	Pass	Harmonic
14	802.11ax HE20	1	5852.86	43.38	68.20	-24.82	H	AVERAGE	Pass	Band Edge
14	802.11ax HE20	1	17865.00	48.97	74.00	-25.03	V	Peak	Pass	Harmonic
15	802.11ax HE20	1	5870.50	43.40	68.20	-24.80	H	AVERAGE	Pass	Band Edge
15	802.11ax HE20	1	17865.00	48.49	74.00	-25.51	H	Peak	Pass	Harmonic
16	802.11ax HE20	1	5867.84	43.35	68.20	-24.85	H	AVERAGE	Pass	Band Edge
16	802.11ax HE20	1	17865.00	49.86	74.00	-24.14	H	Peak	Pass	Harmonic
17	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	45	12350.00	49.83	74.00	-24.17	H	Peak	Pass	Harmonic
18	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	93	12830.00	48.43	88.20	-39.77	V	Peak	Pass	Harmonic
19	802.11ax HE40	3	5899.72	43.18	68.20	-25.02	H	AVERAGE	Pass	Band Edge
19	802.11ax HE40	3	17895.00	49.63	74.00	-24.37	V	Peak	Pass	Harmonic
20	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE40	43	12330.00	49.08	74.00	-24.92	H	Peak	Pass	Harmonic
21	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE40	91	12810.00	48.87	88.20	-39.33	V	Peak	Pass	Harmonic
22	802.11ax HE80	7	5925.00	46.05	68.20	-22.15	H	AVERAGE	Pass	Band Edge
22	802.11ax HE80	7	17955.00	50.78	74.00	-23.22	V	Peak	Pass	Harmonic







23	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE80	39	12290.00	49.42	74.00	-24.58	H	Peak	Pass	Harmonic
24	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
24	802.11ax HE80	87	12770.00	49.58	88.20	-38.62	V	Peak	Pass	Harmonic
25	802.11ax HE160	15	5924.96	50.38	68.20	-17.82	H	AVERAGE	Pass	Band Edge
25	802.11ax HE160	15	12050.00	47.79	74.00	-26.21	V	Peak	Pass	Harmonic
26	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE160	47	12370.00	47.25	74.00	-26.75	V	Peak	Pass	Harmonic
27	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE160	79	12690.00	48.89	74.00	-25.11	V	Peak	Pass	Harmonic
28	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE20	97	12870.00	50.66	88.20	-37.54	H	Peak	Pass	Harmonic
29	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE20	105	12950.00	48.99	88.20	-39.21	V	Peak	Pass	Harmonic
30	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE20	113	13030.00	48.59	88.20	-39.61	V	Peak	Pass	Harmonic
31	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	99	12890.00	48.76	88.20	-39.44	V	Peak	Pass	Harmonic
32	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	107	12970.00	48.96	88.20	-39.24	V	Peak	Pass	Harmonic
33	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE80	103	12930.00	48.34	88.20	-39.86	V	Peak	Pass	Harmonic
34	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	115	13050.00	47.55	88.20	-40.65	V	Peak	Pass	Harmonic
35	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE80	119	13090.00	48.59	88.20	-39.61	H	Peak	Pass	Harmonic
36	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
36	802.11ax HE160	111	13010.00	48.34	88.20	-39.86	H	Peak	Pass	Harmonic
37	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE20	117	13070.00	48.30	88.20	-39.90	H	Peak	Pass	Harmonic
38	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE20	149	13390.00	48.71	74.00	-25.29	V	Peak	Pass	Harmonic
39	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE40	123	13130.00	48.49	88.20	-39.71	V	Peak	Pass	Harmonic
40	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE40	147	13370.00	47.67	74.00	-26.33	V	Peak	Pass	Harmonic
41	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE40	179	13690.00	48.11	88.20	-40.09	V	Peak	Pass	Harmonic
42	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	135	13250.00	47.26	74.00	-26.74	V	Peak	Pass	Harmonic
43	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	151	13410.00	48.33	88.20	-39.87	H	Peak	Pass	Harmonic
44	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE160	143	13330.00	47.56	74.00	-26.44	H	Peak	Pass	Harmonic
45	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
45	802.11ax HE20	185	13750.00	47.71	88.20	-40.49	H	Peak	Pass	Harmonic
46	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge



46	802.11ax HE80	183	13730.00	47.87	88.20	-40.33	V	Peak	Pass	Harmonic
47	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	175	13650.00	48.94	88.20	-39.26	H	Peak	Pass	Harmonic
48	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE20	189	13790.00	48.05	88.20	-40.15	V	Peak	Pass	Harmonic
49	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
49	802.11ax HE20	209	13990.00	48.06	88.20	-40.14	H	Peak	Pass	Harmonic
50	802.11ax HE20	229	7259.67	42.14	54.00	-11.86	V	AVERAGE	Pass	Band Edge
50	802.11ax HE20	229	14190.00	48.02	88.20	-40.18	H	Peak	Pass	Harmonic
51	802.11ax HE20	229	7270.79	42.21	54.00	-11.79	H	AVERAGE	Pass	Band Edge
51	802.11ax HE20	229	14190.00	48.40	88.20	-39.80	H	Peak	Pass	Harmonic
52	802.11ax HE20	229	7251.21	42.13	54.00	-11.87	V	AVERAGE	Pass	Band Edge
52	802.11ax HE20	229	14190.00	47.66	88.20	-40.54	V	Peak	Pass	Harmonic
53	802.11ax HE20	229	7279.69	42.47	54.00	-11.53	V	AVERAGE	Pass	Band Edge
53	802.11ax HE20	229	14190.00	51.22	88.20	-36.98	H	Peak	Pass	Harmonic
54	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	203	13930.00	47.50	88.20	-40.70	H	Peak	Pass	Harmonic
55	802.11ax HE40	227	7250.82	42.26	54.00	-11.74	H	AVERAGE	Pass	Band Edge
55	802.11ax HE40	227	14170.00	48.32	88.20	-39.88	H	Peak	Pass	Harmonic
56	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	199	13890.00	47.79	88.20	-40.41	H	Peak	Pass	Harmonic
57	802.11ax HE80	215	7256.56	42.18	54.00	-11.82	H	AVERAGE	Pass	Band Edge
57	802.11ax HE80	215	14050.00	47.18	88.20	-41.02	H	Peak	Pass	Harmonic
58	802.11ax HE160	207	7255.63	42.46	54.00	-11.54	H	AVERAGE	Pass	Band Edge
58	802.11ax HE160	207	13970.00	47.88	88.20	-40.32	V	Peak	Pass	Harmonic
59	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
59	802.11ax HE40	187	13770.00	47.83	88.20	-40.37	H	Peak	Pass	Harmonic
62	802.11a-LF	229	59.10	29.86	40.00	-10.14	V	Peak	Pass	LF





Mode	1																																																																									
	Band Edge																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																									
ANT	CDD3+4																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Date: 2025-01-05  Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Peak. The plot shows a blue trace with a peak at 5916.56 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2025-01-05. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5916.56</td><td>53.05</td><td>88.20</td><td>-35.15</td><td>39.39</td><td>36.72</td><td>10.42</td><td>33.48</td><td>200 295 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5916.56	53.05	88.20	-35.15	39.39	36.72	10.42	33.48	200 295 PEAK	Date: 2025-01-05  Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Peak. The plot shows a blue trace with a peak at 5955.00 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2025-01-05. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>94.98</td><td>-----</td><td>-----</td><td>81.22</td><td>36.75</td><td>10.50</td><td>33.49</td><td>200 295 PEAK</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	94.98	-----	-----	81.22	36.75	10.50	33.49	200 295 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5916.56	53.05	88.20	-35.15	39.39	36.72	10.42	33.48	200 295 PEAK																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	94.98	-----	-----	81.22	36.75	10.50	33.49	200 295 PEAK																																																																		
Avg	Date: 2025-01-05  Level (dBuV/m) vs Frequency (MHz) plot for Horizontal Avg. The plot shows a blue trace with a peak at 5871.06 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2025-01-05. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5871.06</td><td>43.50</td><td>68.20</td><td>-24.70</td><td>29.97</td><td>36.67</td><td>10.33</td><td>33.47</td><td>200 295 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5871.06	43.50	68.20	-24.70	29.97	36.67	10.33	33.47	200 295 AVERAGE	Date: 2025-01-05  Level (dBuV/m) vs Frequency (MHz) plot for Fundamental Avg. The plot shows a blue trace with a peak at 5955.00 MHz. A red line indicates the limit at 122.5 dBuV/m. The date is 2025-01-05. <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5955.00</td><td>88.34</td><td>-----</td><td>-----</td><td>74.58</td><td>36.75</td><td>10.50</td><td>33.49</td><td>200 295 AVERAGE</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	88.34	-----	-----	74.58	36.75	10.50	33.49	200 295 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5871.06	43.50	68.20	-24.70	29.97	36.67	10.33	33.47	200 295 AVERAGE																																																																		
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 5955.00	88.34	-----	-----	74.58	36.75	10.50	33.49	200 295 AVERAGE																																																																		





Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	CDD3+4																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Date: 2025-01-05 PEAK_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5893.46</td><td>54.04</td><td>88.20</td><td>-34.16</td><td>40.46</td><td>36.69</td><td>10.37</td><td>33.48</td><td>157</td><td>360</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.46	54.04	88.20	-34.16	40.46	36.69	10.37	33.48	157	360	PEAK	Date: 2025-01-05 PEAK_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>87.34</td><td>-----</td><td>-----</td><td>73.58</td><td>36.75</td><td>10.50</td><td>33.49</td><td>157</td><td>360</td><td>PEAK</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	87.34	-----	-----	73.58	36.75	10.50	33.49	157	360	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5893.46	54.04	88.20	-34.16	40.46	36.69	10.37	33.48	157	360	PEAK																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	87.34	-----	-----	73.58	36.75	10.50	33.49	157	360	PEAK																																																																							
Avg	Date: 2025-01-05 AVG_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5898.92</td><td>43.39</td><td>68.20</td><td>-24.81</td><td>29.79</td><td>36.70</td><td>10.38</td><td>33.48</td><td>157</td><td>360</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5898.92	43.39	68.20	-24.81	29.79	36.70	10.38	33.48	157	360	AVERAGE	Date: 2025-01-05 AVG_BE(U-NII)_6E <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5955.00</td><td>81.05</td><td>-----</td><td>-----</td><td>67.29</td><td>36.75</td><td>10.50</td><td>33.49</td><td>157</td><td>360</td><td>AVERAGE</td></tr></tbody></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	81.05	-----	-----	67.29	36.75	10.50	33.49	157	360	AVERAGE
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5898.92	43.39	68.20	-24.81	29.79	36.70	10.38	33.48	157	360	AVERAGE																																																																							
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5955.00	81.05	-----	-----	67.29	36.75	10.50	33.49	157	360	AVERAGE																																																																							





Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																																			
ANT	CDD3+4																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>44.36</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.18</td><td>74.00</td><td>-25.82</td><td>41.70</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	46.21	74.00	-27.79	44.36	39.69	13.18	51.02	---	---	Peak	2	17865.00	48.18	74.00	-25.82	41.70	43.25	16.20	52.97	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>45.59</td><td>74.00</td><td>-28.41</td><td>43.74</td><td>39.69</td><td>13.18</td><td>51.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.74</td><td>74.00</td><td>-26.26</td><td>41.26</td><td>43.25</td><td>16.20</td><td>52.97</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.59	74.00	-28.41	43.74	39.69	13.18	51.02	---	---	Peak	2	17865.00	47.74	74.00	-26.26	41.26	43.25	16.20	52.97	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11910.00	46.21	74.00	-27.79	44.36	39.69	13.18	51.02	---	---	Peak																																																																																																									
2	17865.00	48.18	74.00	-25.82	41.70	43.25	16.20	52.97	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11910.00	45.59	74.00	-28.41	43.74	39.69	13.18	51.02	---	---	Peak																																																																																																									
2	17865.00	47.74	74.00	-26.26	41.26	43.25	16.20	52.97	---	---	Peak																																																																																																									





Mode	2																																																																																								
	Harmonic																																																																																								
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																								
ANT	CDD3+4																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>46.21</td><td>74.00</td><td>-27.79</td><td>44.16</td><td>40.04</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	46.21	74.00	-27.79	44.16	40.04	13.35	51.34	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>44.93</td><td>74.00</td><td>-29.07</td><td>42.88</td><td>40.04</td><td>13.35</td><td>51.34</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	44.93	74.00	-29.07	42.88	40.04	13.35	51.34	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	12350.00	46.21	74.00	-27.79	44.16	40.04	13.35	51.34	---	---	Peak																																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	12350.00	44.93	74.00	-29.07	42.88	40.04	13.35	51.34	---	---	Peak																																																																														





Mode	3																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																																																											
ANT	CDD3+4																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12830.00</td><td>45.36</td><td>88.20</td><td>-42.84</td><td>43.16</td><td>40.38</td><td>13.50</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>51.68</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12830.00	45.36	88.20	-42.84	43.16	40.38	13.50							51.68	---								deg								Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12830.00</td><td>45.34</td><td>88.20</td><td>-42.86</td><td>43.14</td><td>40.38</td><td>13.50</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>51.68</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12830.00	45.34	88.20	-42.86	43.14	40.38	13.50							51.68	---								deg								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																					
1	12830.00	45.36	88.20	-42.84	43.16	40.38	13.50																																																																																																																					
						51.68	---																																																																																																																					
							deg																																																																																																																					
							Peak																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																					
1	12830.00	45.34	88.20	-42.86	43.14	40.38	13.50																																																																																																																					
						51.68	---																																																																																																																					
							deg																																																																																																																					
							Peak																																																																																																																					



Mode	4																																																																																							
	Harmonic																																																																																							
	U-NII-5_6.425-6.525_802.11a_CH97_6435MHz																																																																																							
ANT	CDD3+4																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12870.00</td><td>45.59</td><td>88.20</td><td>-42.61</td><td>43.37</td><td>40.41</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	45.59	88.20	-42.61	43.37	40.41	13.52	51.71	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1 12870.00</td><td>45.47</td><td>88.20</td><td>-42.73</td><td>43.25</td><td>40.41</td><td>13.52</td><td>51.71</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	45.47	88.20	-42.73	43.25	40.41	13.52	51.71	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12870.00	45.59	88.20	-42.61	43.37	40.41	13.52	51.71	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12870.00	45.47	88.20	-42.73	43.25	40.41	13.52	51.71	---	---	Peak																																																																														





Mode	5																																																																																						
	Harmonic																																																																																						
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																						
ANT	CDD3+4																																																																																						
Pol.	Horizontal					Vertical																																																																																	
Peak Avg																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>44.74</td><td>88.20</td><td>-43.46</td><td>42.49</td><td>40.47</td><td>13.54</td><td>51.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	44.74	88.20	-43.46	42.49	40.47	13.54	51.76	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12950.00</td><td>45.83</td><td>88.20</td><td>-42.37</td><td>43.58</td><td>40.47</td><td>13.54</td><td>51.76</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12950.00	45.83	88.20	-42.37	43.58	40.47	13.54	51.76	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 12950.00	44.74	88.20	-43.46	42.49	40.47	13.54	51.76	---	---	Peak																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1 12950.00	45.83	88.20	-42.37	43.58	40.47	13.54	51.76	---	---	Peak																																																																													





Mode	6																																																																																													
	Harmonic																																																																																													
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																													
ANT	CDD3+4																																																																																													
Pol.	Horizontal						Vertical																																																																																							
Peak Avg	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>44.95</td><td>88.20</td><td>-43.25</td><td>42.67</td><td>40.52</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	44.95	88.20	-43.25	42.67	40.52	13.57	51.81	---	---	Peak	Level (dBuV/m) Date: 2025-01-08 PEAK(U-NII_6E) AVG(U-NII_6E) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>45.80</td><td>88.20</td><td>-42.40</td><td>43.52</td><td>40.52</td><td>13.57</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13030.00	45.80	88.20	-42.40	43.52	40.52	13.57	51.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13030.00	44.95	88.20	-43.25	42.67	40.52	13.57	51.81	---	---	Peak																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	13030.00	45.80	88.20	-42.40	43.52	40.52	13.57	51.81	---	---	Peak																																																																																			



Mode	7																																																																																																								
	Harmonic																																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																								
ANT	CDD3+4																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>45.71</td><td>88.20</td><td>-42.49</td><td>43.40</td><td>40.54</td><td>13.58</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	45.71	88.20	-42.49	43.40	40.54	13.58	51.81	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13070.00</td><td>45.59</td><td>88.20</td><td>-42.61</td><td>43.28</td><td>40.54</td><td>13.58</td><td>51.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13070.00	45.59	88.20	-42.61	43.28	40.54	13.58	51.81	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	45.71	88.20	-42.49	43.40	40.54	13.58	51.81	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13070.00	45.59	88.20	-42.61	43.28	40.54	13.58	51.81	---	---	Peak																																																																																														



Mode	8																																																																																							
	Harmonic																																																																																							
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																							
ANT	CDD3+4																																																																																							
Pol.	Horizontal								Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-01-08  PEAK(U-NII_6E) AVG(U-NII_6E)								Level (dBuV/m) Date: 2025-01-08  PEAK(U-NII_6E) AVG(U-NII_6E)																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 13390.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>45.02</td><td>40.73</td><td>13.68</td><td>51.88</td><td>--- --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 13390.00	47.55	74.00	-26.45	45.02	40.73	13.68	51.88	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 13390.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>43.22</td><td>40.73</td><td>13.68</td><td>51.88</td><td>--- --- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 13390.00	45.75	74.00	-28.25	43.22	40.73	13.68	51.88	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1 13390.00	47.55	74.00	-26.45	45.02	40.73	13.68	51.88	--- --- Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																	
1 13390.00	45.75	74.00	-28.25	43.22	40.73	13.68	51.88	--- --- Peak																																																																																