










































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Amos	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15C RSS247-QP LISN-060105-N 2023 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.161	41.56	-23.87	65.43	31.10	0.04	10.42	QP
2	0.161	25.66	-29.77	55.43	15.20	0.04	10.42	Average
3	0.187	40.66	-23.49	64.15	30.20	0.05	10.41	QP
4	0.187	21.96	-32.19	54.15	11.50	0.05	10.41	Average
5	0.215	38.73	-24.28	63.01	28.30	0.03	10.40	QP
6	0.215	20.03	-32.98	53.01	9.60	0.03	10.40	Average
7	0.459	35.28	-21.43	56.71	25.11	-0.07	10.24	QP
8 *	0.459	26.38	-20.33	46.71	16.21	-0.07	10.24	Average
9	8.148	33.48	-26.52	60.00	23.20	-0.14	10.42	QP
10	8.148	25.58	-24.42	50.00	15.30	-0.14	10.42	Average
11	9.654	30.62	-29.38	60.00	20.20	-0.19	10.61	QP
12	9.654	24.02	-25.98	50.00	13.60	-0.19	10.61	Average

Note:

1. $\text{Level(dB}\mu\text{V)} = \text{Read Level(dB}\mu\text{V)} + \text{LISN Factor(dB)} + \text{Cable Loss(dB)}$
2. $\text{Over Limit(dB)} = \text{Level(dB}\mu\text{V)} - \text{Limit Line(dB}\mu\text{V)}$



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Carry	Relative Humidity :	41~42%
		Temperature :	22 ~23℃



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	3	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 2	2400-2483.5	3	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 3	2400-2483.5	3	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
Mode 4	2400-2483.5	4	Bluetooth BR_GFSK	00	2402	1Mbps	-	-
Mode 5	2400-2483.5	4	Bluetooth BR_GFSK	39	2441	1Mbps	-	-
Mode 6	2400-2483.5	4	Bluetooth BR_GFSK	78	2480	1Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2388.78	48.89	74.00	-25.11	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	40.84	74.00	-33.16	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	43.40	74.00	-30.60	H	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2486.43	49.63	74.00	-24.37	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	43.58	74.00	-30.42	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	00	2388.91	49.74	74.00	-24.26	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	00	4804.00	41.27	74.00	-32.73	V	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	43.54	74.00	-30.46	H	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2483.72	50.29	74.00	-23.71	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	43.46	74.00	-30.54	H	PEAK	Pass	Harmonic



Mode	1																																																																																																																									
	Band Edge																																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																									
ANT	3																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																			
Peak																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.13</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>40.27</td><td>32.03</td><td>7.08</td><td>37.05</td><td>6.00</td><td>296</td><td>238 PEAK</td></tr><tr><td>2</td><td>2375.13</td><td>23.54</td><td>54.00</td><td>-30.46</td><td>15.48</td><td>32.03</td><td>7.08</td><td>37.05</td><td>6.00</td><td>296</td><td>238 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.13	48.33	74.00	-25.67	40.27	32.03	7.08	37.05	6.00	296	238 PEAK	2	2375.13	23.54	54.00	-30.46	15.48	32.03	7.08	37.05	6.00	296	238 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.77</td><td>-----</td><td>-----</td><td>92.58</td><td>32.11</td><td>7.12</td><td>37.04</td><td>6.00</td><td>296</td><td>238 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.98</td><td>-----</td><td>-----</td><td>67.79</td><td>32.11</td><td>7.12</td><td>37.04</td><td>6.00</td><td>296</td><td>238 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.77	-----	-----	92.58	32.11	7.12	37.04	6.00	296	238 PEAK	2	2402.00	75.98	-----	-----	67.79	32.11	7.12	37.04	6.00	296	238 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2375.13	48.33	74.00	-25.67	40.27	32.03	7.08	37.05	6.00	296	238 PEAK																																																																																																															
2	2375.13	23.54	54.00	-30.46	15.48	32.03	7.08	37.05	6.00	296	238 AVERAGE																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	2402.00	100.77	-----	-----	92.58	32.11	7.12	37.04	6.00	296	238 PEAK																																																																																																															
2	2402.00	75.98	-----	-----	67.79	32.11	7.12	37.04	6.00	296	238 AVERAGE																																																																																																															





Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	3																																																																																																									
Pol.	Vertical								Fundamental																																																																																																	
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2388.78</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>40.77</td><td>32.07</td><td>7.10</td><td>37.05</td></tr><tr><td>2</td><td>2388.78</td><td>24.10</td><td>54.00</td><td>-29.90</td><td>15.98</td><td>32.07</td><td>7.10</td><td>37.05</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2388.78	48.89	74.00	-25.11	40.77	32.07	7.10	37.05	2	2388.78	24.10	54.00	-29.90	15.98	32.07	7.10	37.05	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>98.48</td><td>-----</td><td>-----</td><td>90.29</td><td>32.11</td><td>7.12</td><td>37.04</td></tr><tr><td>2</td><td>2402.00</td><td>73.69</td><td>-----</td><td>-----</td><td>65.50</td><td>32.11</td><td>7.12</td><td>37.04</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	98.48	-----	-----	90.29	32.11	7.12	37.04	2	2402.00	73.69	-----	-----	65.50	32.11	7.12	37.04
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2388.78	48.89	74.00	-25.11	40.77	32.07	7.10	37.05																																																																																																		
2	2388.78	24.10	54.00	-29.90	15.98	32.07	7.10	37.05																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2402.00	98.48	-----	-----	90.29	32.11	7.12	37.04																																																																																																		
2	2402.00	73.69	-----	-----	65.50	32.11	7.12	37.04																																																																																																		



Mode	1																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																
ANT	3																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.84</td><td>74.00</td><td>-33.16</td><td>60.98</td><td>33.90</td><td>10.20</td><td>64.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.84	74.00	-33.16	60.98	33.90	10.20	64.24	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>60.69</td><td>33.90</td><td>10.20</td><td>64.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.55	74.00	-33.45	60.69	33.90	10.20	64.24	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	40.84	74.00	-33.16	60.98	33.90	10.20	64.24	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4804.00	40.55	74.00	-33.45	60.69	33.90	10.20	64.24	0.00	--	PEAK																																																																																						





Mode	2																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.85</td><td>74.00</td><td>-32.15</td><td>61.94</td><td>33.90</td><td>10.30</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>60.02</td><td>35.70</td><td>12.72</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.85	74.00	-32.15	61.94	33.90	10.30	64.29	0.00	--	--	PEAK	2	7323.00	43.40	74.00	-30.60	60.02	35.70	12.72	65.04	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.69</td><td>74.00</td><td>-33.31</td><td>60.78</td><td>33.90</td><td>10.30</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>60.00</td><td>35.70</td><td>12.72</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.69	74.00	-33.31	60.78	33.90	10.30	64.29	0.00	--	--	PEAK	2	7323.00	43.38	74.00	-30.62	60.00	35.70	12.72	65.04	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4882.00	41.85	74.00	-32.15	61.94	33.90	10.30	64.29	0.00	--	--	PEAK																																																																																																																		
2	7323.00	43.40	74.00	-30.60	60.02	35.70	12.72	65.04	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4882.00	40.69	74.00	-33.31	60.78	33.90	10.30	64.29	0.00	--	--	PEAK																																																																																																																		
2	7323.00	43.38	74.00	-30.62	60.00	35.70	12.72	65.04	0.00	--	--	PEAK																																																																																																																		



Mode	3																																																																				
	Band Edge																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																				
ANT	3																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.43</td><td>49.63</td><td>74.00</td><td>-24.37</td><td>40.68</td><td>32.53</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>2486.43</td><td>24.84</td><td>54.00</td><td>-29.16</td><td>15.89</td><td>32.53</td><td>7.26</td><td>36.84</td><td>6.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.43	49.63	74.00	-24.37	40.68	32.53	7.26	36.84	6.00	100	16	PEAK	2	2486.43	24.84	54.00	-29.16	15.89	32.53	7.26	36.84	6.00	100	16	AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2486.43	49.63	74.00	-24.37	40.68	32.53	7.26	36.84	6.00	100	16	PEAK																																																									
2	2486.43	24.84	54.00	-29.16	15.89	32.53	7.26	36.84	6.00	100	16	AVERAGE																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.80</td><td>-----</td><td>-----</td><td>88.91</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.01</td><td>-----</td><td>-----</td><td>64.12</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td><td>100</td><td>16</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.80	-----	-----	88.91	32.50	7.25	36.86	6.00	100	16	PEAK	2	2480.00	73.01	-----	-----	64.12	32.50	7.25	36.86	6.00	100	16	AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	2480.00	97.80	-----	-----	88.91	32.50	7.25	36.86	6.00	100	16	PEAK																																																									
2	2480.00	73.01	-----	-----	64.12	32.50	7.25	36.86	6.00	100	16	AVERAGE																																																									





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	3																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.55</td><td>49.42</td><td>74.00</td><td>-24.58</td><td>40.46</td><td>32.54</td><td>7.26</td><td>36.84</td><td>6.00</td><td>399</td><td>276 PEAK</td></tr><tr><td>2</td><td>2487.55</td><td>24.63</td><td>54.00</td><td>-29.37</td><td>15.67</td><td>32.54</td><td>7.26</td><td>36.84</td><td>6.00</td><td>399</td><td>276 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2487.55	49.42	74.00	-24.58	40.46	32.54	7.26	36.84	6.00	399	276 PEAK	2	2487.55	24.63	54.00	-29.37	15.67	32.54	7.26	36.84	6.00	399	276 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2487.55	49.42	74.00	-24.58	40.46	32.54	7.26	36.84	6.00	399	276 PEAK																																																									
2	2487.55	24.63	54.00	-29.37	15.67	32.54	7.26	36.84	6.00	399	276 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.09</td><td>-----</td><td>-----</td><td>87.20</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td><td>399</td><td>276 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>71.30</td><td>-----</td><td>-----</td><td>62.41</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td><td>399</td><td>276 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.09	-----	-----	87.20	32.50	7.25	36.86	6.00	399	276 PEAK	2	2480.00	71.30	-----	-----	62.41	32.50	7.25	36.86	6.00	399	276 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	96.09	-----	-----	87.20	32.50	7.25	36.86	6.00	399	276 PEAK																																																									
2	2480.00	71.30	-----	-----	62.41	32.50	7.25	36.86	6.00	399	276 AVERAGE																																																									





Mode	3																																																																																																																													
	Harmonic																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	3																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.60</td><td>74.00</td><td>-33.40</td><td>60.52</td><td>34.02</td><td>10.40</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>59.89</td><td>35.74</td><td>12.78</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.60	74.00	-33.40	60.52	34.02	10.40	64.34	0.00	--	--	PEAK	2	7440.00	43.15	74.00	-30.85	59.89	35.74	12.78	65.26	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>41.51</td><td>74.00</td><td>-32.49</td><td>61.43</td><td>34.02</td><td>10.40</td><td>64.34</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.58</td><td>74.00</td><td>-30.42</td><td>60.32</td><td>35.74</td><td>12.78</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	41.51	74.00	-32.49	61.43	34.02	10.40	64.34	0.00	--	--	PEAK	2	7440.00	43.58	74.00	-30.42	60.32	35.74	12.78	65.26	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	40.60	74.00	-33.40	60.52	34.02	10.40	64.34	0.00	--	--	PEAK																																																																																																																		
2	7440.00	43.15	74.00	-30.85	59.89	35.74	12.78	65.26	0.00	--	--	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	4960.00	41.51	74.00	-32.49	61.43	34.02	10.40	64.34	0.00	--	--	PEAK																																																																																																																		
2	7440.00	43.58	74.00	-30.42	60.32	35.74	12.78	65.26	0.00	--	--	PEAK																																																																																																																		



Mode	4																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																															
ANT	4																																																															
Pol.	Horizontal																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.91</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>41.62</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300</td><td>236 PEAK</td></tr><tr><td>2</td><td>2388.91</td><td>24.95</td><td>54.00</td><td>-29.05</td><td>16.83</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>300</td><td>236 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	49.74	74.00	-24.26	41.62	32.07	7.10	37.05	6.00	300	236 PEAK	2	2388.91	24.95	54.00	-29.05	16.83	32.07	7.10	37.05	6.00	300	236 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2388.91	49.74	74.00	-24.26	41.62	32.07	7.10	37.05	6.00	300	236 PEAK																																																					
2	2388.91	24.95	54.00	-29.05	16.83	32.07	7.10	37.05	6.00	300	236 AVERAGE																																																					
Fundamental																																																																
																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>102.88</td><td>-----</td><td>-----</td><td>94.69</td><td>32.11</td><td>7.12</td><td>37.04</td><td>6.00</td><td>300</td><td>236 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>78.09</td><td>-----</td><td>-----</td><td>69.90</td><td>32.11</td><td>7.12</td><td>37.04</td><td>6.00</td><td>300</td><td>236 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.88	-----	-----	94.69	32.11	7.12	37.04	6.00	300	236 PEAK	2	2402.00	78.09	-----	-----	69.90	32.11	7.12	37.04	6.00	300	236 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2402.00	102.88	-----	-----	94.69	32.11	7.12	37.04	6.00	300	236 PEAK																																																					
2	2402.00	78.09	-----	-----	69.90	32.11	7.12	37.04	6.00	300	236 AVERAGE																																																					




Mode	4																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																			
ANT	4																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>48.89</td><td>74.00</td><td>-25.11</td><td>40.77</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>387</td><td>271 PEAK</td></tr><tr><td>2</td><td>2389.56</td><td>24.10</td><td>54.00</td><td>-29.90</td><td>15.98</td><td>32.07</td><td>7.10</td><td>37.05</td><td>6.00</td><td>387</td><td>271 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	48.89	74.00	-25.11	40.77	32.07	7.10	37.05	6.00	387	271 PEAK	2	2389.56	24.10	54.00	-29.90	15.98	32.07	7.10	37.05	6.00	387	271 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2389.56	48.89	74.00	-25.11	40.77	32.07	7.10	37.05	6.00	387	271 PEAK																																																									
2	2389.56	24.10	54.00	-29.90	15.98	32.07	7.10	37.05	6.00	387	271 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.74</td><td>-----</td><td>-----</td><td>92.55</td><td>32.11</td><td>7.12</td><td>37.04</td><td>6.00</td><td>387</td><td>271 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.95</td><td>-----</td><td>-----</td><td>67.76</td><td>32.11</td><td>7.12</td><td>37.04</td><td>6.00</td><td>387</td><td>271 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.74	-----	-----	92.55	32.11	7.12	37.04	6.00	387	271 PEAK	2	2402.00	75.95	-----	-----	67.76	32.11	7.12	37.04	6.00	387	271 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2402.00	100.74	-----	-----	92.55	32.11	7.12	37.04	6.00	387	271 PEAK																																																									
2	2402.00	75.95	-----	-----	67.76	32.11	7.12	37.04	6.00	387	271 AVERAGE																																																									





Mode	4																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																	
ANT	4																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>40.77</td><td>74.00</td><td>-33.23</td><td>60.91</td><td>33.90</td><td>10.20</td><td>64.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	40.77	74.00	-33.23	60.91	33.90	10.20	64.24	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>41.27</td><td>74.00</td><td>-32.73</td><td>61.41</td><td>33.90</td><td>10.20</td><td>64.24</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	41.27	74.00	-32.73	61.41	33.90	10.20	64.24	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	40.77	74.00	-33.23	60.91	33.90	10.20	64.24	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4804.00	41.27	74.00	-32.73	61.41	33.90	10.20	64.24	0.00	--	PEAK																																																																																							





Mode	5																																																																				
	Harmonic																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																				
ANT	4																																																																				
Pol.	Horizontal						Vertical																																																														
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4882.00</td><td>41.01</td><td>74.00</td><td>-32.99</td><td>61.10</td><td>33.90</td><td>10.30</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>60.16</td><td>35.70</td><td>12.72</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.01	74.00	-32.99	61.10	33.90	10.30	64.29	0.00	--	--	PEAK	2	7323.00	43.54	74.00	-30.46	60.16	35.70	12.72	65.04	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4882.00	41.01	74.00	-32.99	61.10	33.90	10.30	64.29	0.00	--	--	PEAK																																																									
2	7323.00	43.54	74.00	-30.46	60.16	35.70	12.72	65.04	0.00	--	--	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>4882.00</td><td>40.62</td><td>74.00</td><td>-33.38</td><td>60.71</td><td>33.90</td><td>10.30</td><td>64.29</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>43.16</td><td>74.00</td><td>-30.84</td><td>59.78</td><td>35.70</td><td>12.72</td><td>65.04</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.62	74.00	-33.38	60.71	33.90	10.30	64.29	0.00	--	--	PEAK	2	7323.00	43.16	74.00	-30.84	59.78	35.70	12.72	65.04	0.00	--	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	4882.00	40.62	74.00	-33.38	60.71	33.90	10.30	64.29	0.00	--	--	PEAK																																																									
2	7323.00	43.16	74.00	-30.84	59.78	35.70	12.72	65.04	0.00	--	--	PEAK																																																									





Mode	6																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																															
ANT	4																																																															
Pol.	Horizontal																																																															
Peak																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.72</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>41.36</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>119</td><td>254 PEAK</td></tr><tr><td>2</td><td>2483.72</td><td>25.50</td><td>54.00</td><td>-28.50</td><td>16.57</td><td>32.52</td><td>7.26</td><td>36.85</td><td>6.00</td><td>119</td><td>254 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.72	50.29	74.00	-23.71	41.36	32.52	7.26	36.85	6.00	119	254 PEAK	2	2483.72	25.50	54.00	-28.50	16.57	32.52	7.26	36.85	6.00	119	254 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2483.72	50.29	74.00	-23.71	41.36	32.52	7.26	36.85	6.00	119	254 PEAK																																																					
2	2483.72	25.50	54.00	-28.50	16.57	32.52	7.26	36.85	6.00	119	254 AVERAGE																																																					
																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.37</td><td>-----</td><td>-----</td><td>92.48</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td><td>119</td><td>254 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.58</td><td>-----</td><td>-----</td><td>67.69</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td><td>119</td><td>254 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.37	-----	-----	92.48	32.50	7.25	36.86	6.00	119	254 PEAK	2	2480.00	76.58	-----	-----	67.69	32.50	7.25	36.86	6.00	119	254 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																						
1	2480.00	101.37	-----	-----	92.48	32.50	7.25	36.86	6.00	119	254 PEAK																																																					
2	2480.00	76.58	-----	-----	67.69	32.50	7.25	36.86	6.00	119	254 AVERAGE																																																					





Mode	6																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	4																																																																																																									
Pol.	Vertical												Fundamental																																																																																													
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2487.26</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>41.02</td><td>32.54</td><td>7.26</td><td>36.84</td></tr><tr><td>2</td><td>2487.26</td><td>25.19</td><td>54.00</td><td>-28.81</td><td>16.23</td><td>32.54</td><td>7.26</td><td>36.84</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2487.26	49.98	74.00	-24.02	41.02	32.54	7.26	36.84	2	2487.26	25.19	54.00	-28.81	16.23	32.54	7.26	36.84	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2480.00</td><td>99.11</td><td>-----</td><td>90.22</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td></tr><tr><td>2</td><td>2480.00</td><td>74.32</td><td>-----</td><td>65.43</td><td>32.50</td><td>7.25</td><td>36.86</td><td>6.00</td></tr></table>					Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	99.11	-----	90.22	32.50	7.25	36.86	6.00	2	2480.00	74.32	-----	65.43	32.50	7.25	36.86	6.00
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2487.26	49.98	74.00	-24.02	41.02	32.54	7.26	36.84																																																																																																		
2	2487.26	25.19	54.00	-28.81	16.23	32.54	7.26	36.84																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2480.00	99.11	-----	90.22	32.50	7.25	36.86	6.00																																																																																																		
2	2480.00	74.32	-----	65.43	32.50	7.25	36.86	6.00																																																																																																		



Mode	6																																																																					
	Harmonic																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																					
ANT	4																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.57</td><td>74.00</td><td>-33.43</td><td>60.49</td><td>34.02</td><td>10.40</td><td>64.34</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>60.20</td><td>35.74</td><td>12.78</td><td>65.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.57	74.00	-33.43	60.49	34.02	10.40	64.34	0.00	--	-- PEAK	2	7440.00	43.46	74.00	-30.54	60.20	35.74	12.78	65.26	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	40.57	74.00	-33.43	60.49	34.02	10.40	64.34	0.00	--	-- PEAK																																																											
2	7440.00	43.46	74.00	-30.54	60.20	35.74	12.78	65.26	0.00	--	-- PEAK																																																											
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>41.52</td><td>74.00</td><td>-32.48</td><td>61.44</td><td>34.02</td><td>10.40</td><td>64.34</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.87</td><td>74.00</td><td>-31.13</td><td>59.61</td><td>35.74</td><td>12.78</td><td>65.26</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.52	74.00	-32.48	61.44	34.02	10.40	64.34	0.00	--	-- PEAK	2	7440.00	42.87	74.00	-31.13	59.61	35.74	12.78	65.26	0.00	--	-- PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	4960.00	41.52	74.00	-32.48	61.44	34.02	10.40	64.34	0.00	--	-- PEAK																																																											
2	7440.00	42.87	74.00	-31.13	59.61	35.74	12.78	65.26	0.00	--	-- PEAK																																																											



Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	4	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	6																																																																																																							
	30-1G																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																							
ANT	4																																																																																																							
Pol.	Horizontal																																																																																																							
QP	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>30.97</td><td>20.95</td><td>-19.05</td><td>40.00</td><td>29.14</td><td>0.73</td><td>24.07</td><td>32.99</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>91.11</td><td>17.20</td><td>-26.30</td><td>43.50</td><td>33.27</td><td>1.43</td><td>15.35</td><td>32.85</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>200.72</td><td>21.36</td><td>-22.14</td><td>43.50</td><td>36.57</td><td>2.16</td><td>15.47</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>350.10</td><td>21.08</td><td>-24.92</td><td>46.00</td><td>30.73</td><td>2.85</td><td>20.43</td><td>32.93</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>618.79</td><td>25.13</td><td>-20.87</td><td>46.00</td><td>29.32</td><td>3.00</td><td>25.04</td><td>33.03</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>853.53</td><td>29.29</td><td>-16.71</td><td>46.00</td><td>30.57</td><td>4.46</td><td>26.60</td><td>32.34</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	30.97	20.95	-19.05	40.00	29.14	0.73	24.07	32.99	---	---	Peak	2	91.11	17.20	-26.30	43.50	33.27	1.43	15.35	32.85	---	---	Peak	3	200.72	21.36	-22.14	43.50	36.57	2.16	15.47	32.84	---	---	Peak	4	350.10	21.08	-24.92	46.00	30.73	2.85	20.43	32.93	---	---	Peak	5	618.79	25.13	-20.87	46.00	29.32	3.00	25.04	33.03	---	---	Peak	6	853.53	29.29	-16.71	46.00	30.57	4.46	26.60	32.34	---	---	Peak
		Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																													
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																														
	1	30.97	20.95	-19.05	40.00	29.14	0.73	24.07	32.99	---	---	Peak																																																																																												
	2	91.11	17.20	-26.30	43.50	33.27	1.43	15.35	32.85	---	---	Peak																																																																																												
	3	200.72	21.36	-22.14	43.50	36.57	2.16	15.47	32.84	---	---	Peak																																																																																												
	4	350.10	21.08	-24.92	46.00	30.73	2.85	20.43	32.93	---	---	Peak																																																																																												
	5	618.79	25.13	-20.87	46.00	29.32	3.00	25.04	33.03	---	---	Peak																																																																																												
	6	853.53	29.29	-16.71	46.00	30.57	4.46	26.60	32.34	---	---	Peak																																																																																												
	Level (dBuV/m) Frequency (MHz) FCC PART 15C <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>Read Level</th><th>CableAntenna Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>40.67</td><td>30.55</td><td>-9.45</td><td>40.00</td><td>43.95</td><td>0.89</td><td>18.66</td><td>32.95</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>67.83</td><td>23.41</td><td>-16.59</td><td>40.00</td><td>42.71</td><td>1.22</td><td>12.32</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>191.02</td><td>19.00</td><td>-24.50</td><td>43.50</td><td>34.15</td><td>2.10</td><td>15.59</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>282.20</td><td>21.88</td><td>-24.12</td><td>46.00</td><td>33.12</td><td>2.56</td><td>19.00</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>620.73</td><td>25.60</td><td>-20.40</td><td>46.00</td><td>29.76</td><td>3.80</td><td>25.06</td><td>33.02</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>844.80</td><td>28.62</td><td>-17.38</td><td>46.00</td><td>30.04</td><td>4.44</td><td>26.56</td><td>32.42</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg	1	40.67	30.55	-9.45	40.00	43.95	0.89	18.66	32.95	---	---	Peak	2	67.83	23.41	-16.59	40.00	42.71	1.22	12.32	32.84	---	---	Peak	3	191.02	19.00	-24.50	43.50	34.15	2.10	15.59	32.84	---	---	Peak	4	282.20	21.88	-24.12	46.00	33.12	2.56	19.00	32.80	---	---	Peak	5	620.73	25.60	-20.40	46.00	29.76	3.80	25.06	33.02	---	---	Peak	6	844.80	28.62	-17.38	46.00	30.04	4.44	26.56	32.42	---	---	Peak
	Freq	Level	Over Limit	Limit Line	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB/m	dB	cm	deg																																																																																															
1	40.67	30.55	-9.45	40.00	43.95	0.89	18.66	32.95	---	---	Peak																																																																																													
2	67.83	23.41	-16.59	40.00	42.71	1.22	12.32	32.84	---	---	Peak																																																																																													
3	191.02	19.00	-24.50	43.50	34.15	2.10	15.59	32.84	---	---	Peak																																																																																													
4	282.20	21.88	-24.12	46.00	33.12	2.56	19.00	32.80	---	---	Peak																																																																																													
5	620.73	25.60	-20.40	46.00	29.76	3.80	25.06	33.02	---	---	Peak																																																																																													
6	844.80	28.62	-17.38	46.00	30.04	4.44	26.56	32.42	---	---	Peak																																																																																													

Appendix D. Duty Cycle Plots

3DH5 on time (One Pulse) Plot on Channel 39



3DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. 3DH5 has the highest duty cycle worst case and is reported.