




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax20 5240
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:25:08



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	6444.250	46.63	-9.62	37.01	74.00	-36.99	peak	150	123	P	
2 *	9470.250	43.08	-5.94	37.14	74.00	-36.86	peak	150	241	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax20 5240
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:30:59



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5477.375	49.09	-11.75	37.34	74.00	-36.66	peak	150	342	P	
2 *	8246.250	45.14	-6.92	38.22	74.00	-35.78	peak	150	256	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax40 5190
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:35:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	7073.250	46.80	-7.97	38.83	74.00	-35.17	peak	150	19	P	
2	9315.125	42.37	-6.03	36.34	74.00	-37.66	peak	150	67	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax40 5190
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:40:31



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	7009.500	45.34	-8.03	37.31	74.00	-36.69	peak	150	79	P	
2	8975.125	43.08	-6.24	36.84	74.00	-37.16	peak	150	157	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax40 5230
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:45:50



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	7315.500	46.35	-7.77	38.58	74.00	-35.42	peak	150	46	P	
2	9867.625	41.03	-5.70	35.33	74.00	-38.67	peak	150	247	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax40 5230
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:50:51



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	7107.250	45.06	-7.94	37.12	74.00	-36.88	peak	150	47	P	
2 *	9217.375	43.50	-6.07	37.43	74.00	-36.57	peak	150	241	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax80 5210
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:55:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5337.125	48.94	-11.99	36.95	74.00	-37.05	peak	150	82	P	
2 *	8157.000	44.95	-7.01	37.94	74.00	-36.06	peak	150	128	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: ax80 5210
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 19:59:34



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	7251.750	46.02	-7.82	38.20	74.00	-35.80	peak	150	105	P	
2	4357.500	52.61	-15.19	37.42	74.00	-36.58	peak	150	331	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: a 5180MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 15:24:16



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	4829.250	50.57	-13.16	37.41	74.00	-36.59	peak	150	145	P	
2 *	7908.375	44.69	-7.23	37.46	74.00	-36.54	peak	150	214	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: a 5180MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 15:29:29



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5515.625	48.23	-12.18	36.05	74.00	-37.95	peak	150	124	P	
2 *	8405.625	44.01	-6.77	37.24	74.00	-36.76	peak	150	302	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: a 5200MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 15:35:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5194.750	49.44	-13.04	36.40	74.00	-37.60	peak	150	124	P	
2	8769.000	42.37	-6.42	35.95	74.00	-38.05	peak	150	235	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: a 5200MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 15:41:14



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5199.000	48.78	-12.23	36.55	74.00	-37.45	peak	150	302	P	
2 *	7868.000	45.07	-7.27	37.80	74.00	-36.20	peak	150	89	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: a 5240MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 15:47:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5502.875	48.26	-11.71	36.55	74.00	-37.45	peak	150	146	P	
2 *	8843.375	43.09	-6.36	36.73	74.00	-37.27	peak	150	241	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: a 5240MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 15:57:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5666.500	47.75	-11.76	35.99	74.00	-38.01	peak	150	247	P	
2 *	8582.000	44.43	-6.61	37.82	74.00	-36.18	peak	150	146	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: n20 5180MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 16:07:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	5515.625	48.12	-12.18	35.94	74.00	-38.06	peak	150	16	P	
2	8707.375	41.99	-6.48	35.51	74.00	-38.49	peak	150	47	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: n20 5180MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/16 16:14:03



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5171.375	49.44	-12.27	37.17	74.00	-36.83	peak	150	256	P	
2 *	7999.750	44.53	-7.16	37.37	74.00	-36.63	peak	150	345	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit

U-NII-3:



Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber

Polarization: **Horizontal**

Temperature: 26 °C

EUT: 3D Scanner

Distance: 3m

Humidity: 54 %RH

M/N: EinScan Libre

Test Engineer: Felix Pang


Test Mode: 11ac20 5745MHz

Test Voltage: DC 14.4V

Note:

Radiated Emission Measurement

Test Date: 2024/9/21 16:11:47



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	7205.000	48.26	-7.87	40.39	74.00	-33.61	peak	150	217	P	
2	5007.750	48.96	-12.55	36.41	74.00	-37.59	peak	150	310	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Vertical** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: 11ac20 5745MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/21 16:15:10



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5511.375	48.02	-12.19	35.83	74.00	-38.17	peak	150	21	P	
2 *	7211.375	45.75	-7.86	37.89	74.00	-36.11	peak	150	70	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber	Polarization: Vertical	Temperature: 26 °C
EUT: 3D Scanner	Distance: 3m	Humidity: 54 %RH
M/N: EinScan Libre	Test Engineer: Felix Pang	
Test Mode: 11ac20 5785MHz		
Test Voltage: DC 14.4V		
Note:		

Radiated Emission Measurement

Test Date: 2024/9/21 16:17:52



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1	5738.750	49.01	-11.57	37.44	74.00	-36.56	peak	150	47	P	
2 *	8271.750	44.50	-6.90	37.60	74.00	-36.40	peak	150	104	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit




Shenzhen PSI Testing Co., Ltd.
1-2F, Building 5, Yudafu Industrial Park, No. 10, Xingye West Road,
Shajing Street, Bao'an District, Shenzhen, Guangdong, China 518104

Test Site: PSI EMC Lab-3m Chamber Polarization: **Horizontal** Temperature: 26 °C
EUT: 3D Scanner Distance: 3m Humidity: 54 %RH
M/N: EinScan Libre Test Engineer: Felix Pang
Test Mode: 11ac20 5785MHz
Test Voltage: DC 14.4V
Note:

Radiated Emission Measurement

Test Date: 2024/9/21 16:22:21



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Height (cm)	Azimuth (deg.)	P/F	Remark
1 *	8305.750	43.98	-6.86	37.12	74.00	-36.88	peak	150	89	P	
2	5751.500	48.30	-11.28	37.02	74.00	-36.98	peak	150	204	P	

Note: *:Maximum data x:Over limit !:over margin Level = Reading + Factor Margin = Level - Limit