Test Mode:	802.11g	Test channel :	11



Channel 11



9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11g	Test channel :	11



10MHz ~30MHz



30MHz ~3GHz

3GHz~25GHz

Test Mode:	802.11n HT20	Test channel :	01



Channel 01



9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11n HT20	Test channel :	01



10MHz ~30MHz



30MHz ~3GHz

3GHz~25GHz

Test Mode:	802.11n HT20	Test channel :	06



Channel 06



9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11n HT20	Test channel :	06



10MHz ~30MHz



30MHz ~3GHz

3GHz~25GHz

Test Mode:	802.11n HT20	Test channel :	11



Channel 11



9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11n HT20	Test channel :	11



10MHz ~30MHz



30MHz ~3GHz



3GHz~25GHz

Test Mode:	802.11n HT40	Test channel :	03



Channel 03

9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11n HT40	Test channel :	03



10MHz ~30MHz



30MHz ~3GHz

3GHz~25GHz

Test Mode:	802.11n HT40	Test channel :	06



Channel 06



9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11n HT40	Test channel :	06



10MHz ~30MHz



30MHz ~3GHz

3GHz~25GHz

Test Mode:	802.11n HT40	Test channel :	09



Channel 09

9KHz~150KHz



150KHz ~10MHz

Test Mode:	802.11n HT40	Test channel :	09



10MHz ~30MHz



30MHz ~3GHz

3GHz~25GHz

4.8. Antenna Requirement

Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (c), if transmitting antennas of directional gain greater than 6dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6dBi.

Antenna Information

The antenna is layout on PCB board, The directional gains of antenna used for transmitting is -0.72dBi.



5. Test Setup Photos of the EUT







6. External and Internal Photos of the EUT

Reference to the test report No. GTSR1705270-01.

.....End of Report.....