





802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL



802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Note 2: All antenna were tested, but only the worst case has been reported in this report.

Note 3: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-33.40	8.30	-11.70	Pass
High	-51.70	6.03	-13.97	Pass

802.11g Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-26.63	5.52	-14.48	Pass
High	-40.79	3.95	-16.05	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-27.29	5.09	-14.91	Pass
High	-40.09	3.89	-16.11	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL



802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL



802.11b HIGH CHANNEL, BAND EDGE



802.11g LOW CHANNEL, CARRIER LEVEL



802.11g LOW CHANNEL, BAND EDGE



802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE



802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission

Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.


Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

PHASE L


CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.216	32.26	9.77	62.97	30.71	Peak	L	Pass
1**	0.216	21.74	9.77	52.97	31.23	AV	L	Pass
2	0.558	32.25	9.75	56.00	23.75	Peak	L	Pass
2**	0.558	20.09	9.75	46.00	25.91	AV	L	Pass
3	1.216	31.67	9.76	56.00	24.33	Peak	L	Pass
3**	1.216	19.30	9.76	46.00	26.70	AV	L	Pass
4	3.356	31.04	9.62	56.00	24.96	Peak	L	Pass
4**	3.356	18.27	9.62	46.00	27.73	AV	L	Pass
5	11.106	38.04	9.11	60.00	21.96	Peak	L	Pass
5**	11.106	32.39	9.11	50.00	17.61	AV	L	Pass
6	23.660	41.85	8.58	60.00	18.15	Peak	L	Pass
6**	23.660	36.89	8.58	50.00	13.11	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.202	33.02	9.74	63.53	30.51	Peak	N	Pass
1**	0.202	21.53	9.74	53.53	32.00	AV	N	Pass
2	0.532	31.97	9.75	56.00	24.03	Peak	N	Pass
2**	0.532	20.04	9.75	46.00	25.96	AV	N	Pass
3	1.576	31.99	9.75	56.00	24.01	Peak	N	Pass
3**	1.576	19.54	9.75	46.00	26.46	AV	N	Pass
4	4.788	30.11	9.61	56.00	25.89	Peak	N	Pass
4**	4.788	18.30	9.61	46.00	27.70	AV	N	Pass
5	11.648	33.63	9.10	60.00	26.37	Peak	N	Pass
5**	11.648	21.99	9.10	50.00	28.01	AV	N	Pass
6	25.250	31.24	8.63	60.00	28.76	Peak	N	Pass
6**	25.250	18.98	8.63	50.00	31.02	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	40.767	29.42	-25.67	40.0	10.58	Peak	208.00	100	Horizontal	Pass
2	62.301	29.32	-26.59	40.0	10.68	Peak	318.00	100	Horizontal	Pass
3	129.570	37.73	-29.04	43.5	5.77	Peak	176.00	100	Horizontal	Pass
4	240.490	41.73	-24.44	46.0	4.27	Peak	68.00	100	Horizontal	Pass
5	548.077	43.23	-16.95	46.0	2.77	Peak	164.00	100	Horizontal	Pass
6	647.745	43.04	-14.47	46.0	2.96	Peak	158.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	55.899	36.24	-25.19	40.0	3.76	Peak	115.00	100	Vertical	Pass
2	61.913	36.33	-26.48	40.0	3.67	Peak	355.00	100	Vertical	Pass
3	124.769	39.05	-28.73	43.5	4.45	Peak	175.00	100	Vertical	Pass
4	298.981	34.10	-23.21	46.0	11.90	Peak	121.00	100	Vertical	Pass
5	532.411	40.85	-17.37	46.0	5.15	Peak	337.00	100	Vertical	Pass
6	846.982	43.38	-10.50	46.0	2.62	Peak	83.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.


Note 2: The spurious above 18G is noise only, do not show on the report.

Note 3: All antenna were pre tested, but only the worst case has been reported in this report.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.000	41.74	-15.73	74.0	32.26	Peak	305.00	150	Horizontal	Pass
1**	1196.000	33.12	-15.73	54.0	20.88	AV	305.00	150	Horizontal	Pass
2	2020.250	41.81	-14.15	74.0	32.19	Peak	261.00	150	Horizontal	Pass
2**	2020.250	30.79	-14.15	54.0	23.21	AV	261.00	150	Horizontal	Pass
3	2438.750	102.46	-12.37	74.0	-28.46	Peak	151.00	150	Horizontal	N/A
3**	2438.750	96.53	-12.37	54.0	-42.53	AV	151.00	150	Horizontal	N/A
4	5026.500	49.23	-2.11	74.0	24.77	Peak	273.00	150	Horizontal	Pass
4**	5026.500	38.12	-2.11	54.0	15.88	AV	273.00	150	Horizontal	Pass
5	7926.000	53.46	1.95	74.0	20.54	Peak	20.00	150	Horizontal	Pass
5**	7926.000	42.56	1.95	54.0	11.44	AV	20.00	150	Horizontal	Pass
6	12053.500	48.39	-3.15	74.0	25.61	Peak	360.00	150	Horizontal	Pass
6**	12053.500	37.07	-3.15	54.0	16.93	AV	360.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.500	42.49	-15.57	74.0	31.51	Peak	146.00	150	Vertical	Pass
1**	1133.500	37.80	-15.57	54.0	16.20	AV	146.00	150	Vertical	Pass
2	2117.250	42.72	-13.43	74.0	31.28	Peak	0.00	150	Vertical	Pass
2**	2117.250	31.68	-13.43	54.0	22.32	AV	0.00	150	Vertical	Pass
3	2438.250	101.31	-12.38	74.0	-27.31	Peak	209.00	150	Vertical	N/A
3**	2438.250	95.24	-12.38	54.0	-41.24	AV	209.00	150	Vertical	N/A
4	4309.500	47.59	-3.55	74.0	26.41	Peak	349.00	150	Vertical	Pass
4**	4309.500	35.95	-3.55	54.0	18.05	AV	349.00	150	Vertical	Pass
5	7634.000	53.20	0.63	74.0	20.80	Peak	184.00	150	Vertical	Pass
5**	7634.000	41.61	0.63	54.0	12.39	AV	184.00	150	Vertical	Pass
6	12531.000	47.90	-3.15	74.0	26.10	Peak	0.00	150	Vertical	Pass
6**	12531.000	37.27	-3.15	54.0	16.73	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.500	41.32	-15.57	74.0	32.68	Peak	115.00	150	Horizontal	Pass
1**	1133.500	35.52	-15.57	54.0	18.48	AV	115.00	150	Horizontal	Pass
2	1731.500	44.93	-16.21	74.0	29.07	Peak	350.00	150	Horizontal	Pass
2**	1731.500	35.95	-16.21	54.0	18.05	AV	350.00	150	Horizontal	Pass
3	2437.500	101.63	-12.38	74.0	-27.63	Peak	133.00	150	Horizontal	N/A
3**	2437.500	95.48	-12.38	54.0	-41.48	AV	133.00	150	Horizontal	N/A
4	4561.500	48.08	-2.71	74.0	25.92	Peak	77.00	150	Horizontal	Pass
4**	4561.500	36.93	-2.71	54.0	17.07	AV	77.00	150	Horizontal	Pass
5	7986.500	53.34	1.89	74.0	20.66	Peak	223.00	150	Horizontal	Pass
5**	7986.500	42.33	1.89	54.0	11.67	AV	223.00	150	Horizontal	Pass
6	12557.000	49.20	-2.95	74.0	24.80	Peak	0.00	150	Horizontal	Pass
6**	12557.000	36.79	-2.95	54.0	17.21	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.500	42.25	-15.57	74.0	31.75	Peak	165.00	150	Vertical	Pass
1**	1133.500	37.56	-15.57	54.0	16.44	AV	165.00	150	Vertical	Pass
2	2196.750	43.11	-13.30	74.0	30.89	Peak	138.00	150	Vertical	Pass
2**	2196.750	31.45	-13.30	54.0	22.55	AV	138.00	150	Vertical	Pass
3	2438.250	101.28	-12.38	74.0	-27.28	Peak	210.00	150	Vertical	N/A
3**	2438.250	94.68	-12.38	54.0	-40.68	AV	210.00	150	Vertical	N/A
4	4309.000	46.42	-3.54	74.0	27.58	Peak	0.00	150	Vertical	Pass
4**	4309.000	35.57	-3.54	54.0	18.43	AV	0.00	150	Vertical	Pass
5	7592.000	53.64	0.85	74.0	20.36	Peak	69.00	150	Vertical	Pass
5**	7592.000	41.40	0.85	54.0	12.60	AV	69.00	150	Vertical	Pass
6	12039.500	48.20	-3.11	74.0	25.80	Peak	360.00	150	Vertical	Pass
6**	12039.500	36.83	-3.11	54.0	17.17	AV	360.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1033.750	43.16	-15.37	74.0	30.84	Peak	150.00	150	Horizontal	Pass
1**	1033.750	35.56	-15.37	54.0	18.44	AV	150.00	150	Horizontal	Pass
2	1731.000	42.75	-16.20	74.0	31.25	Peak	68.00	150	Horizontal	Pass
2**	1731.000	33.00	-16.20	54.0	21.00	AV	68.00	150	Horizontal	Pass
3	2443.250	98.51	-12.47	74.0	-24.51	Peak	150.00	150	Horizontal	N/A
3**	2443.250	90.17	-12.47	54.0	-36.17	AV	150.00	150	Horizontal	N/A
4	4608.000	47.92	-3.58	74.0	26.08	Peak	132.00	150	Horizontal	Pass
4**	4608.000	36.78	-3.58	54.0	17.22	AV	132.00	150	Horizontal	Pass
5	7853.500	53.49	1.55	74.0	20.51	Peak	340.00	150	Horizontal	Pass
5**	7853.500	42.44	1.55	54.0	11.56	AV	340.00	150	Horizontal	Pass
6	12420.000	47.94	-1.98	74.0	26.06	Peak	94.00	150	Horizontal	Pass
6**	12420.000	37.60	-1.98	54.0	16.40	AV	94.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.500	42.58	-15.57	74.0	31.42	Peak	27.00	150	Vertical	Pass
1**	1133.500	37.71	-15.57	54.0	16.29	AV	27.00	150	Vertical	Pass
2	1782.500	45.29	-16.04	74.0	28.71	Peak	262.00	150	Vertical	Pass
2**	1782.500	39.15	-16.04	54.0	14.85	AV	262.00	150	Vertical	Pass
3	2443.250	97.07	-12.47	74.0	-23.07	Peak	209.00	150	Vertical	N/A
3**	2443.250	88.90	-12.47	54.0	-34.90	AV	209.00	150	Vertical	N/A
4	4399.000	47.66	-3.17	74.0	26.34	Peak	338.00	150	Vertical	Pass
4**	4399.000	36.34	-3.17	54.0	17.66	AV	338.00	150	Vertical	Pass
5	7768.000	53.40	1.30	74.0	20.60	Peak	62.00	150	Vertical	Pass
5**	7768.000	42.25	1.30	54.0	11.75	AV	62.00	150	Vertical	Pass
6	14593.500	48.88	-2.15	74.0	25.12	Peak	360.00	150	Vertical	Pass
6**	14593.500	38.28	-2.15	54.0	15.72	AV	360.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.

Note 5: All antenna were pre tested, but only the worst case has been reported in this report.


Test Data and Plots

802.11b LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.87	-4.87	74.0	23.13	Peak	32.15	150	Horizontal	Pass
1**	2390.000	41.04	-4.87	54.0	12.96	AV	32.15	150	Horizontal	Pass
2	2369.000	53.21	-4.11	74.0	20.79	Peak	216.00	150	Horizontal	Pass
2**	2369.000	40.55	-4.11	54.0	13.45	AV	216.00	150	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.41	-3.78	74.0	21.59	Peak	28.00	150	Horizontal	Pass
1**	2483.500	41.49	-3.78	54.0	12.51	AV	28.00	150	Horizontal	Pass
2	2483.770	53.15	-3.78	74.0	20.85	Peak	138.00	150	Horizontal	Pass
2**	2483.770	41.63	-3.78	54.0	12.37	AV	138.00	150	Horizontal	Pass

802.11g LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.70	-4.87	74.0	11.30	Peak	133.09	150	Horizontal	Pass
1**	2390.000	48.44	-4.87	54.0	5.56	AV	133.09	150	Horizontal	Pass
2	2389.000	64.56	-4.82	74.0	9.44	Peak	200.00	150	Horizontal	Pass
2**	2389.000	47.81	-4.82	54.0	6.19	AV	200.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.23	-3.78	74.0	20.77	Peak	200.00	150	Horizontal	Pass
1**	2483.500	41.85	-3.78	54.0	12.15	AV	200.00	150	Horizontal	Pass
2	2486.740	52.67	-3.79	74.0	21.33	Peak	332.00	150	Horizontal	Pass
2**	2486.740	41.30	-3.79	54.0	12.70	AV	332.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	62.21	-4.87	74.0	11.79	Peak	222.72	150	Horizontal	Pass
1**	2390.000	48.99	-4.87	54.0	5.01	AV	222.72	150	Horizontal	Pass
2	2389.100	64.20	-4.82	74.0	9.80	Peak	194.00	150	Horizontal	Pass
2**	2389.100	48.97	-4.82	54.0	5.03	AV	194.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.00	-3.78	74.0	23.00	Peak	162.00	150	Horizontal	Pass
1**	2483.500	41.64	-3.78	54.0	12.36	AV	162.00	150	Horizontal	Pass
2	2484.970	53.77	-3.78	74.0	20.23	Peak	191.00	150	Horizontal	Pass
2**	2484.970	41.39	-3.78	54.0	12.61	AV	191.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.96	8
Middle	-5.47	8
High	-7.54	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.41	8
Middle	-10.65	8
High	-11.42	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.90	8
Middle	-10.08	8
High	-10.42	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11 n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2510718-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2510718-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2510718-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--