

Annex A.5 LTE Spurious Emission at Antenna Terminals

1. LTE_Band41 full


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-25	Pass	2986
30	1000	0.1	RMS	922.2	-58.23	-25	Pass	9701
1000	2486	1	RMS	2485	-43.65	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.02	60	Pass	401
2700	3000	1	RMS	3000	-42.95	-25	Pass	401
3000	12000	1	RMS	4993	-53.45	-25	Pass	9001
12000	27000	1	RMS	25015	-32.56	-25	Pass	15001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-25	Pass	2986
30	1000	0.1	RMS	960.8	-58.24	-25	Pass	9701
1000	2486	1	RMS	2486	-43.61	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.19	60	Pass	401
2700	3000	1	RMS	2999.25	-42.99	-25	Pass	401
3000	12000	1	RMS	4992	-52.64	-25	Pass	9001
12000	27000	1	RMS	25009	-32.52	-25	Pass	15001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	912.1	-58.22	-25	Pass	9701
1000	2486	1	RMS	2478	-44.22	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.74	60	Pass	401
2700	3000	1	RMS	2999.25	-42.92	-25	Pass	401
3000	12000	1	RMS	11897	-57.68	-25	Pass	9001
12000	27000	1	RMS	25011	-32.63	-25	Pass	15001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-25	Pass	2986
30	1000	0.1	RMS	934.5	-58.27	-25	Pass	9701
1000	2486	1	RMS	2485	-44.18	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.02	60	Pass	401
2700	3000	1	RMS	2999.25	-42.93	-25	Pass	401
3000	12000	1	RMS	11874	-57.61	-25	Pass	9001
12000	27000	1	RMS	25012	-32.49	-25	Pass	15001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-25	Pass	2986
30	1000	0.1	RMS	887.4	-58.28	-25	Pass	9701
1000	2486	1	RMS	2486	-44.22	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.74	60	Pass	401
2700	3000	1	RMS	2997.75	-42.96	-25	Pass	401
3000	12000	1	RMS	5371	-56.22	-25	Pass	9001
12000	27000	1	RMS	25016	-32.62	-25	Pass	15001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-25	Pass	2986
30	1000	0.1	RMS	905.3	-58.33	-25	Pass	9701
1000	2486	1	RMS	2485	-44.22	-25	Pass	1487
2486	2700	1	RMS	2685.555	20.64	60	Pass	401
2700	3000	1	RMS	2999.25	-42.95	-25	Pass	401
3000	12000	1	RMS	11893	-57.61	-25	Pass	9001
12000	27000	1	RMS	25012	-32.55	-25	Pass	15001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-25	Pass	2986
30	1000	0.1	RMS	923.9	-58.15	-25	Pass	9701
1000	2486	1	RMS	2486	-43.16	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.22	60	Pass	401
2700	3000	1	RMS	2996.25	-42.98	-25	Pass	401
3000	12000	1	RMS	4994	-57.23	-25	Pass	9001
12000	27000	1	RMS	25014	-32.52	-25	Pass	15001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.82	-25	Pass	2986
30	1000	0.1	RMS	922.4	-58.15	-25	Pass	9701
1000	2486	1	RMS	2479	-43.11	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.34	60	Pass	401
2700	3000	1	RMS	3000	-42.92	-25	Pass	401
3000	12000	1	RMS	4993	-53.12	-25	Pass	9001
12000	27000	1	RMS	25010	-32.63	-25	Pass	15001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.33	-25	Pass	2986
30	1000	0.1	RMS	910	-58.21	-25	Pass	9701
1000	2486	1	RMS	2485	-44.17	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.25	60	Pass	401
2700	3000	1	RMS	3000	-42.96	-25	Pass	401
3000	12000	1	RMS	11856	-57.69	-25	Pass	9001
12000	27000	1	RMS	25009	-32.62	-25	Pass	15001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-25	Pass	2986
30	1000	0.1	RMS	924.3	-58.19	-25	Pass	9701
1000	2486	1	RMS	2485	-44.16	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.33	60	Pass	401
2700	3000	1	RMS	2997.75	-42.93	-25	Pass	401
3000	12000	1	RMS	11846	-57.66	-25	Pass	9001
12000	27000	1	RMS	25015	-32.57	-25	Pass	15001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-25	Pass	2986
30	1000	0.1	RMS	944.6	-58.3	-25	Pass	9701
1000	2486	1	RMS	2484	-44.18	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.07	60	Pass	401
2700	3000	1	RMS	2998.5	-42.89	-25	Pass	401
3000	12000	1	RMS	5361	-55.96	-25	Pass	9001
12000	27000	1	RMS	25012	-32.5	-25	Pass	15001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-25	Pass	2986
30	1000	0.1	RMS	949.2	-58.16	-25	Pass	9701
1000	2486	1	RMS	2485	-44.17	-25	Pass	1487
2486	2700	1	RMS	2680.74	19.73	60	Pass	401
2700	3000	1	RMS	2999.25	-42.93	-25	Pass	401
3000	12000	1	RMS	5361	-56.66	-25	Pass	9001
12000	27000	1	RMS	25012	-32.57	-25	Pass	15001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-25	Pass	2986
30	1000	0.1	RMS	941.8	-58.21	-25	Pass	9701
1000	2486	1	RMS	2484	-40.48	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.98	60	Pass	401
2700	3000	1	RMS	3000	-43.01	-25	Pass	401
3000	12000	1	RMS	4993	-51.6	-25	Pass	9001
12000	27000	1	RMS	25014	-32.78	-25	Pass	15001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-25	Pass	2986
30	1000	0.1	RMS	939.5	-58.24	-25	Pass	9701
1000	2486	1	RMS	2484	-41.66	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.01	60	Pass	401
2700	3000	1	RMS	3000	-43.02	-25	Pass	401
3000	12000	1	RMS	4994	-49.71	-25	Pass	9001
12000	27000	1	RMS	25011	-32.67	-25	Pass	15001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.39	-25	Pass	2986
30	1000	0.1	RMS	905.5	-58.18	-25	Pass	9701
1000	2486	1	RMS	2484	-44.24	-25	Pass	1487
2486	2700	1	RMS	2586.58	21.24	60	Pass	401
2700	3000	1	RMS	2999.25	-43	-25	Pass	401
3000	12000	1	RMS	11902	-57.81	-25	Pass	9001
12000	27000	1	RMS	25011	-32.72	-25	Pass	15001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-25	Pass	2986
30	1000	0.1	RMS	936.3	-58.01	-25	Pass	9701
1000	2486	1	RMS	2484	-44.24	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.33	60	Pass	401
2700	3000	1	RMS	3000	-43.01	-25	Pass	401
3000	12000	1	RMS	11836	-57.77	-25	Pass	9001
12000	27000	1	RMS	25020	-32.78	-25	Pass	15001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-25	Pass	2986
30	1000	0.1	RMS	915.4	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-44.22	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.63	60	Pass	401
2700	3000	1	RMS	2702.25	-38.39	-25	Pass	401
3000	12000	1	RMS	11878	-57.79	-25	Pass	9001
12000	27000	1	RMS	25011	-32.69	-25	Pass	15001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-25	Pass	2986
30	1000	0.1	RMS	933.8	-58.37	-25	Pass	9701
1000	2486	1	RMS	2485	-44.2	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.22	60	Pass	401
2700	3000	1	RMS	2702.25	-34.11	-25	Pass	401
3000	12000	1	RMS	11885	-57.79	-25	Pass	9001
12000	27000	1	RMS	25010	-32.69	-25	Pass	15001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-25	Pass	2986
30	1000	0.1	RMS	914.8	-58.26	-25	Pass	9701
1000	2486	1	RMS	2479	-41.5	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.67	60	Pass	401
2700	3000	1	RMS	2998.5	-43.01	-25	Pass	401
3000	12000	1	RMS	4995	-53.38	-25	Pass	9001
12000	27000	1	RMS	25012	-32.77	-25	Pass	15001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.96	-25	Pass	2986
30	1000	0.1	RMS	923.2	-58.13	-25	Pass	9701
1000	2486	1	RMS	2480	-41.86	-25	Pass	1487
2486	2700	1	RMS	2497.235	20.78	60	Pass	401
2700	3000	1	RMS	2997.75	-43.04	-25	Pass	401
3000	12000	1	RMS	4995	-53.57	-25	Pass	9001
12000	27000	1	RMS	25013	-32.77	-25	Pass	15001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-25	Pass	2986
30	1000	0.1	RMS	923.5	-58.37	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2584.44	21.01	60	Pass	401
2700	3000	1	RMS	2998.5	-43	-25	Pass	401
3000	12000	1	RMS	11858	-57.78	-25	Pass	9001
12000	27000	1	RMS	25014	-32.7	-25	Pass	15001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-25	Pass	2986
30	1000	0.1	RMS	925.5	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-44.18	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.56	60	Pass	401
2700	3000	1	RMS	2999.25	-42.98	-25	Pass	401
3000	12000	1	RMS	11849	-57.78	-25	Pass	9001
12000	27000	1	RMS	25013	-32.71	-25	Pass	15001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.91	-25	Pass	2986
30	1000	0.1	RMS	939.9	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-44.21	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.23	60	Pass	401
2700	3000	1	RMS	2706.75	-38.27	-25	Pass	401
3000	12000	1	RMS	11853	-57.77	-25	Pass	9001
12000	27000	1	RMS	25013	-32.64	-25	Pass	15001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-25	Pass	2986
30	1000	0.1	RMS	935.5	-58.26	-25	Pass	9701
1000	2486	1	RMS	2486	-44.25	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.83	60	Pass	401
2700	3000	1	RMS	2706.75	-36	-25	Pass	401
3000	12000	1	RMS	11851	-57.78	-25	Pass	9001
12000	27000	1	RMS	25011	-32.7	-25	Pass	15001



2. LTE_Band2


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	1000	0.1	RMS	892.4	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-49.6	-13	Pass	841
1840	1920	1	RMS	1850.2	21.72	60	Pass	401
1920	3000	1	RMS	2642	-46.91	-13	Pass	1081
3000	12000	1	RMS	3700	-27.13	-13	Pass	9001
12000	20000	1	RMS	19999	-23.06	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	1000	0.1	RMS	959.4	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-49.7	-13	Pass	841
1840	1920	1	RMS	1850.2	20.76	60	Pass	401
1920	3000	1	RMS	2640	-46.87	-13	Pass	1081
3000	12000	1	RMS	3701	-28.22	-13	Pass	9001
12000	20000	1	RMS	19998	-23.11	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.74	-13	Pass	841
1840	1920	1	RMS	1879.6	21.45	60	Pass	401
1920	3000	1	RMS	2644	-46.91	-13	Pass	1081
3000	12000	1	RMS	3759	-29.09	-13	Pass	9001
12000	20000	1	RMS	19996	-23.06	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.29	-13	Pass	9701
1000	1840	1	RMS	1837	-50.83	-13	Pass	841
1840	1920	1	RMS	1879.6	20.51	60	Pass	401
1920	3000	1	RMS	2646	-46.88	-13	Pass	1081
3000	12000	1	RMS	3759	-30.83	-13	Pass	9001
12000	20000	1	RMS	19999	-23.07	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-50.76	-13	Pass	841
1840	1920	1	RMS	1908.8	21.59	60	Pass	401
1920	3000	1	RMS	2642	-46.86	-13	Pass	1081
3000	12000	1	RMS	3818	-21.92	-13	Pass	9001
12000	20000	1	RMS	19994	-23.11	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.79	-13	Pass	841
1840	1920	1	RMS	1908.8	20.53	60	Pass	401
1920	3000	1	RMS	2642	-46.86	-13	Pass	1081
3000	12000	1	RMS	3818	-23.55	-13	Pass	9001
12000	20000	1	RMS	19995	-23.09	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-49.67	-13	Pass	841
1840	1920	1	RMS	1850.2	21.65	60	Pass	401
1920	3000	1	RMS	2653	-46.92	-13	Pass	1081
3000	12000	1	RMS	3700	-28.01	-13	Pass	9001
12000	20000	1	RMS	19999	-23.05	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.46	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-49.65	-13	Pass	841
1840	1920	1	RMS	1850.2	20.77	60	Pass	401
1920	3000	1	RMS	2643	-46.83	-13	Pass	1081
3000	12000	1	RMS	3700	-28.89	-13	Pass	9001
12000	20000	1	RMS	20000	-23.13	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.24	-13	Pass	2986
30	1000	0.1	RMS	944.4	-62.24	-13	Pass	9701
1000	1840	1	RMS	1834	-50.79	-13	Pass	841
1840	1920	1	RMS	1878.8	21.35	60	Pass	401
1920	3000	1	RMS	2646	-46.85	-13	Pass	1081
3000	12000	1	RMS	3757	-31.08	-13	Pass	9001
12000	20000	1	RMS	19993	-23.13	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.43	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1878.8	20.31	60	Pass	401
1920	3000	1	RMS	2651	-46.91	-13	Pass	1081
3000	12000	1	RMS	3757	-32.74	-13	Pass	9001
12000	20000	1	RMS	19998	-23.03	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	1000	0.1	RMS	935.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	Pass	841
1840	1920	1	RMS	1907.2	21.51	60	Pass	401
1920	3000	1	RMS	2642	-46.87	-13	Pass	1081
3000	12000	1	RMS	3814	-24.31	-13	Pass	9001
12000	20000	1	RMS	20000	-23.05	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	1000	0.1	RMS	950.8	-62.28	-13	Pass	9701
1000	1840	1	RMS	1839	-50.76	-13	Pass	841
1840	1920	1	RMS	1907.2	20.45	60	Pass	401
1920	3000	1	RMS	2651	-46.87	-13	Pass	1081
3000	12000	1	RMS	3814	-25.75	-13	Pass	9001
12000	20000	1	RMS	20000	-23.08	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-49.54	-13	Pass	841
1840	1920	1	RMS	1850.4	21.8	60	Pass	401
1920	3000	1	RMS	2643	-46.86	-13	Pass	1081
3000	12000	1	RMS	3701	-28.24	-13	Pass	9001
12000	20000	1	RMS	19998	-22.92	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2986
30	1000	0.1	RMS	927.8	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-49.91	-13	Pass	841
1840	1920	1	RMS	1850.4	20.75	60	Pass	401
1920	3000	1	RMS	2648	-46.87	-13	Pass	1081
3000	12000	1	RMS	3701	-28.62	-13	Pass	9001
12000	20000	1	RMS	19993	-23.14	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	Pass	841
1840	1920	1	RMS	1877.8	21.54	60	Pass	401
1920	3000	1	RMS	2658	-46.89	-13	Pass	1081
3000	12000	1	RMS	3756	-30.38	-13	Pass	9001
12000	20000	1	RMS	19998	-23	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.74	-13	Pass	2986
30	1000	0.1	RMS	889.6	-61.91	-13	Pass	9701
1000	1840	1	RMS	1837	-50.77	-13	Pass	841
1840	1920	1	RMS	1877.8	20.65	60	Pass	401
1920	3000	1	RMS	2651	-46.84	-13	Pass	1081
3000	12000	1	RMS	3756	-31.57	-13	Pass	9001
12000	20000	1	RMS	19999	-23.04	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2986
30	1000	0.1	RMS	912.2	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.79	-13	Pass	841
1840	1920	1	RMS	1905.4	21.58	60	Pass	401
1920	3000	1	RMS	2648	-46.86	-13	Pass	1081
3000	12000	1	RMS	3811	-24.65	-13	Pass	9001
12000	20000	1	RMS	20000	-23.08	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.21	-13	Pass	9701
1000	1840	1	RMS	1839	-50.81	-13	Pass	841
1840	1920	1	RMS	1905.4	20.69	60	Pass	401
1920	3000	1	RMS	2652	-46.85	-13	Pass	1081
3000	12000	1	RMS	3811	-26.38	-13	Pass	9001
12000	20000	1	RMS	19997	-23.12	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	1000	0.1	RMS	941.7	-61.89	-13	Pass	9701
1000	1840	1	RMS	1833	-44.58	-13	Pass	841
1840	1920	1	RMS	1850.6	21.85	60	Pass	401
1920	3000	1	RMS	2649	-46.83	-13	Pass	1081
3000	12000	1	RMS	3701	-28.54	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	1000	0.1	RMS	947.1	-62.17	-13	Pass	9701
1000	1840	1	RMS	1833	-47.3	-13	Pass	841
1840	1920	1	RMS	1850.6	20.81	60	Pass	401
1920	3000	1	RMS	2644	-46.89	-13	Pass	1081
3000	12000	1	RMS	3701	-29.3	-13	Pass	9001
12000	20000	1	RMS	19995	-23.13	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.86	-13	Pass	2986
30	1000	0.1	RMS	948.6	-62.25	-13	Pass	9701
1000	1840	1	RMS	1839	-50.75	-13	Pass	841
1840	1920	1	RMS	1875.6	21.62	60	Pass	401
1920	3000	1	RMS	2648	-46.79	-13	Pass	1081
3000	12000	1	RMS	3751	-30.04	-13	Pass	9001
12000	20000	1	RMS	19999	-23.17	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.21	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.69	-13	Pass	841
1840	1920	1	RMS	1875.6	20.53	60	Pass	401
1920	3000	1	RMS	2648	-46.92	-13	Pass	1081
3000	12000	1	RMS	3751	-31.76	-13	Pass	9001
12000	20000	1	RMS	19996	-23.09	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.07	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.18	-13	Pass	9701
1000	1840	1	RMS	1838	-50.71	-13	Pass	841
1840	1920	1	RMS	1900.6	21.41	60	Pass	401
1920	3000	1	RMS	2640	-46.91	-13	Pass	1081
3000	12000	1	RMS	3801	-29.94	-13	Pass	9001
12000	20000	1	RMS	19997	-23.09	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.98	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.79	-13	Pass	841
1840	1920	1	RMS	1900.6	20.43	60	Pass	401
1920	3000	1	RMS	2649	-46.89	-13	Pass	1081
3000	12000	1	RMS	3801	-31.41	-13	Pass	9001
12000	20000	1	RMS	19995	-23.09	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.39	-13	Pass	2986
30	1000	0.1	RMS	957.4	-62.24	-13	Pass	9701
1000	1840	1	RMS	1838	-43.3	-13	Pass	841
1840	1920	1	RMS	1850.8	21.73	60	Pass	401
1920	3000	1	RMS	2642	-46.86	-13	Pass	1081
3000	12000	1	RMS	3702	-28.37	-13	Pass	9001
12000	20000	1	RMS	20000	-23.05	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.9	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.17	-13	Pass	9701
1000	1840	1	RMS	1837	-44.9	-13	Pass	841
1840	1920	1	RMS	1850.8	20.8	60	Pass	401
1920	3000	1	RMS	2651	-46.9	-13	Pass	1081
3000	12000	1	RMS	3702	-30.44	-13	Pass	9001
12000	20000	1	RMS	19999	-23.04	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.73	-13	Pass	2986
30	1000	0.1	RMS	933.9	-62.23	-13	Pass	9701
1000	1840	1	RMS	1837	-50.7	-13	Pass	841
1840	1920	1	RMS	1873.4	21.46	60	Pass	401
1920	3000	1	RMS	2638	-46.79	-13	Pass	1081
3000	12000	1	RMS	3747	-34.85	-13	Pass	9001
12000	20000	1	RMS	20000	-23.02	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.98	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1873.4	20.47	60	Pass	401
1920	3000	1	RMS	2641	-46.86	-13	Pass	1081
3000	12000	1	RMS	3747	-35.09	-13	Pass	9001
12000	20000	1	RMS	19998	-23.05	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.16	-13	Pass	2986
30	1000	0.1	RMS	919.8	-62.25	-13	Pass	9701
1000	1840	1	RMS	1839	-50.71	-13	Pass	841
1840	1920	1	RMS	1895.8	21.37	60	Pass	401
1920	3000	1	RMS	2640	-46.82	-13	Pass	1081
3000	12000	1	RMS	3792	-31.73	-13	Pass	9001
12000	20000	1	RMS	19995	-23.07	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.53	-13	Pass	2986
30	1000	0.1	RMS	924.8	-62.25	-13	Pass	9701
1000	1840	1	RMS	1837	-50.85	-13	Pass	841
1840	1920	1	RMS	1895.8	20.62	60	Pass	401
1920	3000	1	RMS	2647	-46.89	-13	Pass	1081
3000	12000	1	RMS	3792	-32.51	-13	Pass	9001
12000	20000	1	RMS	20000	-23.12	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	1000	0.1	RMS	855.104	-63.66	-13	Pass	9701
1000	1840	1	RMS	1840	-49.83	-13	Pass	841
1840	1920	1	RMS	1851	22.01	60	Pass	401
1920	3000	1	RMS	2948	-48.83	-13	Pass	1081
3000	12000	1	RMS	3702	-26.69	-13	Pass	9002
12000	20000	1	RMS	19403	-28.92	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2986
30	1000	0.1	RMS	948.8	-62.31	-13	Pass	9701
1000	1840	1	RMS	1833	-46.85	-13	Pass	841
1840	1920	1	RMS	1851	20.75	60	Pass	401
1920	3000	1	RMS	2646	-46.85	-13	Pass	1081
3000	12000	1	RMS	3702	-28.92	-13	Pass	9001
12000	20000	1	RMS	20000	-23.12	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.27	-13	Pass	9701
1000	1840	1	RMS	1839	-50.82	-13	Pass	841
1840	1920	1	RMS	1871	21.47	60	Pass	401
1920	3000	1	RMS	2644	-46.89	-13	Pass	1081
3000	12000	1	RMS	3742	-31.81	-13	Pass	9001
12000	20000	1	RMS	19994	-23.1	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	1000	0.1	RMS	942.2	-62.31	-13	Pass	9701
1000	1840	1	RMS	1835	-45.02	-13	Pass	841
1840	1920	1	RMS	1871	20.56	60	Pass	401
1920	3000	1	RMS	2655	-46.9	-13	Pass	1081
3000	12000	1	RMS	3742	-33.47	-13	Pass	9001
12000	20000	1	RMS	19998	-23.05	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-13	Pass	2986
30	1000	0.1	RMS	965.7	-62.38	-13	Pass	9701
1000	1840	1	RMS	1838	-50.65	-13	Pass	841
1840	1920	1	RMS	1891	21.43	60	Pass	401
1920	3000	1	RMS	2641	-46.91	-13	Pass	1081
3000	12000	1	RMS	3782	-29.28	-13	Pass	9001
12000	20000	1	RMS	19997	-23.11	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.87	-13	Pass	2986
30	1000	0.1	RMS	935.4	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-50.71	-13	Pass	841
1840	1920	1	RMS	1891.2	20.52	60	Pass	401
1920	3000	1	RMS	2647	-46.87	-13	Pass	1081
3000	12000	1	RMS	3782	-30.55	-13	Pass	9001
12000	20000	1	RMS	19999	-23.08	-13	Pass	8001



3. LTE_Band4


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.34	-13	Pass	9701
1000	1700	1	RMS	1700	-49.61	-13	Pass	701
1700	1765	1	RMS	1710.238	21.9	60	Pass	401
1765	3000	1	RMS	2636	-46.95	-13	Pass	1236
3000	12000	1	RMS	11874	-38.39	-13	Pass	9001
12000	20000	1	RMS	19997	-23.12	-13	Pass	8001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	1000	0.1	RMS	938.8	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-49.86	-13	Pass	701
1700	1765	1	RMS	1710.238	20.81	60	Pass	401
1765	3000	1	RMS	2654	-46.91	-13	Pass	1236
3000	12000	1	RMS	11849	-38.31	-13	Pass	9001
12000	20000	1	RMS	19995	-23	-13	Pass	8001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2986
30	1000	0.1	RMS	929	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-51.22	-13	Pass	701
1700	1765	1	RMS	1732.013	22.36	60	Pass	401
1765	3000	1	RMS	2647	-46.82	-13	Pass	1236
3000	12000	1	RMS	11847	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.93	-13	Pass	8001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.09	-13	Pass	2986
30	1000	0.1	RMS	945.1	-62.34	-13	Pass	9701
1000	1700	1	RMS	1698	-51.23	-13	Pass	701
1700	1765	1	RMS	1732.013	21.41	60	Pass	401
1765	3000	1	RMS	2639	-46.84	-13	Pass	1236
3000	12000	1	RMS	11849	-38.3	-13	Pass	9001
12000	20000	1	RMS	19995	-22.97	-13	Pass	8001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-13	Pass	2986
30	1000	0.1	RMS	935.1	-62.17	-13	Pass	9701
1000	1700	1	RMS	1698	-51.25	-13	Pass	701
1700	1765	1	RMS	1753.788	21.4	60	Pass	401
1765	3000	1	RMS	2647	-46.85	-13	Pass	1236
3000	12000	1	RMS	11856	-38.35	-13	Pass	9001
12000	20000	1	RMS	19997	-22.96	-13	Pass	8001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1765	1	RMS	1753.788	20.46	60	Pass	401
1765	3000	1	RMS	2648	-46.84	-13	Pass	1236
3000	12000	1	RMS	11850	-38.23	-13	Pass	9001
12000	20000	1	RMS	19999	-22.96	-13	Pass	8001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	1000	0.1	RMS	952.7	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-49.57	-13	Pass	701
1700	1765	1	RMS	1710.238	21.83	60	Pass	401
1765	3000	1	RMS	2654	-46.85	-13	Pass	1236
3000	12000	1	RMS	11863	-38.28	-13	Pass	9001
12000	20000	1	RMS	19998	-22.95	-13	Pass	8001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.96	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.31	-13	Pass	9701
1000	1700	1	RMS	1700	-49.81	-13	Pass	701
1700	1765	1	RMS	1710.238	20.96	60	Pass	401
1765	3000	1	RMS	2654	-46.85	-13	Pass	1236
3000	12000	1	RMS	11854	-38.27	-13	Pass	9001
12000	20000	1	RMS	20000	-22.94	-13	Pass	8001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	Pass	2986
30	1000	0.1	RMS	923	-62.28	-13	Pass	9701
1000	1700	1	RMS	1697	-51.21	-13	Pass	701
1700	1765	1	RMS	1731.2	22.24	60	Pass	401
1765	3000	1	RMS	2642	-46.81	-13	Pass	1236
3000	12000	1	RMS	11848	-38.29	-13	Pass	9001
12000	20000	1	RMS	19999	-22.94	-13	Pass	8001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	1000	0.1	RMS	943	-62.17	-13	Pass	9701
1000	1700	1	RMS	1695	-51.22	-13	Pass	701
1700	1765	1	RMS	1731.2	21.39	60	Pass	401
1765	3000	1	RMS	2645	-46.81	-13	Pass	1236
3000	12000	1	RMS	11847	-38.28	-13	Pass	9001
12000	20000	1	RMS	19999	-22.98	-13	Pass	8001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	Pass	2986
30	1000	0.1	RMS	915.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1695	-51.25	-13	Pass	701
1700	1765	1	RMS	1752.163	21.22	60	Pass	401
1765	3000	1	RMS	2639	-46.82	-13	Pass	1236
3000	12000	1	RMS	11852	-38.35	-13	Pass	9001
12000	20000	1	RMS	19998	-22.92	-13	Pass	8001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1601	-51.28	-13	Pass	701
1700	1765	1	RMS	1752.325	20.33	60	Pass	401
1765	3000	1	RMS	2650	-46.86	-13	Pass	1236
3000	12000	1	RMS	11846	-38.35	-13	Pass	9001
12000	20000	1	RMS	19999	-23.06	-13	Pass	8001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	1000	0.1	RMS	906.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-49.5	-13	Pass	701
1700	1765	1	RMS	1710.4	21.87	60	Pass	401
1765	3000	1	RMS	2649	-46.81	-13	Pass	1236
3000	12000	1	RMS	11851	-38.31	-13	Pass	9001
12000	20000	1	RMS	19996	-23.01	-13	Pass	8001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-49.83	-13	Pass	701
1700	1765	1	RMS	1710.4	20.93	60	Pass	401
1765	3000	1	RMS	2646	-46.84	-13	Pass	1236
3000	12000	1	RMS	11847	-38.3	-13	Pass	9001
12000	20000	1	RMS	19999	-23	-13	Pass	8001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.25	-13	Pass	9701
1000	1700	1	RMS	1695	-51.2	-13	Pass	701
1700	1765	1	RMS	1730.388	22.4	60	Pass	401
1765	3000	1	RMS	2648	-46.82	-13	Pass	1236
3000	12000	1	RMS	11866	-38.3	-13	Pass	9001
12000	20000	1	RMS	19998	-22.86	-13	Pass	8001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2986
30	1000	0.1	RMS	921	-62.26	-13	Pass	9701
1000	1700	1	RMS	1695	-51.28	-13	Pass	701
1700	1765	1	RMS	1730.388	21.62	60	Pass	401
1765	3000	1	RMS	2645	-46.76	-13	Pass	1236
3000	12000	1	RMS	11868	-38.29	-13	Pass	9001
12000	20000	1	RMS	19996	-22.99	-13	Pass	8001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.76	-13	Pass	2986
30	1000	0.1	RMS	948.8	-62.02	-13	Pass	9701
1000	1700	1	RMS	1698	-51.24	-13	Pass	701
1700	1765	1	RMS	1750.375	21.41	60	Pass	401
1765	3000	1	RMS	3000	-46.86	-13	Pass	1236
3000	12000	1	RMS	11849	-38.34	-13	Pass	9001
12000	20000	1	RMS	19997	-22.98	-13	Pass	8001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.03	-13	Pass	2986
30	1000	0.1	RMS	943.3	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	Pass	701
1700	1765	1	RMS	1750.375	20.63	60	Pass	401
1765	3000	1	RMS	2643	-46.74	-13	Pass	1236
3000	12000	1	RMS	11853	-38.25	-13	Pass	9001
12000	20000	1	RMS	19993	-22.96	-13	Pass	8001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.51	-13	Pass	2986
30	1000	0.1	RMS	880.7	-62.11	-13	Pass	9701
1000	1700	1	RMS	1693	-40.02	-13	Pass	701
1700	1765	1	RMS	1710.563	22.07	60	Pass	401
1765	3000	1	RMS	2646	-46.77	-13	Pass	1236
3000	12000	1	RMS	11858	-38.28	-13	Pass	9001
12000	20000	1	RMS	19991	-22.99	-13	Pass	8001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-13	Pass	2986
30	1000	0.1	RMS	927	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-41.32	-13	Pass	701
1700	1765	1	RMS	1710.563	21.2	60	Pass	401
1765	3000	1	RMS	2639	-46.82	-13	Pass	1236
3000	12000	1	RMS	11852	-38.27	-13	Pass	9001
12000	20000	1	RMS	20000	-23.02	-13	Pass	8001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	913.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1698	-51.16	-13	Pass	701
1700	1765	1	RMS	1728.113	22.54	60	Pass	401
1765	3000	1	RMS	2653	-46.81	-13	Pass	1236
3000	12000	1	RMS	11848	-38.35	-13	Pass	9001
12000	20000	1	RMS	19996	-22.94	-13	Pass	8001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.24	-13	Pass	9701
1000	1700	1	RMS	1696	-51.24	-13	Pass	701
1700	1765	1	RMS	1728.113	21.45	60	Pass	401
1765	3000	1	RMS	2643	-46.8	-13	Pass	1236
3000	12000	1	RMS	11847	-38.35	-13	Pass	9001
12000	20000	1	RMS	19996	-23.02	-13	Pass	8001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	1000	0.1	RMS	902.4	-62.31	-13	Pass	9701
1000	1700	1	RMS	1694	-51.23	-13	Pass	701
1700	1765	1	RMS	1745.663	21.6	60	Pass	401
1765	3000	1	RMS	2651	-46.82	-13	Pass	1236
3000	12000	1	RMS	11853	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.95	-13	Pass	8001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.76	-13	Pass	2986
30	1000	0.1	RMS	920.8	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.23	-13	Pass	701
1700	1765	1	RMS	1745.663	20.69	60	Pass	401
1765	3000	1	RMS	2644	-46.79	-13	Pass	1236
3000	12000	1	RMS	11851	-38.31	-13	Pass	9001
12000	20000	1	RMS	19997	-23.02	-13	Pass	8001



3.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	1000	0.1	RMS	964	-62.23	-13	Pass	9701
1000	1700	1	RMS	1697	-40.68	-13	Pass	701
1700	1765	1	RMS	1710.888	22	60	Pass	401
1765	3000	1	RMS	2646	-46.79	-13	Pass	1236
3000	12000	1	RMS	11881	-38.29	-13	Pass	9001
12000	20000	1	RMS	19996	-22.99	-13	Pass	8001



3.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	935.6	-62.24	-13	Pass	9701
1000	1700	1	RMS	1698	-42.27	-13	Pass	701
1700	1765	1	RMS	1710.888	21.16	60	Pass	401
1765	3000	1	RMS	2647	-46.79	-13	Pass	1236
3000	12000	1	RMS	11859	-38.34	-13	Pass	9001
12000	20000	1	RMS	20000	-22.96	-13	Pass	8001



3.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.43	-13	Pass	2986
30	1000	0.1	RMS	943.7	-62.21	-13	Pass	9701
1000	1700	1	RMS	1699	-42.36	-13	Pass	701
1700	1765	1	RMS	1725.838	22.45	60	Pass	401
1765	3000	1	RMS	2649	-46.82	-13	Pass	1236
3000	12000	1	RMS	11850	-38.27	-13	Pass	9001
12000	20000	1	RMS	20000	-22.97	-13	Pass	8001



3.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1699	-44.73	-13	Pass	701
1700	1765	1	RMS	1725.838	21.45	60	Pass	401
1765	3000	1	RMS	2641	-46.8	-13	Pass	1236
3000	12000	1	RMS	11850	-38.33	-13	Pass	9001
12000	20000	1	RMS	19993	-22.98	-13	Pass	8001



3.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	1000	0.1	RMS	917.4	-62.26	-13	Pass	9701
1000	1700	1	RMS	1696	-51.25	-13	Pass	701
1700	1765	1	RMS	1740.788	21.79	60	Pass	401
1765	3000	1	RMS	1767	-29.32	-13	Pass	1236
3000	12000	1	RMS	11858	-38.32	-13	Pass	9001
12000	20000	1	RMS	19996	-22.97	-13	Pass	8001



3.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.96	-13	Pass	2986
30	1000	0.1	RMS	929.2	-62.24	-13	Pass	9701
1000	1700	1	RMS	1698	-51.23	-13	Pass	701
1700	1765	1	RMS	1740.788	21.16	60	Pass	401
1765	3000	1	RMS	1767	-29.95	-13	Pass	1236
3000	12000	1	RMS	11853	-38.22	-13	Pass	9001
12000	20000	1	RMS	19999	-22.98	-13	Pass	8001



3.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.71	-13	Pass	2986
30	1000	0.1	RMS	901.6	-62.26	-13	Pass	9701
1000	1700	1	RMS	1693	-39.04	-13	Pass	701
1700	1765	1	RMS	1711.05	22.03	60	Pass	401
1765	3000	1	RMS	2635	-46.86	-13	Pass	1236
3000	12000	1	RMS	11857	-38.31	-13	Pass	9001
12000	20000	1	RMS	19998	-23	-13	Pass	8001



3.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.36	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.24	-13	Pass	9701
1000	1700	1	RMS	1693	-40.43	-13	Pass	701
1700	1765	1	RMS	1711.05	21.19	60	Pass	401
1765	3000	1	RMS	2641	-46.82	-13	Pass	1236
3000	12000	1	RMS	11850	-38.33	-13	Pass	9001
12000	20000	1	RMS	19996	-22.99	-13	Pass	8001



3.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.36	-13	Pass	2986
30	1000	0.1	RMS	896.9	-62.11	-13	Pass	9701
1000	1700	1	RMS	1688	-46.11	-13	Pass	701
1700	1765	1	RMS	1723.563	22.47	60	Pass	401
1765	3000	1	RMS	2636	-46.84	-13	Pass	1236
3000	12000	1	RMS	11845	-38.3	-13	Pass	9001
12000	20000	1	RMS	19999	-22.95	-13	Pass	8001



3.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	Pass	2986
30	1000	0.1	RMS	956.2	-62.22	-13	Pass	9701
1000	1700	1	RMS	1688	-47.72	-13	Pass	701
1700	1765	1	RMS	1723.563	21.46	60	Pass	401
1765	3000	1	RMS	2654	-46.83	-13	Pass	1236
3000	12000	1	RMS	11852	-38.26	-13	Pass	9001
12000	20000	1	RMS	19997	-23.03	-13	Pass	8001



3.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2986
30	1000	0.1	RMS	942.9	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-44.55	-13	Pass	701
1700	1765	1	RMS	1736.075	22.17	60	Pass	401
1765	3000	1	RMS	1772	-27.7	-13	Pass	1236
3000	12000	1	RMS	11845	-38.3	-13	Pass	9001
12000	20000	1	RMS	19997	-23.03	-13	Pass	8001



3.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.14	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-45.56	-13	Pass	701
1700	1765	1	RMS	1736.075	21.32	60	Pass	401
1765	3000	1	RMS	1772	-28.68	-13	Pass	1236
3000	12000	1	RMS	11855	-38.32	-13	Pass	9001
12000	20000	1	RMS	20000	-22.94	-13	Pass	8001



4. LTE_Band5


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.14	-13	Pass	7841
814	860	0.1	RMS	824.3	17.78	60	Pass	461
860	1000	0.1	RMS	919.5	-62.64	-13	Pass	1401
1000	3000	1	RMS	2642	-46.85	-13	Pass	2001
3000	10000	1	RMS	9949	-41.07	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.09	-13	Pass	7841
814	860	0.1	RMS	824.3	16.92	60	Pass	461
860	1000	0.1	RMS	892.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2648	-46.85	-13	Pass	2001
3000	10000	1	RMS	9952	-41.13	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	814	0.1	RMS	810.1	-62.35	-13	Pass	7841
814	860	0.1	RMS	836	18.18	60	Pass	461
860	1000	0.1	RMS	948.3	-62.52	-13	Pass	1401
1000	3000	1	RMS	2648	-46.83	-13	Pass	2001
3000	10000	1	RMS	9951	-41.07	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.3	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.49	-13	Pass	7841
814	860	0.1	RMS	836	17.33	60	Pass	461
860	1000	0.1	RMS	912	-62.57	-13	Pass	1401
1000	3000	1	RMS	2644	-46.84	-13	Pass	2001
3000	10000	1	RMS	9968	-41.1	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	847.8	18.05	60	Pass	461
860	1000	0.1	RMS	893.4	-62.6	-13	Pass	1401
1000	3000	1	RMS	2642	-46.82	-13	Pass	2001
3000	10000	1	RMS	9951	-41.08	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	814	0.1	RMS	807.6	-62.47	-13	Pass	7841
814	860	0.1	RMS	847.8	17.15	60	Pass	461
860	1000	0.1	RMS	921.7	-62.67	-13	Pass	1401
1000	3000	1	RMS	2652	-46.85	-13	Pass	2001
3000	10000	1	RMS	9953	-41.1	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.2	17.96	60	Pass	461
860	1000	0.1	RMS	932.4	-62.46	-13	Pass	1401
1000	3000	1	RMS	2648	-46.86	-13	Pass	2001
3000	10000	1	RMS	9955	-41.12	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-58.62	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.11	-13	Pass	7841
814	860	0.1	RMS	824.2	17.18	60	Pass	461
860	1000	0.1	RMS	938.1	-62.55	-13	Pass	1401
1000	3000	1	RMS	2645	-46.86	-13	Pass	2001
3000	10000	1	RMS	9968	-41.07	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	814	0.1	RMS	810.3	-62.48	-13	Pass	7841
814	860	0.1	RMS	835.2	18.34	60	Pass	461
860	1000	0.1	RMS	920.2	-62.44	-13	Pass	1401
1000	3000	1	RMS	2643	-46.84	-13	Pass	2001
3000	10000	1	RMS	9957	-41.13	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.52	-13	Pass	2986
30	814	0.1	RMS	809.2	-62.1	-13	Pass	7841
814	860	0.1	RMS	835.2	17.64	60	Pass	461
860	1000	0.1	RMS	934.2	-62.56	-13	Pass	1401
1000	3000	1	RMS	2644	-46.86	-13	Pass	2001
3000	10000	1	RMS	9958	-41.08	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2986
30	814	0.1	RMS	807.5	-62.4	-13	Pass	7841
814	860	0.1	RMS	846.2	18.43	60	Pass	461
860	1000	0.1	RMS	934.1	-62.42	-13	Pass	1401
1000	3000	1	RMS	2642	-46.84	-13	Pass	2001
3000	10000	1	RMS	9948	-41.15	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	814	0.1	RMS	789	-62.35	-13	Pass	7841
814	860	0.1	RMS	846.2	17.59	60	Pass	461
860	1000	0.1	RMS	902.4	-62.55	-13	Pass	1401
1000	3000	1	RMS	2648	-46.88	-13	Pass	2001
3000	10000	1	RMS	9961	-41.05	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.9	-13	Pass	7841
814	860	0.1	RMS	824.3	18.26	60	Pass	461
860	1000	0.1	RMS	915	-62.43	-13	Pass	1401
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	9955	-41.11	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.11	-13	Pass	7841
814	860	0.1	RMS	824.3	17.33	60	Pass	461
860	1000	0.1	RMS	918.9	-62.58	-13	Pass	1401
1000	3000	1	RMS	2643	-46.83	-13	Pass	2001
3000	10000	1	RMS	9953	-41.03	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2986
30	814	0.1	RMS	808.3	-62.31	-13	Pass	7841
814	860	0.1	RMS	834.3	18.54	60	Pass	461
860	1000	0.1	RMS	918.2	-62.43	-13	Pass	1401
1000	3000	1	RMS	2645	-46.82	-13	Pass	2001
3000	10000	1	RMS	9948	-41.08	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	Pass	2986
30	814	0.1	RMS	810.4	-62.29	-13	Pass	7841
814	860	0.1	RMS	834.3	17.83	60	Pass	461
860	1000	0.1	RMS	880.5	-62.48	-13	Pass	1401
1000	3000	1	RMS	2640	-46.85	-13	Pass	2001
3000	10000	1	RMS	9964	-41.13	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.84	-13	Pass	2986
30	814	0.1	RMS	786.3	-62.45	-13	Pass	7841
814	860	0.1	RMS	844.3	18.8	60	Pass	461
860	1000	0.1	RMS	927.6	-62.49	-13	Pass	1401
1000	3000	1	RMS	2643	-46.8	-13	Pass	2001
3000	10000	1	RMS	9956	-40.97	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	814	0.1	RMS	807.6	-62.42	-13	Pass	7841
814	860	0.1	RMS	844.3	17.9	60	Pass	461
860	1000	0.1	RMS	932.9	-62.52	-13	Pass	1401
1000	3000	1	RMS	2640	-46.81	-13	Pass	2001
3000	10000	1	RMS	9964	-41.01	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	814	0.1	RMS	807	-55.2	-13	Pass	7841
814	860	0.1	RMS	824.6	18.76	60	Pass	461
860	1000	0.1	RMS	939.6	-62.45	-13	Pass	1401
1000	3000	1	RMS	2641	-46.75	-13	Pass	2001
3000	10000	1	RMS	9961	-41	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.37	-13	Pass	2986
30	814	0.1	RMS	807	-55.77	-13	Pass	7841
814	860	0.1	RMS	824.6	18.18	60	Pass	461
860	1000	0.1	RMS	924.2	-62.35	-13	Pass	1401
1000	3000	1	RMS	2641	-46.81	-13	Pass	2001
3000	10000	1	RMS	9958	-41.08	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	814	0.1	RMS	814	-61.93	-13	Pass	7841
814	860	0.1	RMS	832.1	19.09	60	Pass	461
860	1000	0.1	RMS	922.2	-62.27	-13	Pass	1401
1000	3000	1	RMS	2648	-46.81	-13	Pass	2001
3000	10000	1	RMS	9954	-41	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.02	-13	Pass	2986
30	814	0.1	RMS	814	-61.98	-13	Pass	7841
814	860	0.1	RMS	832.1	18.26	60	Pass	461
860	1000	0.1	RMS	933.1	-62.53	-13	Pass	1401
1000	3000	1	RMS	2643	-46.77	-13	Pass	2001
3000	10000	1	RMS	9961	-40.99	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.16	-13	Pass	7841
814	860	0.1	RMS	839.6	19.16	60	Pass	461
860	1000	0.1	RMS	926.6	-62.46	-13	Pass	1401
1000	3000	1	RMS	2647	-46.78	-13	Pass	2001
3000	10000	1	RMS	9956	-41.03	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.77	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.27	-13	Pass	7841
814	860	0.1	RMS	839.6	18.34	60	Pass	461
860	1000	0.1	RMS	891.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2641	-46.81	-13	Pass	2001
3000	10000	1	RMS	9954	-41.03	-13	Pass	7001



5. LTE_Band7


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-25	Pass	2986
30	1000	0.1	RMS	933.8	-62.23	-25	Pass	9701
1000	2490	1	RMS	2490	-47.16	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.97	60	Pass	401
2580	3000	1	RMS	2647	-46.85	-25	Pass	421
3000	12000	1	RMS	11883	-61.61	-25	Pass	9001
12000	26000	1	RMS	25012	-35.57	-25	Pass	14001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-25	Pass	2986
30	1000	0.1	RMS	954	-62	-25	Pass	9701
1000	2490	1	RMS	2490	-47.33	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.11	60	Pass	401
2580	3000	1	RMS	2644	-46.8	-25	Pass	421
3000	12000	1	RMS	11850	-61.63	-25	Pass	9001
12000	26000	1	RMS	25014	-36.45	-25	Pass	14001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.88	-25	Pass	2986
30	1000	0.1	RMS	926.6	-62.12	-25	Pass	9701
1000	2490	1	RMS	2489	-48.01	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.78	60	Pass	401
2580	3000	1	RMS	2651	-46.81	-25	Pass	421
3000	12000	1	RMS	11847	-61.57	-25	Pass	9001
12000	26000	1	RMS	25014	-36.35	-25	Pass	14001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58	-25	Pass	2986
30	1000	0.1	RMS	930	-62.1	-25	Pass	9701
1000	2490	1	RMS	2487	-48.07	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.03	60	Pass	401
2580	3000	1	RMS	2651	-46.83	-25	Pass	421
3000	12000	1	RMS	11868	-61.59	-25	Pass	9001
12000	26000	1	RMS	25016	-36.39	-25	Pass	14001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-25	Pass	2986
30	1000	0.1	RMS	941.2	-62.15	-25	Pass	9701
1000	2490	1	RMS	2489	-48.05	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.85	60	Pass	401
2580	3000	1	RMS	2651	-46.8	-25	Pass	421
3000	12000	1	RMS	11866	-61.61	-25	Pass	9001
12000	26000	1	RMS	25014	-36.46	-25	Pass	14001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-25	Pass	2986
30	1000	0.1	RMS	939.9	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-47.98	-25	Pass	1491
2490	2580	1	RMS	2565.375	19.89	60	Pass	401
2580	3000	1	RMS	2640	-46.83	-25	Pass	421
3000	12000	1	RMS	11886	-61.55	-25	Pass	9001
12000	26000	1	RMS	25013	-36.47	-25	Pass	14001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.96	-25	Pass	2986
30	1000	0.1	RMS	916.8	-62.07	-25	Pass	9701
1000	2490	1	RMS	2490	-47.02	-25	Pass	1491
2490	2580	1	RMS	2500.575	21	60	Pass	401
2580	3000	1	RMS	2640	-46.84	-25	Pass	421
3000	12000	1	RMS	11851	-61.59	-25	Pass	9001
12000	26000	1	RMS	25012	-36.4	-25	Pass	14001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.47	-25	Pass	2986
30	1000	0.1	RMS	926.7	-62.2	-25	Pass	9701
1000	2490	1	RMS	2490	-47.3	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.2	60	Pass	401
2580	3000	1	RMS	2652	-46.84	-25	Pass	421
3000	12000	1	RMS	11839	-61.6	-25	Pass	9001
12000	26000	1	RMS	25008	-36.45	-25	Pass	14001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-25	Pass	2986
30	1000	0.1	RMS	926.6	-62.04	-25	Pass	9701
1000	2490	1	RMS	2490	-47.94	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.8	60	Pass	401
2580	3000	1	RMS	2639	-46.83	-25	Pass	421
3000	12000	1	RMS	11861	-61.56	-25	Pass	9001
12000	26000	1	RMS	25012	-36.4	-25	Pass	14001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.95	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.87	-25	Pass	2986
30	1000	0.1	RMS	954.5	-62.14	-25	Pass	9701
1000	2490	1	RMS	2487	-47.97	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.01	60	Pass	401
2580	3000	1	RMS	2639	-46.83	-25	Pass	421
3000	12000	1	RMS	11853	-61.6	-25	Pass	9001
12000	26000	1	RMS	25017	-36.5	-25	Pass	14001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.6	-25	Pass	2986
30	1000	0.1	RMS	845.3	-63.83	-25	Pass	9701
1000	2490	1	RMS	2490	-50.28	-25	Pass	1491
2490	2580	1	RMS	2560.425	20.71	60	Pass	401
2580	3000	1	RMS	2948	-48.88	-25	Pass	421
3000	12000	1	RMS	11852	-59.21	-25	Pass	9002
12000	26000	1	RMS	25985	-41.29	-25	Pass	14002



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.1	-25	Pass	2986
30	1000	0.1	RMS	938.7	-62.13	-25	Pass	9701
1000	2490	1	RMS	2489	-48	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.02	60	Pass	401
2580	3000	1	RMS	2645	-46.82	-25	Pass	421
3000	12000	1	RMS	11847	-61.54	-25	Pass	9001
12000	26000	1	RMS	25014	-36.41	-25	Pass	14001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-71.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-25	Pass	2986
30	1000	0.1	RMS	849.8	-63.68	-25	Pass	9701
1000	2490	1	RMS	2488	-40.52	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.74	60	Pass	401
2580	3000	1	RMS	2952	-48.88	-25	Pass	421
3000	12000	1	RMS	11852	-59.17	-25	Pass	9002
12000	26000	1	RMS	25992	-41.26	-25	Pass	14002



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.55	-25	Pass	2986
30	1000	0.1	RMS	912.9	-62.11	-25	Pass	9701
1000	2490	1	RMS	2487	-39.62	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.04	60	Pass	401
2580	3000	1	RMS	2647	-46.81	-25	Pass	421
3000	12000	1	RMS	11850	-61.63	-25	Pass	9001
12000	26000	1	RMS	25012	-36.45	-25	Pass	14001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-25	Pass	2986
30	1000	0.1	RMS	931.2	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.9	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.02	60	Pass	401
2580	3000	1	RMS	2642	-46.8	-25	Pass	421
3000	12000	1	RMS	11854	-61.61	-25	Pass	9001
12000	26000	1	RMS	25012	-36.47	-25	Pass	14001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-25	Pass	2986
30	1000	0.1	RMS	834.6	-63.75	-25	Pass	9701
1000	2490	1	RMS	2489	-50.4	-25	Pass	1491
2490	2580	1	RMS	2528.25	19.9	60	Pass	401
2580	3000	1	RMS	2949	-48.86	-25	Pass	421
3000	12000	1	RMS	11856	-59.2	-25	Pass	9002
12000	26000	1	RMS	25994	-41.25	-25	Pass	14002



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.9	-25	Pass	2986
30	1000	0.1	RMS	919.8	-62.26	-25	Pass	9701
1000	2490	1	RMS	2488	-48.09	-25	Pass	1491
2490	2580	1	RMS	2555.925	20.81	60	Pass	401
2580	3000	1	RMS	2582	-38.3	-25	Pass	421
3000	12000	1	RMS	11857	-61.56	-25	Pass	9001
12000	26000	1	RMS	25013	-36.37	-25	Pass	14001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.18	-25	Pass	2986
30	1000	0.1	RMS	886.7	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2580	1	RMS	2555.925	19.82	60	Pass	401
2580	3000	1	RMS	2640	-46.85	-25	Pass	421
3000	12000	1	RMS	11864	-61.67	-25	Pass	9001
12000	26000	1	RMS	25012	-36.44	-25	Pass	14001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-25	Pass	2986
30	1000	0.1	RMS	931.5	-62.25	-25	Pass	9701
1000	2490	1	RMS	2490	-48.04	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.91	60	Pass	401
2580	3000	1	RMS	2649	-46.83	-25	Pass	421
3000	12000	1	RMS	11857	-61.62	-25	Pass	9001
12000	26000	1	RMS	25012	-36.41	-25	Pass	14001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-25	Pass	2986
30	1000	0.1	RMS	860.908	-63.62	-25	Pass	9701
1000	2490	1	RMS	2483	-44.26	-25	Pass	1491
2490	2580	1	RMS	2501.025	19.83	60	Pass	401
2580	3000	1	RMS	2949	-48.87	-25	Pass	421
3000	12000	1	RMS	11858	-59.19	-25	Pass	9002
12000	26000	1	RMS	25999	-41.32	-25	Pass	14002



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.8	-25	Pass	2986
30	1000	0.1	RMS	926.1	-62.22	-25	Pass	9701
1000	2490	1	RMS	2490	-47.5	-25	Pass	1491
2490	2580	1	RMS	2526	21.01	60	Pass	401
2580	3000	1	RMS	2639	-46.84	-25	Pass	421
3000	12000	1	RMS	11861	-61.56	-25	Pass	9001
12000	26000	1	RMS	25011	-36.28	-25	Pass	14001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.88	-25	Pass	2986
30	1000	0.1	RMS	844.1	-63.67	-25	Pass	9701
1000	2490	1	RMS	2490	-48.66	-25	Pass	1491
2490	2580	1	RMS	2526	19.85	60	Pass	401
2580	3000	1	RMS	2950	-48.86	-25	Pass	421
3000	12000	1	RMS	11857	-59.25	-25	Pass	9002
12000	26000	1	RMS	25988	-41.33	-25	Pass	14002



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.78	-25	Pass	2986
30	1000	0.1	RMS	911.7	-62.13	-25	Pass	9701
1000	2490	1	RMS	2490	-47.98	-25	Pass	1491
2490	2580	1	RMS	2551.2	20.57	60	Pass	401
2580	3000	1	RMS	2587	-38.61	-25	Pass	421
3000	12000	1	RMS	11866	-61.61	-25	Pass	9001
12000	26000	1	RMS	25014	-36.4	-25	Pass	14001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-25	Pass	2986
30	1000	0.1	RMS	937.7	-62.12	-25	Pass	9701
1000	2490	1	RMS	2489	-48.01	-25	Pass	1491
2490	2580	1	RMS	2551.2	19.66	60	Pass	401
2580	3000	1	RMS	2587	-38.9	-25	Pass	421
3000	12000	1	RMS	11863	-61.58	-25	Pass	9001
12000	26000	1	RMS	25015	-36.44	-25	Pass	14001



6. LTE_Band12


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2986
30	689	0.1	RMS	689	-62.5	-13	Pass	6591
689	726	0.1	RMS	699.268	19.19	60	Pass	401
726	1000	0.1	RMS	936.4	-62.16	-13	Pass	2741
1000	3000	1	RMS	2640	-46.8	-13	Pass	2001
3000	10000	1	RMS	9951	-40.99	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	689	0.1	RMS	687.3	-63.07	-13	Pass	6591
689	726	0.1	RMS	699.268	18.1	60	Pass	401
726	1000	0.1	RMS	944.8	-62.17	-13	Pass	2741
1000	3000	1	RMS	2640	-46.79	-13	Pass	2001
3000	10000	1	RMS	9952	-40.97	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.68	-13	Pass	2986
30	689	0.1	RMS	681.1	-62.89	-13	Pass	6591
689	726	0.1	RMS	707.038	19.16	60	Pass	401
726	1000	0.1	RMS	900.2	-62.24	-13	Pass	2741
1000	3000	1	RMS	1414	-43.82	-13	Pass	2001
3000	10000	1	RMS	9951	-40.97	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2986
30	689	0.1	RMS	681.1	-63.1	-13	Pass	6591
689	726	0.1	RMS	707.038	18.19	60	Pass	401
726	1000	0.1	RMS	901	-62.03	-13	Pass	2741
1000	3000	1	RMS	1414	-44.46	-13	Pass	2001
3000	10000	1	RMS	9955	-41.02	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.52	-13	Pass	6591
689	726	0.1	RMS	714.808	18.67	60	Pass	401
726	1000	0.1	RMS	921.1	-62.15	-13	Pass	2741
1000	3000	1	RMS	2642	-46.8	-13	Pass	2001
3000	10000	1	RMS	9954	-41.04	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.26	-13	Pass	2986
30	689	0.1	RMS	688.8	-62.59	-13	Pass	6591
689	726	0.1	RMS	714.808	17.68	60	Pass	401
726	1000	0.1	RMS	899.8	-62.25	-13	Pass	2741
1000	3000	1	RMS	2643	-46.81	-13	Pass	2001
3000	10000	1	RMS	9947	-41.05	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-64.47	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.2	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.86	-13	Pass	6591
689	726	0.1	RMS	699.268	20.16	60	Pass	401
726	1000	0.1	RMS	841.6	-63.42	-13	Pass	2741
1000	3000	1	RMS	1398	-48.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.41	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-64.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.27	-13	Pass	6591
689	726	0.1	RMS	699.268	19.04	60	Pass	401
726	1000	0.1	RMS	849.8	-63.55	-13	Pass	2741
1000	3000	1	RMS	1398	-47.78	-13	Pass	2001
3000	10000	1	RMS	6963	-41.36	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	689	0.1	RMS	685.1	-63.66	-13	Pass	6591
689	726	0.1	RMS	706.205	19.13	60	Pass	401
726	1000	0.1	RMS	925.8	-62.2	-13	Pass	2741
1000	3000	1	RMS	2643	-46.79	-13	Pass	2001
3000	10000	1	RMS	9948	-41.01	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.78	-13	Pass	2986
30	689	0.1	RMS	688.7	-63.34	-13	Pass	6591
689	726	0.1	RMS	706.205	18.16	60	Pass	401
726	1000	0.1	RMS	944.7	-61.93	-13	Pass	2741
1000	3000	1	RMS	2642	-46.86	-13	Pass	2001
3000	10000	1	RMS	9965	-41.03	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.13	-13	Pass	2986
30	689	0.1	RMS	687.2	-62.94	-13	Pass	6591
689	726	0.1	RMS	713.235	20.31	60	Pass	401
726	1000	0.1	RMS	860.1	-63.62	-13	Pass	2741
1000	3000	1	RMS	1426	-45.55	-13	Pass	2001
3000	10000	1	RMS	6959	-41.4	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2986
30	689	0.1	RMS	679.1	-63.59	-13	Pass	6591
689	726	0.1	RMS	713.235	18.87	60	Pass	401
726	1000	0.1	RMS	922.3	-62.17	-13	Pass	2741
1000	3000	1	RMS	2644	-46.83	-13	Pass	2001
3000	10000	1	RMS	9950	-41	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.11	-13	Pass	6591
689	726	0.1	RMS	699.36	19.71	60	Pass	401
726	1000	0.1	RMS	838	-63.67	-13	Pass	2741
1000	3000	1	RMS	1398	-47.98	-13	Pass	2001
3000	10000	1	RMS	6961	-41.33	-13	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	Pass	2986
30	689	0.1	RMS	688.8	-62.89	-13	Pass	6591
689	726	0.1	RMS	699.36	18.53	60	Pass	401
726	1000	0.1	RMS	929.4	-62.19	-13	Pass	2741
1000	3000	1	RMS	2638	-46.8	-13	Pass	2001
3000	10000	1	RMS	9950	-41.05	-13	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	Pass	2986
30	689	0.1	RMS	685.3	-64.42	-13	Pass	6591
689	726	0.1	RMS	705.373	19.74	60	Pass	401
726	1000	0.1	RMS	859.3	-63.48	-13	Pass	2741
1000	3000	1	RMS	1410	-45.57	-13	Pass	2001
3000	10000	1	RMS	6959	-41.4	-13	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	689	0.1	RMS	669.3	-63.68	-13	Pass	6591
689	726	0.1	RMS	705.373	18.59	60	Pass	401
726	1000	0.1	RMS	924.8	-62.27	-13	Pass	2741
1000	3000	1	RMS	2649	-46.79	-13	Pass	2001
3000	10000	1	RMS	9954	-41.01	-13	Pass	7001



6.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.41	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.16	-13	Pass	2986
30	689	0.1	RMS	685.3	-63.09	-13	Pass	6591
689	726	0.1	RMS	711.293	19.55	60	Pass	401
726	1000	0.1	RMS	864.5	-63.58	-13	Pass	2741
1000	3000	1	RMS	1422	-43.11	-13	Pass	2001
3000	10000	1	RMS	6959	-41.3	-13	Pass	7001



6.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	689	0.1	RMS	685.4	-62.86	-13	Pass	6591
689	726	0.1	RMS	711.385	18.31	60	Pass	401
726	1000	0.1	RMS	959.5	-62.21	-13	Pass	2741
1000	3000	1	RMS	2640	-46.82	-13	Pass	2001
3000	10000	1	RMS	9950	-41.01	-13	Pass	7001



6.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	689	0.1	RMS	682	-45.48	-13	Pass	6591
689	726	0.1	RMS	699.545	18.94	60	Pass	401
726	1000	0.1	RMS	929.9	-62.32	-13	Pass	2741
1000	3000	1	RMS	2649	-46.81	-13	Pass	2001
3000	10000	1	RMS	9965	-40.98	-13	Pass	7001



6.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	689	0.1	RMS	682	-48.81	-13	Pass	6591
689	726	0.1	RMS	699.545	18.28	60	Pass	401
726	1000	0.1	RMS	957.5	-62.19	-13	Pass	2741
1000	3000	1	RMS	2646	-46.79	-13	Pass	2001
3000	10000	1	RMS	9953	-40.95	-13	Pass	7001



6.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2986
30	689	0.1	RMS	685.5	-46.21	-13	Pass	6591
689	726	0.1	RMS	703.06	19.48	60	Pass	401
726	1000	0.1	RMS	895.5	-62.24	-13	Pass	2741
1000	3000	1	RMS	2645	-46.8	-13	Pass	2001
3000	10000	1	RMS	9953	-41.07	-13	Pass	7001



6.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.64	-13	Pass	2986
30	689	0.1	RMS	685.4	-48.29	-13	Pass	6591
689	726	0.1	RMS	703.06	18.31	60	Pass	401
726	1000	0.1	RMS	917.1	-62.18	-13	Pass	2741
1000	3000	1	RMS	2645	-46.77	-13	Pass	2001
3000	10000	1	RMS	9954	-40.92	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	689	0.1	RMS	689	-47.36	-13	Pass	6591
689	726	0.1	RMS	706.575	19.25	60	Pass	401
726	1000	0.1	RMS	902.6	-62.15	-13	Pass	2741
1000	3000	1	RMS	1413	-44.61	-13	Pass	2001
3000	10000	1	RMS	9953	-41.02	-13	Pass	7001



6.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.52	-13	Pass	2986
30	689	0.1	RMS	689	-48.71	-13	Pass	6591
689	726	0.1	RMS	706.575	18.29	60	Pass	401
726	1000	0.1	RMS	898.4	-52.99	-13	Pass	2741
1000	3000	1	RMS	1413	-45.39	-13	Pass	2001
3000	10000	1	RMS	9950	-40.98	-13	Pass	7001



7. LTE_Band14


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.8	-13	Pass	2986
30	778	0.1	RMS	777.5	-62.55	-13	Pass	7481
778	808	0.1	RMS	788.35	19.19	60	Pass	401
808	1000	0.1	RMS	946.4	-62.37	-13	Pass	1921
1000	3000	1	RMS	2639	-46.8	-13	Pass	2001
3000	10000	1	RMS	9953	-41.07	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23305, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	Pass	2986
30	778	0.1	RMS	777.6	-62.6	-13	Pass	7481
778	808	0.1	RMS	788.35	18.38	60	Pass	401
808	1000	0.1	RMS	921.5	-62.35	-13	Pass	1921
1000	3000	1	RMS	2641	-46.79	-13	Pass	2001
3000	10000	1	RMS	9950	-41.02	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.75	-13	Pass	2986
30	778	0.1	RMS	777.4	-62.56	-13	Pass	7481
778	808	0.1	RMS	790.825	19.21	60	Pass	401
808	1000	0.1	RMS	808.2	-62.19	-13	Pass	1921
1000	3000	1	RMS	2641	-46.8	-13	Pass	2001
3000	10000	1	RMS	9969	-41.06	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23330, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.39	-13	Pass	2986
30	778	0.1	RMS	770.3	-62.63	-13	Pass	7481
778	808	0.1	RMS	790.825	18.47	60	Pass	401
808	1000	0.1	RMS	808	-61.81	-13	Pass	1921
1000	3000	1	RMS	2646	-46.78	-13	Pass	2001
3000	10000	1	RMS	9951	-41	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.5	-13	Pass	2986
30	778	0.1	RMS	776.8	-62.68	-13	Pass	7481
778	808	0.1	RMS	793.3	19.05	60	Pass	401
808	1000	0.1	RMS	810.6	-61.51	-13	Pass	1921
1000	3000	1	RMS	2642	-46.8	-13	Pass	2001
3000	10000	1	RMS	9953	-41.02	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2986
30	778	0.1	RMS	775.4	-62.58	-13	Pass	7481
778	808	0.1	RMS	793.375	18.41	60	Pass	401
808	1000	0.1	RMS	810.7	-61.03	-13	Pass	1921
1000	3000	1	RMS	2648	-46.79	-13	Pass	2001
3000	10000	1	RMS	9950	-41.02	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	778	0.1	RMS	778	-62.46	-13	Pass	7481
778	808	0.1	RMS	788.575	19.23	60	Pass	401
808	1000	0.1	RMS	810.6	-60.58	-13	Pass	1921
1000	3000	1	RMS	2640	-46.81	-13	Pass	2001
3000	10000	1	RMS	9955	-41.01	-13	Pass	7001



7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23330, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.25	-13	Pass	2986
30	778	0.1	RMS	777.8	-62.56	-13	Pass	7481
778	808	0.1	RMS	788.575	18.29	60	Pass	401
808	1000	0.1	RMS	810.6	-60.92	-13	Pass	1921
1000	3000	1	RMS	2643	-46.76	-13	Pass	2001
3000	10000	1	RMS	9954	-41.04	-13	Pass	7001



8. LTE_Band17


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2986
30	694	0.1	RMS	693.7	-62.44	-13	Pass	6641
694	726	0.1	RMS	704.32	19.27	60	Pass	401
726	1000	0.1	RMS	940.7	-62.18	-13	Pass	2741
1000	3000	1	RMS	2650	-46.75	-13	Pass	2001
3000	10000	1	RMS	9952	-40.99	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-13	Pass	2986
30	694	0.1	RMS	693.2	-62.84	-13	Pass	6641
694	726	0.1	RMS	704.32	18.19	60	Pass	401
726	1000	0.1	RMS	943.8	-62.02	-13	Pass	2741
1000	3000	1	RMS	2639	-46.8	-13	Pass	2001
3000	10000	1	RMS	9951	-41.03	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2986
30	694	0.1	RMS	681.8	-62.88	-13	Pass	6641
694	726	0.1	RMS	707.84	19.38	60	Pass	401
726	1000	0.1	RMS	927	-62.23	-13	Pass	2741
1000	3000	1	RMS	1416	-44.14	-13	Pass	2001
3000	10000	1	RMS	9951	-41.03	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.64	-13	Pass	2986
30	694	0.1	RMS	692.4	-63.22	-13	Pass	6641
694	726	0.1	RMS	707.84	18.39	60	Pass	401
726	1000	0.1	RMS	883.5	-62.29	-13	Pass	2741
1000	3000	1	RMS	1416	-44.88	-13	Pass	2001
3000	10000	1	RMS	9956	-41.01	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2986
30	694	0.1	RMS	685.4	-62.69	-13	Pass	6641
694	726	0.1	RMS	711.36	19.2	60	Pass	401
726	1000	0.1	RMS	883.2	-62.19	-13	Pass	2741
1000	3000	1	RMS	1423	-43.63	-13	Pass	2001
3000	10000	1	RMS	9949	-41.02	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.41	-13	Pass	2986
30	694	0.1	RMS	685.3	-62.7	-13	Pass	6641
694	726	0.1	RMS	711.36	18.4	60	Pass	401
726	1000	0.1	RMS	937.6	-62.2	-13	Pass	2741
1000	3000	1	RMS	1423	-44.3	-13	Pass	2001
3000	10000	1	RMS	9949	-41.05	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	694	0.1	RMS	687	-46.7	-13	Pass	6641
694	726	0.1	RMS	704.56	19.03	60	Pass	401
726	1000	0.1	RMS	960.6	-62.16	-13	Pass	2741
1000	3000	1	RMS	2644	-46.78	-13	Pass	2001
3000	10000	1	RMS	9953	-41	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-13	Pass	2986
30	694	0.1	RMS	687	-48.48	-13	Pass	6641
694	726	0.1	RMS	704.56	17.94	60	Pass	401
726	1000	0.1	RMS	914	-62.24	-13	Pass	2741
1000	3000	1	RMS	2649	-46.77	-13	Pass	2001
3000	10000	1	RMS	9960	-41.04	-13	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	694	0.1	RMS	688	-45.75	-13	Pass	6641
694	726	0.1	RMS	705.6	19.24	60	Pass	401
726	1000	0.1	RMS	921	-62.14	-13	Pass	2741
1000	3000	1	RMS	1411	-45.49	-13	Pass	2001
3000	10000	1	RMS	9964	-41.04	-13	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.97	-13	Pass	2986
30	694	0.1	RMS	687.9	-48.17	-13	Pass	6641
694	726	0.1	RMS	705.6	18.07	60	Pass	401
726	1000	0.1	RMS	896.4	-62.16	-13	Pass	2741
1000	3000	1	RMS	1411	-46.69	-13	Pass	2001
3000	10000	1	RMS	9963	-40.99	-13	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	Pass	2986
30	694	0.1	RMS	689	-46.04	-13	Pass	6641
694	726	0.1	RMS	706.56	18.99	60	Pass	401
726	1000	0.1	RMS	935.8	-62.23	-13	Pass	2741
1000	3000	1	RMS	1413	-44.14	-13	Pass	2001
3000	10000	1	RMS	9962	-40.99	-13	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2986
30	694	0.1	RMS	688.9	-47.85	-13	Pass	6641
694	726	0.1	RMS	706.56	17.87	60	Pass	401
726	1000	0.1	RMS	892	-61.86	-13	Pass	2741
1000	3000	1	RMS	1413	-45.52	-13	Pass	2001
3000	10000	1	RMS	9953	-41.06	-13	Pass	7001



9. LTE_Band25


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.86	-13	Pass	2986
30	1000	0.1	RMS	934.6	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-49.47	-13	Pass	841
1840	1925	1	RMS	1850.2	21.49	60	Pass	401
1925	3000	1	RMS	2644	-46.79	-13	Pass	1076
3000	12000	1	RMS	3700	-28.19	-13	Pass	9001
12000	20000	1	RMS	19998	-22.91	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.89	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-49.74	-13	Pass	841
1840	1925	1	RMS	1850.2	20.42	60	Pass	401
1925	3000	1	RMS	2642	-46.77	-13	Pass	1076
3000	12000	1	RMS	3700	-29.45	-13	Pass	9001
12000	20000	1	RMS	19998	-22.86	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.69	-13	Pass	9701
1000	1840	1	RMS	1813	-52.23	-13	Pass	841
1840	1925	1	RMS	1881.863	21.92	60	Pass	401
1925	3000	1	RMS	2960	-48.72	-13	Pass	1076
3000	12000	1	RMS	3764	-29.09	-13	Pass	9002
12000	20000	1	RMS	19412	-31.08	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.81	-13	Pass	2986
30	1000	0.1	RMS	947.5	-62.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1925	1	RMS	1882.075	20.89	60	Pass	401
1925	3000	1	RMS	2652	-46.83	-13	Pass	1076
3000	12000	1	RMS	3764	-30.67	-13	Pass	9001
12000	20000	1	RMS	19999	-22.89	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.68	-13	Pass	841
1840	1925	1	RMS	1913.95	20.26	60	Pass	401
1925	3000	1	RMS	2642	-46.81	-13	Pass	1076
3000	12000	1	RMS	3828	-21	-13	Pass	9001
12000	20000	1	RMS	19998	-22.91	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2986
30	1000	0.1	RMS	908	-62.15	-13	Pass	9701
1000	1840	1	RMS	1837	-50.69	-13	Pass	841
1840	1925	1	RMS	1913.738	19.16	60	Pass	401
1925	3000	1	RMS	2651	-46.79	-13	Pass	1076
3000	12000	1	RMS	3828	-22.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.81	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2986
30	1000	0.1	RMS	908.5	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-49.71	-13	Pass	841
1840	1925	1	RMS	1850.2	21.54	60	Pass	401
1925	3000	1	RMS	2651	-46.81	-13	Pass	1076
3000	12000	1	RMS	3700	-28.75	-13	Pass	9001
12000	20000	1	RMS	19994	-22.93	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-49.75	-13	Pass	841
1840	1925	1	RMS	1850.2	20.63	60	Pass	401
1925	3000	1	RMS	2640	-46.78	-13	Pass	1076
3000	12000	1	RMS	3700	-29.51	-13	Pass	9001
12000	20000	1	RMS	19996	-22.82	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	1000	0.1	RMS	924.5	-62.1	-13	Pass	9701
1000	1840	1	RMS	1837	-50.65	-13	Pass	841
1840	1925	1	RMS	1881.225	21.43	60	Pass	401
1925	3000	1	RMS	2652	-46.83	-13	Pass	1076
3000	12000	1	RMS	3762	-31.46	-13	Pass	9001
12000	20000	1	RMS	20000	-22.86	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2986
30	1000	0.1	RMS	883.5	-62.22	-13	Pass	9701
1000	1840	1	RMS	1838	-50.73	-13	Pass	841
1840	1925	1	RMS	1881.225	20.35	60	Pass	401
1925	3000	1	RMS	2640	-46.8	-13	Pass	1076
3000	12000	1	RMS	3762	-33.05	-13	Pass	9001
12000	20000	1	RMS	19996	-22.82	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.43	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.11	-13	Pass	9701
1000	1840	1	RMS	1838	-50.72	-13	Pass	841
1840	1925	1	RMS	1912.25	20.59	60	Pass	401
1925	3000	1	RMS	2640	-46.72	-13	Pass	1076
3000	12000	1	RMS	3824	-22.91	-13	Pass	9001
12000	20000	1	RMS	20000	-22.83	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2986
30	1000	0.1	RMS	939.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1838	-50.69	-13	Pass	841
1840	1925	1	RMS	1912.25	19.57	60	Pass	401
1925	3000	1	RMS	2646	-46.77	-13	Pass	1076
3000	12000	1	RMS	3824	-24.77	-13	Pass	9001
12000	20000	1	RMS	20000	-22.83	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.37	-13	Pass	2986
30	1000	0.1	RMS	951.7	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-49.53	-13	Pass	841
1840	1925	1	RMS	1850.413	21.53	60	Pass	401
1925	3000	1	RMS	2639	-46.74	-13	Pass	1076
3000	12000	1	RMS	3701	-29.48	-13	Pass	9001
12000	20000	1	RMS	19995	-22.78	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.94	-13	Pass	2986
30	1000	0.1	RMS	950.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-49.81	-13	Pass	841
1840	1925	1	RMS	1850.413	20.58	60	Pass	401
1925	3000	1	RMS	2645	-46.75	-13	Pass	1076
3000	12000	1	RMS	3701	-29.58	-13	Pass	9001
12000	20000	1	RMS	20000	-22.82	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57	-13	Pass	2986
30	1000	0.1	RMS	937.5	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.63	-13	Pass	841
1840	1925	1	RMS	1880.375	21.58	60	Pass	401
1925	3000	1	RMS	2646	-46.76	-13	Pass	1076
3000	12000	1	RMS	3761	-29.01	-13	Pass	9001
12000	20000	1	RMS	19997	-22.76	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	1000	0.1	RMS	910.7	-62.23	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1925	1	RMS	1880.375	20.65	60	Pass	401
1925	3000	1	RMS	2643	-46.77	-13	Pass	1076
3000	12000	1	RMS	3761	-30.53	-13	Pass	9001
12000	20000	1	RMS	19997	-22.85	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.08	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.72	-13	Pass	841
1840	1925	1	RMS	1910.338	21.21	60	Pass	401
1925	3000	1	RMS	2643	-46.78	-13	Pass	1076
3000	12000	1	RMS	3821	-21.48	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1925	1	RMS	1910.338	20.31	60	Pass	401
1925	3000	1	RMS	2639	-46.8	-13	Pass	1076
3000	12000	1	RMS	3821	-23.18	-13	Pass	9001
12000	20000	1	RMS	20000	-22.82	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.98	-13	Pass	2986
30	1000	0.1	RMS	974	-62.12	-13	Pass	9701
1000	1840	1	RMS	1833	-43.9	-13	Pass	841
1840	1925	1	RMS	1850.625	21.53	60	Pass	401
1925	3000	1	RMS	2643	-46.77	-13	Pass	1076
3000	12000	1	RMS	3701	-28.24	-13	Pass	9001
12000	20000	1	RMS	19999	-22.75	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.12	-13	Pass	2986
30	1000	0.1	RMS	919.9	-62.18	-13	Pass	9701
1000	1840	1	RMS	1833	-45.91	-13	Pass	841
1840	1925	1	RMS	1850.625	20.48	60	Pass	401
1925	3000	1	RMS	2644	-46.79	-13	Pass	1076
3000	12000	1	RMS	3701	-30.65	-13	Pass	9001
12000	20000	1	RMS	19994	-22.86	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.88	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1925	1	RMS	1878.038	21.55	60	Pass	401
1925	3000	1	RMS	2643	-46.75	-13	Pass	1076
3000	12000	1	RMS	3756	-29.87	-13	Pass	9001
12000	20000	1	RMS	20000	-22.9	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	Pass	2986
30	1000	0.1	RMS	905.8	-62.08	-13	Pass	9701
1000	1840	1	RMS	1837	-50.66	-13	Pass	841
1840	1925	1	RMS	1878.038	20.49	60	Pass	401
1925	3000	1	RMS	2640	-46.75	-13	Pass	1076
3000	12000	1	RMS	11845	-38.25	-13	Pass	9001
12000	20000	1	RMS	20000	-22.79	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.6	-13	Pass	9701
1000	1840	1	RMS	1838	-52.28	-13	Pass	841
1840	1925	1	RMS	1905.45	21.46	60	Pass	401
1925	3000	1	RMS	2945	-48.81	-13	Pass	1076
3000	12000	1	RMS	3811	-24.63	-13	Pass	9002
12000	20000	1	RMS	19404	-28.94	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	1000	0.1	RMS	917.9	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1925	1	RMS	1905.663	20.62	60	Pass	401
1925	3000	1	RMS	2640	-46.74	-13	Pass	1076
3000	12000	1	RMS	3811	-25.4	-13	Pass	9001
12000	20000	1	RMS	19998	-22.88	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-13	Pass	2986
30	1000	0.1	RMS	939.8	-61.9	-13	Pass	9701
1000	1840	1	RMS	1838	-44.86	-13	Pass	841
1840	1925	1	RMS	1850.838	21.77	60	Pass	401
1925	3000	1	RMS	2644	-46.77	-13	Pass	1076
3000	12000	1	RMS	3702	-29.45	-13	Pass	9001
12000	20000	1	RMS	19993	-22.93	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2986
30	1000	0.1	RMS	874.5	-62.07	-13	Pass	9701
1000	1840	1	RMS	1838	-45.81	-13	Pass	841
1840	1925	1	RMS	1850.838	20.82	60	Pass	401
1925	3000	1	RMS	2648	-46.81	-13	Pass	1076
3000	12000	1	RMS	3702	-30.65	-13	Pass	9001
12000	20000	1	RMS	20000	-22.91	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-59.23	-13	Pass	2986
30	1000	0.1	RMS	910.1	-62.05	-13	Pass	9701
1000	1840	1	RMS	1838	-50.58	-13	Pass	841
1840	1925	1	RMS	1875.913	21.65	60	Pass	401
1925	3000	1	RMS	2644	-46.75	-13	Pass	1076
3000	12000	1	RMS	3752	-30.55	-13	Pass	9001
12000	20000	1	RMS	19998	-22.83	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.99	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1925	1	RMS	1875.913	20.63	60	Pass	401
1925	3000	1	RMS	2649	-46.79	-13	Pass	1076
3000	12000	1	RMS	3752	-32.19	-13	Pass	9001
12000	20000	1	RMS	19998	-22.89	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.44	-13	Pass	2986
30	1000	0.1	RMS	954.4	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.66	-13	Pass	841
1840	1925	1	RMS	1900.775	21.38	60	Pass	401
1925	3000	1	RMS	2643	-46.82	-13	Pass	1076
3000	12000	1	RMS	3802	-29.77	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	917.5	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	Pass	841
1840	1925	1	RMS	1900.775	20.36	60	Pass	401
1925	3000	1	RMS	2640	-46.78	-13	Pass	1076
3000	12000	1	RMS	3802	-31.16	-13	Pass	9001
12000	20000	1	RMS	19995	-22.88	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.37	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62.2	-13	Pass	9701
1000	1840	1	RMS	1833	-47.96	-13	Pass	841
1840	1925	1	RMS	1851.05	21.66	60	Pass	401
1925	3000	1	RMS	2644	-46.76	-13	Pass	1076
3000	12000	1	RMS	3702	-27.15	-13	Pass	9001
12000	20000	1	RMS	19997	-22.88	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.48	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.16	-13	Pass	9701
1000	1840	1	RMS	1833	-48.69	-13	Pass	841
1840	1925	1	RMS	1851.05	20.59	60	Pass	401
1925	3000	1	RMS	2646	-46.77	-13	Pass	1076
3000	12000	1	RMS	3702	-28.66	-13	Pass	9001
12000	20000	1	RMS	19999	-22.79	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.17	-13	Pass	9701
1000	1840	1	RMS	1838	-39.97	-13	Pass	841
1840	1925	1	RMS	1873.575	21.53	60	Pass	401
1925	3000	1	RMS	2649	-46.83	-13	Pass	1076
3000	12000	1	RMS	3747	-30.59	-13	Pass	9001
12000	20000	1	RMS	19991	-22.88	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.27	-13	Pass	2986
30	1000	0.1	RMS	983.6	-62.15	-13	Pass	9701
1000	1840	1	RMS	1838	-43.04	-13	Pass	841
1840	1925	1	RMS	1873.575	20.42	60	Pass	401
1925	3000	1	RMS	2648	-46.81	-13	Pass	1076
3000	12000	1	RMS	3747	-32.9	-13	Pass	9001
12000	20000	1	RMS	19997	-22.87	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	1000	0.1	RMS	956.9	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1925	1	RMS	1896.1	21.38	60	Pass	401
1925	3000	1	RMS	2651	-46.8	-13	Pass	1076
3000	12000	1	RMS	3792	-30.95	-13	Pass	9001
12000	20000	1	RMS	19998	-22.84	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1925	1	RMS	1896.1	20.31	60	Pass	401
1925	3000	1	RMS	2642	-46.8	-13	Pass	1076
3000	12000	1	RMS	3792	-32.48	-13	Pass	9001
12000	20000	1	RMS	19996	-22.83	-13	Pass	8001



10. LTE_Band26(part22)


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.15	-13	Pass	7841
814	860	0.1	RMS	824.3	18.43	60	Pass	461
860	1000	0.1	RMS	997.1	-62.35	-13	Pass	1401
1000	3000	1	RMS	2640	-46.82	-13	Pass	2001
3000	10000	1	RMS	9952	-40.91	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.35	-13	Pass	2986
30	814	0.1	RMS	810.8	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.3	17.53	60	Pass	461
860	1000	0.1	RMS	930.1	-62.39	-13	Pass	1401
1000	3000	1	RMS	2640	-46.8	-13	Pass	2001
3000	10000	1	RMS	9967	-40.99	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	Pass	2986
30	814	0.1	RMS	792.7	-62.39	-13	Pass	7841
814	860	0.1	RMS	836.1	18.54	60	Pass	461
860	1000	0.1	RMS	931.3	-62.6	-13	Pass	1401
1000	3000	1	RMS	2648	-46.82	-13	Pass	2001
3000	10000	1	RMS	9957	-41.01	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	814	0.1	RMS	807.4	-62.57	-13	Pass	7841
814	860	0.1	RMS	836	17.72	60	Pass	461
860	1000	0.1	RMS	924.2	-62.3	-13	Pass	1401
1000	3000	1	RMS	2647	-46.8	-13	Pass	2001
3000	10000	1	RMS	9949	-41.02	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	814	0.1	RMS	792.4	-62.47	-13	Pass	7841
814	860	0.1	RMS	847.9	17.95	60	Pass	461
860	1000	0.1	RMS	951.5	-62.4	-13	Pass	1401
1000	3000	1	RMS	2640	-46.82	-13	Pass	2001
3000	10000	1	RMS	9961	-41.01	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	814	0.1	RMS	813.1	-64.02	-13	Pass	7841
814	860	0.1	RMS	847.8	17.43	60	Pass	461
860	1000	0.1	RMS	863.6	-64	-13	Pass	1401
1000	3000	1	RMS	2956	-48.81	-13	Pass	2001
3000	10000	1	RMS	6960	-41.37	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.08	-13	Pass	7841
814	860	0.1	RMS	824.2	18.71	60	Pass	461
860	1000	0.1	RMS	867.9	-64.05	-13	Pass	1401
1000	3000	1	RMS	2945	-48.84	-13	Pass	2001
3000	10000	1	RMS	7203	-41.15	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	814	0.1	RMS	813.8	-63.48	-13	Pass	7841
814	860	0.1	RMS	824.2	17.93	60	Pass	461
860	1000	0.1	RMS	865.7	-63.92	-13	Pass	1401
1000	3000	1	RMS	2945	-48.84	-13	Pass	2001
3000	10000	1	RMS	7200	-41.1	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.72	-13	Pass	2986
30	814	0.1	RMS	802.7	-62.46	-13	Pass	7841
814	860	0.1	RMS	835.2	18.48	60	Pass	461
860	1000	0.1	RMS	918.6	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.77	-13	Pass	2001
3000	10000	1	RMS	9952	-41.03	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	Pass	2986
30	814	0.1	RMS	811.5	-64.04	-13	Pass	7841
814	860	0.1	RMS	835.2	18.23	60	Pass	461
860	1000	0.1	RMS	879.9	-63.92	-13	Pass	1401
1000	3000	1	RMS	1670	-48.39	-13	Pass	2001
3000	10000	1	RMS	7209	-41.21	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	814	0.1	RMS	810.4	-63.91	-13	Pass	7841
814	860	0.1	RMS	846.2	18.59	60	Pass	461
860	1000	0.1	RMS	873.3	-63.96	-13	Pass	1401
1000	3000	1	RMS	1692	-47.56	-13	Pass	2001
3000	10000	1	RMS	7200	-41.16	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.31	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.48	-13	Pass	7841
814	860	0.1	RMS	846.2	17.27	60	Pass	461
860	1000	0.1	RMS	884.2	-62.49	-13	Pass	1401
1000	3000	1	RMS	2651	-46.78	-13	Pass	2001
3000	10000	1	RMS	9955	-41.02	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.7	-13	Pass	7841
814	860	0.1	RMS	824.3	18.89	60	Pass	461
860	1000	0.1	RMS	963	-63.77	-13	Pass	1401
1000	3000	1	RMS	2949	-48.79	-13	Pass	2001
3000	10000	1	RMS	7204	-41.1	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.3	17.46	60	Pass	461
860	1000	0.1	RMS	897.2	-62.39	-13	Pass	1401
1000	3000	1	RMS	2644	-46.8	-13	Pass	2001
3000	10000	1	RMS	9956	-41.01	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.88	-13	Pass	7841
814	860	0.1	RMS	834.3	19.05	60	Pass	461
860	1000	0.1	RMS	861.5	-63.87	-13	Pass	1401
1000	3000	1	RMS	1668	-47.59	-13	Pass	2001
3000	10000	1	RMS	7201	-41.12	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	814	0.1	RMS	808.4	-62.26	-13	Pass	7841
814	860	0.1	RMS	834.3	17.95	60	Pass	461
860	1000	0.1	RMS	914.5	-62.52	-13	Pass	1401
1000	3000	1	RMS	2651	-46.85	-13	Pass	2001
3000	10000	1	RMS	9955	-41.01	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.9	-13	Pass	7841
814	860	0.1	RMS	844.3	18.93	60	Pass	461
860	1000	0.1	RMS	869.3	-63.89	-13	Pass	1401
1000	3000	1	RMS	1688	-48.32	-13	Pass	2001
3000	10000	1	RMS	7201	-41.06	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	814	0.1	RMS	806.7	-62.64	-13	Pass	7841
814	860	0.1	RMS	844.3	17.64	60	Pass	461
860	1000	0.1	RMS	885	-62.45	-13	Pass	1401
1000	3000	1	RMS	2652	-46.82	-13	Pass	2001
3000	10000	1	RMS	9955	-41	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	Pass	2986
30	814	0.1	RMS	807	-56.39	-13	Pass	7841
814	860	0.1	RMS	824.6	19.02	60	Pass	461
860	1000	0.1	RMS	934.8	-62.37	-13	Pass	1401
1000	3000	1	RMS	2647	-46.78	-13	Pass	2001
3000	10000	1	RMS	9957	-41.05	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	Pass	2986
30	814	0.1	RMS	807	-55.43	-13	Pass	7841
814	860	0.1	RMS	824.6	18.6	60	Pass	461
860	1000	0.1	RMS	931	-62.36	-13	Pass	1401
1000	3000	1	RMS	2651	-46.79	-13	Pass	2001
3000	10000	1	RMS	9968	-41.02	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2986
30	814	0.1	RMS	814	-61.58	-13	Pass	7841
814	860	0.1	RMS	832.1	19.53	60	Pass	461
860	1000	0.1	RMS	883.2	-62.39	-13	Pass	1401
1000	3000	1	RMS	2645	-46.81	-13	Pass	2001
3000	10000	1	RMS	9952	-40.94	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	814	-62.8	-13	Pass	7841
814	860	0.1	RMS	832.1	18.89	60	Pass	461
860	1000	0.1	RMS	880.1	-63.95	-13	Pass	1401
1000	3000	1	RMS	2460	-46.24	-13	Pass	2001
3000	10000	1	RMS	7206	-41.14	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.97	-13	Pass	7841
814	860	0.1	RMS	839.6	19.43	60	Pass	461
860	1000	0.1	RMS	925.8	-62.4	-13	Pass	1401
1000	3000	1	RMS	2648	-46.8	-13	Pass	2001
3000	10000	1	RMS	9952	-40.97	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.34	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.04	-13	Pass	7841
814	860	0.1	RMS	839.6	18.75	60	Pass	461
860	1000	0.1	RMS	952.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2640	-46.82	-13	Pass	2001
3000	10000	1	RMS	9956	-41.02	-13	Pass	7001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2986
30	814	0.1	RMS	811.5	-46.6	-13	Pass	7841
814	860	0.1	RMS	824.8	19.01	60	Pass	461
860	1000	0.1	RMS	925.8	-62.45	-13	Pass	1401
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9953	-41.02	-13	Pass	7001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	814	0.1	RMS	811.5	-48.52	-13	Pass	7841
814	860	0.1	RMS	824.8	18.26	60	Pass	461
860	1000	0.1	RMS	904.1	-62.4	-13	Pass	1401
1000	3000	1	RMS	2644	-46.79	-13	Pass	2001
3000	10000	1	RMS	9950	-40.98	-13	Pass	7001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	814	0.1	RMS	809.8	-60.96	-13	Pass	7841
814	860	0.1	RMS	829.8	19.17	60	Pass	461
860	1000	0.1	RMS	942.3	-62.46	-13	Pass	1401
1000	3000	1	RMS	2640	-46.78	-13	Pass	2001
3000	10000	1	RMS	9964	-41.05	-13	Pass	7001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	814	0.1	RMS	810	-61.16	-13	Pass	7841
814	860	0.1	RMS	829.8	18.3	60	Pass	461
860	1000	0.1	RMS	919.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	2645	-46.8	-13	Pass	2001
3000	10000	1	RMS	9948	-41.02	-13	Pass	7001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.19	-13	Pass	2986
30	814	0.1	RMS	808.2	-47.56	-13	Pass	7841
814	860	0.1	RMS	834.8	18.85	60	Pass	461
860	1000	0.1	RMS	952.7	-62.54	-13	Pass	1401
1000	3000	1	RMS	2644	-46.8	-13	Pass	2001
3000	10000	1	RMS	9955	-40.99	-13	Pass	7001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.82	-13	Pass	2986
30	814	0.1	RMS	808.2	-45.34	-13	Pass	7841
814	860	0.1	RMS	834.8	18	60	Pass	461
860	1000	0.1	RMS	952	-62.48	-13	Pass	1401
1000	3000	1	RMS	2640	-46.8	-13	Pass	2001
3000	10000	1	RMS	9974	-41.04	-13	Pass	7001



11. LTE_Band66


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.94	-13	Pass	2986
30	1000	0.1	RMS	916.9	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-49.58	-13	Pass	701
1700	1790	1	RMS	1710.35	21.36	60	Pass	401
1790	3000	1	RMS	2646	-46.76	-13	Pass	1211
3000	12000	1	RMS	11853	-38.19	-13	Pass	9001
12000	20000	1	RMS	19999	-22.78	-13	Pass	8001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	951.2	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-49.99	-13	Pass	701
1700	1790	1	RMS	1710.35	20.4	60	Pass	401
1790	3000	1	RMS	2639	-46.76	-13	Pass	1211
3000	12000	1	RMS	11836	-38.22	-13	Pass	9001
12000	20000	1	RMS	20000	-22.84	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.86	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.19	-13	Pass	9701
1000	1700	1	RMS	1695	-51.26	-13	Pass	701
1700	1790	1	RMS	1744.55	21.15	60	Pass	401
1790	3000	1	RMS	2642	-46.75	-13	Pass	1211
3000	12000	1	RMS	11846	-38.25	-13	Pass	9001
12000	20000	1	RMS	19999	-22.83	-13	Pass	8001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.67	-13	Pass	2986
30	1000	0.1	RMS	937.8	-61.98	-13	Pass	9701
1000	1700	1	RMS	1699	-51.28	-13	Pass	701
1700	1790	1	RMS	1744.55	20.11	60	Pass	401
1790	3000	1	RMS	2641	-46.79	-13	Pass	1211
3000	12000	1	RMS	11850	-38.16	-13	Pass	9001
12000	20000	1	RMS	19994	-22.85	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.32	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1698	-51.26	-13	Pass	701
1700	1790	1	RMS	1778.75	20.77	60	Pass	401
1790	3000	1	RMS	2642	-46.79	-13	Pass	1211
3000	12000	1	RMS	11865	-38.18	-13	Pass	9001
12000	20000	1	RMS	20000	-22.87	-13	Pass	8001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1778.75	19.88	60	Pass	401
1790	3000	1	RMS	2643	-46.78	-13	Pass	1211
3000	12000	1	RMS	11845	-38.2	-13	Pass	9001
12000	20000	1	RMS	19992	-22.84	-13	Pass	8001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-49.97	-13	Pass	701
1700	1790	1	RMS	1710.35	21.13	60	Pass	401
1790	3000	1	RMS	2639	-46.8	-13	Pass	1211
3000	12000	1	RMS	11848	-38.22	-13	Pass	9001
12000	20000	1	RMS	19999	-22.84	-13	Pass	8001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.01	-13	Pass	701
1700	1790	1	RMS	1710.35	20.27	60	Pass	401
1790	3000	1	RMS	2641	-46.77	-13	Pass	1211
3000	12000	1	RMS	11850	-38.21	-13	Pass	9001
12000	20000	1	RMS	20000	-22.91	-13	Pass	8001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	1000	0.1	RMS	934.3	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.21	-13	Pass	701
1700	1790	1	RMS	1743.65	20.74	60	Pass	401
1790	3000	1	RMS	2646	-46.75	-13	Pass	1211
3000	12000	1	RMS	11852	-38.27	-13	Pass	9001
12000	20000	1	RMS	19993	-22.9	-13	Pass	8001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	1000	0.1	RMS	945.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.23	-13	Pass	701
1700	1790	1	RMS	1743.65	19.84	60	Pass	401
1790	3000	1	RMS	3000	-46.7	-13	Pass	1211
3000	12000	1	RMS	11860	-38.23	-13	Pass	9001
12000	20000	1	RMS	19995	-22.85	-13	Pass	8001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	1000	0.1	RMS	942.4	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1777.175	21.22	60	Pass	401
1790	3000	1	RMS	2651	-46.79	-13	Pass	1211
3000	12000	1	RMS	11845	-38.2	-13	Pass	9001
12000	20000	1	RMS	19999	-22.84	-13	Pass	8001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	1000	0.1	RMS	898.6	-62.29	-13	Pass	9701
1000	1700	1	RMS	1589	-51.28	-13	Pass	701
1700	1790	1	RMS	1777.175	20.35	60	Pass	401
1790	3000	1	RMS	2642	-46.83	-13	Pass	1211
3000	12000	1	RMS	11856	-38.23	-13	Pass	9001
12000	20000	1	RMS	19994	-22.83	-13	Pass	8001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	Pass	2986
30	1000	0.1	RMS	932.3	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-49.8	-13	Pass	701
1700	1790	1	RMS	1710.35	21.47	60	Pass	401
1790	3000	1	RMS	2638	-46.8	-13	Pass	1211
3000	12000	1	RMS	11850	-38.14	-13	Pass	9001
12000	20000	1	RMS	20000	-22.93	-13	Pass	8001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.08	-13	Pass	2986
30	1000	0.1	RMS	931.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-50.17	-13	Pass	701
1700	1790	1	RMS	1710.35	20.43	60	Pass	401
1790	3000	1	RMS	2643	-46.79	-13	Pass	1211
3000	12000	1	RMS	11852	-38.23	-13	Pass	9001
12000	20000	1	RMS	19994	-22.79	-13	Pass	8001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.19	-13	Pass	9701
1000	1700	1	RMS	1697	-51.24	-13	Pass	701
1700	1790	1	RMS	1742.75	20.9	60	Pass	401
1790	3000	1	RMS	2642	-46.8	-13	Pass	1211
3000	12000	1	RMS	11845	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-22.83	-13	Pass	8001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.27	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.06	-13	Pass	9701
1000	1700	1	RMS	1699	-51.22	-13	Pass	701
1700	1790	1	RMS	1742.75	20.06	60	Pass	401
1790	3000	1	RMS	2639	-46.76	-13	Pass	1211
3000	12000	1	RMS	11853	-38.18	-13	Pass	9001
12000	20000	1	RMS	19999	-22.82	-13	Pass	8001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.32	-13	Pass	2986
30	1000	0.1	RMS	913.5	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.22	-13	Pass	701
1700	1790	1	RMS	1775.375	21.79	60	Pass	401
1790	3000	1	RMS	2647	-46.82	-13	Pass	1211
3000	12000	1	RMS	11840	-38.1	-13	Pass	9001
12000	20000	1	RMS	19998	-22.88	-13	Pass	8001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	924.4	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1790	1	RMS	1775.375	21.09	60	Pass	401
1790	3000	1	RMS	2644	-46.76	-13	Pass	1211
3000	12000	1	RMS	11854	-38.19	-13	Pass	9001
12000	20000	1	RMS	19992	-22.87	-13	Pass	8001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.44	-13	Pass	2986
30	1000	0.1	RMS	968.8	-62.23	-13	Pass	9701
1000	1700	1	RMS	1693	-39.43	-13	Pass	701
1700	1790	1	RMS	1710.575	21.73	60	Pass	401
1790	3000	1	RMS	2650	-46.8	-13	Pass	1211
3000	12000	1	RMS	11877	-38.21	-13	Pass	9001
12000	20000	1	RMS	19999	-22.86	-13	Pass	8001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-13	Pass	2986
30	1000	0.1	RMS	873.016	-63.7	-13	Pass	9701
1000	1700	1	RMS	1693	-42.28	-13	Pass	701
1700	1790	1	RMS	1710.575	20.58	60	Pass	401
1790	3000	1	RMS	2947	-48.78	-13	Pass	1211
3000	12000	1	RMS	11847	-39.59	-13	Pass	9002
12000	20000	1	RMS	19394	-28.97	-13	Pass	8001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	836	-63.72	-13	Pass	9701
1000	1700	1	RMS	1697	-52.53	-13	Pass	701
1700	1790	1	RMS	1740.5	21.23	60	Pass	401
1790	3000	1	RMS	2946	-48.8	-13	Pass	1211
3000	12000	1	RMS	11852	-39.58	-13	Pass	9002
12000	20000	1	RMS	19398	-28.96	-13	Pass	8001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-13	Pass	2986
30	1000	0.1	RMS	927.8	-61.99	-13	Pass	9701
1000	1700	1	RMS	1697	-51.23	-13	Pass	701
1700	1790	1	RMS	1740.5	20.42	60	Pass	401
1790	3000	1	RMS	2645	-46.81	-13	Pass	1211
3000	12000	1	RMS	11886	-38.19	-13	Pass	9001
12000	20000	1	RMS	19999	-22.77	-13	Pass	8001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2986
30	1000	0.1	RMS	918.3	-62.42	-13	Pass	9701
1000	1700	1	RMS	1697	-51.39	-13	Pass	701
1700	1790	1	RMS	1770.65	22.07	60	Pass	401
1790	3000	1	RMS	2640	-46.97	-13	Pass	1211
3000	12000	1	RMS	11856	-38.59	-13	Pass	9001
12000	20000	1	RMS	20000	-23.32	-13	Pass	8001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	1000	0.1	RMS	928.2	-62.35	-13	Pass	9701
1000	1700	1	RMS	1697	-51.39	-13	Pass	701
1700	1790	1	RMS	1770.65	21.15	60	Pass	401
1790	3000	1	RMS	2643	-46.94	-13	Pass	1211
3000	12000	1	RMS	11855	-38.6	-13	Pass	9001
12000	20000	1	RMS	19999	-23.26	-13	Pass	8001



11.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2986
30	1000	0.1	RMS	931.2	-62.37	-13	Pass	9701
1000	1700	1	RMS	1698	-41.29	-13	Pass	701
1700	1790	1	RMS	1710.8	21.2	60	Pass	401
1790	3000	1	RMS	2643	-46.85	-13	Pass	1211
3000	12000	1	RMS	11852	-38.66	-13	Pass	9001
12000	20000	1	RMS	19993	-23.47	-13	Pass	8001



11.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	1000	0.1	RMS	937.7	-62.27	-13	Pass	9701
1000	1700	1	RMS	1697	-42.8	-13	Pass	701
1700	1790	1	RMS	1710.8	20.3	60	Pass	401
1790	3000	1	RMS	2648	-46.81	-13	Pass	1211
3000	12000	1	RMS	11850	-38.59	-13	Pass	9001
12000	20000	1	RMS	19997	-23.34	-13	Pass	8001



11.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.86	-13	Pass	2986
30	1000	0.1	RMS	952.5	-62.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1790	1	RMS	1738.25	21.06	60	Pass	401
1790	3000	1	RMS	2641	-46.87	-13	Pass	1211
3000	12000	1	RMS	11847	-38.57	-13	Pass	9001
12000	20000	1	RMS	20000	-23.37	-13	Pass	8001



11.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	1000	0.1	RMS	911.7	-62.32	-13	Pass	9701
1000	1700	1	RMS	1698	-51.26	-13	Pass	701
1700	1790	1	RMS	1738.25	20.1	60	Pass	401
1790	3000	1	RMS	2641	-46.85	-13	Pass	1211
3000	12000	1	RMS	11846	-38.57	-13	Pass	9001
12000	20000	1	RMS	20000	-23.41	-13	Pass	8001



11.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-13	Pass	2986
30	1000	0.1	RMS	941.4	-62.11	-13	Pass	9701
1000	1700	1	RMS	1694	-51.28	-13	Pass	701
1700	1790	1	RMS	1765.925	21.18	60	Pass	401
1790	3000	1	RMS	1792	-31.84	-13	Pass	1211
3000	12000	1	RMS	11865	-38.61	-13	Pass	9001
12000	20000	1	RMS	20000	-23.3	-13	Pass	8001



11.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-13	Pass	2986
30	1000	0.1	RMS	943.7	-62.23	-13	Pass	9701
1000	1700	1	RMS	1697	-51.26	-13	Pass	701
1700	1790	1	RMS	1765.925	20.4	60	Pass	401
1790	3000	1	RMS	1792	-32.5	-13	Pass	1211
3000	12000	1	RMS	11859	-38.52	-13	Pass	9001
12000	20000	1	RMS	19997	-23.33	-13	Pass	8001



11.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	1000	0.1	RMS	945.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-39.48	-13	Pass	701
1700	1790	1	RMS	1711.025	21.24	60	Pass	401
1790	3000	1	RMS	2642	-46.76	-13	Pass	1211
3000	12000	1	RMS	11863	-38.18	-13	Pass	9001
12000	20000	1	RMS	19997	-22.84	-13	Pass	8001



11.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.34	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62	-13	Pass	9701
1000	1700	1	RMS	1693	-40.93	-13	Pass	701
1700	1790	1	RMS	1711.025	20.36	60	Pass	401
1790	3000	1	RMS	2648	-46.75	-13	Pass	1211
3000	12000	1	RMS	11858	-38.1	-13	Pass	9001
12000	20000	1	RMS	19999	-22.78	-13	Pass	8001



11.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.73	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-46.73	-13	Pass	701
1700	1790	1	RMS	1736	21.38	60	Pass	401
1790	3000	1	RMS	2653	-46.75	-13	Pass	1211
3000	12000	1	RMS	11852	-38.17	-13	Pass	9001
12000	20000	1	RMS	19998	-22.75	-13	Pass	8001



11.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	1000	0.1	RMS	895.5	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-46.93	-13	Pass	701
1700	1790	1	RMS	1736	20.43	60	Pass	401
1790	3000	1	RMS	2648	-46.72	-13	Pass	1211
3000	12000	1	RMS	11847	-38.17	-13	Pass	9001
12000	20000	1	RMS	19998	-22.78	-13	Pass	8001



11.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	949	-62	-13	Pass	9701
1000	1700	1	RMS	1696	-51.14	-13	Pass	701
1700	1790	1	RMS	1760.975	21.06	60	Pass	401
1790	3000	1	RMS	1797	-36.11	-13	Pass	1211
3000	12000	1	RMS	11852	-38.18	-13	Pass	9001
12000	20000	1	RMS	20000	-22.73	-13	Pass	8001



11.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	1000	0.1	RMS	917.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1697	-51.14	-13	Pass	701
1700	1790	1	RMS	1760.975	20.1	60	Pass	401
1790	3000	1	RMS	1797	-36.86	-13	Pass	1211
3000	12000	1	RMS	11855	-38.13	-13	Pass	9001
12000	20000	1	RMS	19996	-22.81	-13	Pass	8001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.26	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.79	-13	Pass	2986
30	809	0.1	Peak	809	-50.2	-13	Pass	7791
809	829	0.1	Peak	814.2	24.49	60	Pass	401
829	1000	0.1	Peak	842	-51.66	-13	Pass	1711
1000	3000	1	Peak	2991	-35.04	-13	Pass	2001
3000	10000	1	Peak	9949	-28.75	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.8	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.3	-13	Pass	2986
30	809	0.1	Peak	809	-49.57	-13	Pass	7791
809	829	0.1	Peak	814.2	25.09	60	Pass	401
829	1000	0.1	Peak	903.9	-51.41	-13	Pass	1711
1000	3000	1	Peak	2797	-34.84	-13	Pass	2001
3000	10000	1	Peak	9966	-29.42	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-50.59	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.89	-13	Pass	2986
30	809	0.1	Peak	791.6	-51.58	-13	Pass	7791
809	829	0.1	Peak	818.5	24.46	60	Pass	401
829	1000	0.1	Peak	866.8	-51.22	-13	Pass	1711
1000	3000	1	Peak	2807	-35.06	-13	Pass	2001
3000	10000	1	Peak	9950	-29.3	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.94	-13	Pass	401
0.15	30	0.01	Peak	0.17	-51.84	-13	Pass	2986
30	809	0.1	Peak	800.5	-51.43	-13	Pass	7791
809	829	0.1	Peak	818.55	25.37	60	Pass	401
829	1000	0.1	Peak	889.5	-50.63	-13	Pass	1711
1000	3000	1	Peak	2762	-34.91	-13	Pass	2001
3000	10000	1	Peak	9525	-29.55	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.71	-13	Pass	2986
30	809	0.1	Peak	808.9	-52.12	-13	Pass	7791
809	829	0.1	Peak	822.85	24.34	60	Pass	401
829	1000	0.1	Peak	829.2	-49.85	-13	Pass	1711
1000	3000	1	Peak	2844	-34.73	-13	Pass	2001
3000	10000	1	Peak	9950	-29	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.88	-13	Pass	2986
30	809	0.1	Peak	767	-51.6	-13	Pass	7791
809	829	0.1	Peak	822.85	25.05	60	Pass	401
829	1000	0.1	Peak	829	-50.66	-13	Pass	1711
1000	3000	1	Peak	2947	-35.34	-13	Pass	2001
3000	10000	1	Peak	8120	-29.14	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.12	-13	Pass	2986
30	809	0.1	Peak	809	-36.54	-13	Pass	7791
809	829	0.1	Peak	814.2	24.29	60	Pass	401
829	1000	0.1	Peak	883.5	-51.63	-13	Pass	1711
1000	3000	1	Peak	2666	-35.59	-13	Pass	2001
3000	10000	1	Peak	9712	-28.57	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-49.65	-13	Pass	401
0.15	30	0.01	Peak	0.18	-52.54	-13	Pass	2986
30	809	0.1	Peak	809	-35.12	-13	Pass	7791
809	829	0.1	Peak	814.25	24.93	60	Pass	401
829	1000	0.1	Peak	1000	-51.51	-13	Pass	1711
1000	3000	1	Peak	2623	-35.04	-13	Pass	2001
3000	10000	1	Peak	7701	-28.56	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.33	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.12	-13	Pass	2986
30	809	0.1	Peak	808	-52.07	-13	Pass	7791
809	829	0.1	Peak	817.7	24.42	60	Pass	401
829	1000	0.1	Peak	868.4	-51.29	-13	Pass	1711
1000	3000	1	Peak	2681	-34.8	-13	Pass	2001
3000	10000	1	Peak	9978	-29.17	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.46	-13	Pass	2986
30	809	0.1	Peak	768.1	-51.15	-13	Pass	7791
809	829	0.1	Peak	817.75	25.22	60	Pass	401
829	1000	0.1	Peak	969.7	-51.28	-13	Pass	1711
1000	3000	1	Peak	2676	-34.94	-13	Pass	2001
3000	10000	1	Peak	9519	-28.33	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.66	-13	Pass	2986
30	809	0.1	Peak	775.9	-51.13	-13	Pass	7791
809	829	0.1	Peak	821.25	24.15	60	Pass	401
829	1000	0.1	Peak	829.1	-51.33	-13	Pass	1711
1000	3000	1	Peak	2634	-35.45	-13	Pass	2001
3000	10000	1	Peak	9529	-29.39	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.41	-13	Pass	2986
30	809	0.1	Peak	805	-51.88	-13	Pass	7791
809	829	0.1	Peak	821.2	24.84	60	Pass	401
829	1000	0.1	Peak	831.3	-48.93	-13	Pass	1711
1000	3000	1	Peak	2732	-35.56	-13	Pass	2001
3000	10000	1	Peak	8127	-29.01	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.97	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.44	-13	Pass	2986
30	809	0.1	Peak	805.8	-44.32	-13	Pass	7791
809	829	0.1	Peak	814.35	25.07	60	Pass	401
829	1000	0.1	Peak	831.7	-50.6	-13	Pass	1711
1000	3000	1	Peak	2534	-35.23	-13	Pass	2001
3000	10000	1	Peak	9961	-28.37	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.15	-13	Pass	2986
30	809	0.1	Peak	805.7	-44.65	-13	Pass	7791
809	829	0.1	Peak	814.3	25.51	60	Pass	401
829	1000	0.1	Peak	831.6	-46.56	-13	Pass	1711
1000	3000	1	Peak	2634	-35.21	-13	Pass	2001
3000	10000	1	Peak	9504	-29.2	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.02	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.97	-13	Pass	2986
30	809	0.1	Peak	808.3	-35.36	-13	Pass	7791
809	829	0.1	Peak	816.85	24.43	60	Pass	401
829	1000	0.1	Peak	829.8	-50.54	-13	Pass	1711
1000	3000	1	Peak	2633	-35.56	-13	Pass	2001
3000	10000	1	Peak	9974	-29.23	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.84	-13	Pass	2986
30	809	0.1	Peak	808.3	-33.69	-13	Pass	7791
809	829	0.1	Peak	816.8	24.97	60	Pass	401
829	1000	0.1	Peak	839.8	-50.82	-13	Pass	1711
1000	3000	1	Peak	2556	-35.25	-13	Pass	2001
3000	10000	1	Peak	9492	-28.7	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.57	-13	Pass	2986
30	809	0.1	Peak	799.9	-51.71	-13	Pass	7791
809	829	0.1	Peak	819.35	24.45	60	Pass	401
829	1000	0.1	Peak	891.2	-50.32	-13	Pass	1711
1000	3000	1	Peak	2624	-35.25	-13	Pass	2001
3000	10000	1	Peak	6992	-29.56	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.87	-13	Pass	401
0.15	30	0.01	Peak	0.17	-50.78	-13	Pass	2986
30	809	0.1	Peak	807.7	-51.93	-13	Pass	7791
809	829	0.1	Peak	819.35	25.07	60	Pass	401
829	1000	0.1	Peak	830.3	-49.04	-13	Pass	1711
1000	3000	1	Peak	2931	-35.31	-13	Pass	2001
3000	10000	1	Peak	9480	-29.06	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-49.37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.4	-13	Pass	2986
30	809	0.1	Peak	805.8	-48.43	-13	Pass	7791
809	829	0.1	Peak	814.55	24.54	60	Pass	401
829	1000	0.1	Peak	832.4	-31.72	-13	Pass	1711
1000	3000	1	Peak	2667	-35.21	-13	Pass	2001
3000	10000	1	Peak	9963	-29.33	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.91	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.96	-13	Pass	2986
30	809	0.1	Peak	805.8	-48.07	-13	Pass	7791
809	829	0.1	Peak	814.6	24.88	60	Pass	401
829	1000	0.1	Peak	832.2	-22.62	-13	Pass	1711
1000	3000	1	Peak	3000	-34.9	-13	Pass	2001
3000	10000	1	Peak	9958	-29.22	-13	Pass	7001



--BLANK BELOW--