




CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 23230
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-52.54	-13.00	39.54	17.16	H	286.5	2.00
3	2,332.500	-46.97	-13.00	33.97	24.28	H	359	2.00







CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 23230
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,555.000	-52.56	-13.00	39.56	16.80	V	286.4	2.00
3	2,332.500	-48.03	-13.00	35.03	23.80	V	1	1.00








CHANNEL BANDWIDTH	5MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,357.000	-46.20	-13.00	33.20	14.78	V	198.1	1.00
2	2,034.750	-52.18	-13.00	39.18	18.59	V	161.2	2.00






CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,352.000	-54.11	-13.00	41.11	13.91	H	58.6	1.00
2	2,028.000	-53.05	-13.00	40.05	18.13	H	22.6	2.00






CHANNEL BANDWIDTH	10MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,357.000	-50.03	-13.00	37.03	14.78	V	164.1	2.00
2	2,028.000	-52.23	-13.00	39.23	18.70	V	1	1.00






CH 133297

CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.500	-44.33	-13.00	31.33	16.38	H	1	1.00
2	1,991.250	-50.77	-13.00	37.77	21.19	H	359	2.00






CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,327.500	-52.51	-13.00	39.51	16.45	V	357.8	1.00
2	1,991.250	-50.80	-13.00	37.80	21.16	V	359	2.00






CH 133297

CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-44.57	-13.00	31.57	13.98	H	1	2.00
2	2,021.250	-52.34	-13.00	39.34	18.18	H	276.6	1.00






CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-43.45	-13.00	30.45	14.67	V	159.8	2.00
2	2,021.250	-51.23	-13.00	38.23	18.68	V	359	1.00






CH 133297

CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,368.000	-47.51	-13.00	34.51	13.53	H	201.5	1.00
2	2,051.250	-52.57	-13.00	39.57	17.96	H	201.5	1.00






CHANNEL BANDWIDTH	15MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,367.500	-48.86	-13.00	35.86	14.64	V	159.8	2.00
2	2,051.250	-51.42	-13.00	38.42	18.76	V	359	2.00






CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,348.500	-46.83	-13.00	33.83	13.97	H	341.7	1.00
2	2,022.000	-51.26	-13.00	38.26	18.18	H	198.1	1.00






CHANNEL BANDWIDTH	20MHz / QPSK	MODE	TX channel 133297
FREQUENCY RANGE	Above 1000MHz	ENVIRONMENTAL CONDITIONS	23deg. C, 70%RH
INPUT POWER	DC 3.7V	TESTED BY	Hanwen Xu

ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

Rg	Frequency [MHz]	PK+ Level [dBm]	PK+ Limit [dBm]	PK+ Margin [dB]	Correction [dB]	Polarization	Azimuth [deg]	Antenna Height [m]
2	1,347.500	-49.32	-13.00	36.32	14.67	V	161.2	2.00
2	2,022.000	-49.97	-13.00	36.97	18.70	V	0.9	2.00




3.7 PEAK TO AVERAGE RATIO

3.7.1 LIMITS OF PEAK TO AVERAGE RATIO MEASUREMENT

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

3.7.2 TEST SETUP



3.7.3 TEST PROCEDURES

1. Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Record the maximum PAPR level associated with a probability of 0.1%.

3.7.4 TEST RESULTS

Please Refer to Appendix of this test report.



4 INFORMATION ON THE TESTING LABORATORIES

We, Huarui 7layers High Technology (Suzhou) Co., Ltd. ,were founded in 2020 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

Huarui 7Layers High Technology (Suzhou) Co., Ltd.

Lab Address:

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province, China

Accredited Test Lab Cert 6613.01

If you have any comments, please feel free to contact us at the following:

Suzhou EMC/RF Lab:

Tel: +86 (0557) 368 1008



5 MODIFICATIONS RECORDERS FOR ENGINEERING CHANGES TO THE EUT BY THE LAB

No any modifications are made to the EUT by the lab during the test.



6 Appendix


WCDMA B4


PEAK-TO-AVERAGE RATIO

Test Result


Band	Channel	Peak-to-Average Ratio(dB)	Limit(dBm)	Verdict
Band4	1312	2.90	13	PASS
Band4	1413	2.74	13	PASS
Band4	1513	3.08	13	PASS

Test Graphs





Band4-1513





26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result


Band	Channel	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band4	1312	4.153	4.67	PASS
Band4	1413	4.154	4.68	PASS
Band4	1513	4.149	4.67	PASS




Test Graphs


Occupied Bandwidth






26dB Bandwidth





Band4-1513






BAND EDGE

Test Result

Band	Channel	Result (dBm)	Limit(dBm)	Verdict
Band4	1312	See Graph	-13	PASS
Band4	1513	See Graph	-13	PASS



Test Graphs






BUREAU VERITAS Test Report No.: PSU-QSZ2507090114RF03
CONDUCTED SPURIOUS EMISSION


Test Result

Band	Channel	Frequency Range (Mhz)	Result (dBm)	Limit (dBm)	Verdict
Band4	1312	30~15000MHZ	See Graph	-13	PASS
Band4	1312	15000~17550MHZ	See Graph	-13	PASS
Band4	1413	30~15000MHZ	See Graph	-13	PASS
Band4	1312	15000~17550MHZ	See Graph	-13	PASS
Band4	1513	30~15000MHZ	See Graph	-13	PASS
Band4	1312	15000~17550MHZ	See Graph	-13	PASS




Test Graphs







Band4-1413-15000~17550MHZ



Band4-1513-30~15000MHZ



Band4-1513-15000~17550MHZ



FREQUENCY STABILITY

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	VL	NT	0.73	0.0004	±2.5	PASS
Band4	1312	VN	NT	-13.10	-0.0077	±2.5	PASS
Band4	1312	VH	NT	-134.51	-0.0786	±2.5	PASS
Band4	1413	VL	NT	-24.18	-0.0138	±2.5	PASS
Band4	1413	VN	NT	-41.38	-0.0237	±2.5	PASS
Band4	1413	VH	NT	3.22	0.0018	±2.5	PASS
Band4	1513	VL	NT	-151.64	-0.0851	±2.5	PASS
Band4	1513	VN	NT	-171.18	-0.0960	±2.5	PASS
Band4	1513	VH	NT	-169.34	-0.0950	±2.5	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band4	1312	NV	-30	-9.63	-0.0056	±2.5	PASS
Band4	1312	NV	-20	-164.13	0.0009	±2.5	PASS
Band4	1312	NV	0	-124.66	-0.0728	±2.5	PASS
Band4	1312	NV	-10	17.19	0.0100	±2.5	PASS
Band4	1312	NV	10	-152.78	-0.0892	±2.5	PASS
Band4	1312	NV	20	-91.41	-0.0534	±2.5	PASS
Band4	1312	NV	30	-19.94	-0.0116	±2.5	PASS
Band4	1312	NV	40	-0.24	-0.0001	±2.5	PASS
Band4	1312	NV	50	-147.78	-0.0863	±2.5	PASS
Band4	1413	NV	-30	-155.55	-0.0890	±2.5	PASS
Band4	1413	NV	-20	-145.04	-0.0830	±2.5	PASS
Band4	1413	NV	-10	-165.51	-0.0947	±2.5	PASS
Band4	1413	NV	0	-125.30	-0.0717	±2.5	PASS
Band4	1413	NV	10	-44.13	-0.0253	±2.5	PASS
Band4	1413	NV	20	10.14	0.0058	±2.5	PASS
Band4	1413	NV	30	-95.44	-0.0546	±2.5	PASS
Band4	1413	NV	40	-61.79	-0.0354	±2.5	PASS
Band4	1413	NV	50	-78.30	-0.0448	±2.5	PASS
Band4	1513	NV	-30	-1.53	-0.0009	±2.5	PASS
Band4	1513	NV	-20	-126.53	-0.0710	±2.5	PASS
Band4	1513	NV	-10	-46.22	-0.0259	±2.5	PASS
Band4	1513	NV	0	-33.29	-0.0187	±2.5	PASS
Band4	1513	NV	10	-141.73	-0.0795	±2.5	PASS
Band4	1513	NV	20	-179.19	-0.1005	±2.5	PASS
Band4	1513	NV	30	-161.32	-0.0905	±2.5	PASS
Band4	1513	NV	40	-1.92	-0.0011	±2.5	PASS
Band4	1513	NV	50	-48.28	-0.0271	±2.5	PASS



LTE BAND7

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Bandwidth	Modulation	Channel	RB Configuration	Result (dB)	Limit (dB)	Verdict
5MHz	QPSK	20775	1RB Low	5.38	13	PASS
5MHz	QPSK	20775	Full RB	5.72	13	PASS
5MHz	16QAM	20775	1RB Low	5.76	13	PASS
5MHz	16QAM	20775	Full RB	6.40	13	PASS
5MHz	QPSK	21100	1RB Low	5.32	13	PASS
5MHz	QPSK	21100	Full RB	5.72	13	PASS
5MHz	16QAM	21100	1RB Low	5.96	13	PASS
5MHz	16QAM	21100	Full RB	6.46	13	PASS
5MHz	QPSK	21425	1RB Low	5.44	13	PASS
5MHz	QPSK	21425	Full RB	5.60	13	PASS
5MHz	16QAM	21425	1RB Low	5.94	13	PASS
5MHz	16QAM	21425	Full RB	6.34	13	PASS
10MHz	QPSK	20800	1RB Low	5.10	13	PASS
10MHz	QPSK	20800	Full RB	5.50	13	PASS
10MHz	16QAM	20800	1RB Low	6.28	13	PASS
10MHz	16QAM	20800	Full RB	6.36	13	PASS
10MHz	QPSK	21100	1RB Low	5.36	13	PASS
10MHz	QPSK	21100	Full RB	5.58	13	PASS
10MHz	16QAM	21100	1RB Low	6.80	13	PASS
10MHz	16QAM	21100	Full RB	6.40	13	PASS
10MHz	QPSK	21400	1RB Low	4.98	13	PASS
10MHz	QPSK	21400	Full RB	5.54	13	PASS
10MHz	16QAM	21400	1RB Low	5.80	13	PASS
10MHz	16QAM	21400	Full RB	6.36	13	PASS
15MHz	QPSK	20825	1RB Low	5.14	13	PASS
15MHz	QPSK	20825	Full RB	5.88	13	PASS
15MHz	16QAM	20825	1RB Low	6.26	13	PASS
15MHz	16QAM	20825	Full RB	6.36	13	PASS
15MHz	QPSK	21100	1RB Low	5.58	13	PASS
15MHz	QPSK	21100	Full RB	5.92	13	PASS
15MHz	16QAM	21100	1RB Low	6.44	13	PASS
15MHz	16QAM	21100	Full RB	6.42	13	PASS
15MHz	QPSK	21375	1RB Low	4.94	13	PASS
15MHz	QPSK	21375	Full RB	5.82	13	PASS
15MHz	16QAM	21375	1RB Low	5.94	13	PASS
15MHz	16QAM	21375	Full RB	6.42	13	PASS
20MHz	QPSK	20850	1RB Low	5.34	13	PASS
20MHz	QPSK	20850	Full RB	5.50	13	PASS
20MHz	16QAM	20850	1RB Low	6.12	13	PASS
20MHz	16QAM	20850	Full RB	6.34	13	PASS
20MHz	QPSK	21100	1RB Low	5.76	13	PASS
20MHz	QPSK	21100	Full RB	5.62	13	PASS
20MHz	16QAM	21100	1RB Low	6.76	13	PASS
20MHz	16QAM	21100	Full RB	6.32	13	PASS

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




BUREAU VERITAS Test Report No.: PSU-QSZ2507090114RF03

20MHz	QPSK	21350	1RB Low	5.12	13	PASS
20MHz	QPSK	21350	Full RB	5.56	13	PASS
20MHz	16QAM	21350	1RB Low	6.04	13	PASS
20MHz	16QAM	21350	Full RB	6.34	13	PASS




Test Graphs


Band7-5M-Low-QPSK-1RB Low




Band7-5M-Low-QPSK-Full RB




Band7-5M-Low-16QAM-1RB Low




Band7-5M-Low-16QAM-Full RB



Band7-5M-Mid-QPSK-1RB Low




Band7-5M-Mid-QPSK-Full RB




Band7-5M-Mid-16QAM-1RB Low


Band7-5M-Mid-16QAM-Full RB




Band7-5M-High-QPSK-1RB Low




Band7-5M-High-QPSK-Full RB




Band7-5M-High-16QAM-1RB Low




Band7-5M-High-16QAM-Full RB




Band7-10M-Low-QPSK-1RB Low




Band7-10M-Low-QPSK-Full RB




Band7-10M-Low-16QAM-1RB Low




Band7-10M-Low-16QAM-Full RB




Band7-10M-Mid-QPSK-1RB Low




Band7-10M-Mid-QPSK-Full RB




Band7-10M-Mid-16QAM-1RB Low




Band7-10M-Mid-16QAM-Full RB




Band7-10M-High-QPSK-1RB Low




Band7-10M-High-QPSK-Full RB




Band7-10M-High-16QAM-1RB Low




Band7-10M-High-16QAM-Full RB




Band7-15M-Low-QPSK-1RB Low




Band7-15M-Low-QPSK-Full RB




Band7-15M-Low-16QAM-1RB Low




Band7-15M-Low-16QAM-Full RB




Band7-15M-Mid-QPSK-1RB Low




Band7-15M-Mid-QPSK-Full RB




Band7-15M-Mid-16QAM-1RB Low




Band7-15M-Mid-16QAM-Full RB




Band7-15M-High-QPSK-1RB Low




Band7-15M-High-QPSK-Full RB




Band7-15M-High-16QAM-1RB Low




Band7-15M-High-16QAM-Full RB




Band7-20M-Low-QPSK-1RB Low




Band7-20M-Low-QPSK-Full RB




Band7-20M-Low-16QAM-1RB Low




Band7-20M-Low-16QAM-Full RB




Band7-20M-Mid-QPSK-1RB Low




Band7-20M-Mid-QPSK-Full RB




Band7-20M-Mid-16QAM-1RB Low




Band7-20M-Mid-16QAM-Full RB




Band7-20M-High-QPSK-1RB Low



Band7-20M-High-QPSK-Full RB



Band7-20M-High-16QAM-1RB Low



Band7-20M-High-16QAM-Full RB

