Appendix A

RF Test Data for BT V4.2(BDR/EDR) (Conducted Measurement)

Product Name: Wi-Fi Module

Trade Mark: N/A

Test Model: EWN-1638ACX2AA

Environmental Conditions

Temperature:	22.8°C
Relative Humidity:	51.7%
ATM Pressure:	100.0 kPa
Test Engineer:	Jack Liu
Supervised by:	Li Huan

A.1 Maximum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	4.129	21	PASS
	MCH	4.390	21	PASS
	HCH	4.113	21	PASS
π/4DQPSK	LCH	5.466	21	PASS
	MCH	5.812	21	PASS
	HCH	5.633	21	PASS
8DPSK	LCH	6.123	21	PASS
	MCH	6.387	21	PASS
	HCH	6.079	21	PASS

Test Graphs		
GFSK/LCH		
GFSK/MCH		

GFSK/HCH		
π/4DQPSK/LCH		

π/4DQPSK/MCH		
π/4DQPSK/HCH		

8DPSK/LCH		
8DPSK/MCH		

8DPSK/HCH	

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
04:26:51 PM Mar 31, 2020
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr1 2.480 012 50 GHz
6.079 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9452	Not Specified	PASS
	MCH	0.9448	Not Specified	PASS
	HCH	0.9456	Not Specified	PASS
π/4DQPSK	LCH	1.288	Not Specified	PASS
	MCH	1.289	Not Specified	PASS
	HCH	1.288	Not Specified	PASS
8DPSK	LCH	1.296	Not Specified	PASS
	MCH	1.295	Not Specified	PASS
	HCH	1.296	Not Specified	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	1.000	0.630	PASS
	MCH	1.226	0.630	PASS
	HCH	1.022	0.630	PASS
π/4DQPSK	LCH	1.008	0.859	PASS
	MCH	1.112	0.859	PASS
	HCH	1.208	0.859	PASS
8DPSK	LCH	0.976	0.864	PASS
	MCH	0.932	0.864	PASS
	HCH	1.012	0.864	PASS

Test Graphs

GFSK/LCH



GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	
8DPSK/LCH	

8DPSK/MCH	
8DPSK/HCH	

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs	
GFSK/Hop	
π/4DQPSK/Hop	

8DPSK/Hop	

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
04:48:17 PM Mar 31, 2020
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
ΔMkr1 78.354 MHz
1.032 dB
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 78.354 MHz (Δ) 1.032 dB
2 F f 2.401 806 GHz 2.893 dBm
Frequency
Auto Tune
Center Freq
2.441750000 GHz
Start Freq
2.400000000 GHz
Stop Freq
2.483500000 GHz
CF Step
8.350000 MHz
Auto
Man
Freq Offset
0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.87	106.7	0.306	0.4	PASS
	DH5	MCH	2.87	106.7	0.306	0.4	PASS
	DH5	HCH	2.87	106.7	0.306	0.4	PASS
π/4DQPSK	2DH5	LCH	2.87	106.7	0.015	0.4	PASS
	2DH5	MCH	2.87	106.7	0.015	0.4	PASS
	2DH5	HCH	2.87	106.7	0.015	0.4	PASS
8DPSK	3DH5	LCH	2.87	106.7	0.015	0.4	PASS
	3DH5	MCH	2.87	106.7	0.307	0.4	PASS
	3DH5	HCH	2.87	106.7	0.015	0.4	PASS

Test Graphs

GFSK_DH5/LCH



GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	
8DPSK _3DH5/LCH	

8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	3.911	-37.291	-16.089	PASS
	MCH	4.187	-36.661	-15.813	PASS
	HCH	3.866	-36.371	-16.134	PASS
π/4DQPSK	LCH	3.866	-36.361	-16.134	PASS
	MCH	4.21	-36.306	-15.790	PASS
	HCH	3.913	-37.726	-16.087	PASS
8DPSK	LCH	3.886	-37.618	-16.114	PASS
	MCH	4.262	-37.700	-15.738	PASS
	HCH	3.971	-37.391	-16.029	PASS

GFSK_LCH_Graphs

Pref



Puw		

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
SENSE:INT
ALIGN AUTO
04:01:44 PM Mar 31, 2020
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 2/10
TRACE 1 2 3 4 5 6
TYPE M
DET P P P P P
Ref Offset 8.05 dB
10 dB/div
Log
Ref 20.00 dBm
Mkr2 24.713 GHz
-37.291 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
-16.09 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (8001 pts)
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto
Man
Freq Offset
0 Hz
MSG
STATUS

GFSK_MCH_Graphs			
Pref			
Puw			

GFSK_HCH_Graphs			
Pref			
Puw			

π/4DQPSK_LCH_Graphs			
Pref			
Puw			

π/4DQPSK_MCH_Graphs			
Pref			
Puw			

π/4DQPSK_HCH_Graphs			
Pref			
Puw			

8DPSK_LCH_Graphs			
Pref			
Puw			

8DPSK_MCH_Graphs			
Pref			
Puw			

8DPSK_HCH_Graphs			
Pref			
Puw			

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	3.906	Off	-49.432	-16.09	PASS
			4.822	On	-48.737	-15.18	PASS
	HCH	2480	3.906	Off	-48.753	-16.09	PASS
			5.105	On	-48.959	-14.9	PASS
π/4DQPSK	LCH	2402	3.741	Off	-49.652	-16.26	PASS
			4.577	On	-48.654	-15.42	PASS
	HCH	2480	4.003	Off	-48.351	-16	PASS
			4.596	On	-48.555	-15.4	PASS
8DPSK	LCH	2402	4.022	Off	-48.982	-15.98	PASS
			4.539	On	-48.879	-15.46	PASS
	HCH	2480	4.041	Off	-48.257	-15.96	PASS
			4.817	On	-48.600	-15.18	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/LCH/Hop	

π/4DQPSK/HCH/No Hop	
π/4DQPSK/HCH/Hop	

8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop	
8DPSK/HCH/Hop	

A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-41.63	2.0	0	55.63	PEAK	74	PASS
	Off	2310.0	-53.23	2.0	0	44.03	AV	54	PASS
	Off	2390.0	-42.45	2.0	0	54.81	PEAK	74	PASS
	Off	2390.0	-52.82	2.0	0	44.44	AV	54	PASS
	Off	2483.5	-41.26	2.0	a0	56.00	PEAK	74	PASS
	Off	2483.5	-52.13	2.0	0	45.13	AV	54	PASS
	Off	2500.0	-42.82	2.0	0	54.44	PEAK	74	PASS
	Off	2500.0	-52.23	2.0	0	45.03	AV	54	PASS
π/4DQPSK	Off	2310.0	-42.98	2.0	0	54.28	PEAK	74	PASS
	Off	2310.0	-53.34	2.0	0	43.92	AV	54	PASS
	Off	2390.0	-42.73	2.0	0	54.53	PEAK	74	PASS
	Off	2390.0	-52.87	2.0	0	44.39	AV	54	PASS
	Off	2483.5	-42.03	2.0	0	55.23	PEAK	74	PASS
	Off	2483.5	-52.21	2.0	0	45.05	AV	54	PASS
	Off	2500.0	-41.72	2.0	0	55.54	PEAK	74	PASS
	Off	2500.0	-52.23	2.0	0	45.03	AV	54	PASS
8DPSK	Off	2310.0	-42.76	2.0	0	54.50	PEAK	74	PASS
	Off	2310.0	-53.29	2.0	0	43.97	AV	54	PASS
	Off	2390.0	-42.89	2.0	0	54.37	PEAK	74	PASS
	Off	2390.0	-52.85	2.0	0	44.41	AV	54	PASS
	Off	2483.5	-42.65	2.0	0	54.61	PEAK	74	PASS
	Off	2483.5	-52.00	2.0	0	45.26	AV	54	PASS
	Off	2500.0	-42.13	2.0	0	55.13	PEAK	74	PASS
	Off	2500.0	-52.27	2.0	0	44.99	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)