




802.11ax/160MHz/MCS0/6665MHz/Ch143 (OBW)




802.11ax/160MHz/MCS0/6665MHz/Ch143 (EBW)




802.11ax/160MHz/MCS0/6825MHz/Ch175 (OBW)




802.11ax/160MHz/MCS0/6825MHz/Ch175 (EBW)



802.11ax/160MHz/MCS0/6985MHz/Ch207 (OBW)



802.11ax/160MHz/MCS0/6985MHz/Ch207 (EBW)



Appendix C. Test Result of Maximum E.I.R.P. Power

802.11a

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	78.00	25.29	0.04	95.23	8.10	24.00	Pass
6195	77.09	26.56	0.04	95.23	8.46	24.00	Pass
6415	74.52	27.83	0.04	95.23	7.16	24.00	Pass
6435	74.66	27.94	0.04	95.23	7.41	24.00	Pass
6475	74.93	28.18	0.04	95.23	7.92	24.00	Pass
6515	74.96	28.33	0.04	95.23	8.10	24.00	Pass
6535	74.90	28.35	0.04	95.23	8.06	24.00	Pass
6695	74.01	28.35	0.04	95.23	7.17	24.00	Pass
6855	74.90	28.55	0.04	95.23	8.26	24.00	Pass
6875 (U-NII 7~8)	73.96	28.57	0.04	95.23	7.34	24.00	Pass
6895	73.92	28.58	0.04	95.23	7.31	24.00	Pass
7015	73.86	28.67	0.04	95.23	7.34	24.00	Pass
7115	73.12	28.85	0.04	95.23	6.78	24.00	Pass

802.11ax (20 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	77.81	25.29	0.02	95.23	7.89	24.00	Pass
6195	76.55	26.56	0.02	95.23	7.90	24.00	Pass
6415	75.12	27.83	0.02	95.23	7.74	24.00	Pass
6435	74.90	27.94	0.02	95.23	7.63	24.00	Pass
6475	74.91	28.18	0.02	95.23	7.88	24.00	Pass
6515	73.81	28.33	0.02	95.23	6.93	24.00	Pass
6535	74.24	28.35	0.02	95.23	7.38	24.00	Pass
6695	73.95	28.35	0.02	95.23	7.09	24.00	Pass
6855	74.23	28.55	0.02	95.23	7.57	24.00	Pass
6875 (U-NII 7~8)	73.93	28.57	0.02	95.23	7.29	24.00	Pass
6895	73.78	28.58	0.02	95.23	7.15	24.00	Pass
7015	74.05	28.67	0.02	95.23	7.51	24.00	Pass
7115	73.80	28.85	0.02	95.23	7.44	24.00	Pass

802.11ax (40 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5965	80.22	25.32	0.01	95.23	10.32	24.00	Pass
6205	79.40	26.61	0.01	95.23	10.79	24.00	Pass
6405	78.92	27.76	0.01	95.23	11.46	24.00	Pass
6445	78.48	28.01	0.01	95.23	11.27	24.00	Pass
6485	78.14	28.23	0.01	95.23	11.15	24.00	Pass
6525 (U-NII-6~7)	77.41	28.34	0.01	95.23	10.53	24.00	Pass
6565	76.62	28.36	0.01	95.23	9.76	24.00	Pass
6725	77.39	28.47	0.01	95.23	10.64	24.00	Pass
6845	76.53	28.55	0.01	95.23	9.86	24.00	Pass
6885 (U-NII-7~8)	76.70	28.57	0.01	95.23	10.05	24.00	Pass
6925	76.31	28.60	0.01	95.23	9.69	24.00	Pass
7005	76.44	28.65	0.01	95.23	9.87	24.00	Pass
7085	76.34	28.80	0.01	95.23	9.92	24.00	Pass

802.11ax (80 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5985	83.31	25.39	0.02	95.23	13.49	24.00	Pass
6225	80.55	26.73	0.02	95.23	12.07	24.00	Pass
6385	80.31	27.65	0.02	95.23	12.75	24.00	Pass
6465	78.91	28.12	0.02	95.23	11.82	24.00	Pass
6545 (U-NII-6~7)	78.28	28.35	0.02	95.23	11.42	24.00	Pass
6625	78.72	28.40	0.02	95.23	11.91	24.00	Pass
6705	79.01	28.46	0.02	95.23	12.26	24.00	Pass
6785	78.45	28.51	0.02	95.23	11.75	24.00	Pass
6865 (U-NII-7~8)	78.06	28.56	0.02	95.23	11.41	24.00	Pass
6945	78.66	28.62	0.02	95.23	12.07	24.00	Pass
7025	76.65	28.70	0.02	95.23	10.14	24.00	Pass

802.11ax (160 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
6025	83.86	25.57	0.10	95.23	14.30	24.00	Pass
6185	84.26	26.50	0.10	95.23	15.63	24.00	Pass
6345	82.91	27.43	0.10	95.23	15.21	24.00	Pass
6505 (U-NII-6~7)	80.40	28.32	0.10	95.23	13.59	24.00	Pass
6665	81.88	28.43	0.10	95.23	15.18	24.00	Pass
6825 (U-NII-7~8)	79.46	28.54	0.10	95.23	12.87	24.00	Pass
6985	79.29	28.64	0.10	95.23	12.80	24.00	Pass

Appendix D. Test Result of Maximum E.I.R.P. Power Spectral Density

802.11a

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	68.62	25.29	0.04	95.23	-1.28	-1.00	Pass
6195	67.46	26.56	0.04	95.23	-1.17	-1.00	Pass
6415	66.22	27.83	0.04	95.23	-1.14	-1.00	Pass
6435	66.14	27.94	0.04	95.23	-1.11	-1.00	Pass
6475	65.76	28.18	0.04	95.23	-1.25	-1.00	Pass
6515	65.72	28.33	0.04	95.23	-1.14	-1.00	Pass
6535	65.57	28.35	0.04	95.23	-1.27	-1.00	Pass
6695	65.60	28.35	0.04	95.23	-1.24	-1.00	Pass
6855	65.51	28.55	0.04	95.23	-1.13	-1.00	Pass
6875 (U-NII 7~8)	65.39	28.57	0.04	95.23	-1.23	-1.00	Pass
6895	65.36	28.58	0.04	95.23	-1.25	-1.00	Pass
7015	65.34	28.67	0.04	95.23	-1.18	-1.00	Pass
7115	65.07	28.85	0.04	95.23	-1.27	-1.00	Pass

802.11ax (20 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5955	68.86	25.29	0.02	95.23	-1.06	-1.00	Pass
6195	67.42	26.56	0.02	95.23	-1.23	-1.00	Pass
6415	66.14	27.83	0.02	95.23	-1.24	-1.00	Pass
6435	66.07	27.94	0.02	95.23	-1.20	-1.00	Pass
6475	65.88	28.18	0.02	95.23	-1.15	-1.00	Pass
6515	65.81	28.33	0.02	95.23	-1.07	-1.00	Pass
6535	65.73	28.35	0.02	95.23	-1.13	-1.00	Pass
6695	65.56	28.35	0.02	95.23	-1.30	-1.00	Pass
6855	65.48	28.55	0.02	95.23	-1.18	-1.00	Pass
6875 (U-NII 7~8)	65.45	28.57	0.02	95.23	-1.19	-1.00	Pass
6895	65.38	28.58	0.02	95.23	-1.25	-1.00	Pass
7015	65.40	28.67	0.02	95.23	-1.14	-1.00	Pass
7115	65.23	28.85	0.02	95.23	-1.13	-1.00	Pass

802.11ax (40 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5965	68.68	25.32	0.01	95.23	-1.22	-1.00	Pass
6205	67.38	26.61	0.01	95.23	-1.23	-1.00	Pass
6405	66.27	27.76	0.01	95.23	-1.19	-1.00	Pass
6445	65.98	28.01	0.01	95.23	-1.23	-1.00	Pass
6485	65.74	28.23	0.01	95.23	-1.25	-1.00	Pass
6525 (U-NII-6~7)	65.62	28.34	0.01	95.23	-1.26	-1.00	Pass
6565	65.77	28.36	0.01	95.23	-1.09	-1.00	Pass
6725	65.55	28.47	0.01	95.23	-1.20	-1.00	Pass
6845	65.54	28.55	0.01	95.23	-1.13	-1.00	Pass
6885 (U-NII-7~8)	65.55	28.57	0.01	95.23	-1.10	-1.00	Pass
6925	65.39	28.60	0.01	95.23	-1.23	-1.00	Pass
7005	65.42	28.65	0.01	95.23	-1.15	-1.00	Pass
7085	65.22	28.80	0.01	95.23	-1.20	-1.00	Pass


802.11ax (80 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
5985	68.38	25.39	0.023	95.23	-1.44	-1.00	Pass
6225	66.89	26.73	0.023	95.23	-1.59	-1.00	Pass
6385	66.41	27.65	0.023	95.23	-1.15	-1.00	Pass
6465	65.28	28.12	0.023	95.23	-1.81	-1.00	Pass
6545 (U-NII-6~7)	65.11	28.35	0.023	95.23	-1.75	-1.00	Pass
6625	65.42	28.40	0.023	95.23	-1.39	-1.00	Pass
6705	65.49	28.46	0.023	95.23	-1.26	-1.00	Pass
6785	65.46	28.51	0.023	95.23	-1.24	-1.00	Pass
6865 (U-NII-7~8)	64.24	28.56	0.023	95.23	-2.41	-1.00	Pass
6945	65.35	28.62	0.023	95.23	-1.24	-1.00	Pass
7025	65.41	28.70	0.023	95.23	-1.10	-1.00	Pass


802.11ax (160 MHz)

Frequency (MHz)	Reading Level (dBuV/m)	Factor (dB)	Duty Factor (dB)	Correction Factor (dB)	EIRP (dBm)	Limit (dBm)	Result
6025	66.96	25.57	0.095	95.23	-2.60	-1.00	Pass
6185	67.62	26.50	0.095	95.23	-1.01	-1.00	Pass
6345	66.58	27.43	0.095	95.23	-1.12	-1.00	Pass
6505 (U-NII-6~7)	62.97	28.32	0.095	95.23	-3.84	-1.00	Pass
6665	64.34	28.43	0.095	95.23	-2.36	-1.00	Pass
6825 (U-NII-7~8)	61.78	28.54	0.095	95.23	-4.81	-1.00	Pass
6985	62.96	28.64	0.095	95.23	-3.53	-1.00	Pass


802.11a / 5955MHz / Ch1




802.11a / 6195MHz / Ch49




802.11a / 6415MHz / Ch93




802.11a / 6435MHz / Ch97




802.11a / 6475MHz / Ch105




802.11a / 6515MHz / Ch113




802.11a / 6535MHz / Ch117




802.11a / 6695MHz / Ch149




802.11a / 6855MHz / Ch181




802.11a / 6875MHz / Ch185




802.11a / 6895MHz / Ch189




802.11a / 7015MHz / Ch213




802.11a / 7115MHz / Ch233




802.11ax / 20MHz / 5955MHz / Ch1




802.11ax / 20MHz / 6195MHz / Ch49




802.11ax / 20MHz / 6415MHz / Ch93




802.11ax / 20MHz / 6435MHz / Ch97




802.11ax / 20MHz / 6475MHz / Ch105




802.11ax / 20MHz / 6515MHz / Ch113




802.11ax / 20MHz / 6535MHz / Ch117




802.11ax / 20MHz / 6695MHz / Ch149




802.11ax / 20MHz / 6855MHz / Ch181




802.11ax / 20MHz / 6875MHz / Ch185




802.11ax / 20MHz / 6895MHz / Ch189




802.11ax / 20MHz / 7015MHz / Ch213




802.11ax / 20MHz / 7115MHz / Ch233




802.11ax / 40MHz / 5965MHz / Ch3




802.11ax / 40MHz / 6205MHz / Ch51




802.11ax / 40MHz / 6405MHz / Ch91




802.11ax / 40MHz / 6445MHz / Ch99




802.11ax / 40MHz / 6485MHz / Ch107




802.11ax / 40MHz / 6525MHz / Ch115




802.11ax / 40MHz / 6565MHz / Ch123




802.11ax / 40MHz / 6725MHz / Ch155




802.11ax / 40MHz / 6845MHz / Ch179




802.11ax / 40MHz / 6885MHz / Ch187




802.11ax / 40MHz / 6925MHz / Ch195




802.11ax / 40MHz / 7005MHz / Ch211




802.11ax / 40MHz / 7085MHz / Ch227



802.11ax / 80MHz / 5985MHz / Ch7



802.11ax / 80MHz / 6225MHz / Ch55



802.11ax / 80MHz / 6385MHz / Ch87

