


802.11ax HE20

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	36.29	24.94	11.35	54.00	-17.71	100	330	Average	Horizontal
2	11400.00	49.91	38.56	11.35	74.00	-24.09	100	330	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	35.71	24.36	11.35	54.00	-18.29	100	245	Average	Vertical
2	11400.00	49.35	38.00	11.35	74.00	-24.65	100	245	Peak	Vertical


802.11ax HE20

CH 144 (Horizontal)


CH 144 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE40

CH 102 (Horizontal)

CH 102 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	35.99	24.57	11.42	54.00	-18.01	100	26	Average	Horizontal	
2	11020.00	49.23	37.81	11.42	74.00	-24.77	100	26	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11020.00	36.11	24.69	11.42	54.00	-17.89	100	310	Average	Vertical	
2	11020.00	49.18	37.76	11.42	74.00	-24.82	100	310	Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal)

CH 110 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	11100.00	35.83	24.45	11.38	54.00	-18.17	100	157 Average	Horizontal	
2	11100.00	49.94	38.56	11.38	74.00	-24.06	100	157 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dBm	dBuV/m	dB	cm	deg		
1	11100.00	36.00	24.62	11.38	54.00	-18.00	100	77 Average	Vertical	
2	11100.00	49.54	38.16	11.38	74.00	-24.46	100	77 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal)

CH 134 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11340.00	36.14	24.77	11.37	54.00	-17.86	200	292	Average	Horizontal		
2	11340.00	50.10	38.73	11.37	74.00	-23.90	200	292	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	11340.00	36.21	24.84	11.37	54.00	-17.79	100	55	Average	Vertical		
2	11340.00	49.30	37.93	11.37	74.00	-24.70	100	55	Peak	Vertical		


802.11ax HE40

CH 142 (Horizontal)

CH 142 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11420.00	36.94	25.58	11.36	54.00	-17.06	200	360 Average	Horizontal	
2	11420.00	49.35	37.99	11.36	74.00	-24.65	200	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit					
	MHz	dBuV/m	dB/m	dBuV/m	dB	cm	deg			
1	11420.00	37.31	25.95	11.36	54.00	-16.69	200	132 Average	Vertical	
2	11420.00	49.38	38.02	11.36	74.00	-24.62	200	132 Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal)

CH 106 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	36.42	25.01	11.41	54.00	-17.58	200	261 Average	Horizontal	
2	11060.00	49.77	38.36	11.41	74.00	-24.23	200	261 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11060.00	36.49	25.08	11.41	54.00	-17.51	100	350 Average	Vertical	
2	11060.00	48.78	37.37	11.41	74.00	-25.22	100	350 Peak	Vertical	


802.11ax HE80

CH 122 (Horizontal)


CH 122 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE80

CH 138 (Horizontal)

CH 138 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11380.00	37.24	25.88	11.36	54.00	-16.76	100	174	Average	Horizontal
2	11380.00	49.55	38.19	11.36	74.00	-24.45	100	174	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11380.00	37.51	26.15	11.36	54.00	-16.49	100	344	Average	Vertical
2	11380.00	49.16	37.80	11.36	74.00	-24.84	100	344	Peak	Vertical


802.11ax HE160

CH 114 (Horizontal)

CH 114 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	36.67	25.30	11.37	54.00	-17.33	200	309	Average	Horizontal	
2	11140.00	49.88	38.51	11.37	74.00	-24.12	200	309	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11140.00	36.68	25.31	11.37	54.00	-17.32	200	119	Average	Vertical	
2	11140.00	49.54	38.17	11.37	74.00	-24.46	200	119	Peak	Vertical	

U-NII-3


802.11a

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.54	24.14	11.40	54.00	-18.46	400	214 Average	Horizontal	
2	11490.00	49.57	38.17	11.40	74.00	-24.43	400	214 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.55	24.15	11.40	54.00	-18.45	100	156 Average	Vertical	
2	11490.00	49.94	38.54	11.40	74.00	-24.06	100	156 Peak	Vertical	


802.11a

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.23	24.84	11.39	54.00	-17.77	100	1	Average	Horizontal
2	11570.00	50.00	38.69	11.39	74.00	-23.92	100	1	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	36.18	24.79	11.39	54.00	-17.82	100	55	Average	Vertical
2	11570.00	50.63	39.24	11.39	74.00	-23.37	100	55	Peak	Vertical

802.11a


CH 165 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11ax HE20

CH 149 (Horizontal)

CH 149 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.00	23.60	11.40	54.00	-19.00	200	348 Average	Horizontal	
2	11490.00	48.83	37.43	11.40	74.00	-25.17	200	348 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11490.00	35.02	23.62	11.40	54.00	-18.98	100	91 Average	Vertical	
2	11490.00	49.26	37.86	11.40	74.00	-24.74	100	91 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal)

CH 157 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	35.46	24.67	11.39	54.00	-18.54	167	360 Average	Horizontal	
2	11570.00	49.89	37.78	11.39	74.00	-24.91	167	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11570.00	35.52	24.13	11.39	54.00	-18.48	200	38 Average	Vertical	
2	11570.00	49.20	37.61	11.39	74.00	-24.80	200	38 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	37.29	25.78	11.51	54.00	-16.71	200	149 Average	Horizontal	
2	11650.00	49.86	38.35	11.51	74.00	-24.14	200	149 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11650.00	36.53	25.02	11.51	54.00	-17.47	200	118 Average	Vertical	
2	11650.00	50.04	38.53	11.51	74.00	-23.96	200	118 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal)

CH 151 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	36.01	24.61	11.40	54.00	-17.99	141	360 Average	Horizontal	
2	11510.00	49.86	38.46	11.40	74.00	-24.14	141	360 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11510.00	36.29	24.89	11.40	54.00	-17.71	200	231 Average	Vertical	
2	11510.00	49.74	38.34	11.40	74.00	-24.26	200	231 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal)

CH 159 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	36.97	25.59	11.38	54.00	-17.03	200	179 Average	Horizontal	
2	11590.00	49.67	38.29	11.38	74.00	-24.33	200	179 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11590.00	37.01	25.63	11.38	54.00	-16.99	200	188 Average	Vertical	
2	11590.00	49.59	38.21	11.38	74.00	-24.41	200	188 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal)

CH 155 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	36.82	25.43	11.39	54.00	-17.18	200	245 Average	Horizontal	
2	11550.00	49.86	37.67	11.39	74.00	-24.94	200	245 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11550.00	37.02	25.63	11.39	54.00	-16.98	100	269 Average	Vertical	
2	11550.00	49.68	38.29	11.39	74.00	-24.32	100	269 Peak	Vertical	

Mains Conducted Emission, TX (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	28.83	19.20	9.63	55.75	-26.92	Average	line1	
2	0.15	44.08	34.45	9.63	65.75	-21.67	QP	line1	
3	0.18	27.45	17.82	9.63	54.43	-26.98	Average	line1	
4	0.18	41.95	32.32	9.63	64.43	-22.48	QP	line1	
5	0.64	31.71	22.08	9.63	46.00	-14.29	Average	line1	
6	0.64	38.88	29.25	9.63	56.00	-17.12	QP	line1	
7	2.45	22.69	13.03	9.66	46.00	-23.31	Average	line1	
8	2.45	32.21	22.55	9.66	56.00	-23.79	QP	line1	
9	13.58	29.30	19.56	9.74	50.00	-20.70	Average	line1	
10	13.58	35.08	25.34	9.74	60.00	-24.92	QP	line1	
11	19.35	16.60	6.86	9.74	50.00	-33.40	Average	line1	
12	19.35	21.51	11.77	9.74	60.00	-38.49	QP	line1	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Factor	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB			
1	0.15	26.26	16.62	9.64	55.75	-29.49	Average	neutral	
2	0.15	43.75	34.11	9.64	65.75	-22.00	QP	neutral	
3	0.18	23.21	13.58	9.63	54.05	-30.84	Average	neutral	
4	0.18	39.50	29.87	9.63	64.05	-24.55	QP	neutral	
5	0.64	31.29	21.66	9.63	46.00	-14.71	Average	neutral	
6	0.64	37.83	28.20	9.63	56.00	-18.17	QP	neutral	
7	2.45	22.62	12.95	9.67	46.00	-23.38	Average	neutral	
8	2.45	32.64	22.97	9.67	56.00	-23.36	QP	neutral	
9	13.38	28.86	19.05	9.81	50.00	-21.14	Average	neutral	
10	13.38	34.83	25.02	9.81	60.00	-25.17	QP	neutral	
11	24.82	16.80	6.95	9.85	50.00	-33.20	Average	neutral	
12	24.82	21.99	12.14	9.85	60.00	-38.01	QP	neutral	

<Partial RU>
Band Edges, 4.5GHz ~ 5.15GHz
U-NII-1


802.11ax HE20_RU106

CH 48 (Horizontal) Peak

CH 48 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4813.58	55.74	45.97	9.77	74.00	-18.26	337	188	Peak	Horizontal	
2 *	5240.00	100.63	90.78	9.85	68.20	40.43	337	188	Peak	Horizontal	
3	5400.50	55.79	45.59	10.20	74.00	-18.21	337	188	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB		cm	deg			
1	4943.58	56.11	46.08	10.03	74.00	-17.89	253	268	Peak	Vertical	
2 *	5240.00	110.07	100.16	9.91	68.20	41.87	253	268	Peak	Vertical	
3	5418.50	56.33	46.05	10.28	74.00	-17.67	253	268	Peak	Vertical	

802.11ax HE20_RU106

CH 48 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5122.00	42.25	32.26	9.99	54.00	-11.75	337	188	Average	Horizontal	
2 *	5240.00	96.87	87.02	9.85	54.00	42.87	337	188	Average	Horizontal	
3	5400.00	42.40	32.20	10.20	54.00	-11.60	337	188	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5149.00	42.35	32.33	10.02	54.00	-11.65	253	268	Average	Vertical	
2 *	5240.00	96.77	86.86	9.91	54.00	42.77	253	268	Average	Vertical	
3	5403.50	42.58	32.21	10.37	54.00	-11.42	253	268	Average	Vertical	

Band Edges, 5.35GHz **U-NII-2A**


802.11ax HE20_RU106

CH 52 (Horizontal) Peak

CH 52 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5109.00	55.95	45.93	10.02	74.00	-18.05	333	184	Peak	Horizontal	
2 *	5260.00	114.14	104.25	9.88	68.20	45.94	333	184	Peak	Horizontal	
3	5406.00	56.43	46.22	10.21	74.00	-17.57	333	184	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5126.50	56.40	46.32	10.08	74.00	-17.60	270	244	Peak	Vertical	
2 *	5260.00	114.19	104.25	9.94	68.20	45.99	270	244	Peak	Vertical	
3	5435.50	56.92	46.76	10.16	74.00	-17.08	270	244	Peak	Vertical	

802.11ax HE20_RU106

CH 52 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.00	42.23	32.31	9.92	54.00	-11.77	333	184	Average	Horizontal	
2 *	5260.00	101.96	92.08	9.88	54.00	47.96	333	184	Average	Horizontal	
3	5390.00	42.40	32.27	10.13	54.00	-11.60	333	184	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5148.50	42.33	32.31	10.02	54.00	-11.67	270	244	Average	Vertical	
2 *	5260.00	102.24	92.30	9.94	54.00	48.24	270	244	Average	Vertical	
3	5399.50	42.61	32.21	10.40	54.00	-11.39	270	244	Average	Vertical	

Band Edges, 5.3GHz ~ 5.47GHz, 5.725GHz
U-NII-2C


802.11ax HE20_RU106

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5445.00	55.52	45.27	10.25	74.00	-18.48	337	147	Peak	Horizontal	
2	5463.50	54.32	44.11	10.21	68.20	-13.88	337	147	Peak	Horizontal	
3	5720.00	102.18	92.26	9.92	122.20	-20.02	337	147	Peak	Horizontal	
4	5727.00	109.43	99.44	9.99	122.20	-12.77	337	147	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5372.50	56.58	46.37	10.21	74.00	-17.42	247	268	Peak	Vertical	
2	5465.00	54.62	44.68	10.14	68.20	-13.58	247	268	Peak	Vertical	
3	5720.00	112.37	102.09	10.28	122.20	-9.83	247	268	Peak	Vertical	
4	5727.50	113.76	103.42	10.34	122.20	-8.44	247	268	Peak	Vertical	

802.11ax HE20_RU106

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5399.00	42.58	32.39	10.19	54.00	-11.42	337	147	Average	Horizontal	
2 *	5720.00	95.23	85.31	9.92	54.00	41.23	337	147	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5380.00	42.64	32.39	10.25	54.00	-11.36	247	268	Average	Vertical	
2 *	5720.00	102.00	91.72	10.28	54.00	48.00	247	268	Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11ax HE20_RU106

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5527.50	56.13	46.07	10.06	68.20	-12.07	260	174	Peak	Horizontal	
2	5692.00	55.10	45.33	9.77	99.10	-44.20	260	174	Peak	Horizontal	
3	5710.50	55.20	45.38	9.82	108.14	-52.94	260	174	Peak	Horizontal	
4	5721.00	54.79	44.87	9.92	115.64	-60.85	260	174	Peak	Horizontal	
5	5825.00	109.76	99.44	10.32	135.00	-25.24	260	174	Peak	Horizontal	
6	5850.50	66.35	56.03	10.32	132.58	-66.23	260	174	Peak	Horizontal	
7	5855.00	61.39	51.06	10.33	110.80	-49.41	260	174	Peak	Horizontal	
8	5918.50	56.20	45.78	10.42	72.99	-16.79	260	174	Peak	Horizontal	
9	5963.00	56.59	46.20	10.39	68.20	-11.61	260	174	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5514.50	56.64	46.32	10.32	68.20	-11.56	230	262	Peak	Vertical	
2	5680.00	56.04	45.88	10.16	90.44	-34.40	230	262	Peak	Vertical	
3	5701.50	56.14	46.01	10.13	105.62	-49.48	230	262	Peak	Vertical	
4	5723.00	56.09	45.80	10.29	125.32	-69.23	230	262	Peak	Vertical	
5	5825.00	115.13	104.71	10.42	135.00	-19.87	230	262	Peak	Vertical	
6	5851.00	65.22	54.80	10.42	130.16	-64.94	230	262	Peak	Vertical	
7	5855.00	62.50	52.06	10.44	110.80	-48.30	230	262	Peak	Vertical	
8	5905.00	57.94	47.31	10.63	82.96	-25.02	230	262	Peak	Vertical	
9	5944.00	57.10	46.39	10.71	68.20	-11.10	230	262	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz


U-NII-1

802.11ax HE20_RU106


CH 48 (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



U-NII-2A



U-NII-2C


802.11ax HE20_RU106

CH 144 (Horizontal)

CH 144 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	35.37	24.12	11.25	54.00	-18.63	100	335	Average	Horizontal	
2	11440.00	45.45	34.20	11.25	74.00	-28.55	100	335	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11440.00	35.46	24.17	11.29	54.00	-18.54	100	262	Average	Vertical	
2	11440.00	44.67	33.38	11.29	74.00	-29.33	100	262	Peak	Vertical	

U-NII-3


802.11ax HE20_RU106

CH 165 (Horizontal)

CH 165 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	35.76	24.38	11.38	54.00	-18.24	100	85	Average	Horizontal	
2	11650.00	46.96	35.58	11.38	74.00	-27.04	100	85	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11650.00	36.23	24.80	11.43	54.00	-17.77	100	70	Average	Vertical	
2	11650.00	49.15	37.72	11.43	74.00	-24.85	100	70	Peak	Vertical	

<EUT with Base>

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-2A


802.11a

CH 52 (Open) (9kHz ~ 150kHz)

CH 52 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.02	57.01	38.11	18.90	123.71	-66.70	100	144 Peak	Open	
2	0.03	65.40	45.57	19.83	119.13	-53.73	100	142 Peak	Open	
3	0.05	46.60	27.93	18.67	113.09	-66.49	100	142 Peak	Open	
4	0.08	34.85	16.57	18.28	109.74	-74.89	100	294 Peak	Open	
5	0.13	36.22	18.04	18.18	105.66	-69.44	100	281 Peak	Open	
6	0.14	39.03	20.76	18.27	104.63	-65.60	100	1 Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.84	42.09	23.16	18.93	69.15	-27.06	100	142 Peak	Open	
2	4.45	34.39	14.90	19.49	69.50	-35.11	100	26 Peak	Open	
3	11.73	35.07	13.41	21.66	69.50	-34.43	100	303 Peak	Open	
4	17.58	36.08	13.62	22.46	69.50	-33.42	100	94 Peak	Open	
5	20.54	35.76	13.04	22.72	69.50	-33.74	100	310 Peak	Open	
6	26.87	35.84	12.88	22.96	69.50	-33.66	100	30 Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	62.01	25.99	33.85	-7.86	40.00	-14.01	100	38	Peak	Horizontal	
2	198.78	28.61	37.96	-9.35	43.50	-14.89	100	66	Peak	Horizontal	
3	481.05	26.94	29.29	-2.35	46.00	-19.06	100	154	Peak	Horizontal	
4	789.97	31.62	29.44	2.18	46.00	-14.38	100	346	Peak	Horizontal	
5	845.77	34.13	29.90	4.23	46.00	-11.87	100	352	Peak	Horizontal	
6	944.71	34.36	28.87	5.49	46.00	-11.64	100	351	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	58.13	34.69	41.99	-7.30	40.00	-5.31	100	63	Peak	Vertical	
2	198.78	27.72	37.07	-9.35	43.50	-15.78	100	230	Peak	Vertical	
3	482.48	25.30	29.19	-3.89	46.00	-20.70	100	354	Peak	Vertical	
4	601.33	29.29	29.07	0.22	46.00	-16.71	100	133	Peak	Vertical	
5	789.97	31.82	29.64	2.18	46.00	-14.18	100	331	Peak	Vertical	
6	844.80	34.59	30.38	4.21	46.00	-11.41	100	43	Peak	Vertical	

Mains Conducted Emission, TX (150kHz ~ 30MHz)


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read Level Factor	Limit Line	Over Limit Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB	
1	0.16	30.47	20.84	9.63	55.46	-24.99	Average line1
2	0.16	45.06	35.43	9.63	65.46	-20.40	QP line1
3	0.18	27.31	17.68	9.63	54.26	-26.55	Average line1
4	0.18	41.65	32.02	9.63	64.26	-22.61	QP line1
5	0.67	33.01	23.38	9.63	46.00	-12.99	Average line1
6	0.67	38.29	28.66	9.63	56.00	-17.71	QP line1
7	2.21	19.78	10.12	9.66	46.00	-26.22	Average line1
8	2.21	29.65	19.99	9.66	56.00	-26.35	QP line1
9	13.05	31.53	21.79	9.74	50.00	-18.47	Average line1
10	13.05	37.06	27.32	9.74	60.00	-22.94	QP line1
11	22.92	18.95	9.23	9.72	50.00	-31.05	Average line1
12	22.92	24.76	15.04	9.72	60.00	-35.24	QP line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read Level Factor	Limit Line	Over Limit Remark	Pol/Phase	Note
	MHz	dBuV	dBuV	dB	dBuV	dB	
1	0.16	27.96	18.32	9.64	55.42	-27.46	Average neutral
2	0.16	44.34	34.70	9.64	65.42	-21.08	QP neutral
3	0.21	23.20	13.57	9.63	53.35	-30.15	Average neutral
4	0.21	38.66	29.03	9.63	63.35	-24.69	QP neutral
5	0.67	33.73	24.10	9.63	46.00	-12.27	Average neutral
6	0.67	38.67	29.04	9.63	56.00	-17.33	QP neutral
7	2.52	20.99	11.32	9.67	46.00	-25.01	Average neutral
8	2.52	31.84	22.17	9.67	56.00	-24.16	QP neutral
9	13.12	30.59	20.78	9.81	50.00	-19.41	Average neutral
10	13.12	36.09	26.28	9.81	60.00	-23.91	QP neutral
11	22.92	19.45	9.60	9.85	50.00	-30.55	Average neutral
12	22.92	25.47	15.62	9.85	60.00	-34.53	QP neutral