


802.11ax HE20

CH 144 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5417.00	42.30	31.89	10.41	54.00	-11.70	322	155	Average	Horizontal
2 *	5720.00	98.57	88.16	10.41	54.00	44.57	322	155	Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5392.50	45.03	34.56	10.47	54.00	-8.97	272	284	Average	Vertical
2 *	5720.00	103.05	92.64	10.41	54.00	49.05	272	284	Average	Vertical


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.50	58.11	47.89	10.22	74.00	-15.89	302	185	Peak	Horizontal	
2	5465.00	61.36	51.09	10.27	68.20	-6.84	302	185	Peak	Horizontal	
3 *	5510.00	103.95	93.51	10.44	68.20	35.75	302	185	Peak	Horizontal	
4	6819.50	57.51	46.58	10.93	68.20	-10.69	302	185	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	61.78	51.55	10.23	74.00	-12.22	216	276	Peak	Vertical	
2	5465.00	64.84	54.57	10.27	68.20	-3.36	216	276	Peak	Vertical	
3 *	5510.00	104.81	94.37	10.44	68.20	36.61	216	276	Peak	Vertical	
4	6848.50	57.73	46.80	10.93	68.20	-10.47	216	276	Peak	Vertical	

802.11ax HE40

CH 102 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5457.00	44.50	34.28	10.22	54.00	-9.50	302	185	Average	Horizontal	
2 *	5510.00	93.40	82.96	10.44	54.00	39.40	302	185	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5460.00	46.02	35.78	10.24	54.00	-7.98	216	276	Average	Vertical	
2 *	5510.00	93.66	83.22	10.44	54.00	39.66	216	276	Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5436.00	63.27	52.99	10.28	74.00	-10.73	310	185 Peak	Horizontal	
2	5468.50	65.75	55.47	10.28	68.20	-2.45	310	185 Peak	Horizontal	
3 *	5558.00	107.69	97.24	10.45	68.20	39.49	310	185 Peak	Horizontal	
4	6975.50	58.02	47.06	10.96	68.20	-10.18	310	185 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5459.50	62.67	52.43	10.24	74.00	-11.33	171	276 Peak	Vertical	
2	5469.00	66.99	56.71	10.28	68.20	-1.21	171	276 Peak	Vertical	
3 *	5558.00	108.69	98.24	10.45	68.20	40.49	171	276 Peak	Vertical	
4	5730.00	58.38	47.89	10.49	68.20	-9.82	171	276 Peak	Vertical	

802.11ax HE40

CH 110 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5455.00	43.89	33.67	10.22	54.00	-10.11	310	185	Average	Horizontal	
2 *	5550.00	95.85	85.40	10.45	54.00	41.85	310	185	Average	Horizontal	

CH 110 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.50	44.54	34.31	10.23	54.00	-9.46	171	276	Average	Vertical	
2 *	5550.00	97.02	86.57	10.45	54.00	43.02	171	276	Average	Vertical	


802.11ax HE40

CH 134 (Horizontal) Peak

CH 134 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5434.50	55.76	45.47	10.29	74.00	-18.24	243	187	Peak	Horizontal	
2	5467.50	55.39	45.10	10.29	68.20	-12.81	243	187	Peak	Horizontal	
3 *	5670.00	104.28	93.57	10.31	68.20	36.08	243	187	Peak	Horizontal	
4 !	5726.00	62.56	52.10	10.46	68.20	-5.64	243	187	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5415.50	55.89	45.47	10.42	74.00	-18.11	206	290	Peak	Vertical	
2	5464.00	54.70	44.45	10.25	68.20	-13.50	206	290	Peak	Vertical	
3 *	5670.00	106.91	96.60	10.31	68.20	38.71	206	290	Peak	Vertical	
4 !	5729.50	64.78	54.29	10.49	68.20	-3.42	206	290	Peak	Vertical	

802.11ax HE40

CH 134 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5395.00	42.77	32.27	10.50	54.00	-11.23	243	187 Average	Horizontal	
2 *	5670.00	93.15	82.04	10.31	54.00	39.15	243	187 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5400.50	42.87	32.34	10.53	54.00	-11.13	206	290 Average	Vertical	
2 *	5670.00	94.99	84.68	10.31	54.00	40.99	206	290 Average	Vertical	


802.11ax HE40

CH 142 (Horizontal) Peak

CH 142 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5411.50	55.65	45.20	10.45	74.00	-10.35	126	184 Peak	Horizontal	
2	5465.50	54.47	44.20	10.27	68.20	-13.73	126	184 Peak	Horizontal	
3	5710.00	108.40	98.68	10.32	122.20	-13.80	126	184 Peak	Horizontal	
4	5850.00	65.02	54.47	10.55	122.20	-57.18	126	184 Peak	Horizontal	
5	5856.00	63.46	52.89	10.57	110.52	-47.06	126	184 Peak	Horizontal	
6	5876.50	61.80	51.14	10.66	104.09	-42.29	126	184 Peak	Horizontal	
7	5978.50	57.18	46.27	10.91	68.20	-11.02	126	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5370.50	56.40	46.09	10.31	74.00	-17.60	261	272 Peak	Vertical	
2	5463.50	55.31	45.06	10.25	68.20	-12.89	261	272 Peak	Vertical	
3	5710.00	111.08	100.76	10.32	122.20	-11.12	261	272 Peak	Vertical	
4	5854.50	65.51	54.94	10.57	111.94	-46.43	261	272 Peak	Vertical	
5	5856.00	62.75	52.18	10.57	110.52	-47.77	261	272 Peak	Vertical	
6	5882.50	58.23	47.55	10.68	99.63	-41.40	261	272 Peak	Vertical	
7	5987.00	56.85	45.93	10.92	68.20	-11.35	261	272 Peak	Vertical	

802.11ax HE40

CH 142 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5413.58	42.73	32.29	10.44	54.00	-11.27	126	184	Average	Horizontal	
2 *	5710.00	96.91	86.59	10.32	54.00	42.91	126	184	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5400.00	42.81	32.28	10.53	54.00	-11.19	261	272	Average	Vertical	
2 *	5710.00	99.41	89.09	10.32	54.00	45.41	261	272	Average	Vertical	


802.11ax HE80

CH 106 (Horizontal) Peak

CH 106 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5436.50	58.57	48.29	10.20	74.00	-15.43	301	184 Peak	Horizontal	
2	5467.00	64.19	53.91	10.20	68.20	-4.01	301	184 Peak	Horizontal	
3 *	5530.00	99.13	88.69	10.44	68.20	30.93	301	184 Peak	Horizontal	
4	6672.50	58.21	47.43	10.78	68.20	-9.99	301	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5459.50	61.47	51.23	10.24	74.00	-12.53	277	292 Peak	Vertical	
2	5469.50	65.96	55.67	10.20	68.20	-2.24	277	292 Peak	Vertical	
3 *	5530.00	98.36	87.92	10.44	68.20	30.16	277	292 Peak	Vertical	
4	6879.50	57.98	47.05	10.93	68.20	-10.22	277	292 Peak	Vertical	

802.11ax HE80

CH 106 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5454.00	45.06	34.85	10.21	54.00	-8.94	301	184	Average	Horizontal	
2 *	5538.00	87.86	76.62	10.44	54.00	33.06	301	184	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5459.00	47.21	36.98	10.23	54.00	-6.79	277	292	Average	Vertical	
2 *	5538.00	86.48	76.04	10.44	54.00	32.48	277	292	Average	Vertical	


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5438.00	58.14	47.87	10.27	74.00	-15.86	111	190 Peak	Horizontal	
2	5466.00	57.54	47.26	10.28	68.20	-10.66	111	190 Peak	Horizontal	
3 *	5610.00	102.29	92.62	10.27	68.20	34.09	111	190 Peak	Horizontal	
4 !	5725.00	64.48	54.03	10.45	68.20	-3.72	111	190 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5429.50	56.31	45.98	10.33	74.00	-17.69	225	284 Peak	Vertical	
2	5469.00	55.99	45.71	10.28	68.20	-12.21	225	284 Peak	Vertical	
3 *	5610.00	103.61	93.34	10.27	68.20	35.41	225	284 Peak	Vertical	
4 !	5771.00	66.60	55.99	10.61	68.20	-1.60	225	284 Peak	Vertical	

802.11ax HE80

CH 122 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5430.00	44.16	33.83	10.33	54.00	-9.84	111	190	Average	Horizontal	
2 *	5610.00	90.55	80.28	10.27	54.00	36.55	111	190	Average	Horizontal	

CH 122 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5448.50	43.52	33.32	10.20	54.00	-10.48	225	284	Average	Vertical	
2 *	5610.00	91.53	81.26	10.27	54.00	37.53	225	284	Average	Vertical	


802.11ax HE80

CH 138 (Horizontal) Peak

CH 138 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5456.00	56.32	46.10	10.22	74.00	-17.68	121	184 Peak	Horizontal	
2	5462.00	56.88	46.60	10.28	68.20	-11.32	121	184 Peak	Horizontal	
3	5690.00	105.48	95.21	10.27	122.20	-16.72	121	184 Peak	Horizontal	
4	5854.50	69.15	58.58	10.57	111.94	-42.79	121	184 Peak	Horizontal	
5	5859.50	71.05	60.46	10.59	109.54	-38.49	121	184 Peak	Horizontal	
6	5875.50	65.18	54.54	10.64	104.83	-39.65	121	184 Peak	Horizontal	
7	5938.00	61.15	50.32	10.83	68.20	-7.05	121	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5379.50	56.72	46.34	10.38	74.00	-17.28	205	284 Peak	Vertical	
2	5462.00	57.20	46.96	10.24	68.20	-11.00	205	284 Peak	Vertical	
3	5690.00	107.70	97.43	10.27	122.20	-14.50	205	284 Peak	Vertical	
4	5855.00	68.28	57.71	10.57	110.80	-42.52	205	284 Peak	Vertical	
5	5860.50	71.59	61.00	10.59	109.26	-37.67	205	284 Peak	Vertical	
6	5875.00	66.65	56.00	10.65	105.20	-38.55	205	284 Peak	Vertical	
7	5932.50	61.36	50.54	10.82	68.20	-6.84	205	284 Peak	Vertical	

802.11ax HE80

CH 138 (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5412.00	43.49	33.04	10.45	54.00	-10.51	121	184	Average	Horizontal	
2 *	5690.00	93.52	83.25	10.27	54.00	39.52	121	184	Average	Horizontal	

CH 138 (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5439.00	43.62	33.36	10.26	54.00	-10.38	205	284	Average	Vertical	
2 *	5690.00	96.21	85.94	10.27	54.00	42.21	205	284	Average	Vertical	


802.11ax HE160

CH 114 (Horizontal) Peak

CH 114 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.00	64.11	53.69	10.42	74.00	-9.89	254	189 Peak	Horizontal	
2	5469.50	58.70	48.46	10.24	68.20	-9.50	254	189 Peak	Horizontal	
3 *	5578.00	94.39	84.83	10.36	68.20	26.19	254	189 Peak	Horizontal	
4 !	5726.00	66.89	56.43	10.46	68.20	-1.31	254	189 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5436.50	66.35	56.07	10.28	74.00	-7.65	304	282 Peak	Vertical	
2	5469.50	61.32	51.05	10.27	68.20	-6.88	304	282 Peak	Vertical	
3 *	5578.00	95.80	85.44	10.36	68.20	27.60	304	282 Peak	Vertical	
4 !	5726.50	64.37	53.91	10.46	68.20	-3.83	304	282 Peak	Vertical	

802.11ax HE160

CH 114 (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5399.50	48.30	37.77	10.53	54.00	-5.70	254	189 Average	Horizontal	
2	5570.00	82.96	72.60	10.36	54.00	28.96	254	189 Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5410.50	49.53	39.07	10.46	54.00	-4.47	304	282 Average	Vertical	
2	5570.00	85.11	74.75	10.36	54.00	31.11	304	282 Average	Vertical	

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5645.50	56.04	45.70	10.34	68.20	-12.16	119	183	Peak	Horizontal
2	5674.00	56.08	45.79	10.29	86.00	-29.92	119	183	Peak	Horizontal
3	5728.00	59.99	49.58	10.41	110.80	-50.81	119	183	Peak	Horizontal
4	5723.50	66.08	55.65	10.43	127.74	-61.66	119	183	Peak	Horizontal
5	5745.00	112.98	102.38	10.60	135.00	-22.02	119	183	Peak	Horizontal
6	5853.50	55.65	45.00	10.56	118.06	-62.41	119	183	Peak	Horizontal
7	5871.50	56.52	45.88	10.64	106.18	-49.66	119	183	Peak	Horizontal
8	5918.00	56.66	45.87	10.79	73.36	-16.70	119	183	Peak	Horizontal
9	5993.50	56.73	45.79	10.94	68.20	-11.47	119	183	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	55.49	45.15	10.34	68.20	-12.71	268	288	Peak	Vertical
2	5663.00	55.99	45.68	10.31	77.85	-21.86	268	288	Peak	Vertical
3	5717.50	64.69	54.30	10.39	110.10	-45.41	268	288	Peak	Vertical
4	5725.00	68.12	57.67	10.45	135.00	-66.88	268	288	Peak	Vertical
5	5745.00	114.26	103.66	10.60	135.00	-20.74	268	288	Peak	Vertical
6	5853.50	55.08	44.52	10.56	118.06	-62.98	268	288	Peak	Vertical
7	5869.50	56.58	45.95	10.63	106.74	-50.16	268	288	Peak	Vertical
8	5909.50	56.94	46.17	10.77	79.64	-22.70	268	288	Peak	Vertical
9	5939.50	57.39	46.56	10.83	68.20	-10.81	268	288	Peak	Vertical

802.11a

CH 157 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5586.50	55.87	45.57	10.30	68.20	-12.33	115	184 Peak	Horizontal	
2	5681.50	56.16	45.87	10.29	91.55	-35.39	115	184 Peak	Horizontal	
3	5716.50	56.39	46.81	10.38	109.82	-53.43	115	184 Peak	Horizontal	
4	5720.00	56.17	45.76	10.41	110.80	-54.63	115	184 Peak	Horizontal	
5	5785.00	113.08	102.50	10.58	135.00	-21.92	115	184 Peak	Horizontal	
6	5850.00	55.46	44.91	10.55	135.00	-79.54	115	184 Peak	Horizontal	
7	5850.50	56.11	45.53	10.58	109.82	-53.71	115	184 Peak	Horizontal	
8	5888.50	57.41	46.71	10.70	95.18	-37.77	115	184 Peak	Horizontal	
9	5973.50	56.81	45.91	10.90	68.20	-11.39	115	184 Peak	Horizontal	

CH 157 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5631.00	55.75	45.44	10.31	68.20	-12.45	264	287 Peak	Vertical	
2	5699.50	57.35	47.11	10.24	104.83	-47.48	264	287 Peak	Vertical	
3	5703.00	56.05	45.78	10.27	106.04	-49.99	264	287 Peak	Vertical	
4	5723.50	56.63	46.20	10.43	127.74	-71.11	264	287 Peak	Vertical	
5	5785.00	114.53	103.95	10.58	135.00	-20.47	264	287 Peak	Vertical	
6	5851.00	55.97	45.42	10.55	130.16	-74.19	264	287 Peak	Vertical	
7	5863.00	57.20	46.60	10.60	108.56	-51.36	264	287 Peak	Vertical	
8	5894.00	56.36	45.63	10.73	91.10	-34.74	264	287 Peak	Vertical	
9	5948.50	57.42	46.57	10.65	68.20	-10.78	264	287 Peak	Vertical	

802.11a

CH 165 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5583.00	55.47	45.02	10.45	68.20	-12.73	114	184 Peak	Horizontal	
2	5695.00	55.63	45.37	10.26	101.51	-45.88	114	184 Peak	Horizontal	
3	5711.00	54.82	44.49	10.33	108.28	-53.46	114	184 Peak	Horizontal	
4	5722.00	55.39	44.97	10.42	120.48	-65.09	114	184 Peak	Horizontal	
5	5825.00	113.54	102.99	10.55	135.00	-21.46	114	184 Peak	Horizontal	
6	5850.00	71.06	60.51	10.55	135.00	-63.94	114	184 Peak	Horizontal	
7	5855.00	63.43	52.86	10.57	110.80	-47.37	114	184 Peak	Horizontal	
8	5919.50	56.64	45.85	10.79	72.25	-15.61	114	184 Peak	Horizontal	
9	5978.00	56.09	45.98	10.91	68.20	-11.31	114	184 Peak	Horizontal	

CH 165 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5636.00	55.37	45.05	10.32	68.20	-12.83	253	288 Peak	Vertical	
2	5675.50	55.71	45.42	10.20	87.11	-31.40	253	288 Peak	Vertical	
3	5712.50	54.96	44.61	10.35	108.70	-53.74	253	288 Peak	Vertical	
4	5724.00	55.48	45.04	10.44	130.16	-74.68	253	288 Peak	Vertical	
5	5825.00	113.72	103.17	10.55	135.00	-21.28	253	288 Peak	Vertical	
6	5851.50	68.21	57.66	10.55	127.74	-59.53	253	288 Peak	Vertical	
7	5856.00	60.67	50.09	10.58	110.30	-49.71	253	288 Peak	Vertical	
8	5912.50	56.37	45.59	10.78	77.42	-21.05	253	288 Peak	Vertical	
9	5944.00	56.83	45.99	10.84	68.20	-11.37	253	288 Peak	Vertical	

802.11ax HE20

CH 149 (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5625.50	56.79	46.50	10.20	68.20	-11.41	283	169 Peak	Horizontal	
2	5700.00	70.04	59.80	10.24	105.20	-35.16	283	169 Peak	Horizontal	
3	5719.50	82.41	72.00	10.41	110.66	-28.25	283	169 Peak	Horizontal	
4	5724.00	85.86	75.42	10.44	130.16	-44.30	283	169 Peak	Horizontal	
5	5745.00	112.49	101.89	10.60	135.00	-22.51	283	169 Peak	Horizontal	
6	5854.00	56.97	46.40	10.57	115.64	-58.67	283	169 Peak	Horizontal	
7	5873.50	56.90	46.16	10.64	105.62	-48.82	283	169 Peak	Horizontal	
8	5899.00	55.88	45.14	10.74	87.40	-31.52	283	169 Peak	Horizontal	
9	5990.50	57.02	46.09	10.93	68.20	-11.10	283	169 Peak	Horizontal	

CH 149 (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5640.00	56.47	46.13	10.34	68.20	-11.73	269	285 Peak	Vertical	
2	5699.50	72.57	62.33	10.24	104.83	-32.26	269	285 Peak	Vertical	
3	5719.00	82.86	72.46	10.40	110.52	-27.66	269	285 Peak	Vertical	
4	5721.50	87.36	76.95	10.41	118.06	-30.70	269	285 Peak	Vertical	
5	5745.00	114.58	103.98	10.60	135.00	-20.42	269	285 Peak	Vertical	
6	5851.50	57.82	47.27	10.55	127.74	-69.92	269	285 Peak	Vertical	
7	5858.50	57.87	47.29	10.58	109.92	-51.95	269	285 Peak	Vertical	
8	5876.50	56.63	45.97	10.66	104.09	-47.46	269	285 Peak	Vertical	
9	5990.50	56.59	45.66	10.93	68.20	-11.61	269	285 Peak	Vertical	


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5644.50	56.47	46.13	10.34	68.20	-11.73	218	281 Peak	Horizontal	
2	5698.50	64.37	54.13	10.24	104.89	-39.72	218	281 Peak	Horizontal	
3	5715.00	70.30	59.93	10.37	109.40	-39.10	218	281 Peak	Horizontal	
4	5723.50	72.80	62.37	10.43	127.74	-54.94	218	281 Peak	Horizontal	
5	5785.00	114.77	104.19	10.58	135.00	-20.23	218	281 Peak	Horizontal	
6	5850.50	71.47	60.92	10.55	132.58	-61.11	218	281 Peak	Horizontal	
7	5857.00	74.33	63.75	10.58	110.24	-35.91	218	281 Peak	Horizontal	
8	5883.00	67.36	56.68	10.68	99.26	-31.90	218	281 Peak	Horizontal	
9	5930.00	59.39	48.58	10.81	68.20	-8.01	218	281 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5501.00	55.91	45.46	10.45	68.20	-12.29	227	280 Peak	Vertical	
2	5700.00	64.86	54.62	10.24	105.20	-40.34	227	280 Peak	Vertical	
3	5719.50	69.96	59.55	10.41	110.66	-40.70	227	280 Peak	Vertical	
4	5723.00	72.27	61.85	10.42	125.32	-53.05	227	280 Peak	Vertical	
5	5785.00	116.05	105.47	10.58	135.00	-18.95	227	280 Peak	Vertical	
6	5850.00	70.60	60.05	10.55	135.00	-64.40	227	280 Peak	Vertical	
7	5857.00	73.67	63.09	10.58	110.24	-36.57	227	280 Peak	Vertical	
8	5883.00	66.79	56.11	10.68	99.26	-32.47	227	280 Peak	Vertical	
9	5930.50	58.94	48.13	10.81	68.20	-9.26	227	280 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5582.50	56.65	46.20	10.45	68.20	-11.55	274	173 Peak	Horizontal	
2	5652.00	56.76	46.42	10.34	69.69	-12.93	274	173 Peak	Horizontal	
3	5709.50	57.00	46.68	10.32	107.86	-50.86	274	173 Peak	Horizontal	
4	5723.00	57.57	47.15	10.42	125.32	-67.75	274	173 Peak	Horizontal	
5	5825.00	111.72	101.17	10.55	135.00	-23.28	274	173 Peak	Horizontal	
6	5852.50	81.47	70.92	10.55	122.90	-41.43	274	173 Peak	Horizontal	
7	5855.00	78.66	68.09	10.57	110.20	-32.14	274	173 Peak	Horizontal	
8	5878.00	67.90	57.24	10.66	102.97	-35.07	274	173 Peak	Horizontal	
9	5993.00	57.59	46.65	10.94	68.20	-10.61	274	173 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	cm	deg			
1	5523.00	55.48	45.04	10.44	68.20	-12.72	231	279 Peak	Vertical	
2	5700.00	57.96	47.72	10.24	105.20	-47.24	231	279 Peak	Vertical	
3	5713.50	61.37	51.01	10.36	108.98	-47.61	231	279 Peak	Vertical	
4	5724.50	61.01	50.56	10.45	132.58	-71.57	231	279 Peak	Vertical	
5	5825.00	114.36	103.81	10.55	135.00	-20.64	231	279 Peak	Vertical	
6	5851.00	84.71	74.16	10.55	130.16	-45.45	231	279 Peak	Vertical	
7	5856.50	80.65	70.07	10.58	110.38	-29.73	231	279 Peak	Vertical	
8	5877.00	74.71	64.05	10.66	103.71	-29.00	231	279 Peak	Vertical	
9	5946.00	60.29	49.45	10.64	68.20	-7.91	231	279 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5649.00	62.49	52.15	10.34	68.20	-5.71	123	183 Peak	Horizontal	
2	5693.00	75.47	65.21	10.26	100.94	-24.57	123	183 Peak	Horizontal	
3	5717.50	83.18	72.79	10.39	110.10	-26.92	123	183 Peak	Horizontal	
4	5724.50	85.55	75.10	10.45	132.58	-47.03	123	183 Peak	Horizontal	
5	5755.00	108.18	97.54	10.64	135.00	-26.82	123	183 Peak	Horizontal	
6	5855.00	67.84	57.27	10.57	110.80	-42.96	123	183 Peak	Horizontal	
7	5855.00	67.84	57.27	10.57	110.80	-42.96	123	183 Peak	Horizontal	
8	5896.50	62.88	52.14	10.74	89.25	-26.37	123	183 Peak	Horizontal	
9	5961.50	57.23	46.36	10.87	68.20	-10.97	123	183 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5620.00	65.74	55.45	10.29	68.20	-2.46	249	289 Peak	Vertical	
2	5697.50	82.97	72.72	10.25	103.36	-20.39	249	289 Peak	Vertical	
3	5717.50	86.60	76.21	10.39	110.10	-23.50	249	289 Peak	Vertical	
4	5721.00	88.26	77.85	10.41	115.64	-27.38	249	289 Peak	Vertical	
5	5755.00	111.11	100.47	10.64	135.00	-23.89	249	289 Peak	Vertical	
6	5854.50	71.17	60.60	10.57	113.22	-42.05	249	289 Peak	Vertical	
7	5861.00	71.62	61.03	10.59	109.12	-37.50	249	289 Peak	Vertical	
8	5876.00	66.95	56.31	10.64	104.46	-37.51	249	289 Peak	Vertical	
9	5930.00	58.42	47.59	10.83	68.20	-9.70	249	289 Peak	Vertical	


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5647.50	59.26	48.91	10.35	68.20	-9.94	116	184 Peak	Horizontal	
2	5699.50	64.48	54.24	10.24	104.83	-40.35	116	184 Peak	Horizontal	
3	5717.00	71.84	61.45	10.39	109.96	-38.12	116	184 Peak	Horizontal	
4	5723.00	74.38	63.96	10.42	125.32	-50.94	116	184 Peak	Horizontal	
5	5795.00	109.56	99.00	10.56	135.00	-25.44	116	184 Peak	Horizontal	
6	5853.00	78.14	67.58	10.56	126.48	-42.34	116	184 Peak	Horizontal	
7	5858.00	74.53	63.95	10.58	109.96	-35.43	116	184 Peak	Horizontal	
8	5877.00	71.92	61.26	10.66	103.71	-31.79	116	184 Peak	Horizontal	
9	5936.00	63.48	52.66	10.82	68.20	-4.72	116	184 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	cm	deg			
1	5650.00	66.43	56.09	10.34	68.20	-1.77	178	292 Peak	Vertical	
2	5676.50	71.83	61.53	10.30	87.85	-16.02	178	292 Peak	Vertical	
3	5719.50	74.72	64.31	10.41	110.66	-35.94	178	292 Peak	Vertical	
4	5723.00	79.00	68.58	10.42	125.32	-46.32	178	292 Peak	Vertical	
5	5795.00	110.95	100.39	10.56	135.00	-24.05	178	292 Peak	Vertical	
6	5853.00	83.11	72.55	10.56	118.06	-34.95	178	292 Peak	Vertical	
7	5858.00	81.00	70.50	10.58	109.96	-28.88	178	292 Peak	Vertical	
8	5875.00	77.32	66.67	10.65	105.20	-27.88	178	292 Peak	Vertical	
9	5925.50	66.35	55.55	10.80	68.20	-1.85	178	292 Peak	Vertical	


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5640.00	62.31	51.99	10.32	68.20	-5.89	251	185 Peak	Horizontal	
2	5686.50	68.89	58.62	10.27	95.24	-26.35	251	185 Peak	Horizontal	
3	5717.50	80.13	69.74	10.39	110.10	-29.97	251	185 Peak	Horizontal	
4	5723.00	80.41	69.99	10.42	125.32	-44.91	251	185 Peak	Horizontal	
5	5775.00	104.74	94.14	10.60	135.00	-30.26	251	185 Peak	Horizontal	
6	5852.50	70.85	60.30	10.55	122.90	-52.05	251	185 Peak	Horizontal	
7	5861.50	72.83	61.43	10.60	108.58	-36.95	251	185 Peak	Horizontal	
8	5876.00	67.06	56.42	10.64	104.46	-37.40	251	185 Peak	Horizontal	
9	5939.00	60.20	49.37	10.83	68.20	-8.00	251	185 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5640.50	63.92	53.58	10.34	68.20	-4.28	256	291 Peak	Vertical	
2	5690.50	72.88	62.64	10.24	104.09	-31.21	256	291 Peak	Vertical	
3	5720.00	84.56	74.15	10.41	110.80	-26.24	256	291 Peak	Vertical	
4	5724.00	85.89	75.45	10.44	130.16	-44.27	256	291 Peak	Vertical	
5	5775.00	105.53	94.93	10.60	135.00	-29.47	256	291 Peak	Vertical	
6	5855.00	77.54	66.97	10.57	110.80	-33.26	256	291 Peak	Vertical	
7	5859.00	77.71	67.12	10.59	109.68	-31.97	256	291 Peak	Vertical	
8	5875.00	74.58	63.93	10.65	105.20	-30.62	256	291 Peak	Vertical	
9	5946.00	64.86	54.02	10.84	68.20	-3.34	256	291 Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz

U-NII-2A


802.11a

CH 52 (Open) (9kHz ~ 150kHz)

CH 52 (Open) (150kHz ~ 30MHz)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.03	59.32	39.64	19.68	119.13	-59.81	100	74	Peak	Open	
2	0.05	41.34	22.39	18.95	113.09	-71.75	100	272	Peak	Open	
3	0.06	40.60	21.81	18.79	111.82	-71.22	100	110	Peak	Open	
4	0.08	33.33	14.87	18.46	109.74	-76.41	100	313	Peak	Open	
5	0.11	32.26	14.21	18.05	106.48	-74.22	100	268	Peak	Open	
6	0.14	33.51	15.38	18.13	104.60	-71.09	100	136	Peak	Open	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	0.90	39.70	21.00	18.70	68.50	-28.86	100	144	Peak	Open	
2	4.57	33.42	14.15	19.27	69.50	-36.08	100	72	Peak	Open	
3	13.05	35.11	13.68	21.43	69.50	-34.39	100	180	Peak	Open	
4	17.70	35.64	13.56	22.08	69.50	-33.86	100	60	Peak	Open	
5	22.21	36.67	14.20	22.47	69.50	-32.83	100	107	Peak	Open	
6	27.37	36.70	14.08	22.62	69.50	-32.80	100	243	Peak	Open	

Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	58.13	22.29	29.59	-7.30	40.00	-17.71	100	74	Peak	Horizontal	
2	208.48	25.22	34.96	-9.74	43.50	-18.28	100	235	Peak	Horizontal	
3	227.88	28.51	37.15	-8.64	46.00	-17.49	100	236	Peak	Horizontal	
4	566.41	28.62	29.14	-0.52	46.00	-17.38	200	181	Peak	Horizontal	
5	768.17	33.55	30.27	3.28	46.00	-12.45	300	293	Peak	Horizontal	
6	845.77	35.92	31.69	4.23	46.00	-10.08	100	48	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	58.13	27.33	34.63	-7.30	40.00	-12.67	100	22	Peak	Vertical	
2	208.48	29.73	39.47	-9.74	43.50	-13.77	100	282	Peak	Vertical	
3	227.88	26.17	34.81	-8.64	46.00	-19.83	100	211	Peak	Vertical	
4	498.51	28.73	31.08	-2.35	46.00	-17.27	100	180	Peak	Vertical	
5	710.94	32.65	30.47	2.18	46.00	-13.35	300	177	Peak	Vertical	
6	844.80	35.53	31.32	4.21	46.00	-10.47	100	230	Peak	Vertical	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.00	46.79	35.42	11.37	68.20	-21.41	188	360	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10400.00	45.84	34.47	11.37	68.20	-22.36	100	88	Peak	Vertical
---	----------	-------	-------	-------	-------	--------	-----	----	------	----------


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	45.50	34.05	11.45	68.20	-22.70	200	188 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10480.00	46.11	34.66	11.45	68.20	-22.09	100	333 Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	49.47	38.11	11.36	68.20	-18.73	100	273 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10360.00	46.79	35.43	11.36	68.20	-21.41	100	340 Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	49.28	37.91	11.37	68.20	-18.92	100	81 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10400.00	48.97	37.60	11.37	68.20	-19.23	100	224 Peak	Vertical	


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	49.98	38.53	11.45	68.20	-18.22	100	317 Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10480.00	49.47	38.02	11.45	68.20	-18.73	200	183 Peak	Vertical




802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	44.95	33.53	11.42	68.20	-23.25	100	251 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10460.00	45.38	33.96	11.42	68.20	-22.82	100	312 Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	45.51	34.12	11.39	68.20	-22.69	100	77	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	Factor	dB/m	dBuV/m	dB	cm	deg			
1 10420.00	46.50	35.11	11.39	68.20	-21.70	100	200	Peak	Vertical	

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	46.63	35.19	11.44	68.20	-21.57	200	173 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10520.00	47.04	35.60	11.44	68.20	-21.16	200	10 Peak	Vertical	


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10600.00	36.18	24.84	11.34	54.00	-17.82	100	3 Average	Horizontal	
2	10600.00	50.11	38.77	11.34	74.00	-23.89	100	3 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit	dB	cm	deg		
1	10600.00	35.99	24.65	11.34	54.00	-18.01	200	7 Average	Vertical	
2	10600.00	49.99	38.65	11.34	74.00	-24.01	200	7 Peak	Vertical	


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	10640.00	36.08	24.75	11.33	54.00	-17.92	200	147 Average	Horizontal	
2	10640.00	49.49	38.16	11.33	74.00	-24.51	200	147 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	10640.00	36.16	24.83	11.33	54.00	-17.84	100	143 Average	Vertical	
2	10640.00	49.68	38.35	11.33	74.00	-24.32	100	143 Peak	Vertical	


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10528.00	49.05	37.61	11.44	68.20	-19.15	100	353 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10528.00	49.22	37.78	11.44	68.20	-18.98	100	122 Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	35.76	24.42	11.34	54.00	-18.24	200	154	Average	Horizontal	
2	10600.00	49.76	38.42	11.34	74.00	-24.24	200	154	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10600.00	35.80	24.46	11.34	54.00	-18.20	100	78	Average	Vertical	
2	10600.00	49.49	38.15	11.34	74.00	-24.51	100	78	Peak	Vertical	


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	35.76	24.43	11.33	54.00	-18.24	100	96 Average	Horizontal	
2	10640.00	49.31	37.98	11.33	74.00	-24.69	100	96 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10640.00	35.74	24.41	11.33	54.00	-18.26	100	232 Average	Vertical	
2	10640.00	49.75	38.42	11.33	74.00	-24.25	100	232 Peak	Vertical	


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	49.24	37.82	11.42	68.20	-18.96	100	249 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10540.00	49.82	38.40	11.42	68.20	-18.38	100	361 Peak	Vertical	


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	10620.00	36.90	25.56	11.34	54.00	-17.10	300	347 Average	Horizontal	
2	10620.00	49.52	38.18	11.34	74.00	-24.48	300	347 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	10620.00	36.22	24.88	11.34	54.00	-17.78	300	300 Average	Vertical	
2	10620.00	49.68	38.34	11.34	74.00	-24.32	300	300 Peak	Vertical	

	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10580.00	47.31	35.94	11.37	68.20	-20.89	100	150	Peak	Vertical	


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10500.00	49.69	38.22	11.47	68.20	-18.51	100	359 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 10500.00	49.23	37.76	11.47	68.20	-18.97	100	79 Peak	Vertical	

U-NII-2C


802.11a

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	35.81	24.38	11.43	54.00	-18.19	100	143	Average	Horizontal	
2	11000.00	49.96	38.53	11.43	74.00	-24.04	100	143	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	35.82	24.39	11.43	54.00	-18.18	100	63	Average	Vertical	
2	11000.00	49.63	38.20	11.43	74.00	-24.37	100	63	Peak	Vertical	


802.11a

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	41.41	30.05	11.36	54.00	-12.59	200	143	Average	Horizontal
2	11160.00	53.68	42.32	11.36	74.00	-20.32	200	143	Peak	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	38.78	27.42	11.36	54.00	-15.22	200	228	Average	Vertical
2	11160.00	51.21	39.85	11.36	74.00	-22.79	200	228	Peak	Vertical


802.11a

CH 140 (Horizontal)

CH 140 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	36.07	24.72	11.35	54.00	-17.93	200	176 Average	Horizontal	
2	11400.00	49.76	38.41	11.35	74.00	-24.24	200	176 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11400.00	35.97	24.62	11.35	54.00	-18.03	200	168 Average	Vertical	
2	11400.00	50.20	38.85	11.35	74.00	-23.80	200	168 Peak	Vertical	

802.11a

CH 144 (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	11440.00	35.64	24.27	11.37	54.00	-18.36	100	193 Average	Horizontal	
2	11440.00	50.02	38.65	11.37	74.00	-23.98	100	193 Peak	Horizontal	

CH 144 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Factor	Line	Limit		deg			
1	11440.00	35.68	24.31	11.37	54.00	-18.32	200	212 Average	Vertical	
2	11440.00	49.05	37.68	11.37	74.00	-24.95	200	212 Peak	Vertical	


802.11ax HE20

CH 100 (Horizontal)

CH 100 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	35.28	23.85	11.43	54.00	-18.72	186	360	Average	Horizontal	
2	11000.00	49.54	38.11	11.43	74.00	-24.46	186	360	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	11000.00	35.30	23.87	11.43	54.00	-18.70	100	236	Average	Vertical	
2	11000.00	49.29	37.86	11.43	74.00	-24.71	100	236	Peak	Vertical	


802.11ax HE20

CH 116 (Horizontal)

CH 116 (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	35.66	24.30	11.36	54.00	-18.34	200	353 Average	Horizontal	
2	11160.00	49.93	38.57	11.36	74.00	-24.07	200	353 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	11160.00	35.69	24.33	11.36	54.00	-18.31	100	328 Average	Vertical	
2	11160.00	49.37	38.01	11.36	74.00	-24.63	100	328 Peak	Vertical	