

Appendix B: Test Results of Radiated Spurious Emissions & Mains

Conducted Emission Test

<EUT only>


Band Edges, 2.31GHz ~ 2.5GHz

GFSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2368.06	52.19	46.39	5.80	74.00	-21.81	100	67	Peak	Horizontal	
2 *	2402.00	113.94	108.05	5.89	74.00	39.94	100	67	Peak	Horizontal	
3	2497.87	53.07	46.92	6.15	74.00	-20.93	100	67	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	2379.16	52.24	46.42	5.82	74.00	-21.76	282	79	Peak	Vertical	
2 *	2402.00	112.90	107.01	5.89	74.00	38.90	282	79	Peak	Vertical	
3	2497.64	52.36	46.21	6.15	74.00	-21.64	282	79	Peak	Vertical	

GFSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




GFSK

Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2343.17	52.61	46.90	5.71	74.00	-21.39	186	64	Peak	Horizontal		
2 *	2441.00	112.75	106.68	6.07	74.00	38.75	186	64	Peak	Horizontal		
3	2496.28	52.73	46.59	6.14	74.00	-21.27	186	64	Peak	Horizontal		

Middle Channel (Vertical) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2376.01	52.26	46.44	5.82	74.00	-21.74	271	95	Peak	Vertical		
2 *	2441.00	113.71	107.64	6.07	74.00	39.71	271	95	Peak	Vertical		
3	2484.65	52.55	46.41	6.14	74.00	-21.45	271	95	Peak	Vertical		

GFSK

Middle Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2364.19	38.49	32.71	5.78	54.00	-15.51	186	64 Average	Horizontal	
2 *	2441.00	112.20	106.13	6.07	54.00	58.20	186	64 Average	Horizontal	
3	2484.88	39.16	33.02	6.14	54.00	-14.84	186	64 Average	Horizontal	

Middle Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2387.06	38.65	32.00	5.65	54.00	-15.35	271	95 Average	Vertical	
2 *	2441.00	113.11	107.04	6.07	54.00	59.11	271	95 Average	Vertical	
3	2490.08	39.22	33.07	6.15	54.00	-14.78	271	95 Average	Vertical	

GFSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2330.98	52.55	46.90	5.65	74.00	-21.45	100	62	Peak	Horizontal		
2 *	2480.00	112.88	106.75	6.13	74.00	38.88	100	62	Peak	Horizontal		
3	2483.66	57.55	51.41	6.14	74.00	-16.45	100	62	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2331.96	52.16	46.50	5.66	74.00	-21.84	263	97	Peak	Vertical		
2 *	2480.00	113.11	106.98	6.13	74.00	39.11	263	97	Peak	Vertical		
3	2483.51	58.21	52.07	6.14	74.00	-15.79	263	97	Peak	Vertical		

GFSK

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2358.18	38.70	32.93	5.77	54.00	-15.30	100	62	Average	Horizontal		
2 *	2480.00	112.27	106.14	6.13	54.00	58.27	100	62	Average	Horizontal		
3	2483.77	40.17	34.03	6.14	54.00	-13.83	100	62	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2380.26	38.60	32.78	5.82	54.00	-15.40	263	97	Average	Vertical		
2 *	2480.00	112.53	106.40	6.13	54.00	58.53	263	97	Average	Vertical		
3	2483.62	40.23	34.09	6.14	54.00	-13.77	263	97	Average	Vertical		

8DPSK

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.20	52.39	46.57	5.82	74.00	-21.61	100	64	Peak	Horizontal		
2 *	2402.00	110.47	104.58	5.89	74.00	36.47	100	64	Peak	Horizontal		
3	2498.37	52.23	46.08	6.15	74.00	-21.77	100	64	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2379.59	52.56	46.73	5.83	74.00	-21.44	254	92	Peak	Vertical		
2 *	2402.00	111.67	105.78	5.89	74.00	37.67	254	92	Peak	Vertical		
3	2486.70	53.23	47.09	6.14	74.00	-20.77	254	92	Peak	Vertical		

8DPSK

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2387.22	38.78	32.94	5.84	54.00	-15.22	100	64	Average	Horizontal		
2 *	2402.00	106.20	100.31	5.89	54.00	52.20	100	64	Average	Horizontal		
3	2496.20	39.16	33.02	6.14	54.00	-14.84	100	64	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliang, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.53	38.90	33.05	5.85	54.00	-15.10	254	92	Average	Vertical		
2 *	2402.00	107.35	101.46	5.89	54.00	53.35	254	92	Average	Vertical		
3	2497.04	39.24	33.09	6.15	54.00	-14.76	254	92	Average	Vertical		

8DPSK


Middle Channel (Horizontal) Peak



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




8DPSK

Middle Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2366.51	38.65	32.87	5.78	54.00	-15.35		116	61	Average	Horizontal	
2 *	2441.00	106.97	100.90	6.07	54.00	52.97		116	61	Average	Horizontal	
3	2496.88	39.18	33.03	6.15	54.00	-14.82		116	61	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2353.89	38.77	33.01	5.76	54.00	-15.23		270	95	Average	Vertical	
2 *	2441.00	108.09	102.02	6.07	54.00	54.00		270	95	Average	Vertical	
3	2489.06	39.23	33.08	6.15	54.00	-14.77		270	95	Average	Vertical	

8DPSK

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2338.28	52.71	47.02	5.69	74.00	-21.29	184	64	Peak	Horizontal		
2 *	2480.00	111.13	105.00	6.13	74.00	37.13	184	64	Peak	Horizontal		
3	2483.62	63.12	56.98	6.14	74.00	-10.88	184	64	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2356.63	53.02	47.26	5.76	74.00	-20.98	244	91	Peak	Vertical		
2 *	2480.00	111.74	105.61	6.13	74.00	37.74	244	91	Peak	Vertical		
3	2483.55	63.52	57.38	6.14	74.00	-10.48	244	91	Peak	Vertical		

8DPSK

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2351.42	38.78	33.04	5.74	54.00	-15.22	104	64	Average	Horizontal		
2 *	2480.00	106.74	100.61	6.13	54.00	52.74	104	64	Average	Horizontal		
3	2483.51	46.17	40.03	6.14	54.00	-7.83	104	64	Average	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.00	38.72	32.07	5.05	54.00	-15.28	244	91	Average	Vertical		
2 *	2480.00	107.44	101.31	6.13	54.00	53.44	244	91	Average	Vertical		
3	2483.51	46.78	40.64	6.14	54.00	-7.22	244	91	Average	Vertical		


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

Middle Channel (Open) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.03	59.03	39.35	19.68	119.13	-60.10	100	207	Peak	Open	
2	0.05	41.12	22.17	18.95	113.11	-71.99	100	3	Peak	Open	
3	0.06	41.23	22.44	18.79	111.82	-70.59	100	223	Peak	Open	
4	0.08	33.59	15.13	18.46	109.74	-76.15	100	244	Peak	Open	
5	0.11	32.31	14.27	18.04	106.82	-74.51	100	83	Peak	Open	
6	0.14	37.30	19.17	18.13	104.62	-67.32	100	140	Peak	Open	

Middle Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.27	44.71	26.29	18.42	98.99	-54.28	100	148	Peak	Open	
2	0.54	41.61	22.91	18.70	72.99	-31.38	100	154	Peak	Open	
3	1.05	37.73	19.03	18.70	67.22	-29.49	100	249	Peak	Open	
4	11.64	35.11	13.88	21.23	69.50	-34.39	100	143	Peak	Open	
5	14.33	36.14	14.53	21.61	69.50	-33.36	100	224	Peak	Open	
6	22.66	35.94	13.46	22.48	69.50	-33.56	100	103	Peak	Open	


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

GFSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	50.37	21.65	28.60	-6.95	40.00	-18.35	300	246	Peak	Horizontal		
2	169.68	23.56	30.45	-6.89	43.50	-19.94	200	42	Peak	Horizontal		
3	208.48	26.30	36.04	-9.74	43.50	-17.20	100	227	Peak	Horizontal		
4	226.91	25.58	34.35	-8.77	46.00	-20.42	100	260	Peak	Horizontal		
5	739.07	32.61	30.06	2.55	46.00	-13.39	100	1	Peak	Horizontal		
6	844.00	35.38	31.17	4.21	46.00	-10.62	300	236	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	58.13	27.35	34.65	-7.30	40.00	-12.65	100	95	Peak	Vertical		
2	208.48	28.74	38.48	-9.74	43.50	-14.76	100	261	Peak	Vertical		
3	218.18	26.37	35.75	-9.38	46.00	-19.63	100	0	Peak	Vertical		
4	438.37	26.36	29.47	-3.11	46.00	-19.64	300	248	Peak	Vertical		
5	709.00	33.12	30.97	2.15	46.00	-12.88	200	36	Peak	Vertical		
6	845.77	36.25	32.02	4.23	46.00	-9.75	300	61	Peak	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

GFSK

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	11.88	2.13	9.75	54.00	-42.12	480	236	Average	Horizontal	CF	
2	4894.00	41.98	32.23	9.75	74.00	-32.02	480	236	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	13.30	3.55	9.75	54.00	-40.70	180	233	Average	Vertical	CF	
2	4894.00	43.40	33.65	9.75	74.00	-30.60	180	233	Peak	Vertical		

GFSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	13.17	3.30	9.87	54.00	-40.83	200	39	Average	Horizontal	CF	
2	4882.00	43.27	33.40	9.87	74.00	-30.73	200	39	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4882.00	14.64	4.77	9.87	54.00	-39.36	100	170	Average	Vertical	CF	
2	4882.00	44.74	34.87	9.87	74.00	-29.26	100	170	Peak	Vertical		

GFSK

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	12.93	2.77	10.16	54.00	-41.07	180	135	Average	Horizontal	CF	
2	4960.00	43.03	32.67	10.16	74.00	-30.97	180	135	Peak	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	14.09	3.03	10.16	54.00	-39.91	180	171	Average	Vertical	CF	
2	4960.00	44.19	34.03	10.16	74.00	-29.81	180	171	Peak	Vertical		


8DPSK

Low Channel (Horizontal)

Low Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	14.47	4.72	9.75	54.00	-39.53	180	132	Average	Horizontal	CF	
2	4894.00	44.57	34.62	9.75	74.00	-29.43	180	132	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4894.00	12.42	2.67	9.75	54.00	-41.58	280	50	Average	Vertical	CF	
2	4894.00	42.52	32.77	9.75	74.00	-31.48	280	50	Peak	Vertical		

8DPSK

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	13.53	3.66	9.87	54.00	-40.47	180	56	Average	Horizontal		
2	4882.00	43.63	33.76	9.87	74.00	-30.37	180	56	Peak	Horizontal		

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	4882.00	12.71	2.84	9.87	54.00	-41.29	280	184	Average	Vertical	CF	
2	4882.00	42.81	32.94	9.87	74.00	-31.19	280	184	Peak	Vertical		


8DPSK

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	13.91	3.75	10.16	54.00	-40.09	200	0	Average	Horizontal CF		
2	4960.00	44.01	33.65	10.16	74.00	-29.99	200	0	Peak	Horizontal		



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Penliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4960.00	13.01	2.85	10.16	54.00	-40.99	100	105	Average	Vertical		
2	4960.00	43.11	32.95	10.16	74.00	-30.89	100	105	Peak	Vertical		

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
1	0.15	28.32	18.69	9.63	55.83	-27.51 Average	line1
2	0.15	44.84	35.21	9.63	65.83	-20.99 QP	line1
3	0.18	26.84	17.21	9.63	54.51	-27.67 Average	line1
4	0.18	41.23	31.60	9.63	64.51	-23.28 QP	line1
5	0.65	31.25	21.62	9.63	46.00	-14.75 Average	line1
6	0.65	39.02	29.39	9.63	56.00	-16.98 QP	line1
7	2.22	19.59	9.93	9.66	46.00	-26.41 Average	line1
8	2.22	29.87	19.41	9.66	56.00	-26.93 QP	line1
9	13.31	29.27	19.53	9.74	50.00	-28.73 Average	line1
10	13.31	35.27	25.53	9.74	60.00	-24.73 QP	line1
11	24.09	23.97	14.26	9.71	50.00	-26.03 Average	line1
12	24.09	28.52	18.81	9.71	60.00	-31.48 QP	line1



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Trace: 1

	Freq	Level	Read	Limit	Over		
	MHz	dBuV	Level Factor	Line	Limit	Remark	Pol/Phase Note
1	0.16	27.65	18.01	9.64	55.54	-27.89 Average	neutral
2	0.16	44.09	34.45	9.64	65.54	-21.45 QP	neutral
3	0.19	25.00	15.37	9.63	54.22	-29.22 Average	neutral
4	0.19	40.70	31.07	9.63	64.22	-23.52 QP	neutral
5	0.65	31.18	21.55	9.63	46.00	-14.82 Average	neutral
6	0.65	38.27	28.64	9.63	56.00	-17.73 QP	neutral
7	2.26	19.90	10.24	9.66	46.00	-26.10 Average	neutral
8	2.26	30.19	20.53	9.66	56.00	-25.81 QP	neutral
9	13.12	28.29	18.48	9.81	50.00	-21.71 Average	neutral
10	13.12	34.34	24.53	9.81	60.00	-25.66 QP	neutral
11	24.09	24.28	14.43	9.85	50.00	-25.72 Average	neutral
12	24.09	29.07	19.22	9.85	60.00	-30.93 QP	neutral

<EUT with Base>


Spurious Emissions, Tx Mode, 9kHz ~ 30MHz

GFSK

Middle Channel (Open) 9kHz~150kHz




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Middle Channel (Open) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

GFSK

Middle Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	62.98	25.62	33.76	-8.14	40.00	-14.38	100			59 Peak	Horizontal	
2	198.78	28.16	37.51	-9.35	43.50	-15.34	100			78 Peak	Horizontal	
3	399.57	25.69	29.59	-3.90	46.00	-20.31	100			106 Peak	Horizontal	
4	602.30	28.25	27.99	0.26	46.00	-17.75	100			148 Peak	Horizontal	
5	709.00	32.92	30.77	2.15	46.00	-13.08	100			85 Peak	Horizontal	
6	844.00	35.10	30.89	4.21	46.00	-10.90	100			295 Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	58.13	36.54	43.84	-7.30	40.00	-3.46	100			57 Peak	Vertical	
2	169.68	27.99	34.88	-6.89	43.50	-15.51	100			198 Peak	Vertical	
3	364.65	24.68	29.28	-4.60	46.00	-21.32	100			274 Peak	Vertical	
4	607.15	28.87	28.48	0.39	46.00	-17.13	100			132 Peak	Vertical	
5	845.77	35.22	30.99	4.23	46.00	-10.78	100			206 Peak	Vertical	
6	947.62	33.61	28.12	5.49	46.00	-12.39	100			214 Peak	Vertical	

Mains Conducted Emission, TX 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322

