

# **FCC REPORT**

## **(LTE)**

**Applicant:** Acer India Pvt Ltd.

**Address of Applicant:** Embassy Heights 6th Floor, No.13 Magrath Road, (Next to Hosmat Hospital) Bengaluru, 560025, India

**Equipment Under Test (EUT)**

Product Name: Tablet PC

Model No.: Acer One 10 T4-129L

Trade mark: Acer

**FCC ID:** 2AMY3-ACERONE10T

**Applicable standards:** FCC CFR Title 47 Part 2  
FCC CFR Title 47 Part 22 Subpart H  
FCC CFR Title 47 Part 27 Subpart M

**Date of sample receipt:** 24 Sep., 2019

**Date of Test:** 25 Sep., to 26 Oct., 2019

**Date of report issued:** 28 Oct., 2019

**Test Result:** PASS\*

\*In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Bruce Zhang  
Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the CCIS product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## 2. Version

| Version No. | Date          | Description |
|-------------|---------------|-------------|
| 00          | 28 Oct., 2019 | Original    |
|             |               |             |
|             |               |             |
|             |               |             |
|             |               |             |

Tested by:

YT Yang  
Test Engineer

Date:

28 Oct., 2019

Reviewed by:

Winner Zhang  
Project Engineer

Date:

28 Oct., 2019

### 3. Contents

|                                                                   | Page |
|-------------------------------------------------------------------|------|
| 1. COVER PAGE .....                                               | 1    |
| 2. VERSION .....                                                  | 2    |
| 3. CONTENTS .....                                                 | 3    |
| 4. TEST SUMMARY .....                                             | 4    |
| 5. GENERAL INFORMATION .....                                      | 5    |
| 5.1 CLIENT INFORMATION .....                                      | 5    |
| 5.2 GENERAL DESCRIPTION OF E.U.T. ....                            | 5    |
| 5.3 TEST ENVIRONMENT AND MODE .....                               | 8    |
| 5.4 DESCRIPTION OF SUPPORT UNITS .....                            | 8    |
| 5.5 MEASUREMENT UNCERTAINTY .....                                 | 8    |
| 5.6 RELATED SUBMITTAL(S) / GRANT (S) .....                        | 8    |
| 5.7 ADDITIONS TO, DEVIATIONS, OR EXCLUSIONS FROM THE METHOD ..... | 8    |
| 5.8 LABORATORY FACILITY .....                                     | 8    |
| 5.9 LABORATORY LOCATION .....                                     | 9    |
| 5.10 TEST INSTRUMENTS LIST .....                                  | 9    |
| 6. TEST RESULTS .....                                             | 10   |
| 6.1 CONDUCTED OUTPUT POWER, ERP AND EIRP .....                    | 10   |
| 6.2 PEAK-TO-AVERAGE RATIO .....                                   | 15   |
| 6.3 OCCUPY BANDWIDTH .....                                        | 18   |
| 6.4 OUT OF BAND EMISSION AT ANTENNA TERMINALS .....               | 37   |
| 6.5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT .....        | 86   |
| 6.6 FREQUENCY STABILITY V.S. TEMPERATURE MEASUREMENT .....        | 95   |
| 6.7 FREQUENCY STABILITY V.S. VOLTAGE MEASUREMENT .....            | 98   |
| 7 TEST SETUP PHOTO .....                                          | 100  |
| 8 EUT CONSTRUCTIONAL DETAILS .....                                | 101  |

#### 4. Test Summary

| Test Items                                                                                                                                                                                                                        | Section in CFR 47                                      | Result                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------|
| RF Exposure (SAR)                                                                                                                                                                                                                 | Part 1.1307<br>Part 2.1093                             | Passed<br>(Please refer to SAR Report) |
| RF Output Power                                                                                                                                                                                                                   | Part 2.1046<br>Part 22.913 (a)(2)<br>Part 27.50 (h)(2) | Pass                                   |
| Peak-to-Average Ratio                                                                                                                                                                                                             | Part 24.232 (d)<br>Part 27.50(d)(5)                    | Pass                                   |
| Modulation Characteristics                                                                                                                                                                                                        | Part 2.1047                                            | Pass                                   |
| 99% & -26 dB Occupied Bandwidth                                                                                                                                                                                                   | Part 2.1049<br>Part 22.917(b)<br>Part 27.53(m)         | Pass                                   |
| Out of band emission at antenna terminals                                                                                                                                                                                         | Part 2.1053<br>Part 22.917(a)<br>Part 27.53(m)         | Pass                                   |
| Field strength of spurious radiation                                                                                                                                                                                              | Part 22.917(a)<br>Part 27.53(m)                        | Pass                                   |
| Frequency stability vs. temperature                                                                                                                                                                                               | Part 22.355<br>Part 27.54<br>Part 2.1055(a)(1)(b)      | Pass                                   |
| Frequency stability vs. voltage                                                                                                                                                                                                   | Part 22.355<br>Part 27.54<br>Part 2.1055(d)(2)         | Pass                                   |
| <b>Remark:</b><br>1. Pass: The EUT complies with the essential requirements in the standard.<br>2. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB (provided by the customer). |                                                        |                                        |
| <b>Test Method:</b>                                                                                                                                                                                                               | ANSI/TIA-603-E-2016<br>ANSI C63.26-2015                |                                        |

## 5. General Information

### 5.1 Client Information

|                        |                                                                                                   |
|------------------------|---------------------------------------------------------------------------------------------------|
| Applicant:             | Acer India Pvt Ltd.                                                                               |
| Address:               | Embassy Heights 6th Floor, No.13 Magrath Road, (Next to Hosmat Hospital) Bengaluru, 560025, India |
| Manufacturer/ Factory: | SHENZHEN YUKO TECHNOLOGY CO., LTD                                                                 |
| Address:               | 6TH FLOOR,A9 BUILDING TIANRUI INDUSTRIAL PARK,FUYUAN 1ST RD ,BAO.'AN ,SHENZHEN                    |

### 5.2 General Description of E.U.T.

|                            |                                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------|
| Product Name:              | Tablet PC                                                                                               |
| Model No.:                 | Acer One 10 T4-129L                                                                                     |
| Operation Frequency range: | LTE Band 5: 824MHz-849MHz, RX: 869MHz-894MHz<br>LTE Band 41: TX: 2555MHz-2655MHz, RX: 2555 MHz-2655 MHz |
| Modulation type:           | QPSK, 16QAM                                                                                             |
| Antenna type:              | Internal Antenna                                                                                        |
| Antenna gain:              | LTE Band 5: 0.56dBi<br>LTE Band 41: 1.53dBi                                                             |
| Power supply:              | Rechargeable Li-ion Battery DC3.7V, 5800mAh                                                             |
| AC adapter:                | Model: K-T100502000U<br>Input: AC100-240V, 50/60Hz, 0.35A<br>Output: DC 5.0V, 2.0A                      |
| Test Sample Condition:     | The applicant provided engineering samples for staying in continuously transmitting for testing.        |

**Operation Frequency List:**

| LTE Band 5 (1.4MHz) |                 | LTE Band 5 (3MHz)  |                 |
|---------------------|-----------------|--------------------|-----------------|
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20407               | 824.70          | 20415              | 825.50          |
| 20408               | 824.80          | 20416              | 825.60          |
| ....                | ....            | ....               | ....            |
| 20524               | 836.40          | 20524              | 836.40          |
| 20525               | 836.50          | 20525              | 836.50          |
| 20526               | 836.60          | 20526              | 836.60          |
| ...                 | ...             | ...                | ...             |
| 20642               | 848.20          | 20634              | 847.40          |
| 20643               | 848.30          | 20635              | 847.50          |
| LTE Band 5 (5MHz)   |                 | LTE Band 5 (10MHz) |                 |
| Channel             | Frequency (MHz) | Channel            | Frequency (MHz) |
| 20425               | 826.50          | 20450              | 829.00          |
| 20426               | 826.60          | 20451              | 829.10          |
| ....                | ....            | ....               | ....            |
| 20524               | 836.40          | 20524              | 836.40          |
| 20525               | 836.50          | 20525              | 836.50          |
| 20526               | 836.60          | 20526              | 836.60          |
| ...                 | ...             | ...                | ...             |
| 20624               | 846.40          | 20599              | 839.90          |
| 20625               | 846.50          | 20600              | 844.00          |

| LTE Band 41 (5MHz)  |                 | LTE Band 41 (10MHz) |                 |
|---------------------|-----------------|---------------------|-----------------|
| Channel             | Frequency (MHz) | Channel             | Frequency (MHz) |
| 40265               | 2557.50         | 40290               | 2560.00         |
| 40266               | 2557.60         | 40291               | 2560.10         |
| ....                | ....            | ....                | ....            |
| 40739               | 2604.90         | 40739               | 2604.90         |
| 40740               | 2605.00         | 40740               | 2605.00         |
| 40741               | 2605.10         | 40741               | 2605.10         |
| ...                 | ...             | ...                 | ...             |
| 41214               | 2652.40         | 21189               | 2649.90         |
| 41215               | 2652.50         | 21190               | 2650.00         |
| LTE Band 41 (15MHz) |                 | LTE Band 41 (20MHz) |                 |
| Channel             | Frequency (MHz) | Channel             | Frequency (MHz) |
| 40315               | 2562.50         | 40340               | 2565.00         |
| 40316               | 2562.60         | 40341               | 2565.10         |
| ....                | ....            | ....                | ....            |
| 40739               | 2604.90         | 40739               | 2604.90         |
| 40740               | 2605.00         | 40740               | 2605.00         |
| 40741               | 2605.10         | 40741               | 2605.10         |
| ...                 | ...             | ...                 | ...             |
| 41164               | 2647.40         | 41139               | 2644.90         |
| 41165               | 2647.50         | 41140               | 2645.00         |

Regards to the operating frequency range, the lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channels as below:

| LTE Band 5 (1.4MHz) |       |                 | LTE Band 5 (3MHz)  |       |                 |
|---------------------|-------|-----------------|--------------------|-------|-----------------|
| Channel:            |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel      | 20407 | 824.70          | Lowest channel     | 20415 | 825.50          |
| Middle channel      | 20525 | 836.50          | Middle channel     | 20525 | 836.50          |
| Highest channel     | 20643 | 848.30          | Highest channel    | 20635 | 847.50          |
| LTE Band 5 (5MHz)   |       |                 | LTE Band 5 (10MHz) |       |                 |
| Channel             |       | Frequency (MHz) | Channel            |       | Frequency (MHz) |
| Lowest channel      | 20425 | 826.50          | Lowest channel     | 20450 | 829.00          |
| Middle channel      | 20525 | 836.50          | Middle channel     | 20525 | 836.50          |
| Highest channel     | 20625 | 846.50          | Highest channel    | 20600 | 844.00          |

| LTE Band 41 (5MHz)  |       |                 | LTE Band 41 (10MHz) |       |                 |
|---------------------|-------|-----------------|---------------------|-------|-----------------|
| Channel             |       | Frequency (MHz) | Channel             |       | Frequency (MHz) |
| Lowest channel      | 40265 | 2557.5          | Lowest channel      | 40290 | 2560.0          |
| Middle channel      | 40740 | 2605.0          | Middle channel      | 40740 | 2605.0          |
| Highest channel     | 41215 | 2652.5          | Highest channel     | 41190 | 2650.0          |
| LTE Band 41 (15MHz) |       |                 | LTE Band 41 (20MHz) |       |                 |
| Channel             |       | Frequency (MHz) | Channel             |       | Frequency (MHz) |
| Lowest channel      | 40315 | 2562.5          | Lowest channel      | 40340 | 2565.0          |
| Middle channel      | 40740 | 2605.0          | Middle channel      | 40740 | 2605.0          |
| Highest channel     | 41165 | 2647.5          | Highest channel     | 41140 | 2645.0          |

### 5.3 Test environment and mode

| Operating Environment:                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| Temperature:                                                                                                                                                                                                                                                                                                                                                                                                                 | Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C                      |
| Humidity:                                                                                                                                                                                                                                                                                                                                                                                                                    | 20 % ~ 75 % RH                                                   |
| Atmospheric Pressure:                                                                                                                                                                                                                                                                                                                                                                                                        | 1008 mbar                                                        |
| Voltage:                                                                                                                                                                                                                                                                                                                                                                                                                     | Nominal: 3.7Vdc, Extreme: Low 3.5Vdc, High 4.20Vdc               |
| Test mode:                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                  |
| LTE QPSK mode                                                                                                                                                                                                                                                                                                                                                                                                                | Keep the EUT communication with simulated station in QPSK mode   |
| LTE 16-QAM mode                                                                                                                                                                                                                                                                                                                                                                                                              | Keep the EUT communication with simulated station in 16-QAM mode |
| Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes with power adaptor, earphone and Data cable. Just the worst case position (H mode) shown in report. |                                                                  |

### 5.4 Description of Support Units

| Test Equipment    | Manufacturer | Model No. | Serial No. |
|-------------------|--------------|-----------|------------|
| Simulated Station | Anritsu      | MT8820C   | 6201026545 |

### 5.5 Measurement Uncertainty

| Parameters                          | Expanded Uncertainty |
|-------------------------------------|----------------------|
| Radiated Emission (9kHz ~ 30MHz)    | ±3.12 dB (k=2)       |
| Radiated Emission (30MHz ~ 1000MHz) | ±4.32 dB (k=2)       |
| Radiated Emission (1GHz ~ 18GHz)    | ±5.38 dB (k=2)       |
| Radiated Emission (18GHz ~ 40GHz)   | ±3.36 dB (k=2)       |

### 5.6 Related Submittal(s) / Grant (s)

|                                                              |
|--------------------------------------------------------------|
| This is an original grant, no related submittals and grants. |
|--------------------------------------------------------------|

### 5.7 Additions to, deviations, or exclusions from the method

|    |
|----|
| No |
|----|

### 5.8 Laboratory Facility

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>The test facility is recognized, certified, or accredited by the following organizations:</p> <ul style="list-style-type: none"> <li>● <b>FCC - Designation No.: CN1211</b><br/>Shenzhen Zhongjian Nanfang Testing Co., Ltd. has been accredited as a testing laboratory by FCC (Federal Communications Commission). The test firm Registration No. is 727551.</li> <li>● <b>ISED – CAB identifier.: CN0021</b><br/>The 3m Semi-anechoic chamber of Shenzhen Zhongjian Nanfang Testing Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.</li> <li>● <b>CNAS - Registration No.: CNAS L6048</b><br/>Shenzhen Zhongjian Nanfang Testing Co., Ltd. is accredited to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L6048.</li> <li>● <b>A2LA - Registration No.: 4346.01</b><br/>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <a href="https://portal.a2la.org/scopepdf/4346-01.pdf">https://portal.a2la.org/scopepdf/4346-01.pdf</a></li> </ul> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



## 5.9 Laboratory Location


Shenzhen Zhongjian Nanfang Testing Co., Ltd.  
 Address: No. B-C, 1/F., Building 2, Laodong No.2 Industrial Park, Xixiang Road,  
 Bao'an District, Shenzhen, Guangdong, China  
 Tel: +86-755-23118282, Fax: +86-755-23116366  
 Email: info@ccis-cb.com, Website: <http://www.ccis-cb.com>

## 5.10 Test Instruments list

| Test Equipment               | Manufacturer    | Model No.     | Serial No.         | Cal. Date (mm-dd-yy) | Cal. Due date (mm-dd-yy) |
|------------------------------|-----------------|---------------|--------------------|----------------------|--------------------------|
| 3m SAC                       | SAEMC           | 9m*6m*6m      | 966                | 07-22-2017           | 07-21-2020               |
| BiConiLog Antenna            | SCHWARZBECK     | VULB9163      | 497                | 03-18-2019           | 03-17-2020               |
| Biconical Antenna            | SCHWARZBECK     | VUBA9117      | 359                | 06-22-2017           | 06-21-2020               |
| Horn Antenna                 | SCHWARZBECK     | BBHA9120D     | 916                | 03-18-2019           | 03-17-2020               |
| Horn Antenna                 | SCHWARZBECK     | BBHA9120D     | 1805               | 06-22-2017           | 06-21-2020               |
| Horn Antenna                 | SCHWARZBECK     | BBHA 9170     | BBHA9170582        | 11-21-2018           | 11-20-2019               |
| EMI Test Software            | AUDIX           | E3            | Version: 6.110919b |                      |                          |
| Pre-amplifier                | HP              | 8447D         | 2944A09358         | 03-18-2019           | 03-17-2020               |
| Pre-amplifier                | CD              | PAP-1G18      | 11804              | 03-18-2019           | 03-17-2020               |
| Spectrum analyzer            | Rohde & Schwarz | FSP30         | 101454             | 03-18-2019           | 03-17-2020               |
| EMI Test Receiver            | Rohde & Schwarz | ESRP7         | 101070             | 03-18-2019           | 03-17-2020               |
| Spectrum Analyzer            | Agilent         | N9020A        | MY50510123         | 10-29-2018           | 10-28-2019               |
|                              |                 |               |                    | 10-29-2019           | 10-28-2020               |
| Signal Generator             | Rohde & Schwarz | SMX           | 835454/016         | 03-18-2019           | 03-17-2020               |
| Signal Generator             | R&S             | SMR20         | 1008100050         | 03-18-2019           | 03-17-2020               |
| RF Switch Unit               | MWRFTTEST       | MW200         | N/A                | N/A                  | N/A                      |
| Test Software                | MWRFTTEST       | MTS8200       | Version: 2.0.0.0   |                      |                          |
| Cable                        | ZDECL           | Z108-NJ-NJ-81 | 1608458            | 03-18-2019           | 03-17-2020               |
| Cable                        | MICRO-COAX      | MFR64639      | K10742-5           | 03-18-2019           | 03-17-2020               |
| Cable                        | SUHNER          | SUCOFLEX100   | 58193/4PE          | 03-18-2019           | 03-17-2020               |
| DC Power Supply              | XinNuoEr        | WYK-10020K    | 1409050110020      | 10-31-2018           | 10-30-2019               |
|                              |                 |               |                    | 10-31-2019           | 10-30-2020               |
| Temperature Humidity Chamber | HengPu          | HPGDS-500     | 20140828008        | 09-24-2018           | 09-23-2019               |
|                              |                 |               |                    | 09-24-2019           | 09-23-2020               |
| Simulated Station            | Rohde & Schwarz | CMW500        | 140493             | 07-16-2018           | 07-15-2019               |
|                              |                 |               |                    | 07-16-2019           | 07-15-2020               |

## 6. Test results

### 6.1 Conducted Output Power, ERP and EIRP

|                   |                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.913(a)(2), Part 27.50 (h)(2)                                                                                                                                                                                                                                                                                                                                                                         |
| Limit:            | LTE Band 5: 7W, LTE Band 41: 2W                                                                                                                                                                                                                                                                                                                                                                              |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left is a blue rectangular box labeled 'System simulator'. A line connects its right side to a small black rectangle labeled 'ATT' (attenuator). Another line connects the right side of the 'ATT' to a black rectangular box labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | The transmitter output was connected to a calibrated attenuator, the other end of which was connected to the CMW500. Transmitter output power was read off in dBm.                                                                                                                                                                                                                                           |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                            |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                             |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                       |

## Measurement Data:


| LTE Band                                                                                             | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |          |           |  |
|------------------------------------------------------------------------------------------------------|-----------------|--------------------|---------|-----------|---------------------|----------|-----------|--|
|                                                                                                      |                 |                    |         |           | 20407               | 20525    | 20643     |  |
|                                                                                                      |                 |                    |         |           | 824.7MHz            | 836.5MHz | 848.3MHz  |  |
| 5                                                                                                    | 1.4             | QPSK               | 1       | 0         | 22.89               | 22.78    | 22.69     |  |
|                                                                                                      |                 |                    | 1       | 2         | 22.96               | 22.86    | 22.78     |  |
|                                                                                                      |                 |                    | 1       | 5         | 22.87               | 22.67    | 22.67     |  |
|                                                                                                      |                 |                    | 3       | 0         | 21.86               | 21.76    | 21.70     |  |
|                                                                                                      |                 |                    | 3       | 1         | 21.81               | 21.69    | 21.69     |  |
|                                                                                                      |                 |                    | 3       | 2         | 21.95               | 21.81    | 21.72     |  |
|                                                                                                      |                 |                    | 6       | 0         | 21.98               | 21.84    | 21.78     |  |
|                                                                                                      |                 | Antenna Gain(dBi): |         |           |                     | 0.56     |           |  |
|                                                                                                      |                 | Max. ERP (dBm):    |         |           |                     | 21.37    |           |  |
|                                                                                                      |                 | ERP Limit (dBm):   |         |           |                     | 38.45    |           |  |
|                                                                                                      |                 | 16QAM              | 1       | 0         | 21.98               | 21.85    | 21.81     |  |
|                                                                                                      |                 |                    | 1       | 2         | 21.86               | 21.84    | 21.82     |  |
|                                                                                                      |                 |                    | 1       | 5         | 21.89               | 21.79    | 21.86     |  |
|                                                                                                      |                 |                    | 3       | 0         | 20.68               | 20.58    | 20.54     |  |
|                                                                                                      |                 |                    | 3       | 1         | 20.82               | 20.79    | 20.63     |  |
|                                                                                                      |                 |                    | 3       | 2         | 20.83               | 20.78    | 20.57     |  |
|                                                                                                      |                 |                    | 6       | 0         | 20.93               | 20.81    | 20.75     |  |
| Antenna Gain(dBi):                                                                                   |                 |                    |         | 0.56      |                     |          |           |  |
| Max. ERP (dBm):                                                                                      |                 |                    |         | 20.39     |                     |          |           |  |
| ERP Limit (dBm):                                                                                     |                 |                    |         | 38.45     |                     |          |           |  |
|                                                                                                      |                 |                    |         |           |                     |          |           |  |
| LTE Band                                                                                             | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |          |           |  |
|                                                                                                      |                 |                    |         |           | 20415               | 20525    | 20635     |  |
|                                                                                                      |                 |                    |         |           | 825.5MHz            | 836.5MHz | 847.50MHz |  |
| 5                                                                                                    | 3               | QPSK               | 1       | 0         | 22.89               | 22.75    | 22.78     |  |
|                                                                                                      |                 |                    | 1       | 7         | 22.97               | 22.89    | 22.89     |  |
|                                                                                                      |                 |                    | 1       | 14        | 22.93               | 22.96    | 22.74     |  |
|                                                                                                      |                 |                    | 8       | 0         | 21.93               | 21.77    | 21.69     |  |
|                                                                                                      |                 |                    | 8       | 4         | 21.89               | 21.79    | 21.78     |  |
|                                                                                                      |                 |                    | 8       | 7         | 21.92               | 21.84    | 21.74     |  |
|                                                                                                      |                 |                    | 15      | 0         | 21.93               | 21.83    | 21.73     |  |
|                                                                                                      |                 | Antenna Gain(dBi): |         |           |                     | 0.56     |           |  |
|                                                                                                      |                 | Max. ERP (dBm):    |         |           |                     | 21.38    |           |  |
|                                                                                                      |                 | ERP Limit (dBm):   |         |           |                     | 38.45    |           |  |
|                                                                                                      |                 | 16QAM              | 1       | 0         | 21.91               | 21.90    | 21.87     |  |
|                                                                                                      |                 |                    | 1       | 7         | 21.96               | 22.04    | 21.86     |  |
|                                                                                                      |                 |                    | 1       | 14        | 22.10               | 21.89    | 21.82     |  |
|                                                                                                      |                 |                    | 8       | 0         | 20.85               | 20.72    | 20.67     |  |
|                                                                                                      |                 |                    | 8       | 4         | 20.96               | 20.74    | 20.73     |  |
|                                                                                                      |                 |                    | 8       | 7         | 20.87               | 20.80    | 20.80     |  |
|                                                                                                      |                 |                    | 15      | 0         | 20.86               | 20.89    | 20.74     |  |
| Antenna Gain(dBi):                                                                                   |                 |                    |         | 0.56      |                     |          |           |  |
| Max. ERP (dBm):                                                                                      |                 |                    |         | 20.51     |                     |          |           |  |
| ERP Limit (dBm):                                                                                     |                 |                    |         | 38.45     |                     |          |           |  |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).<br>ERP (dBm ) = EIRP (dBm) - 2.15 (dB). |                 |                    |         |           |                     |          |           |  |

| LTE Band                                                                                             | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |          |          |  |
|------------------------------------------------------------------------------------------------------|-----------------|--------------------|---------|-----------|---------------------|----------|----------|--|
|                                                                                                      |                 |                    |         |           | 20425               | 20525    | 20625    |  |
|                                                                                                      |                 |                    |         |           | 826.5MHz            | 836.5MHz | 846.5MHz |  |
| 5                                                                                                    | 5               | QPSK               | 1       | 0         | 22.74               | 22.59    | 22.54    |  |
|                                                                                                      |                 |                    | 1       | 12        | 22.86               | 22.74    | 22.69    |  |
|                                                                                                      |                 |                    | 1       | 24        | 22.85               | 22.56    | 22.57    |  |
|                                                                                                      |                 |                    | 12      | 0         | 21.74               | 21.62    | 21.60    |  |
|                                                                                                      |                 |                    | 12      | 6         | 21.82               | 21.67    | 21.72    |  |
|                                                                                                      |                 |                    | 12      | 11        | 21.81               | 21.71    | 21.61    |  |
|                                                                                                      |                 |                    | 25      | 0         | 21.79               | 21.65    | 21.69    |  |
|                                                                                                      |                 | Antenna Gain(dBi): |         |           |                     | 0.56     |          |  |
|                                                                                                      |                 | Max. ERP (dBm):    |         |           |                     | 21.27    |          |  |
|                                                                                                      |                 | ERP Limit (dBm):   |         |           |                     | 38.45    |          |  |
|                                                                                                      |                 | 16QAM              | 1       | 0         | 21.70               | 21.61    | 21.65    |  |
|                                                                                                      |                 |                    | 1       | 12        | 21.87               | 21.65    | 21.83    |  |
|                                                                                                      |                 |                    | 1       | 24        | 21.86               | 21.60    | 21.59    |  |
|                                                                                                      |                 |                    | 12      | 0         | 20.84               | 20.76    | 20.77    |  |
|                                                                                                      |                 |                    | 12      | 6         | 20.95               | 20.75    | 20.68    |  |
|                                                                                                      |                 |                    | 12      | 11        | 20.83               | 20.79    | 20.74    |  |
|                                                                                                      |                 |                    | 25      | 0         | 20.88               | 20.61    | 20.79    |  |
| Antenna Gain(dBi):                                                                                   |                 |                    |         | 0.56      |                     |          |          |  |
| Max. ERP (dBm):                                                                                      |                 |                    |         | 20.28     |                     |          |          |  |
| ERP Limit (dBm):                                                                                     |                 |                    |         | 38.45     |                     |          |          |  |
|                                                                                                      |                 |                    |         |           |                     |          |          |  |
| LTE Band                                                                                             | Bandwidth (MHz) | Modulation         | RB Size | RB Offset | Average Power (dBm) |          |          |  |
|                                                                                                      |                 |                    |         |           | 20450               | 20525    | 20600    |  |
|                                                                                                      |                 |                    |         |           | 829.0MHz            | 836.5MHz | 844.0MHz |  |
| 5                                                                                                    | 10              | QPSK               | 1       | 0         | 22.69               | 22.69    | 22.45    |  |
|                                                                                                      |                 |                    | 1       | 24        | 22.78               | 22.58    | 22.56    |  |
|                                                                                                      |                 |                    | 1       | 49        | 22.59               | 22.57    | 22.57    |  |
|                                                                                                      |                 |                    | 25      | 0         | 21.72               | 21.62    | 21.59    |  |
|                                                                                                      |                 |                    | 25      | 12        | 21.78               | 21.65    | 21.53    |  |
|                                                                                                      |                 |                    | 25      | 24        | 21.71               | 21.67    | 21.66    |  |
|                                                                                                      |                 |                    | 50      | 0         | 21.74               | 21.67    | 21.63    |  |
|                                                                                                      |                 | Antenna Gain(dBi): |         |           |                     | 0.56     |          |  |
|                                                                                                      |                 | Max. ERP (dBm):    |         |           |                     | 21.19    |          |  |
|                                                                                                      |                 | ERP Limit (dBm):   |         |           |                     | 38.45    |          |  |
|                                                                                                      |                 | 16QAM              | 1       | 0         | 21.60               | 21.70    | 21.45    |  |
|                                                                                                      |                 |                    | 1       | 24        | 21.82               | 21.74    | 21.11    |  |
|                                                                                                      |                 |                    | 1       | 49        | 21.70               | 21.64    | 21.65    |  |
|                                                                                                      |                 |                    | 25      | 0         | 20.84               | 20.66    | 20.69    |  |
|                                                                                                      |                 |                    | 25      | 12        | 20.76               | 20.77    | 20.55    |  |
|                                                                                                      |                 |                    | 25      | 24        | 20.78               | 20.68    | 20.47    |  |
|                                                                                                      |                 |                    | 50      | 0         | 20.79               | 20.78    | 20.59    |  |
| Antenna Gain(dBi):                                                                                   |                 |                    |         | 0.56      |                     |          |          |  |
| Max. ERP (dBm):                                                                                      |                 |                    |         | 20.23     |                     |          |          |  |
| ERP Limit (dBm):                                                                                     |                 |                    |         | 38.45     |                     |          |          |  |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi).<br>ERP (dBm ) = EIRP (dBm) - 2.15 (dB). |                 |                    |         |           |                     |          |          |  |

| LTE Band                                                     | Bandwidth (MHz) | Modulation          | RB Size | RB Offset | Average Power (dBm) |           |           |  |
|--------------------------------------------------------------|-----------------|---------------------|---------|-----------|---------------------|-----------|-----------|--|
|                                                              |                 |                     |         |           | 40265               | 40740     | 41215     |  |
|                                                              |                 |                     |         |           | 2557.5MHz           | 2605.0MHz | 2652.5MHz |  |
| 41                                                           | 5               | QPSK                | 1       | 0         | 23.12               | 22.45     | 22.58     |  |
|                                                              |                 |                     | 1       | 12        | 23.23               | 22.56     | 22.45     |  |
|                                                              |                 |                     | 1       | 24        | 23.10               | 22.47     | 22.63     |  |
|                                                              |                 |                     | 12      | 0         | 22.28               | 22.56     | 21.47     |  |
|                                                              |                 |                     | 12      | 6         | 22.31               | 22.47     | 21.56     |  |
|                                                              |                 |                     | 12      | 11        | 22.42               | 22.53     | 21.89     |  |
|                                                              |                 |                     | 25      | 0         | 22.39               | 21.65     | 21.46     |  |
|                                                              |                 | Antenna Gain (dBi): |         |           |                     | 1.53      |           |  |
|                                                              |                 | Max. EIRP (dBm):    |         |           |                     | 24.76     |           |  |
|                                                              |                 | EIRP Limit (dBm):   |         |           |                     | 33.00     |           |  |
|                                                              |                 | 16QAM               | 1       | 0         | 22.36               | 21.64     | 21.54     |  |
|                                                              |                 |                     | 1       | 12        | 22.28               | 21.57     | 21.63     |  |
|                                                              |                 |                     | 1       | 24        | 22.24               | 21.52     | 21.47     |  |
|                                                              |                 |                     | 12      | 0         | 21.24               | 20.58     | 20.58     |  |
|                                                              |                 |                     | 12      | 6         | 21.29               | 20.47     | 20.47     |  |
|                                                              |                 |                     | 12      | 11        | 21.23               | 20.43     | 20.69     |  |
|                                                              |                 |                     | 25      | 0         | 21.39               | 20.64     | 20.58     |  |
|                                                              |                 | Antenna Gain (dBi): |         |           |                     | 1.53      |           |  |
|                                                              |                 | Max. EIRP (dBm):    |         |           |                     | 23.89     |           |  |
|                                                              |                 | EIRP Limit (dBm):   |         |           |                     | 33.00     |           |  |
|                                                              |                 |                     |         |           |                     |           |           |  |
| LTE Band                                                     | Bandwidth (MHz) | Modulation          | RB Size | RB Offset | Average Power (dBm) |           |           |  |
|                                                              |                 |                     |         |           | 40290               | 40740     | 41190     |  |
|                                                              |                 |                     |         |           | 2560.0MHz           | 2605.0MHz | 2650.0MHz |  |
| 41                                                           | 10              | QPSK                | 1       | 0         | 23.25               | 22.58     | 22.46     |  |
|                                                              |                 |                     | 1       | 24        | 23.11               | 22.69     | 22.59     |  |
|                                                              |                 |                     | 1       | 49        | 23.03               | 22.47     | 22.63     |  |
|                                                              |                 |                     | 25      | 0         | 22.52               | 21.56     | 21.45     |  |
|                                                              |                 |                     | 25      | 12        | 22.45               | 21.65     | 21.29     |  |
|                                                              |                 |                     | 25      | 24        | 22.36               | 21.64     | 21.27     |  |
|                                                              |                 |                     | 50      | 0         | 22.31               | 21.65     | 21.36     |  |
|                                                              |                 | Antenna Gain (dBi): |         |           |                     | 1.53      |           |  |
|                                                              |                 | Max. EIRP (dBm):    |         |           |                     | 24.78     |           |  |
|                                                              |                 | EIRP Limit (dBm):   |         |           |                     | 33.00     |           |  |
|                                                              |                 | 16QAM               | 1       | 0         | 22.12               | 21.69     | 21.34     |  |
|                                                              |                 |                     | 1       | 24        | 22.32               | 21.66     | 21.39     |  |
|                                                              |                 |                     | 1       | 49        | 22.41               | 21.41     | 21.58     |  |
|                                                              |                 |                     | 25      | 0         | 21.32               | 20.69     | 20.56     |  |
|                                                              |                 |                     | 25      | 12        | 21.33               | 20.47     | 20.45     |  |
|                                                              |                 |                     | 25      | 24        | 21.30               | 20.59     | 20.69     |  |
|                                                              |                 |                     | 50      | 0         | 21.34               | 20.63     | 20.78     |  |
|                                                              |                 | Antenna Gain (dBi): |         |           |                     | 1.53      |           |  |
|                                                              |                 | Max. EIRP (dBm):    |         |           |                     | 23.94     |           |  |
|                                                              |                 | EIRP Limit (dBm):   |         |           |                     | 33.00     |           |  |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi). |                 |                     |         |           |                     |           |           |  |

| LTE Band                                                     | Bandwidth (MHz) | Modulation          | RB Size | RB Offset | Average Power (dBm) |           |           |
|--------------------------------------------------------------|-----------------|---------------------|---------|-----------|---------------------|-----------|-----------|
|                                                              |                 |                     |         |           | 40315               | 40740     | 41165     |
|                                                              |                 |                     |         |           | 2562.5MHz           | 2605.0MHz | 2647.5MHz |
| 41                                                           | 15              | QPSK                | 1       | 0         | 23.12               | 22.47     | 22.12     |
|                                                              |                 |                     | 1       | 37        | 23.12               | 22.53     | 22.56     |
|                                                              |                 |                     | 1       | 74        | 23.16               | 22.39     | 22.47     |
|                                                              |                 |                     | 36      | 0         | 22.45               | 21.60     | 22.12     |
|                                                              |                 |                     | 36      | 16        | 22.24               | 21.66     | 22.03     |
|                                                              |                 |                     | 36      | 35        | 22.12               | 21.55     | 22.14     |
|                                                              |                 |                     | 75      | 0         | 22.19               | 21.57     | 21.56     |
|                                                              |                 | Antenna Gain (dBi): |         |           | 1.53                |           |           |
|                                                              |                 | Max. EIRP (dBm):    |         |           | 24.69               |           |           |
|                                                              |                 | EIRP Limit (dBm):   |         |           | 33.00               |           |           |
|                                                              |                 | 16QAM               | 1       | 0         | 22.48               | 21.75     | 21.40     |
|                                                              |                 |                     | 1       | 37        | 22.35               | 21.68     | 21.56     |
|                                                              |                 |                     | 1       | 74        | 22.32               | 21.51     | 21.55     |
|                                                              |                 |                     | 36      | 0         | 21.33               | 21.13     | 21.12     |
|                                                              |                 |                     | 36      | 16        | 21.25               | 21.03     | 21.45     |
|                                                              |                 |                     | 36      | 35        | 21.27               | 21.52     | 21.36     |
|                                                              |                 |                     | 75      | 0         | 21.13               | 21.14     | 21.02     |
|                                                              |                 | Antenna Gain (dBi): |         |           | 1.53                |           |           |
|                                                              |                 | Max. EIRP (dBm):    |         |           | 24.01               |           |           |
|                                                              |                 | EIRP Limit (dBm):   |         |           | 33.00               |           |           |
|                                                              |                 |                     |         |           |                     |           |           |
| LTE Band                                                     | Bandwidth (MHz) | Modulation          | RB Size | RB Offset | Average Power (dBm) |           |           |
|                                                              |                 |                     |         |           | 40340               | 40740     | 41140     |
|                                                              |                 |                     |         |           | 2565.0MHz           | 2605.0MHz | 2645.0MHz |
| 41                                                           | 20              | QPSK                | 1       | 0         | 23.18               | 22.32     | 22.36     |
|                                                              |                 |                     | 1       | 49        | 23.08               | 22.54     | 22.45     |
|                                                              |                 |                     | 1       | 99        | 23.13               | 22.14     | 22.63     |
|                                                              |                 |                     | 50      | 0         | 22.55               | 21.65     | 21.36     |
|                                                              |                 |                     | 50      | 24        | 22.36               | 21.63     | 21.74     |
|                                                              |                 |                     | 50      | 49        | 22.57               | 21.50     | 21.32     |
|                                                              |                 |                     | 100     | 0         | 22.26               | 21.65     | 21.25     |
|                                                              |                 | Antenna Gain (dBi): |         |           | 1.53                |           |           |
|                                                              |                 | Max. EIRP (dBm):    |         |           | 24.71               |           |           |
|                                                              |                 | EIRP Limit (dBm):   |         |           | 33.00               |           |           |
|                                                              |                 | 16QAM               | 1       | 0         | 21.24               | 21.64     | 21.17     |
|                                                              |                 |                     | 1       | 49        | 21.14               | 21.78     | 21.23     |
|                                                              |                 |                     | 1       | 99        | 21.16               | 21.47     | 21.41     |
|                                                              |                 |                     | 50      | 0         | 21.45               | 21.13     | 21.03     |
|                                                              |                 |                     | 50      | 24        | 21.17               | 21.23     | 21.12     |
|                                                              |                 |                     | 50      | 49        | 21.36               | 21.10     | 21.04     |
|                                                              |                 |                     | 100     | 0         | 21.20               | 21.03     | 21.01     |
|                                                              |                 | Antenna Gain (dBi): |         |           | 1.53                |           |           |
|                                                              |                 | Max. EIRP (dBm):    |         |           | 23.31               |           |           |
|                                                              |                 | EIRP Limit (dBm):   |         |           | 33.00               |           |           |
| Note: EIRP (dBm) = Average power (dBm) + Antenna Gain (dBi). |                 |                     |         |           |                     |           |           |

## 6.2 Peak-to-Average Ratio


|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 24.232 (d), Part 27.50(d)(5)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Limit:            | The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a single input port of a white rectangular unit labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular unit labeled 'ATT' (Attenuator). The other output port is connected to a black rectangular unit labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 Set the CCDF option in spectrum analyzer, <math>RBW \geq OBW</math>,</li> <li>3 Set the EUT working in highest power level, measured and recorded the 0.1% as PAPR level.</li> <li>4 Repeat step 1~3 at other frequency and modulations.</li> </ol>                                                                                                                                                                                                                                        |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Measurement Data (Worst case):


| Bandwidth                    | Modulation | RB Size | RB Offset | PAPR |
|------------------------------|------------|---------|-----------|------|
| LTE Band 5 (Middle Channel)  |            |         |           |      |
| 10MHz                        | QPSK       | 50      | 0         | 4.72 |
|                              | 16QAM      | 50      | 0         | 5.59 |
| LTE Band 41 (Middle Channel) |            |         |           |      |
| 20MHz                        | QPSK       | 50      | 0         | 4.99 |
|                              | 16QAM      | 50      | 0         | 6.90 |



Test plots as below:



### 6.3 Occupy Bandwidth

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.917(b), Part 27.53(m)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a single input port of a white rectangular unit labeled 'Splitter'. The 'Splitter' has two output ports. One output port is connected to a black rectangular unit labeled 'ATT' (Attenuator). The other output port is connected to a black rectangular unit labeled 'EUT' (Equipment Under Test).</p> |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1. The EUT's output RF connector was connected with a short cable to the spectrum analyzer</li> <li>2. RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW.</li> <li>3. -26dBc display line was placed on the screen (or 99% bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace.</li> </ol>                                                                                                                                                                                                                         |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

## Measurement Data:


| TE Band 5 |         |                 |            |               |                 |
|-----------|---------|-----------------|------------|---------------|-----------------|
| Bandwidth | Channel | Frequency (MHz) | Modulation | 99% OBW (kHz) | -26dBcEBW (kHz) |
| 1.4MHz    | 20407   | 824.7           | 16QAM      | 1098          | 1260            |
|           |         |                 | QPSK       | 1098          | 1272            |
|           | 20525   | 836.5           | 16QAM      | 1086          | 1278            |
|           |         |                 | QPSK       | 1098          | 1290            |
|           | 20643   | 848.3           | 16QAM      | 1092          | 1272            |
|           |         |                 | QPSK       | 1104          | 1296            |
| 3MHz      | 20415   | 825.5           | 16QAM      | 2724          | 2952            |
|           |         |                 | QPSK       | 2736          | 3012            |
|           | 20525   | 836.50          | 16QAM      | 2724          | 2964            |
|           |         |                 | QPSK       | 2724          | 2988            |
|           | 20635   | 847.50          | 16QAM      | 2712          | 2940            |
|           |         |                 | QPSK       | 2724          | 2988            |
| 5MHz      | 20425   | 826.50          | 16QAM      | 4480          | 4880            |
|           |         |                 | QPSK       | 4520          | 5040            |
|           | 20525   | 836.50          | 16QAM      | 4520          | 5000            |
|           |         |                 | QPSK       | 4520          | 4980            |
|           | 20625   | 846.50          | 16QAM      | 4520          | 4920            |
|           |         |                 | QPSK       | 4520          | 5160            |
| 10MHz     | 20450   | 829.00          | 16QAM      | 9160          | 10160           |
|           |         |                 | QPSK       | 9160          | 10480           |
|           | 20525   | 836.50          | 16QAM      | 9080          | 10200           |
|           |         |                 | QPSK       | 9160          | 10400           |
|           | 20600   | 844.00          | 16QAM      | 9120          | 10040           |
|           |         |                 | QPSK       | 9160          | 10240           |

| LTE Band 41 |         |                 |            |               |                 |
|-------------|---------|-----------------|------------|---------------|-----------------|
| Bandwidth   | Channel | Frequency (MHz) | Modulation | 99% OBW (kHz) | -26dBcEBW (kHz) |
| 5MHz        | 40265   | 2557.5          | 16QAM      | 4500          | 4960            |
|             |         |                 | QPSK       | 4540          | 5140            |
|             | 40740   | 2605.0          | 16QAM      | 4520          | 4820            |
|             |         |                 | QPSK       | 4500          | 5000            |
|             | 41215   | 2652.5          | 16QAM      | 4520          | 4920            |
|             |         |                 | QPSK       | 4520          | 4960            |
| 10MHz       | 40290   | 2560.0          | 16QAM      | 9040          | 10200           |
|             |         |                 | QPSK       | 9080          | 10440           |
|             | 40740   | 2605.0          | 16QAM      | 9120          | 10000           |
|             |         |                 | QPSK       | 9080          | 10200           |
|             | 41190   | 2650.0          | 16QAM      | 9040          | 9960            |
|             |         |                 | QPSK       | 9080          | 10320           |
| 15MHz       | 40315   | 2562.5          | 16QAM      | 13560         | 14460           |
|             |         |                 | QPSK       | 13500         | 15060           |
|             | 40740   | 2605.0          | 16QAM      | 13500         | 14820           |
|             |         |                 | QPSK       | 13560         | 14880           |
|             | 41165   | 2647.5          | 16QAM      | 13440         | 14580           |
|             |         |                 | QPSK       | 13500         | 14940           |
| 20MHz       | 40340   | 2565.0          | 16QAM      | 17920         | 19200           |
|             |         |                 | QPSK       | 18000         | 19440           |
|             | 40740   | 2605.0          | 16QAM      | 17920         | 19040           |
|             |         |                 | QPSK       | 18080         | 19440           |
|             | 41140   | 2645.0          | 16QAM      | 17920         | 19120           |
|             |         |                 | QPSK       | 18000         | 19440           |

Test plot as follows:  
LTE Band 5 part:


LTE Band 5: 99% Occupancy bandwidth  
BW: 1.4MHz

16QAM



Date: 11.OCT.2019 13:49:38


QPSK



Date: 11.OCT.2019 13:49:34


Lowest channel

16QAM



Date: 11.OCT.2019 13:50:17


QPSK



Date: 11.OCT.2019 13:50:13


Middle channel

16QAM



Date: 11.OCT.2019 13:50:36


QPSK




Date: 11.OCT.2019 13:50:32

Highest channel

LTE Band 5: 99% Occupy bandwidth  
BW: 3MHz




Date: 11.OCT.2019 13:51:29




Date: 11.OCT.2019 13:51:25

Lowest channel




Date: 11.OCT.2019 13:51:42




Date: 11.OCT.2019 13:51:39

Middle channel




Date: 11.OCT.2019 13:52:21




Date: 11.OCT.2019 13:52:17

## Highest channel

## LTE Band 5: 99% Occupancy bandwidth BW: 5MHz




Date: 11.OCT.2019 13:52:47




Date: 11.OCT.2019 13:52:44

### Lowest channel




Date: 11.OCT.2019 13:53:40




Date: 11.OCT.2019 13:53:36

### Middle channel



Date: 11.OCT.2019 13:53:57




Date: 11.OCT.2019 13:53:53

### Highest channel


LTE Band 5: 99% Occupancy bandwidth  
BW: 10MHz

## 16QAM



Date: 11.OCT.2019 13:54:58


## QPSK



Date: 11.OCT.2019 13:54:54


## Lowest channel

## 16QAM



Date: 11.OCT.2019 13:55:12


## QPSK



Date: 11.OCT.2019 13:55:09


## Middle channel

## 16QAM



Date: 11.OCT.2019 13:55:51

## QPSK




Date: 11.OCT.2019 13:55:48


## Highest channel



## LTE Band 5: -26dBc bandwidth BW: 1.4MHz




Date: 11.OCT.2019 13:49:50




Date: 11.OCT.2019 13:49:47

### Lowest channel




Date: 11.OCT.2019 13:50:06




Date: 11.OCT.2019 13:50:03

### Middle channel



Date: 11.OCT.2019 13:50:47




Date: 11.OCT.2019 13:50:44

### Highest channel


LTE Band 5: -26dBc bandwidth  
BW: 3MHz

## 16QAM



Date: 11.OCT.2019 13:51:18


## QPSK



Date: 11.OCT.2019 13:51:15


## Lowest channel

## 16QAM



Date: 11.OCT.2019 13:51:53


## QPSK



Date: 11.OCT.2019 13:51:49


## Middle channel

## 16QAM



Date: 11.OCT.2019 13:52:09


## QPSK




Date: 11.OCT.2019 13:52:06

## Highest channel

LTE Band 5: -26dBc bandwidth  
BW: 5MHz




Date: 11.OCT.2019 13:52:58




Date: 11.OCT.2019 13:52:55

Lowest channel




Date: 11.OCT.2019 13:53:28




Date: 11.OCT.2019 13:53:24

Middle channel



Date: 11.OCT.2019 13:54:11




Date: 11.OCT.2019 13:54:08

## Highest channel


LTE Band 5: -26dBc bandwidth  
BW: 10MHz

## 16QAM



Date: 11.OCT.2019 13:54:47


## QPSK



Date: 11.OCT.2019 13:54:43


## Lowest channel

## 16QAM



Date: 11.OCT.2019 13:55:25


## QPSK



Date: 11.OCT.2019 13:55:20


## Middle channel

## 16QAM



Date: 11.OCT.2019 13:55:40

## QPSK




Date: 11.OCT.2019 13:55:36


## Highest channel

## LTE-Band 41 part:

LTE Band 41: 99% Occupy bandwidth  
BW: 5MHz




Date: 11.OCT.2019 14:14:16




Date: 11.OCT.2019 14:14:12

Lowest channel




Date: 11.OCT.2019 14:15:04




Date: 11.OCT.2019 14:15:01

Middle channel



Date: 11.OCT.2019 14:15:22




Date: 11.OCT.2019 14:15:18

Highest channel


## LTE Band 41: 99% Occupy bandwidth BW: 10MHz

### 16QAM



Date: 11.OCT.2019 14:16:18


### QPSK



Date: 11.OCT.2019 14:16:15


### Lowest channel

### 16QAM



Date: 11.OCT.2019 14:16:46


### QPSK



Date: 11.OCT.2019 14:16:43


### Middle channel

### 16QAM



Date: 11.OCT.2019 14:17:35

### QPSK




Date: 11.OCT.2019 14:17:32

### Highest channel


LTE Band 41: 99% Occupy bandwidth  
BW: 15MHz

## 16QAM



Date: 11.OCT.2019 14:18:06


## QPSK



Date: 11.OCT.2019 14:18:02


## Lowest channel

## 16QAM



Date: 11.OCT.2019 14:18:46


## QPSK



Date: 11.OCT.2019 14:18:42


## Middle channel

## 16QAM



Date: 11.OCT.2019 14:19:05

## QPSK




Date: 11.OCT.2019 14:19:02

## Highest channel


LTE Band 41: 99% Occupy bandwidth  
BW: 20MHz

## 16QAM



Date: 11.OCT.2019 14:20:07


## QPSK



Date: 11.OCT.2019 14:20:04


## Lowest channel

## 16QAM



Date: 11.OCT.2019 14:20:22


## QPSK



Date: 11.OCT.2019 14:20:19


## Middle channel

## 16QAM



Date: 11.OCT.2019 14:21:01

## QPSK




Date: 11.OCT.2019 14:20:57


## Highest channel



LTE Band 41: -26dBc bandwidth  
BW: 5MHz




Date: 11.OCT.2019 14:14:31




Date: 11.OCT.2019 14:14:26

Lowest channel




Date: 11.OCT.2019 14:14:53




Date: 11.OCT.2019 14:14:48

Middle channel



Date: 11.OCT.2019 14:15:33




Date: 11.OCT.2019 14:15:29

## Highest channel


LTE Band 41: -26dBc bandwidth  
BW: 10MHz

## 16QAM



Date: 11.OCT.2019 14:16:08


## QPSK



Date: 11.OCT.2019 14:16:03


## Lowest channel

## 16QAM



Date: 11.OCT.2019 14:16:58


## QPSK



Date: 11.OCT.2019 14:16:55


## Middle channel

## 16QAM



Date: 11.OCT.2019 14:17:14


## QPSK




Date: 11.OCT.2019 14:17:11

## Highest channel

LTE Band 41: -26dBc bandwidth  
BW: 15MHz




Date: 11.OCT.2019 14:18:17




Date: 11.OCT.2019 14:18:14

Lowest channel




Date: 11.OCT.2019 14:18:33




Date: 11.OCT.2019 14:18:29

Middle channel




Date: 11.OCT.2019 14:19:17




Date: 11.OCT.2019 14:19:13

## Highest channel

LTE Band 41: -26dBc bandwidth  
BW: 20MHz




Date: 11.OCT.2019 14:19:54




Date: 11.OCT.2019 14:19:50

Lowest channel




Date: 11.OCT.2019 14:20:34




Date: 11.OCT.2019 14:20:29

Middle channel




Date: 11.OCT.2019 14:20:51



Date: 11.OCT.2019 14:20:47


## Highest channel

#### 6.4 Out of band emission at antenna terminals

|                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Test Requirement: | Part 22.917(b), Part 27.53(m)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Limit:            | <p>LTE Band 5 :</p> <p>The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least <math>43 + 10 \log_{10}(P)</math> dB (-13 dBm).</p> <p>LTE Band 41:</p> <p>For mobile digital stations, the attenuation factor shall be not less than <math>40 + 10 \log (P)</math> dB on all frequencies between the channel edge and 5 megahertz from the channel edge, <math>43 + 10 \log (P)</math> dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and <math>55 + 10 \log (P)</math> dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that <math>43 + 10 \log (P)</math> dB on all frequencies between 2490.5 MHz and 2496 MHz and <math>55 + 10 \log (P)</math> dB at or below 2490.5 MHz.</p> |
| Test Setup:       |  <p>The diagram illustrates the test setup. On the left, there are two blue rectangular units: the top one is labeled 'System simulator' and the bottom one is labeled 'Spectrum Analyzer'. Both have a single output port. These two ports are connected to a central 'Splitter' unit, which is a small white rectangle with two input ports and two output ports. One output of the Splitter is connected to a black rectangular unit labeled 'ATT' (attenuator). The other output of the Splitter is connected to a white rectangular unit with a black screen, labeled 'EUT' (Equipment Under Test).</p>                                                                                                                                                                                                                                                                                                     |
| Test Procedure:   | <ol style="list-style-type: none"> <li>1 The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation.</li> <li>2 The resolution bandwidth of the spectrum analyzer was set at 100 kHz when below 1GHz, 1MHz when above 1 GHz; sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.</li> <li>3 For the out of band: Set the RBW=100 kHz, VBW=300 kHz when below 1 GHz, RBW =1 MHz, VBW=3 MHz when above 1 GHz, Start=30MHz, Stop= 10th harmonic.</li> <li>4 Band Edge Requirements: In the 1 MHz bands immediately outside and adjacent to the frequency block, a resolution bandwidth of at least 1 percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.</li> </ol>                                                                                                                                                                |
| Test Instruments: | Refer to section 5.10 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Test mode:        | Refer to section 5.3 for details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Test results:     | Passed                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Remark:           | Pre-scan all RB Size and offset, and found the RB Size and offset of worst case, so the report shows only the worst case test data.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |


Test plots as follows (Conducted spurious emission) (worst case):  
LTE Band 5 part:

## LTE Band 5: 16 QAM & RB Size 1 BW: 1.4MHz Lowest channel



Date: 11.OCT.2019 14:42:09


30MHz~1GHz



Date: 11.OCT.2019 14:58:58


1GHz~9GHz

## Middle channel



Date: 11.OCT.2019 14:43:21


30MHz~1GHz



Date: 11.OCT.2019 14:59:40


1GHz~9GHz

## High channel



Date: 11.OCT.2019 14:43:46


30MHz~1GHz



Date: 11.OCT.2019 14:59:58


1GHz~9GHz

## LTE Band 5: 16 QAM & RB Size 6 BW: 1.4MHz Lowest channel



Date: 11.OCT.2019 14:42:33


30MHz~1GHz



Date: 11.OCT.2019 14:59:13


1GHz~9GHz

## Middle channel



Date: 11.OCT.2019 14:43:00


30MHz~1GHz



Date: 11.OCT.2019 14:59:26


1GHz~9GHz

## High channel



Date: 11.OCT.2019 14:45:35


30MHz~1GHz



Date: 11.OCT.2019 15:00:14


1GHz~9GHz

LTE Band 5: QPSK & RB Size 1  
BW: 1.4MHz  
Lowest channel



Date: 11.OCT.2019 14:42:01


30MHz~1GHz



Date: 11.OCT.2019 14:58:54


1GHz~9GHz

Middle channel



Date: 11.OCT.2019 14:43:12


30MHz~1GHz



Date: 11.OCT.2019 14:59:35


1GHz~9GHz

High channel



Date: 11.OCT.2019 14:43:38

30MHz~1GHz




Date: 11.OCT.2019 14:59:50

1GHz~9GHz




## LTE Band 5: QPSK & RB Size 6 BW: 1.4MHz Lowest channel



Date: 11.OCT.2019 14:42:23


30MHz~1GHz



Date: 11.OCT.2019 14:59:06


1GHz~9GHz

## Middle channel



Date: 11.OCT.2019 14:42:49


30MHz~1GHz



Date: 11.OCT.2019 14:59:21


1GHz~9GHz

## High channel



Date: 11.OCT.2019 14:45:26


30MHz~1GHz



Date: 11.OCT.2019 15:00:08


1GHz~9GHz

## LTE Band 5: 16 QAM & RB Size 1 BW: 3MHz Lowest channel



Date: 11.OCT.2019 14:46:31


30MHz~1GHz



Date: 11.OCT.2019 14:57:20


1GHz~9GHz

## Middle channel



Date: 11.OCT.2019 14:47:38


30MHz~1GHz



Date: 11.OCT.2019 14:58:02


1GHz~9GHz

## High channel



Date: 11.OCT.2019 14:48:06


30MHz~1GHz



Date: 11.OCT.2019 14:58:18


1GHz~9GHz

## LTE Band 5: 16 QAM & RB Size 15 BW: 3MHz Lowest channel



Date: 11.OCT.2019 14:46:53


30MHz~1GHz



Date: 11.OCT.2019 14:57:35


1GHz~9GHz

## Middle channel



Date: 11.OCT.2019 14:47:19


30MHz~1GHz



Date: 11.OCT.2019 14:57:48


1GHz~9GHz

## High channel



Date: 11.OCT.2019 14:48:25


30MHz~1GHz



Date: 11.OCT.2019 14:58:32


1GHz~9GHz

## LTE Band 5: QPSK & RB Size 1 BW: 3MHz Lowest channel



Date: 11.OCT.2019 14:46:26


30MHz~1GHz



Date: 11.OCT.2019 14:57:15


1GHz~9GHz

## Middle channel



Date: 11.OCT.2019 14:47:30


30MHz~1GHz



Date: 11.OCT.2019 14:57:56


1GHz~9GHz

## High channel



Date: 11.OCT.2019 14:47:55


30MHz~1GHz



Date: 11.OCT.2019 14:58:14


1GHz~9GHz

LTE Band 5: QPSK & RB Size 15  
BW: 3MHz  
Lowest channel



Date: 11.OCT.2019 14:46:43


30MHz~1GHz



Date: 11.OCT.2019 14:57:29


1GHz~9GHz

Middle channel



Date: 11.OCT.2019 14:47:11


30MHz~1GHz



Date: 11.OCT.2019 14:57:43


1GHz~9GHz

High channel



Date: 11.OCT.2019 14:48:17

30MHz~1GHz



Date: 11.OCT.2019 14:58:26

1GHz~9GHz