





**1. External Photograph of EUT**

**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**






**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**





**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**




**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**





**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**





**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**





## 2. Photograph of Accessory

**Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3**

**List of Accessory:**


| Specification of Accessory |              |                                                  |            |                 |
|----------------------------|--------------|--------------------------------------------------|------------|-----------------|
| Battery                    | Brand Name   | BQ                                               | Model Name | BQ battery 3600 |
|                            | Power Rating | 3.85V, 3530mAh (Min)                             | Type       | Li-ion          |
| USB Cable 1                | Brand Name   | NA                                               | Model Name | NA              |
|                            | Signal Line  | 1.02 meter, shielded cable, without ferrite core |            |                 |
| USB Cable 2                | Brand Name   | NA                                               | Model Name | NA              |
|                            | Signal Line  | 1.02 meter, shielded cable, without ferrite core |            |                 |

**Remark:** For accessories equipped with this EUT, please refer to the following photos.


Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3



Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3



Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3



Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3

USB Cable 1



Brand Name: Suro, BQ / Model Name: Carbon, Aquaris X3

USB Cable 2

