









Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	8.01	≤11.00	PASS
		5220	7.47	≤11.00	PASS
		5240	7.49	≤11.00	PASS
		5260	7.3	≤11.00	PASS
		5300	7.57	≤11.00	PASS
		5320	7.29	≤11.00	PASS
		5500	6.81	≤11.00	PASS
		5580	6.52	≤11.00	PASS
		5700	6.65	≤11.00	PASS
		5720_UNII-2C	7.04	≤11.00	PASS
		5720_UNII-3	3.54	≤30.00	PASS
		5745	4.12	≤30.00	PASS
		5785	4.28	≤30.00	PASS
		5825	4.46	≤30.00	PASS
11N20SISO	Ant1	5180	7.64	≤11.00	PASS
		5220	7.26	≤11.00	PASS
		5240	7.62	≤11.00	PASS
		5260	7.2	≤11.00	PASS
		5300	6.94	≤11.00	PASS
		5320	7.13	≤11.00	PASS
		5500	6.81	≤11.00	PASS
		5580	6.32	≤11.00	PASS
		5700	6.68	≤11.00	PASS
		5720_UNII-2C	6.62	≤11.00	PASS
		5720_UNII-3	3.27	≤30.00	PASS
		5745	3.99	≤30.00	PASS
		5785	4.08	≤30.00	PASS
		5825	3.94	≤30.00	PASS
11N40SISO	Ant1	5190	4.68	≤11.00	PASS
		5230	4.52	≤11.00	PASS
		5270	4.7	≤11.00	PASS
		5310	4.6	≤11.00	PASS
		5510	4.53	≤11.00	PASS





		5550	4.29	≤11.00	PASS
		5670	4.16	≤11.00	PASS
		5710_UNII-2C	4.21	≤11.00	PASS
		5710_UNII-3	-0.28	≤30.00	PASS
		5755	1.19	≤30.00	PASS
		5795	1.39	≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and is compensated in the graph.





Test Graphs

























































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.155	48.07	-17.67	65.74	37.50	0.12	10.45	QP
2	0.155	31.77	-23.97	55.74	21.20	0.12	10.45	Average
3	0.187	50.15	-14.00	64.15	39.60	0.09	10.46	QP
4	0.187	33.45	-20.70	54.15	22.90	0.09	10.46	Average
5	0.205	49.74	-13.66	63.40	39.20	0.08	10.46	QP
6	0.205	34.44	-18.96	53.40	23.90	0.08	10.46	Average
7 *	0.529	45.08	-10.92	56.00	34.80	-0.12	10.40	QP
8	0.529	33.88	-12.12	46.00	23.60	-0.12	10.40	Average
9	0.561	41.76	-14.24	56.00	31.49	-0.12	10.39	QP
10	0.561	31.86	-14.14	46.00	21.59	-0.12	10.39	Average
11	2.736	38.85	-17.15	56.00	28.79	-0.17	10.23	QP
12	2.736	22.25	-23.75	46.00	12.19	-0.17	10.23	Average



Test Engineer :	Amos Zhang	Temperature :	25.3 ~ 26.2°C
		Relative Humidity :	38 ~ 40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.154	47.47	-18.31	65.78	36.90	0.12	10.45	QP
2	0.154	31.77	-24.01	55.78	21.20	0.12	10.45	Average
3	0.173	52.38	-12.43	64.81	41.81	0.12	10.45	QP
4	0.173	34.88	-19.93	54.81	24.31	0.12	10.45	Average
5	0.201	50.19	-13.39	63.58	39.61	0.12	10.46	QP
6	0.201	36.49	-17.09	53.58	25.91	0.12	10.46	Average
7	0.235	46.00	-16.26	62.26	35.50	0.03	10.47	QP
8	0.235	29.30	-22.96	52.26	18.80	0.03	10.47	Average
9 *	0.529	44.75	-11.25	56.00	34.50	-0.15	10.40	QP
10	0.529	32.15	-13.85	46.00	21.90	-0.15	10.40	Average
11	2.750	39.92	-16.08	56.00	29.90	-0.21	10.23	QP
12	2.750	22.62	-23.38	46.00	12.60	-0.21	10.23	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	levi zhao	Relative Humidity :	41 ~ 42 %
		Temperature :	22℃~23℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	1	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	1	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	1	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	1	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	1	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	1	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	1	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	1	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	1	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	1	802.11n HT20	36	5180	MCS0	-	-
Mode 11	U-NII-1	5.15-5.25	1	802.11n HT20	44	5220	MCS0	-	-
Mode 12	U-NII-1	5.15-5.25	1	802.11n HT20	48	5240	MCS0	-	-
Mode 13	U-NII-2A	5.25-5.35	1	802.11n HT20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	1	802.11n HT20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	1	802.11n HT20	64	5320	MCS0	-	-
Mode 16	U-NII-2C	5.47-5.725	1	802.11n HT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	1	802.11n HT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	1	802.11n HT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	1	802.11n HT40	38	5190	MCS0	-	-
Mode 20	U-NII-1	5.15-5.25	1	802.11n HT40	46	5230	MCS0	-	-
Mode 21	U-NII-2A	5.25-5.35	1	802.11n HT40	54	5270	MCS0	-	-
Mode 22	U-NII-2A	5.25-5.35	1	802.11n HT40	62	5310	MCS0	-	-
Mode 23	U-NII-2C	5.47-5.725	1	802.11n HT40	102	5510	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	1	802.11n HT40	110	5550	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	1	802.11n HT40	134	5670	MCS0	-	-
Mode 26	U-NII-3	5.725-5.85	1	802.11a	149	5745	6Mbps	-	-
Mode 27	U-NII-3	5.725-5.85	1	802.11a	157	5785	6Mbps	-	-
Mode 28	U-NII-3	5.725-5.85	1	802.11a	165	5825	6Mbps	-	-
Mode 29	U-NII-3	5.725-5.85	1	802.11n HT20	149	5745	MCS0	-	-
Mode 30	U-NII-3	5.725-5.85	1	802.11n HT20	157	5785	MCS0	-	-
Mode 31	U-NII-3	5.725-5.85	1	802.11n HT20	165	5825	MCS0	-	-
Mode 32	U-NII-3	5.725-5.85	1	802.11n HT40	151	5755	MCS0	-	-
Mode 33	U-NII-3	5.725-5.85	1	802.11n HT40	159	5795	MCS0	-	-
Mode 34	U-NII-2C	5.47-5.85	1	802.11a	144	5720	6Mbps	-	-
Mode 35	U-NII-2C	5.47-5.85	1	802.11n HT20	144	5720	MCS0	-	-
Mode 36	U-NII-2C	5.47-5.85	1	802.11n HT40	142	5710	MCS0	-	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	43.47	54.00	-10.53	H	AVERAGE	Pass	Band Edge
1	802.11a	36	15540.00	51.77	54.00	-2.23	V	AVERAGE	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	15660.00	51.36	54.00	-2.64	V	AVERAGE	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	15720.00	51.48	54.00	-2.52	V	AVERAGE	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	15780.00	51.74	54.00	-2.26	V	AVERAGE	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	51.23	54.00	-2.77	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	40.07	54.00	-13.93	H	AVERAGE	Pass	Band Edge
6	802.11a	64	15960.00	51.08	54.00	-2.92	V	AVERAGE	Pass	Harmonic
7	802.11a	100	5459.44	36.81	54.00	-17.19	H	AVERAGE	Pass	Band Edge
7	802.11a	100	16500.00	62.93	68.20	-5.27	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	61.99	68.20	-6.21	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.88	57.63	68.20	-10.57	H	PEAK	Pass	Band Edge
9	802.11a	140	17100.00	61.96	68.20	-6.24	H	PEAK	Pass	Harmonic
10	802.11n HT20	36	5150.00	44.58	54.00	-9.42	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	15540.00	51.98	54.00	-2.02	H	AVERAGE	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	15660.00	51.54	54.00	-2.46	V	AVERAGE	Pass	Harmonic
12	802.11n HT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11n HT20	48	15720.00	51.26	54.00	-2.74	V	AVERAGE	Pass	Harmonic
13	802.11n HT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11n HT20	52	15780.00	51.19	54.00	-2.81	V	AVERAGE	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	51.39	54.00	-2.61	V	AVERAGE	Pass	Harmonic
15	802.11n HT20	64	5350.00	40.17	54.00	-13.83	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	51.74	54.00	-2.26	V	AVERAGE	Pass	Harmonic
16	802.11n HT20	100	5468.08	53.02	68.20	-15.18	H	PEAK	Pass	Band Edge
16	802.11n HT20	100	16500.00	66.10	68.20	-2.10	V	PEAK	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	62.62	68.20	-5.58	H	PEAK	Pass	Harmonic
18	802.11n HT20	140	5725.48	61.52	68.20	-6.68	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	62.99	68.20	-5.21	H	PEAK	Pass	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
19	802.11n HT40	38	5149.92	51.28	54.00	-2.72	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	15570.00	46.43	54.00	-7.57	V	AVERAGE	Pass	Harmonic
20	802.11n HT40	46	5149.92	38.90	54.00	-15.10	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	15690.00	50.91	54.00	-3.09	V	AVERAGE	Pass	Harmonic
21	802.11n HT40	54	-	-	-	-	-	-	-	Band Edge
21	802.11n HT40	54	15810.00	50.64	54.00	-3.36	V	AVERAGE	Pass	Harmonic
22	802.11n HT40	62	5350.00	46.05	54.00	-7.95	H	AVERAGE	Pass	Band Edge
22	802.11n HT40	62	15930.00	50.26	54.00	-3.74	V	AVERAGE	Pass	Harmonic
23	802.11n HT40	102	5363.76	41.47	54.00	-12.53	V	AVERAGE	Pass	Band Edge
23	802.11n HT40	102	16530.00	60.66	68.20	-7.54	V	PEAK	Pass	Harmonic
24	802.11n HT40	110	-	-	-	-	-	-	-	Band Edge
24	802.11n HT40	110	16650.00	59.81	68.20	-8.39	H	PEAK	Pass	Harmonic
25	802.11n HT40	134	5725.24	57.38	68.20	-10.82	H	PEAK	Pass	Band Edge
25	802.11n HT40	134	17010.00	60.50	68.20	-7.70	H	PEAK	Pass	Harmonic
26	802.11a	149	5605.20	48.90	68.20	-19.30	V	PEAK	Pass	Band Edge
26	802.11a	149	17235.00	61.54	68.20	-6.66	H	PEAK	Pass	Harmonic
27	802.11a	157	-	-	-	-	-	-	-	Band Edge
27	802.11a	157	11570.00	43.72	54.00	-10.28	H	AVERAGE	Pass	Harmonic
28	802.11a	165	5980.00	49.42	68.20	-18.78	H	PEAK	Pass	Band Edge
28	802.11a	165	11650.00	44.49	54.00	-9.51	H	AVERAGE	Pass	Harmonic
29	802.11n HT20	149	5648.40	49.51	68.20	-18.69	H	PEAK	Pass	Band Edge
29	802.11n HT20	149	17235.00	63.30	68.20	-4.90	H	PEAK	Pass	Harmonic
30	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
30	802.11n HT20	157	17355.00	60.57	68.20	-7.63	H	PEAK	Pass	Harmonic
31	802.11n HT20	165	5934.40	51.48	68.20	-16.72	V	PEAK	Pass	Band Edge
31	802.11n HT20	165	17475.00	59.60	68.20	-8.60	V	PEAK	Pass	Harmonic
32	802.11n HT40	151	5934.99	52.36	68.20	-15.84	V	PEAK	Pass	Band Edge
32	802.11n HT40	151	17265.00	58.41	68.20	-9.79	H	PEAK	Pass	Harmonic
33	802.11n HT40	159	5930.80	52.14	68.20	-16.06	H	PEAK	Pass	Band Edge
33	802.11n HT40	159	17385.00	53.01	68.20	-15.19	V	PEAK	Pass	Harmonic
34	802.11a	144	-	-	-	-	-	-	-	Band Edge
34	802.11a	144	17160.00	61.71	68.20	-6.49	H	PEAK	Pass	Harmonic
35	802.11n HT20	144	-	-	-	-	-	-	-	Band Edge
35	802.11n HT20	144	11440.00	43.12	54.00	-10.88	H	AVERAGE	Pass	Harmonic
36	802.11n HT40	142	-	-	-	-	-	-	-	Band Edge
36	802.11n HT40	142	11424.93	43.13	54.00	-10.87	H	Average	Pass	Harmonic





Mode	1																																																										
	Band Edge																																																										
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																										
ANT	1																																																										
Pol.	Horizontal						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5148.60</td><td>55.36</td><td>74.00</td><td>-18.64</td><td>47.53</td><td>34.61</td><td>10.65</td><td>37.43</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5148.60	55.36	74.00	-18.64	47.53	34.61	10.65	37.43	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5148.60	55.36	74.00	-18.64	47.53	34.61	10.65	37.43	0.00	100	313 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>99.21</td><td>-----</td><td>-----</td><td>91.25</td><td>34.68</td><td>10.70</td><td>37.42</td><td>0.00</td><td>100</td><td>313 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	99.21	-----	-----	91.25	34.68	10.70	37.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5180.00	99.21	-----	-----	91.25	34.68	10.70	37.42	0.00	100	313 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5150.00</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>35.65</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>100</td><td>313 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5150.00	43.47	54.00	-10.53	35.65	34.60	10.65	37.43	0.00	100	313 AVERAGE					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5150.00	43.47	54.00	-10.53	35.65	34.60	10.65	37.43	0.00	100	313 AVERAGE																																																
																																																											
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>90.98</td><td>-----</td><td>-----</td><td>83.05</td><td>34.66</td><td>10.69</td><td>37.42</td><td>0.00</td><td>100</td><td>313 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	90.98	-----	-----	83.05	34.66	10.69	37.42	0.00	100	313 AVERAGE						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5180.00	90.98	-----	-----	83.05	34.66	10.69	37.42	0.00	100	313 AVERAGE																																																



Mode	1																																																						
	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	1																																																						
Pol.	Vertical																																																						
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.70</td><td>55.01</td><td>74.00</td><td>-18.99</td><td>47.18</td><td>34.61</td><td>10.65</td><td>37.43</td><td>0.00</td><td>398 276 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.70	55.01	74.00	-18.99	47.18	34.61	10.65	37.43	0.00	398 276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.70	55.01	74.00	-18.99	47.18	34.61	10.65	37.43	0.00	398 276 PEAK																																													
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.69</td><td>-----</td><td>-----</td><td>91.76</td><td>34.66</td><td>10.69</td><td>37.42</td><td>0.00</td><td>398 276 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	99.69	-----	-----	91.76	34.66	10.69	37.42	0.00	398 276 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	99.69	-----	-----	91.76	34.66	10.69	37.42	0.00	398 276 PEAK																																													
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>34.69</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>398 276 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	42.51	54.00	-11.49	34.69	34.60	10.65	37.43	0.00	398 276 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5150.00	42.51	54.00	-11.49	34.69	34.60	10.65	37.43	0.00	398 276 AVERAGE																																													
AVERAGE																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>90.92</td><td>-----</td><td>-----</td><td>82.99</td><td>34.66</td><td>10.69</td><td>37.42</td><td>0.00</td><td>398 276 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	90.92	-----	-----	82.99	34.66	10.69	37.42	0.00	398 276 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	90.92	-----	-----	82.99	34.66	10.69	37.42	0.00	398 276 AVERAGE																																													



Mode	1																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>53.70</td><td>68.20</td><td>-14.50</td><td>67.93</td><td>37.35</td><td>15.45</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>61.57</td><td>74.00</td><td>-12.43</td><td>67.03</td><td>39.98</td><td>19.04</td><td>64.48</td><td>0.00</td><td>100</td><td>301</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>51.57</td><td>54.00</td><td>-2.43</td><td>57.03</td><td>39.98</td><td>19.04</td><td>64.48</td><td>0.00</td><td>100</td><td>301</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	53.70	68.20	-14.50	67.93	37.35	15.45	67.03	0.00	---	---	PEAK	2 15540.00	61.57	74.00	-12.43	67.03	39.98	19.04	64.48	0.00	100	301	PEAK	3 15540.00	51.57	54.00	-2.43	57.03	39.98	19.04	64.48	0.00	100	301	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10360.00	53.70	68.20	-14.50	67.93	37.35	15.45	67.03	0.00	---	---	PEAK																																																																					
2 15540.00	61.57	74.00	-12.43	67.03	39.98	19.04	64.48	0.00	100	301	PEAK																																																																					
3 15540.00	51.57	54.00	-2.43	57.03	39.98	19.04	64.48	0.00	100	301	AVERAGE																																																																					
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10360.00</td><td>45.44</td><td>68.20</td><td>-22.76</td><td>59.67</td><td>37.35</td><td>15.45</td><td>67.03</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15540.00</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>67.78</td><td>39.98</td><td>19.04</td><td>64.48</td><td>0.00</td><td>100</td><td>279</td><td>PEAK</td></tr><tr><td>3 15540.00</td><td>51.77</td><td>54.00</td><td>-2.23</td><td>57.23</td><td>39.98</td><td>19.04</td><td>64.48</td><td>0.00</td><td>100</td><td>279</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10360.00	45.44	68.20	-22.76	59.67	37.35	15.45	67.03	0.00	---	---	PEAK	2 15540.00	62.32	74.00	-11.68	67.78	39.98	19.04	64.48	0.00	100	279	PEAK	3 15540.00	51.77	54.00	-2.23	57.23	39.98	19.04	64.48	0.00	100	279	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10360.00	45.44	68.20	-22.76	59.67	37.35	15.45	67.03	0.00	---	---	PEAK																																																																					
2 15540.00	62.32	74.00	-11.68	67.78	39.98	19.04	64.48	0.00	100	279	PEAK																																																																					
3 15540.00	51.77	54.00	-2.23	57.23	39.98	19.04	64.48	0.00	100	279	AVERAGE																																																																					



Mode	2																																																																																																																																																														
	Harmonic																																																																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																														
ANT	1																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																															
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>54.63</td><td>68.20</td><td>-13.57</td><td>68.76</td><td>37.41</td><td>15.52</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>64.66</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>287</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>48.80</td><td>54.00</td><td>-5.20</td><td>54.02</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>287</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	54.63	68.20	-13.57	68.76	37.41	15.52	67.06	0.00	---	---	PEAK	2	15660.00	59.44	74.00	-14.56	64.66	40.06	19.12	64.40	0.00	100	287	PEAK	3	15660.00	48.80	54.00	-5.20	54.02	40.06	19.12	64.40	0.00	100	287	AVERAGE	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>50.59</td><td>68.20</td><td>-17.61</td><td>64.72</td><td>37.41</td><td>15.52</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>62.02</td><td>74.00</td><td>-11.98</td><td>67.24</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>51.36</td><td>54.00</td><td>-2.64</td><td>56.58</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	10440.00	50.59	68.20	-17.61	64.72	37.41	15.52	67.06	0.00	---	---	PEAK	2	15660.00	62.02	74.00	-11.98	67.24	40.06	19.12	64.40	0.00	100	281	PEAK	3	15660.00	51.36	54.00	-2.64	56.58	40.06	19.12	64.40	0.00	100	281
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	10440.00	54.63	68.20	-13.57	68.76	37.41	15.52	67.06	0.00	---	---	PEAK																																																																																																																																																			
2	15660.00	59.44	74.00	-14.56	64.66	40.06	19.12	64.40	0.00	100	287	PEAK																																																																																																																																																			
3	15660.00	48.80	54.00	-5.20	54.02	40.06	19.12	64.40	0.00	100	287	AVERAGE																																																																																																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																					
1	10440.00	50.59	68.20	-17.61	64.72	37.41	15.52	67.06	0.00	---	---	PEAK																																																																																																																																																			
2	15660.00	62.02	74.00	-11.98	67.24	40.06	19.12	64.40	0.00	100	281	PEAK																																																																																																																																																			
3	15660.00	51.36	54.00	-2.64	56.58	40.06	19.12	64.40	0.00	100	281	AVERAGE																																																																																																																																																			





Mode	3																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>49.27</td><td>68.20</td><td>-18.93</td><td>63.34</td><td>37.44</td><td>15.56</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>58.92</td><td>74.00</td><td>-15.08</td><td>64.02</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>47.61</td><td>54.00</td><td>-6.39</td><td>52.71</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	49.27	68.20	-18.93	63.34	37.44	15.56	67.07	0.00	---	---	PEAK	2 15720.00	58.92	74.00	-15.08	64.02	40.10	19.16	64.36	0.00	100	280	PEAK	3 15720.00	47.61	54.00	-6.39	52.71	40.10	19.16	64.36	0.00	100	280	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10480.00	49.27	68.20	-18.93	63.34	37.44	15.56	67.07	0.00	---	---	PEAK																																																																					
2 15720.00	58.92	74.00	-15.08	64.02	40.10	19.16	64.36	0.00	100	280	PEAK																																																																					
3 15720.00	47.61	54.00	-6.39	52.71	40.10	19.16	64.36	0.00	100	280	AVERAGE																																																																					
Vertical																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>50.07</td><td>68.20</td><td>-18.13</td><td>64.14</td><td>37.44</td><td>15.56</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>65.43</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>282</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>51.48</td><td>54.00</td><td>-2.52</td><td>56.58</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>282</td><td>AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	50.07	68.20	-18.13	64.14	37.44	15.56	67.07	0.00	---	---	PEAK	2 15720.00	60.33	74.00	-13.67	65.43	40.10	19.16	64.36	0.00	100	282	PEAK	3 15720.00	51.48	54.00	-2.52	56.58	40.10	19.16	64.36	0.00	100	282	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1 10480.00	50.07	68.20	-18.13	64.14	37.44	15.56	67.07	0.00	---	---	PEAK																																																																					
2 15720.00	60.33	74.00	-13.67	65.43	40.10	19.16	64.36	0.00	100	282	PEAK																																																																					
3 15720.00	51.48	54.00	-2.52	56.58	40.10	19.16	64.36	0.00	100	282	AVERAGE																																																																					







Mode	4																																																																												
	Harmonic																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal																																																																												
Peak Avg																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.00</td><td>49.77</td><td>68.20</td><td>-18.43</td><td>63.77</td><td>37.46</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td></tr><tr><td>2</td><td>15780.00</td><td>58.68</td><td>74.00</td><td>-15.32</td><td>63.64</td><td>40.15</td><td>19.20</td><td>64.31</td><td>0.00</td><td>284 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>47.46</td><td>54.00</td><td>-6.54</td><td>52.42</td><td>40.15</td><td>19.20</td><td>64.31</td><td>0.00</td><td>284 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.00	49.77	68.20	-18.43	63.77	37.46	15.60	67.06	0.00	---	2	15780.00	58.68	74.00	-15.32	63.64	40.15	19.20	64.31	0.00	284 PEAK	3	15780.00	47.46	54.00	-6.54	52.42	40.15	19.20	64.31	0.00	284 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	10520.00	49.77	68.20	-18.43	63.77	37.46	15.60	67.06	0.00	---																																																																			
2	15780.00	58.68	74.00	-15.32	63.64	40.15	19.20	64.31	0.00	284 PEAK																																																																			
3	15780.00	47.46	54.00	-6.54	52.42	40.15	19.20	64.31	0.00	284 AVERAGE																																																																			
Vertical																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10520.73</td><td>45.28</td><td>68.20</td><td>-22.92</td><td>59.28</td><td>37.46</td><td>15.60</td><td>67.06</td><td>0.00</td><td>100</td></tr><tr><td>2</td><td>15780.00</td><td>62.96</td><td>74.00</td><td>-11.04</td><td>67.92</td><td>40.15</td><td>19.20</td><td>64.31</td><td>0.00</td><td>281 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>51.74</td><td>54.00</td><td>-2.26</td><td>56.70</td><td>40.15</td><td>19.20</td><td>64.31</td><td>0.00</td><td>281 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10520.73	45.28	68.20	-22.92	59.28	37.46	15.60	67.06	0.00	100	2	15780.00	62.96	74.00	-11.04	67.92	40.15	19.20	64.31	0.00	281 PEAK	3	15780.00	51.74	54.00	-2.26	56.70	40.15	19.20	64.31	0.00	281 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1	10520.73	45.28	68.20	-22.92	59.28	37.46	15.60	67.06	0.00	100																																																																			
2	15780.00	62.96	74.00	-11.04	67.92	40.15	19.20	64.31	0.00	281 PEAK																																																																			
3	15780.00	51.74	54.00	-2.26	56.70	40.15	19.20	64.31	0.00	281 AVERAGE																																																																			







Mode	5																																																																																																																																																																												
	Harmonic																																																																																																																																																																												
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																												
ANT	1																																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																																						
Peak Avg																																																																																																																																																																													
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>53.62</td><td>74.00</td><td>-20.38</td><td>67.42</td><td>37.52</td><td>15.67</td><td>66.99</td><td>0.00</td><td>104</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>42.88</td><td>54.00</td><td>-11.12</td><td>56.68</td><td>37.52</td><td>15.67</td><td>66.99</td><td>0.00</td><td>104</td><td>294</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>58.60</td><td>74.00</td><td>-15.40</td><td>63.32</td><td>40.23</td><td>19.28</td><td>64.23</td><td>0.00</td><td>100</td><td>275</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>51.70</td><td>40.23</td><td>19.28</td><td>64.23</td><td>0.00</td><td>100</td><td>275</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	53.62	74.00	-20.38	67.42	37.52	15.67	66.99	0.00	104	294	PEAK	2	10600.00	42.88	54.00	-11.12	56.68	37.52	15.67	66.99	0.00	104	294	AVERAGE	3	15900.00	58.60	74.00	-15.40	63.32	40.23	19.28	64.23	0.00	100	275	PEAK	4	15900.00	46.98	54.00	-7.02	51.70	40.23	19.28	64.23	0.00	100	275	AVERAGE	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>62.57</td><td>37.52</td><td>15.67</td><td>66.99</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>2</td><td>10600.00</td><td>37.44</td><td>54.00</td><td>-16.56</td><td>51.24</td><td>37.52</td><td>15.67</td><td>66.99</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr><tr><td>3</td><td>15900.00</td><td>62.54</td><td>74.00</td><td>-11.46</td><td>67.26</td><td>40.23</td><td>19.28</td><td>64.23</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>4</td><td>15900.00</td><td>51.23</td><td>54.00</td><td>-2.77</td><td>55.95</td><td>40.23</td><td>19.28</td><td>64.23</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	48.77	74.00	-25.23	62.57	37.52	15.67	66.99	0.00	100	281	PEAK	2	10600.00	37.44	54.00	-16.56	51.24	37.52	15.67	66.99	0.00	100	281	AVERAGE	3	15900.00	62.54	74.00	-11.46	67.26	40.23	19.28	64.23	0.00	100	281	PEAK	4	15900.00	51.23	54.00	-2.77	55.95	40.23	19.28	64.23	0.00	100	281
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																				
1	10600.00	53.62	74.00	-20.38	67.42	37.52	15.67	66.99	0.00	104	294	PEAK																																																																																																																																																																	
2	10600.00	42.88	54.00	-11.12	56.68	37.52	15.67	66.99	0.00	104	294	AVERAGE																																																																																																																																																																	
3	15900.00	58.60	74.00	-15.40	63.32	40.23	19.28	64.23	0.00	100	275	PEAK																																																																																																																																																																	
4	15900.00	46.98	54.00	-7.02	51.70	40.23	19.28	64.23	0.00	100	275	AVERAGE																																																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																				
1	10600.00	48.77	74.00	-25.23	62.57	37.52	15.67	66.99	0.00	100	281	PEAK																																																																																																																																																																	
2	10600.00	37.44	54.00	-16.56	51.24	37.52	15.67	66.99	0.00	100	281	AVERAGE																																																																																																																																																																	
3	15900.00	62.54	74.00	-11.46	67.26	40.23	19.28	64.23	0.00	100	281	PEAK																																																																																																																																																																	
4	15900.00	51.23	54.00	-2.77	55.95	40.23	19.28	64.23	0.00	100	281	AVERAGE																																																																																																																																																																	





Mode	6																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.10</td><td>54.80</td><td>74.00</td><td>-19.20</td><td>46.52</td><td>34.79</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.10	54.80	74.00	-19.20	46.52	34.79	10.84	37.35	0.00	100	310	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>96.79</td><td>-----</td><td>-----</td><td>88.55</td><td>34.80</td><td>10.80</td><td>37.36</td><td>0.00</td><td>100</td><td>310</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.79	-----	-----	88.55	34.80	10.80	37.36	0.00	100	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5353.10	54.80	74.00	-19.20	46.52	34.79	10.84	37.35	0.00	100	310	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	96.79	-----	-----	88.55	34.80	10.80	37.36	0.00	100	310	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>40.07</td><td>54.00</td><td>-13.93</td><td>31.78</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	40.07	54.00	-13.93	31.78	34.80	10.84	37.35	0.00	100	310	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>88.29</td><td>-----</td><td>-----</td><td>80.04</td><td>34.80</td><td>10.81</td><td>37.36</td><td>0.00</td><td>100</td><td>310</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	88.29	-----	-----	80.04	34.80	10.81	37.36	0.00	100	310
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.00	40.07	54.00	-13.93	31.78	34.80	10.84	37.35	0.00	100	310	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	88.29	-----	-----	80.04	34.80	10.81	37.36	0.00	100	310	AVERAGE																																																																																											







Mode	6																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.70</td><td>53.73</td><td>74.00</td><td>-20.27</td><td>45.45</td><td>34.79</td><td>10.84</td><td>37.35</td><td>0.00</td><td>358 282 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.70	53.73	74.00	-20.27	45.45	34.79	10.84	37.35	0.00	358 282 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>94.69</td><td>-----</td><td>-----</td><td>86.43</td><td>34.80</td><td>10.82</td><td>37.36</td><td>0.00</td><td>358 282 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	94.69	-----	-----	86.43	34.80	10.82	37.36	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5352.70	53.73	74.00	-20.27	45.45	34.79	10.84	37.35	0.00	358 282 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	94.69	-----	-----	86.43	34.80	10.82	37.36	0.00	358 282 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>38.45</td><td>54.00</td><td>-15.55</td><td>30.16</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>358 282 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	38.45	54.00	-15.55	30.16	34.00	10.84	37.35	0.00	358 282 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>86.00</td><td>-----</td><td>-----</td><td>77.75</td><td>34.80</td><td>10.81</td><td>37.36</td><td>0.00</td><td>358 282 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	86.00	-----	-----	77.75	34.80	10.81	37.36	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	38.45	54.00	-15.55	30.16	34.00	10.84	37.35	0.00	358 282 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	86.00	-----	-----	77.75	34.80	10.81	37.36	0.00	358 282 AVERAGE																																																																																									



Mode	6																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal																																																																																															
Peak Avg																																																																																																
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>50.69</td><td>74.00</td><td>-23.31</td><td>64.38</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>10640.00</td><td>38.85</td><td>54.00</td><td>-15.15</td><td>52.54</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr><tr><td>3</td><td>15960.00</td><td>57.65</td><td>74.00</td><td>-16.35</td><td>62.25</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>100</td><td>300</td><td>PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>47.02</td><td>54.00</td><td>-6.98</td><td>51.62</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>100</td><td>300</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	50.69	74.00	-23.31	64.38	37.55	15.71	66.95	0.00	100	0	PEAK	2	10640.00	38.85	54.00	-15.15	52.54	37.55	15.71	66.95	0.00	100	0	AVERAGE	3	15960.00	57.65	74.00	-16.35	62.25	40.27	19.32	64.19	0.00	100	300	PEAK	4	15960.00	47.02	54.00	-6.98	51.62	40.27	19.32	64.19	0.00	100	300	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	10640.00	50.69	74.00	-23.31	64.38	37.55	15.71	66.95	0.00	100	0	PEAK																																																																																				
2	10640.00	38.85	54.00	-15.15	52.54	37.55	15.71	66.95	0.00	100	0	AVERAGE																																																																																				
3	15960.00	57.65	74.00	-16.35	62.25	40.27	19.32	64.19	0.00	100	300	PEAK																																																																																				
4	15960.00	47.02	54.00	-6.98	51.62	40.27	19.32	64.19	0.00	100	300	AVERAGE																																																																																				
Vertical																																																																																																
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10640.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>59.19</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>61.74</td><td>74.00</td><td>-12.26</td><td>66.34</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>383</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>51.08</td><td>54.00</td><td>-2.92</td><td>55.68</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>383</td><td>102</td><td>AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10640.00	45.50	74.00	-28.50	59.19	37.55	15.71	66.95	0.00	---	---	PEAK	2	15960.00	61.74	74.00	-12.26	66.34	40.27	19.32	64.19	0.00	383	102	PEAK	3	15960.00	51.08	54.00	-2.92	55.68	40.27	19.32	64.19	0.00	383	102	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	10640.00	45.50	74.00	-28.50	59.19	37.55	15.71	66.95	0.00	---	---	PEAK																																																																																				
2	15960.00	61.74	74.00	-12.26	66.34	40.27	19.32	64.19	0.00	383	102	PEAK																																																																																				
3	15960.00	51.08	54.00	-2.92	55.68	40.27	19.32	64.19	0.00	383	102	AVERAGE																																																																																				





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5397.68</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>39.94</td><td>34.61</td><td>10.89</td><td>37.33</td><td>0.00</td><td>119</td><td>304 PEAK</td></tr><tr><td>2</td><td>5463.28</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>40.22</td><td>34.85</td><td>10.97</td><td>37.30</td><td>0.00</td><td>119</td><td>304 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.68	48.11	74.00	-25.89	39.94	34.61	10.89	37.33	0.00	119	304 PEAK	2	5463.28	48.74	68.20	-19.46	40.22	34.85	10.97	37.30	0.00	119	304 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.25</td><td>-----</td><td>-----</td><td>86.81</td><td>34.70</td><td>11.02</td><td>37.28</td><td>0.00</td><td>119</td><td>304 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.25	-----	-----	86.81	34.70	11.02	37.28	0.00	119	304 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5397.68	48.11	74.00	-25.89	39.94	34.61	10.89	37.33	0.00	119	304 PEAK																																																																																																						
2	5463.28	48.74	68.20	-19.46	40.22	34.85	10.97	37.30	0.00	119	304 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	95.25	-----	-----	86.81	34.70	11.02	37.28	0.00	119	304 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.44</td><td>36.81</td><td>54.00</td><td>-17.19</td><td>28.28</td><td>34.86</td><td>10.97</td><td>37.30</td><td>0.00</td><td>119</td><td>304 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	36.81	54.00	-17.19	28.28	34.86	10.97	37.30	0.00	119	304 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>86.58</td><td>-----</td><td>-----</td><td>78.14</td><td>34.70</td><td>11.02</td><td>37.28</td><td>0.00</td><td>119</td><td>304 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	86.58	-----	-----	78.14	34.70	11.02	37.28	0.00	119	304 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.44	36.81	54.00	-17.19	28.28	34.86	10.97	37.30	0.00	119	304 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	86.58	-----	-----	78.14	34.70	11.02	37.28	0.00	119	304 AVERAGE																																																																																																						





Mode	7																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5304.40</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>40.52</td><td>34.66</td><td>10.87</td><td>37.33</td><td>0.00</td><td>350</td><td>275 PEAK</td></tr><tr><td>2</td><td>5467.60</td><td>47.70</td><td>68.20</td><td>-20.50</td><td>39.19</td><td>34.83</td><td>10.98</td><td>37.30</td><td>0.00</td><td>350</td><td>275 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5304.40	48.72	74.00	-25.28	40.52	34.66	10.87	37.33	0.00	350	275 PEAK	2	5467.60	47.70	68.20	-20.50	39.19	34.83	10.98	37.30	0.00	350	275 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.85</td><td>-----</td><td>-----</td><td>86.39</td><td>34.71</td><td>11.03</td><td>37.28</td><td>0.00</td><td>350</td><td>275 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.85	-----	-----	86.39	34.71	11.03	37.28	0.00	350
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5304.40	48.72	74.00	-25.28	40.52	34.66	10.87	37.33	0.00	350	275 PEAK																																																																																																						
2	5467.60	47.70	68.20	-20.50	39.19	34.83	10.98	37.30	0.00	350	275 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	94.85	-----	-----	86.39	34.71	11.03	37.28	0.00	350	275 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>36.77</td><td>54.00</td><td>-17.23</td><td>28.24</td><td>34.86</td><td>10.97</td><td>37.30</td><td>0.00</td><td>350</td><td>275 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	36.77	54.00	-17.23	28.24	34.86	10.97	37.30	0.00	350	275 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>85.90</td><td>-----</td><td>-----</td><td>77.44</td><td>34.71</td><td>11.03</td><td>37.28</td><td>0.00</td><td>350</td><td>275 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	85.90	-----	-----	77.44	34.71	11.03	37.28	0.00	350	275 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.96	36.77	54.00	-17.23	28.24	34.86	10.97	37.30	0.00	350	275 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	85.90	-----	-----	77.44	34.71	11.03	37.28	0.00	350	275 AVERAGE																																																																																																						






Mode	7																																																																																																																																											
	Harmonic																																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																											
ANT	1																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																										
Peak Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>59.58</td><td>74.00</td><td>-14.42</td><td>72.37</td><td>37.80</td><td>16.04</td><td>66.63</td><td>0.00</td><td>103</td><td>295 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>48.41</td><td>54.00</td><td>-5.59</td><td>61.20</td><td>37.80</td><td>16.04</td><td>66.63</td><td>0.00</td><td>103</td><td>295 AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>62.93</td><td>68.20</td><td>-5.27</td><td>66.85</td><td>40.70</td><td>19.67</td><td>64.29</td><td>0.00</td><td>100</td><td>296 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	59.58	74.00	-14.42	72.37	37.80	16.04	66.63	0.00	103	295 PEAK	2	11000.00	48.41	54.00	-5.59	61.20	37.80	16.04	66.63	0.00	103	295 AVERAGE	3	16500.00	62.93	68.20	-5.27	66.85	40.70	19.67	64.29	0.00	100	296 PEAK	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11000.00</td><td>54.38</td><td>74.00</td><td>-19.62</td><td>67.17</td><td>37.80</td><td>16.04</td><td>66.63</td><td>0.00</td><td>226</td><td>91 PEAK</td></tr><tr><td>2</td><td>11000.00</td><td>44.38</td><td>54.00</td><td>-9.62</td><td>57.17</td><td>37.80</td><td>16.04</td><td>66.63</td><td>0.00</td><td>226</td><td>91 AVERAGE</td></tr><tr><td>3</td><td>16500.00</td><td>61.72</td><td>68.20</td><td>-6.48</td><td>65.64</td><td>40.70</td><td>19.67</td><td>64.29</td><td>0.00</td><td>100</td><td>31 PEAK</td></tr></tbody></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	54.38	74.00	-19.62	67.17	37.80	16.04	66.63	0.00	226	91 PEAK	2	11000.00	44.38	54.00	-9.62	57.17	37.80	16.04	66.63	0.00	226	91 AVERAGE	3	16500.00	61.72	68.20	-6.48	65.64	40.70	19.67	64.29	0.00	100	31 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	11000.00	59.58	74.00	-14.42	72.37	37.80	16.04	66.63	0.00	103	295 PEAK																																																																																																																																	
2	11000.00	48.41	54.00	-5.59	61.20	37.80	16.04	66.63	0.00	103	295 AVERAGE																																																																																																																																	
3	16500.00	62.93	68.20	-5.27	66.85	40.70	19.67	64.29	0.00	100	296 PEAK																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	11000.00	54.38	74.00	-19.62	67.17	37.80	16.04	66.63	0.00	226	91 PEAK																																																																																																																																	
2	11000.00	44.38	54.00	-9.62	57.17	37.80	16.04	66.63	0.00	226	91 AVERAGE																																																																																																																																	
3	16500.00	61.72	68.20	-6.48	65.64	40.70	19.67	64.29	0.00	100	31 PEAK																																																																																																																																	



		8																																																																	
Mode		Harmonic																																																																	
		U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																	
ANT		1																																																																	
Pol.		Horizontal																																																																	
Peak Avg																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	57.09	74.00	-16.91	69.61	37.94	16.15	66.61	0.00	100	295 PEAK	2	11160.00	46.81	54.00	-7.19	59.33	37.94	16.15	66.61	0.00	100	295 AVERAGE	3	16740.00	61.99	68.20	-6.21	65.76	40.90	19.83	64.50	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	11160.00	57.09	74.00	-16.91	69.61	37.94	16.15	66.61	0.00	100	295 PEAK																																																								
2	11160.00	46.81	54.00	-7.19	59.33	37.94	16.15	66.61	0.00	100	295 AVERAGE																																																								
3	16740.00	61.99	68.20	-6.21	65.76	40.90	19.83	64.50	0.00	100	319 PEAK																																																								
		Vertical																																																																	
Peak Avg																																																																			
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	52.69	74.00	-21.31	65.21	37.94	16.15	66.61	0.00	296	91 PEAK	2	11160.00	42.77	54.00	-11.23	55.29	37.94	16.15	66.61	0.00	296	91 AVERAGE	3	16740.00	60.54	68.20	-7.66	64.31	40.89	19.83	64.49	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	11160.00	52.69	74.00	-21.31	65.21	37.94	16.15	66.61	0.00	296	91 PEAK																																																								
2	11160.00	42.77	54.00	-11.23	55.29	37.94	16.15	66.61	0.00	296	91 AVERAGE																																																								
3	16740.00	60.54	68.20	-7.66	64.31	40.89	19.83	64.49	0.00	100	37 PEAK																																																								



Mode	9																																																																																																									
	Band Edge																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.88</td><td>57.63</td><td>68.20</td><td>-10.57</td><td>49.05</td><td>34.80</td><td>11.33</td><td>37.55</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.88	57.63	68.20	-10.57	49.05	34.80	11.33	37.55	0.00	100	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.18</td><td>-----</td><td>-----</td><td>87.63</td><td>34.70</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	96.18	-----	-----	87.63	34.70	11.29	37.44	0.00	100	240	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5725.88	57.63	68.20	-10.57	49.05	34.80	11.33	37.55	0.00	100	240	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5700.00	96.18	-----	-----	87.63	34.70	11.29	37.44	0.00	100	240	PEAK																																																																																														
Avg	Blank																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>87.58</td><td>-----</td><td>-----</td><td>79.03</td><td>34.70</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	87.58	-----	-----	79.03	34.70	11.29	37.44	0.00	100	240	AVERAGE																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5700.00	87.58	-----	-----	79.03	34.70	11.29	37.44	0.00	100	240	AVERAGE																																																																																														







Mode	9																																																																																																									
	Band Edge																																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.20</td><td>55.50</td><td>68.20</td><td>-12.70</td><td>46.92</td><td>34.80</td><td>11.33</td><td>37.55</td><td>0.00</td><td>361</td><td>277</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5726.20	55.50	68.20	-12.70	46.92	34.80	11.33	37.55	0.00	361	277	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.45</td><td>-----</td><td>-----</td><td>86.87</td><td>34.72</td><td>11.28</td><td>37.42</td><td>0.00</td><td>361</td><td>277</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	95.45	-----	-----	86.87	34.72	11.28	37.42	0.00	361	277	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5726.20	55.50	68.20	-12.70	46.92	34.80	11.33	37.55	0.00	361	277	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5700.00	95.45	-----	-----	86.87	34.72	11.28	37.42	0.00	361	277	PEAK																																																																																														
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>87.31</td><td>-----</td><td>-----</td><td>78.76</td><td>34.70</td><td>11.29</td><td>37.44</td><td>0.00</td><td>361</td><td>277</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	87.31	-----	-----	78.76	34.70	11.29	37.44	0.00	361	277	AVERAGE																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5700.00	87.31	-----	-----	78.76	34.70	11.29	37.44	0.00	361	277	AVERAGE																																																																																														







Mode	9																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>55.72</td><td>74.00</td><td>-18.28</td><td>67.85</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>100</td><td>293 PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>56.67</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>100</td><td>293 AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>61.96</td><td>68.20</td><td>-6.24</td><td>65.46</td><td>41.12</td><td>20.07</td><td>64.69</td><td>0.00</td><td>100</td><td>316 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	55.72	74.00	-18.28	67.85	38.16	16.30	66.59	0.00	100	293 PEAK	2	11400.00	44.54	54.00	-9.46	56.67	38.16	16.30	66.59	0.00	100	293 AVERAGE	3	17100.00	61.96	68.20	-6.24	65.46	41.12	20.07	64.69	0.00	100	316 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	11400.00	55.72	74.00	-18.28	67.85	38.16	16.30	66.59	0.00	100	293 PEAK																																																																					
2	11400.00	44.54	54.00	-9.46	56.67	38.16	16.30	66.59	0.00	100	293 AVERAGE																																																																					
3	17100.00	61.96	68.20	-6.24	65.46	41.12	20.07	64.69	0.00	100	316 PEAK																																																																					
Vertical																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>65.12</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>301</td><td>277 PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>42.41</td><td>54.00</td><td>-11.59</td><td>54.54</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>301</td><td>277 AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>59.97</td><td>68.20</td><td>-8.23</td><td>63.49</td><td>41.12</td><td>20.06</td><td>64.70</td><td>0.00</td><td>104</td><td>0 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	52.99	74.00	-21.01	65.12	38.16	16.30	66.59	0.00	301	277 PEAK	2	11400.00	42.41	54.00	-11.59	54.54	38.16	16.30	66.59	0.00	301	277 AVERAGE	3	17100.00	59.97	68.20	-8.23	63.49	41.12	20.06	64.70	0.00	104	0 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																						
1	11400.00	52.99	74.00	-21.01	65.12	38.16	16.30	66.59	0.00	301	277 PEAK																																																																					
2	11400.00	42.41	54.00	-11.59	54.54	38.16	16.30	66.59	0.00	301	277 AVERAGE																																																																					
3	17100.00	59.97	68.20	-8.23	63.49	41.12	20.06	64.70	0.00	104	0 PEAK																																																																					



Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.50</td><td>57.43</td><td>74.00</td><td>-16.57</td><td>49.61</td><td>34.61</td><td>10.65</td><td>37.44</td><td>0.00</td><td>105</td><td>303</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.50	57.43	74.00	-16.57	49.61	34.61	10.65	37.44	0.00	105	303	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>98.59</td><td>-----</td><td>-----</td><td>90.68</td><td>34.65</td><td>10.68</td><td>37.42</td><td>0.00</td><td>105</td><td>303</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	98.59	-----	-----	90.68	34.65	10.68	37.42	0.00	105	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.50	57.43	74.00	-16.57	49.61	34.61	10.65	37.44	0.00	105	303	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	98.59	-----	-----	90.68	34.65	10.68	37.42	0.00	105	303	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5150.00</td><td>44.58</td><td>54.00</td><td>-9.42</td><td>36.76</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>105</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	44.58	54.00	-9.42	36.76	34.60	10.65	37.43	0.00	105	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>90.41</td><td>-----</td><td>-----</td><td>82.48</td><td>34.66</td><td>10.69</td><td>37.42</td><td>0.00</td><td>105</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	90.41	-----	-----	82.48	34.66	10.69	37.42	0.00	105	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	44.58	54.00	-9.42	36.76	34.60	10.65	37.43	0.00	105	303	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	90.41	-----	-----	82.48	34.66	10.69	37.42	0.00	105	303	AVERAGE																																																																																							





Mode	10																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11n_HT20_CH36_5180MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>59.51</td><td>74.00</td><td>-14.49</td><td>51.69</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>395 262 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	59.51	74.00	-14.49	51.69	34.60	10.65	37.43	0.00	395 262 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>90.85</td><td>-----</td><td>-----</td><td>90.92</td><td>34.66</td><td>10.69</td><td>37.42</td><td>0.00</td><td>395 262 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	90.85	-----	-----	90.92	34.66	10.69	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	59.51	74.00	-14.49	51.69	34.60	10.65	37.43	0.00	395 262 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	90.85	-----	-----	90.92	34.66	10.69	37.42	0.00	395 262 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>36.11</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>395 262 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	43.93	54.00	-10.07	36.11	34.60	10.65	37.43	0.00	395 262 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>90.09</td><td>-----</td><td>-----</td><td>82.18</td><td>34.65</td><td>10.68</td><td>37.42</td><td>0.00</td><td>395 262 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	90.09	-----	-----	82.18	34.65	10.68	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	43.93	54.00	-10.07	36.11	34.60	10.65	37.43	0.00	395 262 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	90.09	-----	-----	82.18	34.65	10.68	37.42	0.00	395 262 AVERAGE																																																																																									





Mode	10																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH36_5180MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal					Vertical																																																																																																																								
Peak Avg																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>10360.00</td><td>60.30</td><td>68.20</td><td>-7.90</td><td>74.53</td><td>37.35</td><td>15.45</td><td>67.03</td><td>0.00</td><td>101</td><td>333 PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>63.88</td><td>74.00</td><td>-10.12</td><td>69.34</td><td>39.98</td><td>19.04</td><td>64.48</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>51.98</td><td>54.00</td><td>-2.02</td><td>57.43</td><td>39.98</td><td>19.05</td><td>64.48</td><td>0.00</td><td>100</td><td>287 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	10360.00	60.30	68.20	-7.90	74.53	37.35	15.45	67.03	0.00	101	333 PEAK	2	15540.00	63.88	74.00	-10.12	69.34	39.98	19.04	64.48	0.00	100	287 PEAK	3	15540.00	51.98	54.00	-2.02	57.43	39.98	19.05	64.48	0.00	100	287 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><td>1</td><td>10359.40</td><td>51.43</td><td>68.20</td><td>-16.77</td><td>65.66</td><td>37.35</td><td>15.45</td><td>67.03</td><td>0.00</td><td>100</td><td>159 Peak</td></tr><tr><td>2</td><td>15540.00</td><td>62.32</td><td>74.00</td><td>-11.68</td><td>67.78</td><td>39.98</td><td>19.04</td><td>64.48</td><td>0.00</td><td>100</td><td>278 PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>55.76</td><td>39.98</td><td>19.05</td><td>64.48</td><td>0.00</td><td>100</td><td>278 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	10359.40	51.43	68.20	-16.77	65.66	37.35	15.45	67.03	0.00	100	159 Peak	2	15540.00	62.32	74.00	-11.68	67.78	39.98	19.04	64.48	0.00	100	278 PEAK	3	15540.00	50.31	54.00	-3.69	55.76	39.98	19.05	64.48	0.00	100	278 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
1	10360.00	60.30	68.20	-7.90	74.53	37.35	15.45	67.03	0.00	101	333 PEAK																																																																																																																			
2	15540.00	63.88	74.00	-10.12	69.34	39.98	19.04	64.48	0.00	100	287 PEAK																																																																																																																			
3	15540.00	51.98	54.00	-2.02	57.43	39.98	19.05	64.48	0.00	100	287 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
1	10359.40	51.43	68.20	-16.77	65.66	37.35	15.45	67.03	0.00	100	159 Peak																																																																																																																			
2	15540.00	62.32	74.00	-11.68	67.78	39.98	19.04	64.48	0.00	100	278 PEAK																																																																																																																			
3	15540.00	50.31	54.00	-3.69	55.76	39.98	19.05	64.48	0.00	100	278 AVERAGE																																																																																																																			



Mode	11																																																																																
	Harmonic																																																																																
	U-NII-1_5.15-5.25_802.11n HT20_CH44_5220MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>58.17</td><td>68.20</td><td>-10.03</td><td>72.30</td><td>37.41</td><td>15.52</td><td>67.06</td><td>0.00</td><td>100</td><td>333 PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>64.01</td><td>74.00</td><td>-9.99</td><td>69.23</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>289 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>51.25</td><td>54.00</td><td>-2.75</td><td>56.47</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>289 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	58.17	68.20	-10.03	72.30	37.41	15.52	67.06	0.00	100	333 PEAK	2	15660.00	64.01	74.00	-9.99	69.23	40.06	19.12	64.40	0.00	100	289 PEAK	3	15660.00	51.25	54.00	-2.75	56.47	40.06	19.12	64.40	0.00	100	289 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10440.00	58.17	68.20	-10.03	72.30	37.41	15.52	67.06	0.00	100	333 PEAK																																																																						
2	15660.00	64.01	74.00	-9.99	69.23	40.06	19.12	64.40	0.00	100	289 PEAK																																																																						
3	15660.00	51.25	54.00	-2.75	56.47	40.06	19.12	64.40	0.00	100	289 AVERAGE																																																																						
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>50.59</td><td>68.20</td><td>-17.61</td><td>64.72</td><td>37.41</td><td>15.52</td><td>67.06</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>63.34</td><td>74.00</td><td>-10.66</td><td>68.56</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>51.54</td><td>54.00</td><td>-2.46</td><td>56.76</td><td>40.06</td><td>19.12</td><td>64.40</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	50.59	68.20	-17.61	64.72	37.41	15.52	67.06	0.00	---	---	PEAK	2	15660.00	63.34	74.00	-10.66	68.56	40.06	19.12	64.40	0.00	100	279 PEAK	3	15660.00	51.54	54.00	-2.46	56.76	40.06	19.12	64.40	0.00	100	279 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10440.00	50.59	68.20	-17.61	64.72	37.41	15.52	67.06	0.00	---	---	PEAK																																																																					
2	15660.00	63.34	74.00	-10.66	68.56	40.06	19.12	64.40	0.00	100	279 PEAK																																																																						
3	15660.00	51.54	54.00	-2.46	56.76	40.06	19.12	64.40	0.00	100	279 AVERAGE																																																																						





Mode	12																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-1_5.15-5.25_802.11n HT20_CH48_5240MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>58.92</td><td>68.20</td><td>-9.28</td><td>72.99</td><td>37.44</td><td>15.56</td><td>67.07</td><td>0.00</td><td>100</td><td>330</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>63.45</td><td>74.00</td><td>-10.55</td><td>68.55</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>286</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>50.90</td><td>54.00</td><td>-3.10</td><td>56.00</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>286</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	58.92	68.20	-9.28	72.99	37.44	15.56	67.07	0.00	100	330	PEAK	2	15720.00	63.45	74.00	-10.55	68.55	40.10	19.16	64.36	0.00	100	286	PEAK	3	15720.00	50.90	54.00	-3.10	56.00	40.10	19.16	64.36	0.00	100	286	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10473.00</td><td>50.23</td><td>68.20</td><td>-17.97</td><td>64.31</td><td>37.43</td><td>15.56</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>15720.00</td><td>64.46</td><td>74.00</td><td>-9.54</td><td>69.56</td><td>40.10</td><td>19.16</td><td>64.36</td><td>0.00</td><td>100</td><td>283</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>51.26</td><td>54.00</td><td>-2.74</td><td>56.34</td><td>40.11</td><td>19.16</td><td>64.35</td><td>0.00</td><td>100</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10473.00	50.23	68.20	-17.97	64.31	37.43	15.56	67.07	0.00	---	---	Peak	2	15720.00	64.46	74.00	-9.54	69.56	40.10	19.16	64.36	0.00	100	283	PEAK	3	15720.00	51.26	54.00	-2.74	56.34	40.11	19.16	64.35	0.00	100	283
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10480.00	58.92	68.20	-9.28	72.99	37.44	15.56	67.07	0.00	100	330	PEAK																																																																																																																																																	
2	15720.00	63.45	74.00	-10.55	68.55	40.10	19.16	64.36	0.00	100	286	PEAK																																																																																																																																																	
3	15720.00	50.90	54.00	-3.10	56.00	40.10	19.16	64.36	0.00	100	286	AVERAGE																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10473.00	50.23	68.20	-17.97	64.31	37.43	15.56	67.07	0.00	---	---	Peak																																																																																																																																																	
2	15720.00	64.46	74.00	-9.54	69.56	40.10	19.16	64.36	0.00	100	283	PEAK																																																																																																																																																	
3	15720.00	51.26	54.00	-2.74	56.34	40.11	19.16	64.35	0.00	100	283	AVERAGE																																																																																																																																																	







		13																																																																															
Mode		Harmonic																																																																															
		U-NII-2A_5.25-5.35_802.11n HT20_CH52_5260MHz																																																																															
ANT		1																																																																															
Pol.		Horizontal																																																																															
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10518.00</td><td>55.72</td><td>68.20</td><td>-12.48</td><td>69.72</td><td>37.46</td><td>15.60</td><td>67.06</td><td>0.00</td><td>100</td><td>287 PEAK</td></tr><tr><td>2</td><td>15780.00</td><td>61.80</td><td>74.00</td><td>-12.20</td><td>66.76</td><td>40.15</td><td>19.20</td><td>64.31</td><td>0.00</td><td>100</td><td>280 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>49.18</td><td>54.00</td><td>-4.82</td><td>54.16</td><td>40.14</td><td>19.20</td><td>64.32</td><td>0.00</td><td>100</td><td>280 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10518.00	55.72	68.20	-12.48	69.72	37.46	15.60	67.06	0.00	100	287 PEAK	2	15780.00	61.80	74.00	-12.20	66.76	40.15	19.20	64.31	0.00	100	280 PEAK	3	15780.00	49.18	54.00	-4.82	54.16	40.14	19.20	64.32	0.00	100	280 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10518.00	55.72	68.20	-12.48	69.72	37.46	15.60	67.06	0.00	100	287 PEAK																																																																						
2	15780.00	61.80	74.00	-12.20	66.76	40.15	19.20	64.31	0.00	100	280 PEAK																																																																						
3	15780.00	49.18	54.00	-4.82	54.16	40.14	19.20	64.32	0.00	100	280 AVERAGE																																																																						
		Vertical																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10518.53</td><td>48.31</td><td>68.20</td><td>-19.89</td><td>62.31</td><td>37.46</td><td>15.60</td><td>67.06</td><td>0.00</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>15780.00</td><td>63.86</td><td>74.00</td><td>-10.14</td><td>68.82</td><td>40.15</td><td>19.20</td><td>64.31</td><td>0.00</td><td>100</td><td>280 PEAK</td></tr><tr><td>3</td><td>15780.00</td><td>51.19</td><td>54.00</td><td>-2.81</td><td>56.17</td><td>40.14</td><td>19.20</td><td>64.32</td><td>0.00</td><td>100</td><td>280 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10518.53	48.31	68.20	-19.89	62.31	37.46	15.60	67.06	0.00	---	--- Peak	2	15780.00	63.86	74.00	-10.14	68.82	40.15	19.20	64.31	0.00	100	280 PEAK	3	15780.00	51.19	54.00	-2.81	56.17	40.14	19.20	64.32	0.00	100	280 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10518.53	48.31	68.20	-19.89	62.31	37.46	15.60	67.06	0.00	---	--- Peak																																																																						
2	15780.00	63.86	74.00	-10.14	68.82	40.15	19.20	64.31	0.00	100	280 PEAK																																																																						
3	15780.00	51.19	54.00	-2.81	56.17	40.14	19.20	64.32	0.00	100	280 AVERAGE																																																																						







Mode	14																																																																																			
	Harmonic																																																																																			
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_5300MHz																																																																																			
ANT	1																																																																																			
Pol.	Horizontal					Vertical																																																																														
Peak Avg																																																																																				
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10600.00</td><td>48.64</td><td>74.00</td><td>-25.36</td><td>62.44</td><td>37.52</td><td>15.67</td><td>66.99</td><td>0.00</td><td>300</td><td>360 PEAK</td></tr><tr><td>2 10600.00</td><td>37.72</td><td>54.00</td><td>-16.28</td><td>51.52</td><td>37.52</td><td>15.67</td><td>66.99</td><td>0.00</td><td>300</td><td>360 AVERAGE</td></tr><tr><td>3 15900.00</td><td>58.22</td><td>74.00</td><td>-15.78</td><td>62.94</td><td>40.23</td><td>19.28</td><td>64.23</td><td>0.00</td><td>100</td><td>284 PEAK</td></tr><tr><td>4 15900.00</td><td>45.59</td><td>54.00</td><td>-8.41</td><td>50.31</td><td>40.23</td><td>19.28</td><td>64.23</td><td>0.00</td><td>100</td><td>284 AVERAGE</td></tr></table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	48.64	74.00	-25.36	62.44	37.52	15.67	66.99	0.00	300	360 PEAK	2 10600.00	37.72	54.00	-16.28	51.52	37.52	15.67	66.99	0.00	300	360 AVERAGE	3 15900.00	58.22	74.00	-15.78	62.94	40.23	19.28	64.23	0.00	100	284 PEAK	4 15900.00	45.59	54.00	-8.41	50.31	40.23	19.28	64.23	0.00	100
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 10600.00	48.64	74.00	-25.36	62.44	37.52	15.67	66.99	0.00	300	360 PEAK																																																																										
2 10600.00	37.72	54.00	-16.28	51.52	37.52	15.67	66.99	0.00	300	360 AVERAGE																																																																										
3 15900.00	58.22	74.00	-15.78	62.94	40.23	19.28	64.23	0.00	100	284 PEAK																																																																										
4 15900.00	45.59	54.00	-8.41	50.31	40.23	19.28	64.23	0.00	100	284 AVERAGE																																																																										





Mode	15																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.50</td><td>53.21</td><td>74.00</td><td>-20.79</td><td>44.93</td><td>34.77</td><td>10.85</td><td>37.34</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.50	53.21	74.00	-20.79	44.93	34.77	10.85	37.34	0.00	100	303	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>95.86</td><td>-----</td><td>-----</td><td>87.61</td><td>34.80</td><td>10.81</td><td>37.36</td><td>0.00</td><td>100</td><td>303</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	95.86	-----	-----	87.61	34.80	10.81	37.36	0.00	100	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5356.50	53.21	74.00	-20.79	44.93	34.77	10.85	37.34	0.00	100	303	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	95.86	-----	-----	87.61	34.80	10.81	37.36	0.00	100	303	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>40.17</td><td>54.00</td><td>-13.83</td><td>31.88</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	40.17	54.00	-13.83	31.88	34.80	10.84	37.35	0.00	100	303	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>87.00</td><td>-----</td><td>-----</td><td>78.75</td><td>34.80</td><td>10.81</td><td>37.36</td><td>0.00</td><td>100</td><td>303</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	87.00	-----	-----	78.75	34.80	10.81	37.36	0.00	100	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.00	40.17	54.00	-13.83	31.88	34.80	10.84	37.35	0.00	100	303	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	87.00	-----	-----	78.75	34.80	10.81	37.36	0.00	100	303	AVERAGE																																																																																							







Mode	15																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.10</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>45.04</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>353</td><td>268</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.10	53.33	74.00	-20.67	45.04	34.00	10.84	37.35	0.00	353	268	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>96.34</td><td>-----</td><td>-----</td><td>88.09</td><td>34.80</td><td>10.81</td><td>37.36</td><td>0.00</td><td>353</td><td>268</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.34	-----	-----	88.09	34.80	10.81	37.36	0.00	353	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5351.10	53.33	74.00	-20.67	45.04	34.00	10.84	37.35	0.00	353	268	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	96.34	-----	-----	88.09	34.80	10.81	37.36	0.00	353	268	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>39.93</td><td>54.00</td><td>-14.07</td><td>31.64</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>353</td><td>268</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	39.93	54.00	-14.07	31.64	34.00	10.84	37.35	0.00	353	268	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>87.32</td><td>-----</td><td>-----</td><td>79.07</td><td>34.80</td><td>10.81</td><td>37.36</td><td>0.00</td><td>353</td><td>268</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	87.32	-----	-----	79.07	34.80	10.81	37.36	0.00	353	268
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.00	39.93	54.00	-14.07	31.64	34.00	10.84	37.35	0.00	353	268	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	87.32	-----	-----	79.07	34.80	10.81	37.36	0.00	353	268	AVERAGE																																																																																											







Mode	15																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_5320MHz																																																																																																																																																																	
ANT	1																																																																																																																																																																	
Pol.	Horizontal										Vertical																																																																																																																																																							
Peak Avg																																																																																																																																																																		
	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10640.00</td><td>55.42</td><td>74.00</td><td>-18.58</td><td>69.11</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>2 10640.00</td><td>42.84</td><td>54.00</td><td>-11.16</td><td>56.53</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>100</td><td>120 AVERAGE</td></tr><tr><td>3 15960.00</td><td>59.22</td><td>74.00</td><td>-14.78</td><td>63.82</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>100</td><td>303 PEAK</td></tr><tr><td>4 15960.00</td><td>46.78</td><td>54.00</td><td>-7.22</td><td>51.38</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>100</td><td>303 AVERAGE</td></tr></table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10640.00	55.42	74.00	-18.58	69.11	37.55	15.71	66.95	0.00	100	120 PEAK	2 10640.00	42.84	54.00	-11.16	56.53	37.55	15.71	66.95	0.00	100	120 AVERAGE	3 15960.00	59.22	74.00	-14.78	63.82	40.27	19.32	64.19	0.00	100	303 PEAK	4 15960.00	46.78	54.00	-7.22	51.38	40.27	19.32	64.19	0.00	100	303 AVERAGE	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10643.93</td><td>48.95</td><td>74.00</td><td>-25.05</td><td>62.64</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>100</td><td>15 Peak</td></tr><tr><td>2 10643.93</td><td>41.67</td><td>54.00</td><td>-12.33</td><td>55.36</td><td>37.55</td><td>15.71</td><td>66.95</td><td>0.00</td><td>100</td><td>15 Average</td></tr><tr><td>3 15960.00</td><td>63.08</td><td>74.00</td><td>-10.92</td><td>67.68</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>371</td><td>113 PEAK</td></tr><tr><td>4 15960.00</td><td>51.74</td><td>54.00</td><td>-2.26</td><td>56.34</td><td>40.27</td><td>19.32</td><td>64.19</td><td>0.00</td><td>371</td><td>113 AVERAGE</td></tr></table>					Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10643.93	48.95	74.00	-25.05	62.64	37.55	15.71	66.95	0.00	100	15 Peak	2 10643.93	41.67	54.00	-12.33	55.36	37.55	15.71	66.95	0.00	100	15 Average	3 15960.00	63.08	74.00	-10.92	67.68	40.27	19.32	64.19	0.00	371	113 PEAK	4 15960.00	51.74	54.00	-2.26	56.34	40.27	19.32	64.19	0.00	371
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1 10640.00	55.42	74.00	-18.58	69.11	37.55	15.71	66.95	0.00	100	120 PEAK																																																																																																																																																								
2 10640.00	42.84	54.00	-11.16	56.53	37.55	15.71	66.95	0.00	100	120 AVERAGE																																																																																																																																																								
3 15960.00	59.22	74.00	-14.78	63.82	40.27	19.32	64.19	0.00	100	303 PEAK																																																																																																																																																								
4 15960.00	46.78	54.00	-7.22	51.38	40.27	19.32	64.19	0.00	100	303 AVERAGE																																																																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																								
1 10643.93	48.95	74.00	-25.05	62.64	37.55	15.71	66.95	0.00	100	15 Peak																																																																																																																																																								
2 10643.93	41.67	54.00	-12.33	55.36	37.55	15.71	66.95	0.00	100	15 Average																																																																																																																																																								
3 15960.00	63.08	74.00	-10.92	67.68	40.27	19.32	64.19	0.00	371	113 PEAK																																																																																																																																																								
4 15960.00	51.74	54.00	-2.26	56.34	40.27	19.32	64.19	0.00	371	113 AVERAGE																																																																																																																																																								



Mode	16																																																																																																																
	Band Edge																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.36</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>38.99</td><td>34.00</td><td>10.93</td><td>37.31</td><td>0.00</td><td>121</td><td>296 PEAK</td></tr><tr><td>2</td><td>5468.08</td><td>53.02</td><td>68.20</td><td>-15.18</td><td>44.51</td><td>34.83</td><td>10.98</td><td>37.30</td><td>0.00</td><td>121</td><td>296 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5433.36	47.41	74.00	-26.59	38.99	34.00	10.93	37.31	0.00	121	296 PEAK	2	5468.08	53.02	68.20	-15.18	44.51	34.83	10.98	37.30	0.00	121	296 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>95.60</td><td>-----</td><td>-----</td><td>87.16</td><td>34.70</td><td>11.02</td><td>37.28</td><td>0.00</td><td>121</td><td>296 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	95.60	-----	-----	87.16	34.70	11.02	37.28	0.00	121	296 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5433.36	47.41	74.00	-26.59	38.99	34.00	10.93	37.31	0.00	121	296 PEAK																																																																																																						
2	5468.08	53.02	68.20	-15.18	44.51	34.83	10.98	37.30	0.00	121	296 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	95.60	-----	-----	87.16	34.70	11.02	37.28	0.00	121	296 PEAK																																																																																																						
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>36.82</td><td>54.00</td><td>-17.18</td><td>28.29</td><td>34.86</td><td>10.97</td><td>37.30</td><td>0.00</td><td>121</td><td>296 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	36.82	54.00	-17.18	28.29	34.86	10.97	37.30	0.00	121	296 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>86.34</td><td>-----</td><td>-----</td><td>77.90</td><td>34.70</td><td>11.02</td><td>37.28</td><td>0.00</td><td>121</td><td>296 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	86.34	-----	-----	77.90	34.70	11.02	37.28	0.00	121	296 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.92	36.82	54.00	-17.18	28.29	34.86	10.97	37.30	0.00	121	296 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5500.00	86.34	-----	-----	77.90	34.70	11.02	37.28	0.00	121	296 AVERAGE																																																																																																						



Mode	16																																																																			
	Band Edge																																																																			
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																			
ANT	1																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5394.48</td><td>47.63</td><td>74.00</td><td>-26.37</td><td>39.46</td><td>34.62</td><td>10.88</td><td>37.33</td><td>0.00</td><td>313</td><td>266 PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>52.69</td><td>68.20</td><td>-15.51</td><td>44.18</td><td>34.83</td><td>10.98</td><td>37.30</td><td>0.00</td><td>313</td><td>266 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.48	47.63	74.00	-26.37	39.46	34.62	10.88	37.33	0.00	313	266 PEAK	2	5468.56	52.69	68.20	-15.51	44.18	34.83	10.98	37.30	0.00	313	266 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5394.48	47.63	74.00	-26.37	39.46	34.62	10.88	37.33	0.00	313	266 PEAK																																																									
2	5468.56	52.69	68.20	-15.51	44.18	34.83	10.98	37.30	0.00	313	266 PEAK																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>94.93</td><td>-----</td><td>-----</td><td>86.49</td><td>34.70</td><td>11.02</td><td>37.28</td><td>0.00</td><td>313</td><td>266 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.93	-----	-----	86.49	34.70	11.02	37.28	0.00	313	266 PEAK												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	94.93	-----	-----	86.49	34.70	11.02	37.28	0.00	313	266 PEAK																																																									
Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>36.86</td><td>54.00</td><td>-17.14</td><td>28.33</td><td>34.86</td><td>10.97</td><td>37.30</td><td>0.00</td><td>313</td><td>266 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	36.86	54.00	-17.14	28.33	34.86	10.97	37.30	0.00	313	266 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5459.44	36.86	54.00	-17.14	28.33	34.86	10.97	37.30	0.00	313	266 AVERAGE																																																									
Fundamental																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>85.92</td><td>-----</td><td>-----</td><td>77.48</td><td>34.70</td><td>11.02</td><td>37.28</td><td>0.00</td><td>313</td><td>266 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	85.92	-----	-----	77.48	34.70	11.02	37.28	0.00	313	266 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5500.00	85.92	-----	-----	77.48	34.70	11.02	37.28	0.00	313	266 AVERAGE																																																									






		16																																																																																		
Mode		Harmonic																																																																																		
		U-NII-2C_5.47-5.725_802.11n HT20_CH100_5500MHz																																																																																		
ANT		1																																																																																		
Pol.		Horizontal																																																																																		
Peak Avg																																																																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11000.00	59.22	74.00	-14.78	72.01	37.00	16.04	66.63	0.00	100	293	PEAK	2 11000.00	47.58	54.00	-6.42	60.37	37.00	16.04	66.63	0.00	100	293	AVERAGE	3 16500.00	64.82	68.20	-3.38	68.74	40.70	19.67	64.29	0.00	100	298	PEAK												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11000.00	59.22	74.00	-14.78	72.01	37.00	16.04	66.63	0.00	100	293	PEAK																																																																									
2 11000.00	47.58	54.00	-6.42	60.37	37.00	16.04	66.63	0.00	100	293	AVERAGE																																																																									
3 16500.00	64.82	68.20	-3.38	68.74	40.70	19.67	64.29	0.00	100	298	PEAK																																																																									
		Vertical																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11000.00</td><td>54.85</td><td>74.00</td><td>-19.15</td><td>67.64</td><td>37.00</td><td>16.04</td><td>66.63</td><td>0.00</td><td>273</td><td>93</td><td>PEAK</td></tr><tr><td>2 11000.00</td><td>44.34</td><td>54.00</td><td>-9.66</td><td>57.13</td><td>37.00</td><td>16.04</td><td>66.63</td><td>0.00</td><td>273</td><td>93</td><td>AVERAGE</td></tr><tr><td>3 16500.00</td><td>66.10</td><td>68.20</td><td>-2.10</td><td>70.02</td><td>40.70</td><td>19.67</td><td>64.29</td><td>0.00</td><td>100</td><td>29</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11000.00	54.85	74.00	-19.15	67.64	37.00	16.04	66.63	0.00	273	93	PEAK	2 11000.00	44.34	54.00	-9.66	57.13	37.00	16.04	66.63	0.00	273	93	AVERAGE	3 16500.00	66.10	68.20	-2.10	70.02	40.70	19.67	64.29	0.00	100	29	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1 11000.00	54.85	74.00	-19.15	67.64	37.00	16.04	66.63	0.00	273	93	PEAK																																																																									
2 11000.00	44.34	54.00	-9.66	57.13	37.00	16.04	66.63	0.00	273	93	AVERAGE																																																																									
3 16500.00	66.10	68.20	-2.10	70.02	40.70	19.67	64.29	0.00	100	29	PEAK																																																																									






Mode	17																																																																															
	Harmonic																																																																															
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_5580MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>58.08</td><td>74.00</td><td>-15.92</td><td>70.60</td><td>37.94</td><td>16.15</td><td>66.61</td><td>0.00</td><td>104</td><td>295 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>46.69</td><td>54.00</td><td>-7.31</td><td>59.21</td><td>37.94</td><td>16.15</td><td>66.61</td><td>0.00</td><td>104</td><td>295 AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>62.62</td><td>68.20</td><td>-5.58</td><td>66.39</td><td>40.90</td><td>19.83</td><td>64.50</td><td>0.00</td><td>100</td><td>298 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	58.08	74.00	-15.92	70.60	37.94	16.15	66.61	0.00	104	295 PEAK	2	11160.00	46.69	54.00	-7.31	59.21	37.94	16.15	66.61	0.00	104	295 AVERAGE	3	16740.00	62.62	68.20	-5.58	66.39	40.90	19.83	64.50	0.00	100	298 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	11160.00	58.08	74.00	-15.92	70.60	37.94	16.15	66.61	0.00	104	295 PEAK																																																																					
2	11160.00	46.69	54.00	-7.31	59.21	37.94	16.15	66.61	0.00	104	295 AVERAGE																																																																					
3	16740.00	62.62	68.20	-5.58	66.39	40.90	19.83	64.50	0.00	100	298 PEAK																																																																					
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>51.96</td><td>74.00</td><td>-22.04</td><td>64.48</td><td>37.94</td><td>16.15</td><td>66.61</td><td>0.00</td><td>100</td><td>83 PEAK</td></tr><tr><td>2</td><td>11160.00</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>53.37</td><td>37.94</td><td>16.15</td><td>66.61</td><td>0.00</td><td>100</td><td>83 AVERAGE</td></tr><tr><td>3</td><td>16740.00</td><td>62.19</td><td>68.20</td><td>-6.01</td><td>65.97</td><td>40.89</td><td>19.83</td><td>64.50</td><td>0.00</td><td>100</td><td>35 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	51.96	74.00	-22.04	64.48	37.94	16.15	66.61	0.00	100	83 PEAK	2	11160.00	40.85	54.00	-13.15	53.37	37.94	16.15	66.61	0.00	100	83 AVERAGE	3	16740.00	62.19	68.20	-6.01	65.97	40.89	19.83	64.50	0.00	100	35 PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	11160.00	51.96	74.00	-22.04	64.48	37.94	16.15	66.61	0.00	100	83 PEAK																																																																					
2	11160.00	40.85	54.00	-13.15	53.37	37.94	16.15	66.61	0.00	100	83 AVERAGE																																																																					
3	16740.00	62.19	68.20	-6.01	65.97	40.89	19.83	64.50	0.00	100	35 PEAK																																																																					



Mode	18																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																							
ANT	1																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.48</td><td>61.52</td><td>68.20</td><td>-6.68</td><td>52.94</td><td>34.80</td><td>11.33</td><td>37.55</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.48	61.52	68.20	-6.68	52.94	34.80	11.33	37.55	0.00	100	239 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>97.43</td><td>-----</td><td>-----</td><td>88.88</td><td>34.70</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	97.43	-----	-----	88.88	34.70	11.29	37.44	0.00	100	239 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5725.48	61.52	68.20	-6.68	52.94	34.80	11.33	37.55	0.00	100	239 PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	97.43	-----	-----	88.88	34.70	11.29	37.44	0.00	100	239 PEAK																																																																																													
Avg	Blank																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>88.69</td><td>-----</td><td>-----</td><td>80.14</td><td>34.70</td><td>11.29</td><td>37.44</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	88.69	-----	-----	80.14	34.70	11.29	37.44	0.00	100	239 AVERAGE																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5700.00	88.69	-----	-----	80.14	34.70	11.29	37.44	0.00	100	239 AVERAGE																																																																																													



Mode	18																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5727.80</td><td>59.47</td><td>68.20</td><td>-8.73</td><td>50.89</td><td>34.81</td><td>11.33</td><td>37.56</td><td>0.00</td><td>339</td><td>267</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.80	59.47	68.20	-8.73	50.89	34.81	11.33	37.56	0.00	339	267	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.78</td><td>-----</td><td>-----</td><td>88.23</td><td>34.72</td><td>11.30</td><td>37.47</td><td>0.00</td><td>339</td><td>267</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.78	-----	-----	88.23	34.72	11.30	37.47	0.00	339	267
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5727.80	59.47	68.20	-8.73	50.89	34.81	11.33	37.56	0.00	339	267	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	96.78	-----	-----	88.23	34.72	11.30	37.47	0.00	339	267	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>87.88</td><td>-----</td><td>-----</td><td>79.33</td><td>34.70</td><td>11.29</td><td>37.44</td><td>0.00</td><td>339</td><td>267</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	87.88	-----	-----	79.33	34.70	11.29	37.44	0.00	339	267	AVERAGE																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	87.88	-----	-----	79.33	34.70	11.29	37.44	0.00	339	267	AVERAGE																																																																																							





Mode	18																																																																																																																																																								
	Harmonic																																																																																																																																																								
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_5700MHz																																																																																																																																																								
ANT	1																																																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																																																		
Peak Avg																																																																																																																																																									
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>53.52</td><td>74.00</td><td>-20.48</td><td>65.65</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>318</td><td>313</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>42.28</td><td>54.00</td><td>-11.72</td><td>54.41</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>318</td><td>313</td><td>AVERAGE</td></tr><tr><td>3 17100.00</td><td>62.99</td><td>68.20</td><td>-5.21</td><td>66.49</td><td>41.12</td><td>20.07</td><td>64.69</td><td>0.00</td><td>100</td><td>316</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	53.52	74.00	-20.48	65.65	38.16	16.30	66.59	0.00	318	313	PEAK	2 11400.00	42.28	54.00	-11.72	54.41	38.16	16.30	66.59	0.00	318	313	AVERAGE	3 17100.00	62.99	68.20	-5.21	66.49	41.12	20.07	64.69	0.00	100	316	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11400.00</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>65.12</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>300</td><td>275</td><td>PEAK</td></tr><tr><td>2 11400.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td>54.11</td><td>38.16</td><td>16.30</td><td>66.59</td><td>0.00</td><td>300</td><td>275</td><td>AVERAGE</td></tr><tr><td>3 17100.00</td><td>60.57</td><td>68.20</td><td>-7.63</td><td>64.07</td><td>41.12</td><td>20.07</td><td>64.69</td><td>0.00</td><td>100</td><td>12</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 11400.00	52.99	74.00	-21.01	65.12	38.16	16.30	66.59	0.00	300	275	PEAK	2 11400.00	41.98	54.00	-12.02	54.11	38.16	16.30	66.59	0.00	300	275	AVERAGE	3 17100.00	60.57	68.20	-7.63	64.07	41.12	20.07	64.69	0.00	100	12	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 11400.00	53.52	74.00	-20.48	65.65	38.16	16.30	66.59	0.00	318	313	PEAK																																																																																																																																														
2 11400.00	42.28	54.00	-11.72	54.41	38.16	16.30	66.59	0.00	318	313	AVERAGE																																																																																																																																														
3 17100.00	62.99	68.20	-5.21	66.49	41.12	20.07	64.69	0.00	100	316	PEAK																																																																																																																																														
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																															
1 11400.00	52.99	74.00	-21.01	65.12	38.16	16.30	66.59	0.00	300	275	PEAK																																																																																																																																														
2 11400.00	41.98	54.00	-12.02	54.11	38.16	16.30	66.59	0.00	300	275	AVERAGE																																																																																																																																														
3 17100.00	60.57	68.20	-7.63	64.07	41.12	20.07	64.69	0.00	100	12	PEAK																																																																																																																																														







Mode	19																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.20</td><td>62.53</td><td>74.00</td><td>-11.47</td><td>54.71</td><td>34.61</td><td>10.65</td><td>37.44</td><td>0.00</td><td>102 301 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.20	62.53	74.00	-11.47	54.71	34.61	10.65	37.44	0.00	102 301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>94.16</td><td>-----</td><td>-----</td><td>86.23</td><td>34.66</td><td>10.69</td><td>37.42</td><td>0.00</td><td>102 301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	94.16	-----	-----	86.23	34.66	10.69	37.42	0.00	102 301 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.20	62.53	74.00	-11.47	54.71	34.61	10.65	37.44	0.00	102 301 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	94.16	-----	-----	86.23	34.66	10.69	37.42	0.00	102 301 PEAK																																																																																									
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>51.28</td><td>54.00</td><td>-2.72</td><td>43.46</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>102 301 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	51.28	54.00	-2.72	43.46	34.60	10.65	37.43	0.00	102 301 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>85.61</td><td>-----</td><td>-----</td><td>77.65</td><td>34.68</td><td>10.70</td><td>37.42</td><td>0.00</td><td>102 301 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	85.61	-----	-----	77.65	34.68	10.70	37.42	0.00	102 301 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.92	51.28	54.00	-2.72	43.46	34.60	10.65	37.43	0.00	102 301 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5190.00	85.61	-----	-----	77.65	34.68	10.70	37.42	0.00	102 301 AVERAGE																																																																																									



Mode	19																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.92</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>39.24</td><td>34.69</td><td>10.87</td><td>37.33</td><td>0.00</td><td>102</td><td>301</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.92	47.47	74.00	-26.53	39.24	34.69	10.87	37.33	0.00	102	301	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5377.92	47.47	74.00	-26.53	39.24	34.69	10.87	37.33	0.00	102	301	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.76</td><td>36.61</td><td>54.00</td><td>-17.39</td><td>28.08</td><td>34.87</td><td>10.96</td><td>37.30</td><td>0.00</td><td>102</td><td>301</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.76	36.61	54.00	-17.39	28.08	34.87	10.96	37.30	0.00	102	301	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5456.76	36.61	54.00	-17.39	28.08	34.87	10.96	37.30	0.00	102	301	AVERAGE																																												



Mode	19																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n_HT40_CH38_5190MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.60</td><td>61.44</td><td>74.00</td><td>-12.56</td><td>53.62</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>333 288 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	61.44	74.00	-12.56	53.62	34.60	10.65	37.43	0.00	333 288 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>92.11</td><td>-----</td><td>-----</td><td>84.14</td><td>34.69</td><td>10.70</td><td>37.42</td><td>0.00</td><td>333 288 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	92.11	-----	-----	84.14	34.69	10.70	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.60	61.44	74.00	-12.56	53.62	34.60	10.65	37.43	0.00	333 288 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5190.00	92.11	-----	-----	84.14	34.69	10.70	37.42	0.00	333 288 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>48.37</td><td>54.00</td><td>-5.63</td><td>40.55</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>333 288 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	48.37	54.00	-5.63	40.55	34.60	10.65	37.43	0.00	333 288 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>83.71</td><td>-----</td><td>-----</td><td>75.75</td><td>34.68</td><td>10.70</td><td>37.42</td><td>0.00</td><td>333 288 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	83.71	-----	-----	75.75	34.68	10.70	37.42	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.92	48.37	54.00	-5.63	40.55	34.60	10.65	37.43	0.00	333 288 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5190.00	83.71	-----	-----	75.75	34.68	10.70	37.42	0.00	333 288 AVERAGE																																																																																								







Mode	19																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.41</td><td>47.69</td><td>74.00</td><td>-26.31</td><td>39.15</td><td>34.88</td><td>10.96</td><td>37.30</td><td>0.00</td><td>333</td><td>288</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.41	47.69	74.00	-26.31	39.15	34.88	10.96	37.30	0.00	333	288	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5455.41	47.69	74.00	-26.31	39.15	34.88	10.96	37.30	0.00	333	288	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.60</td><td>36.57</td><td>54.00</td><td>-17.43</td><td>28.03</td><td>34.88</td><td>10.96</td><td>37.30</td><td>0.00</td><td>333</td><td>288</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.60	36.57	54.00	-17.43	28.03	34.88	10.96	37.30	0.00	333	288	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5454.60	36.57	54.00	-17.43	28.03	34.88	10.96	37.30	0.00	333	288	AVERAGE																																											





Mode	19																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11n HT40_CH38_5190MHz																																																																															
ANT	1																																																																															
Pol.	Horizontal																																																																															
Peak Avg																																																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>46.19</td><td>68.20</td><td>-22.01</td><td>68.39</td><td>37.37</td><td>15.47</td><td>67.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>68.12</td><td>40.00</td><td>19.06</td><td>64.46</td><td>0.00</td><td>100</td><td>286 PEAK</td></tr><tr><td>3</td><td>15570.00</td><td>45.05</td><td>54.00</td><td>-8.95</td><td>50.48</td><td>39.99</td><td>19.05</td><td>64.47</td><td>0.00</td><td>100</td><td>286 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	46.19	68.20	-22.01	68.39	37.37	15.47	67.04	0.00	---	PEAK	2	15570.00	54.72	74.00	-19.28	68.12	40.00	19.06	64.46	0.00	100	286 PEAK	3	15570.00	45.05	54.00	-8.95	50.48	39.99	19.05	64.47	0.00	100	286 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	10380.00	46.19	68.20	-22.01	68.39	37.37	15.47	67.04	0.00	---	PEAK																																																																					
2	15570.00	54.72	74.00	-19.28	68.12	40.00	19.06	64.46	0.00	100	286 PEAK																																																																					
3	15570.00	45.05	54.00	-8.95	50.48	39.99	19.05	64.47	0.00	100	286 AVERAGE																																																																					
Vertical																																																																																
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>45.73</td><td>68.20</td><td>-22.47</td><td>59.93</td><td>37.37</td><td>15.47</td><td>67.04</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>56.07</td><td>74.00</td><td>-17.93</td><td>61.47</td><td>40.00</td><td>19.06</td><td>64.46</td><td>0.00</td><td>100</td><td>267 PEAK</td></tr><tr><td>3</td><td>15570.00</td><td>46.43</td><td>54.00</td><td>-7.57</td><td>51.06</td><td>39.99</td><td>19.05</td><td>64.47</td><td>0.00</td><td>100</td><td>267 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10380.00	45.73	68.20	-22.47	59.93	37.37	15.47	67.04	0.00	---	PEAK	2	15570.00	56.07	74.00	-17.93	61.47	40.00	19.06	64.46	0.00	100	267 PEAK	3	15570.00	46.43	54.00	-7.57	51.06	39.99	19.05	64.47	0.00	100	267 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	10380.00	45.73	68.20	-22.47	59.93	37.37	15.47	67.04	0.00	---	PEAK																																																																					
2	15570.00	56.07	74.00	-17.93	61.47	40.00	19.06	64.46	0.00	100	267 PEAK																																																																					
3	15570.00	46.43	54.00	-7.57	51.06	39.99	19.05	64.47	0.00	100	267 AVERAGE																																																																					







Mode	20																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5133.28</td><td>50.21</td><td>74.00</td><td>-23.79</td><td>42.34</td><td>34.67</td><td>10.64</td><td>37.44</td><td>0.00</td><td>119 307 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.28	50.21	74.00	-23.79	42.34	34.67	10.64	37.44	0.00	119 307 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>94.37</td><td>-----</td><td>-----</td><td>86.40</td><td>34.63</td><td>10.74</td><td>37.40</td><td>0.00</td><td>119 307 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	94.37	-----	-----	86.40	34.63	10.74	37.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5133.28	50.21	74.00	-23.79	42.34	34.67	10.64	37.44	0.00	119 307 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5230.00	94.37	-----	-----	86.40	34.63	10.74	37.40	0.00	119 307 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>38.90</td><td>54.00</td><td>-15.10</td><td>31.08</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>119 307 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	38.90	54.00	-15.10	31.08	34.60	10.65	37.43	0.00	119 307 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>86.23</td><td>-----</td><td>-----</td><td>78.26</td><td>34.64</td><td>10.73</td><td>37.40</td><td>0.00</td><td>119 307 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	86.23	-----	-----	78.26	34.64	10.73	37.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.92	38.90	54.00	-15.10	31.08	34.60	10.65	37.43	0.00	119 307 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5230.00	86.23	-----	-----	78.26	34.64	10.73	37.40	0.00	119 307 AVERAGE																																																																																								



Mode	20																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.32</td><td>47.51</td><td>74.00</td><td>-26.49</td><td>39.33</td><td>34.62</td><td>10.89</td><td>37.33</td><td>0.00</td><td>119</td><td>307</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.32	47.51	74.00	-26.49	39.33	34.62	10.89	37.33	0.00	119	307	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5395.32	47.51	74.00	-26.49	39.33	34.62	10.89	37.33	0.00	119	307	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>36.15</td><td>54.00</td><td>-17.85</td><td>27.86</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>119</td><td>307</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	36.15	54.00	-17.85	27.86	34.80	10.84	37.35	0.00	119	307	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.50	36.15	54.00	-17.85	27.86	34.80	10.84	37.35	0.00	119	307	AVERAGE																																												





Mode	20																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11n_HT40_CH46_5230MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.12</td><td>49.98</td><td>74.00</td><td>-24.02</td><td>42.08</td><td>34.73</td><td>10.62</td><td>37.45</td><td>0.00</td><td>364 264 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.12	49.98	74.00	-24.02	42.08	34.73	10.62	37.45	0.00	364 264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>93.05</td><td>-----</td><td>-----</td><td>85.08</td><td>34.62</td><td>10.74</td><td>37.39</td><td>0.00</td><td>364 264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	93.05	-----	-----	85.08	34.62	10.74	37.39	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5117.12	49.98	74.00	-24.02	42.08	34.73	10.62	37.45	0.00	364 264 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5230.00	93.05	-----	-----	85.08	34.62	10.74	37.39	0.00	364 264 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>38.49</td><td>54.00</td><td>-15.51</td><td>30.67</td><td>34.60</td><td>10.65</td><td>37.43</td><td>0.00</td><td>364 264 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.92	38.49	54.00	-15.51	30.67	34.60	10.65	37.43	0.00	364 264 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>85.40</td><td>-----</td><td>-----</td><td>77.43</td><td>34.64</td><td>10.73</td><td>37.40</td><td>0.00</td><td>364 264 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	85.40	-----	-----	77.43	34.64	10.73	37.40	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5149.92	38.49	54.00	-15.51	30.67	34.60	10.65	37.43	0.00	364 264 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5230.00	85.40	-----	-----	77.43	34.64	10.73	37.40	0.00	364 264 AVERAGE																																																																																								



Mode	20																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																							
ANT	1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.08</td><td>47.33</td><td>74.00</td><td>-26.67</td><td>39.15</td><td>34.63</td><td>10.88</td><td>37.33</td><td>0.00</td><td>364</td><td>264</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5392.08	47.33	74.00	-26.67	39.15	34.63	10.88	37.33	0.00	364	264	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5392.08	47.33	74.00	-26.67	39.15	34.63	10.88	37.33	0.00	364	264	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.48</td><td>36.13</td><td>54.00</td><td>-17.87</td><td>27.85</td><td>34.79</td><td>10.84</td><td>37.35</td><td>0.00</td><td>364</td><td>264</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.48	36.13	54.00	-17.87	27.85	34.79	10.84	37.35	0.00	364	264	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5352.48	36.13	54.00	-17.87	27.85	34.79	10.84	37.35	0.00	364	264	AVERAGE																																												







Mode	20																																																																																																																																																										
	Harmonic																																																																																																																																																										
	U-NII-1_5.15-5.25_802.11n HT40_CH46_5230MHz																																																																																																																																																										
ANT	1																																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>47.99</td><td>68.20</td><td>-20.21</td><td>62.10</td><td>37.42</td><td>15.54</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>57.82</td><td>74.00</td><td>-16.18</td><td>62.98</td><td>40.08</td><td>19.14</td><td>64.38</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>48.19</td><td>54.00</td><td>-5.81</td><td>53.35</td><td>40.08</td><td>19.14</td><td>64.38</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	47.99	68.20	-20.21	62.10	37.42	15.54	67.07	0.00	---	---	PEAK	2	15690.00	57.82	74.00	-16.18	62.98	40.08	19.14	64.38	0.00	100	281	PEAK	3	15690.00	48.19	54.00	-5.81	53.35	40.08	19.14	64.38	0.00	100	281	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>46.79</td><td>68.20</td><td>-21.41</td><td>60.90</td><td>37.42</td><td>15.54</td><td>67.07</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>60.38</td><td>74.00</td><td>-13.62</td><td>65.54</td><td>40.08</td><td>19.14</td><td>64.38</td><td>0.00</td><td>100</td><td>281</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>50.91</td><td>54.00</td><td>-3.09</td><td>56.05</td><td>40.09</td><td>19.14</td><td>64.37</td><td>0.00</td><td>100</td><td>281</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10460.00	46.79	68.20	-21.41	60.90	37.42	15.54	67.07	0.00	---	---	PEAK	2	15690.00	60.38	74.00	-13.62	65.54	40.08	19.14	64.38	0.00	100	281	PEAK	3	15690.00	50.91	54.00	-3.09	56.05	40.09	19.14	64.37	0.00	100	281
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	10460.00	47.99	68.20	-20.21	62.10	37.42	15.54	67.07	0.00	---	---	PEAK																																																																																																																																															
2	15690.00	57.82	74.00	-16.18	62.98	40.08	19.14	64.38	0.00	100	281	PEAK																																																																																																																																															
3	15690.00	48.19	54.00	-5.81	53.35	40.08	19.14	64.38	0.00	100	281	AVERAGE																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																	
1	10460.00	46.79	68.20	-21.41	60.90	37.42	15.54	67.07	0.00	---	---	PEAK																																																																																																																																															
2	15690.00	60.38	74.00	-13.62	65.54	40.08	19.14	64.38	0.00	100	281	PEAK																																																																																																																																															
3	15690.00	50.91	54.00	-3.09	56.05	40.09	19.14	64.37	0.00	100	281	AVERAGE																																																																																																																																															



Mode	21																																																																																
	Harmonic																																																																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_5270MHz																																																																																
ANT	1																																																																																
Pol.	Horizontal																																																																																
Peak Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>52.40</td><td>68.20</td><td>-15.80</td><td>66.34</td><td>37.48</td><td>15.62</td><td>67.04</td><td>0.00</td><td>100</td><td>120 PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>56.86</td><td>74.00</td><td>-17.14</td><td>61.76</td><td>40.17</td><td>19.22</td><td>64.29</td><td>0.00</td><td>100</td><td>279 PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>52.16</td><td>40.17</td><td>19.22</td><td>64.29</td><td>0.00</td><td>100</td><td>279 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	52.40	68.20	-15.80	66.34	37.48	15.62	67.04	0.00	100	120 PEAK	2	15810.00	56.86	74.00	-17.14	61.76	40.17	19.22	64.29	0.00	100	279 PEAK	3	15810.00	47.26	54.00	-6.74	52.16	40.17	19.22	64.29	0.00	100	279 AVERAGE	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10540.00	52.40	68.20	-15.80	66.34	37.48	15.62	67.04	0.00	100	120 PEAK																																																																						
2	15810.00	56.86	74.00	-17.14	61.76	40.17	19.22	64.29	0.00	100	279 PEAK																																																																						
3	15810.00	47.26	54.00	-6.74	52.16	40.17	19.22	64.29	0.00	100	279 AVERAGE																																																																						
Vertical																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10540.00</td><td>45.25</td><td>68.20</td><td>-22.95</td><td>59.19</td><td>37.48</td><td>15.62</td><td>67.04</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15810.00</td><td>60.60</td><td>74.00</td><td>-13.40</td><td>65.50</td><td>40.17</td><td>19.22</td><td>64.29</td><td>0.00</td><td>100</td><td>280 PEAK</td></tr><tr><td>3</td><td>15810.00</td><td>50.64</td><td>54.00</td><td>-3.36</td><td>55.56</td><td>40.16</td><td>19.22</td><td>64.30</td><td>0.00</td><td>100</td><td>280 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10540.00	45.25	68.20	-22.95	59.19	37.48	15.62	67.04	0.00	---	---	PEAK	2	15810.00	60.60	74.00	-13.40	65.50	40.17	19.22	64.29	0.00	100	280 PEAK	3	15810.00	50.64	54.00	-3.36	55.56	40.16	19.22	64.30	0.00	100	280 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																							
1	10540.00	45.25	68.20	-22.95	59.19	37.48	15.62	67.04	0.00	---	---	PEAK																																																																					
2	15810.00	60.60	74.00	-13.40	65.50	40.17	19.22	64.29	0.00	100	280 PEAK																																																																						
3	15810.00	50.64	54.00	-3.36	55.56	40.16	19.22	64.30	0.00	100	280 AVERAGE																																																																						







Mode	22																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.84</td><td>48.77</td><td>74.00</td><td>-25.23</td><td>40.88</td><td>34.72</td><td>10.62</td><td>37.45</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5119.84	48.77	74.00	-25.23	40.88	34.72	10.62	37.45	0.00	100	239	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>92.58</td><td>-----</td><td>-----</td><td>84.36</td><td>34.80</td><td>10.79</td><td>37.37</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	92.58	-----	-----	84.36	34.80	10.79	37.37	0.00	100	239
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5119.84	48.77	74.00	-25.23	40.88	34.72	10.62	37.45	0.00	100	239	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5310.00	92.58	-----	-----	84.36	34.80	10.79	37.37	0.00	100	239	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5103.68</td><td>38.39</td><td>54.00</td><td>-15.61</td><td>30.45</td><td>34.79</td><td>10.60</td><td>37.45</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.68	38.39	54.00	-15.61	30.45	34.79	10.60	37.45	0.00	100	239	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>84.67</td><td>-----</td><td>-----</td><td>76.44</td><td>34.80</td><td>10.80</td><td>37.37</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	84.67	-----	-----	76.44	34.80	10.80	37.37	0.00	100	239
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5103.68	38.39	54.00	-15.61	30.45	34.79	10.60	37.45	0.00	100	239	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5310.00	84.67	-----	-----	76.44	34.80	10.80	37.37	0.00	100	239	AVERAGE																																																																																											



Mode	22																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5352.60</td><td>58.64</td><td>74.00</td><td>-15.36</td><td>50.36</td><td>34.79</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>239 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5352.60	58.64	74.00	-15.36	50.36	34.79	10.84	37.35	0.00	100	239 PEAK	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5352.60	58.64	74.00	-15.36	50.36	34.79	10.84	37.35	0.00	100	239 PEAK																																													
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.00</td><td>46.05</td><td>54.00</td><td>-7.95</td><td>37.76</td><td>34.80</td><td>10.84</td><td>37.35</td><td>0.00</td><td>100</td><td>239 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5350.00	46.05	54.00	-7.95	37.76	34.80	10.84	37.35	0.00	100	239 AVERAGE	Blank				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																														
1	5350.00	46.05	54.00	-7.95	37.76	34.80	10.84	37.35	0.00	100	239 AVERAGE																																													





Mode	22																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.72</td><td>49.01</td><td>74.00</td><td>-24.99</td><td>41.17</td><td>34.63</td><td>10.65</td><td>37.44</td><td>0.00</td><td>350 266 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.72	49.01	74.00	-24.99	41.17	34.63	10.65	37.44	0.00	350 266 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>92.26</td><td>-----</td><td>-----</td><td>84.04</td><td>34.80</td><td>10.79</td><td>37.37</td><td>0.00</td><td>350 266 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	92.26	-----	-----	84.04	34.80	10.79	37.37	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5142.72	49.01	74.00	-24.99	41.17	34.63	10.65	37.44	0.00	350 266 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	92.26	-----	-----	84.04	34.80	10.79	37.37	0.00	350 266 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5100.00</td><td>38.35</td><td>54.00</td><td>-15.65</td><td>30.41</td><td>34.00</td><td>10.60</td><td>37.46</td><td>0.00</td><td>350 266 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5100.00	38.35	54.00	-15.65	30.41	34.00	10.60	37.46	0.00	350 266 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>84.17</td><td>-----</td><td>-----</td><td>75.94</td><td>34.80</td><td>10.80</td><td>37.37</td><td>0.00</td><td>350 266 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	84.17	-----	-----	75.94	34.80	10.80	37.37	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5100.00	38.35	54.00	-15.65	30.41	34.00	10.60	37.46	0.00	350 266 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5310.00	84.17	-----	-----	75.94	34.80	10.80	37.37	0.00	350 266 AVERAGE																																																																																								







Mode	22																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																						
ANT	1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>57.38</td><td>74.00</td><td>-16.62</td><td>49.09</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>350</td><td>266</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	57.38	74.00	-16.62	49.09	34.00	10.84	37.35	0.00	350	266	PEAK	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5350.00	57.38	74.00	-16.62	49.09	34.00	10.84	37.35	0.00	350	266	PEAK																																											
Avg	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>45.11</td><td>54.00</td><td>-8.89</td><td>36.82</td><td>34.00</td><td>10.84</td><td>37.35</td><td>0.00</td><td>350</td><td>266</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5350.00	45.11	54.00	-8.89	36.82	34.00	10.84	37.35	0.00	350	266	AVERAGE	Blank					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5350.00	45.11	54.00	-8.89	36.82	34.00	10.84	37.35	0.00	350	266	AVERAGE																																											




Mode	22																																																																																																																																																												
	Harmonic																																																																																																																																																												
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_5310MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg																																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.86</td><td>74.00</td><td>-27.14</td><td>60.61</td><td>37.53</td><td>15.69</td><td>66.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>55.69</td><td>74.00</td><td>-18.31</td><td>60.35</td><td>40.25</td><td>19.30</td><td>64.21</td><td>0.00</td><td>100</td><td>280</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>45.76</td><td>54.00</td><td>-8.24</td><td>50.42</td><td>40.25</td><td>19.30</td><td>64.21</td><td>0.00</td><td>100</td><td>280</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	46.86	74.00	-27.14	60.61	37.53	15.69	66.97	0.00	---	---	PEAK	2	15930.00	55.69	74.00	-18.31	60.35	40.25	19.30	64.21	0.00	100	280	PEAK	3	15930.00	45.76	54.00	-8.24	50.42	40.25	19.30	64.21	0.00	100	280	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>60.59</td><td>37.53</td><td>15.69</td><td>66.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>59.93</td><td>74.00</td><td>-14.07</td><td>64.59</td><td>40.25</td><td>19.30</td><td>64.21</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>50.26</td><td>54.00</td><td>-3.74</td><td>54.92</td><td>40.25</td><td>19.30</td><td>64.21</td><td>0.00</td><td>100</td><td>278</td><td>AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	46.84	74.00	-27.16	60.59	37.53	15.69	66.97	0.00	---	---	PEAK	2	15930.00	59.93	74.00	-14.07	64.59	40.25	19.30	64.21	0.00	100	278	PEAK	3	15930.00	50.26	54.00	-3.74	54.92	40.25	19.30	64.21	0.00	100	278	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10620.00	46.86	74.00	-27.14	60.61	37.53	15.69	66.97	0.00	---	---	PEAK																																																																																																																																																	
2	15930.00	55.69	74.00	-18.31	60.35	40.25	19.30	64.21	0.00	100	280	PEAK																																																																																																																																																	
3	15930.00	45.76	54.00	-8.24	50.42	40.25	19.30	64.21	0.00	100	280	AVERAGE																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10620.00	46.84	74.00	-27.16	60.59	37.53	15.69	66.97	0.00	---	---	PEAK																																																																																																																																																	
2	15930.00	59.93	74.00	-14.07	64.59	40.25	19.30	64.21	0.00	100	278	PEAK																																																																																																																																																	
3	15930.00	50.26	54.00	-3.74	54.92	40.25	19.30	64.21	0.00	100	278	AVERAGE																																																																																																																																																	







Mode	23																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																
ANT	1																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.28</td><td>53.31</td><td>74.00</td><td>-20.69</td><td>44.78</td><td>34.86</td><td>10.97</td><td>37.30</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>54.89</td><td>68.20</td><td>-13.31</td><td>46.38</td><td>34.82</td><td>10.98</td><td>37.29</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.28	53.31	74.00	-20.69	44.78	34.86	10.97	37.30	0.00	100	240 PEAK	2	5469.36	54.89	68.20	-13.31	46.38	34.82	10.98	37.29	0.00	100	240 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>92.85</td><td>-----</td><td>-----</td><td>84.39</td><td>34.71</td><td>11.03</td><td>37.28</td><td>0.00</td><td>100</td><td>240 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.85	-----	-----	84.39	34.71	11.03	37.28	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.28	53.31	74.00	-20.69	44.78	34.86	10.97	37.30	0.00	100	240 PEAK																																																																																																						
2	5469.36	54.89	68.20	-13.31	46.38	34.82	10.98	37.29	0.00	100	240 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	92.85	-----	-----	84.39	34.71	11.03	37.28	0.00	100	240 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5398.64</td><td>41.29</td><td>54.00</td><td>-12.71</td><td>33.12</td><td>34.61</td><td>10.89</td><td>37.33</td><td>0.00</td><td>100</td><td>240 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.64	41.29	54.00	-12.71	33.12	34.61	10.89	37.33	0.00	100	240 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>83.43</td><td>-----</td><td>-----</td><td>74.95</td><td>34.72</td><td>11.04</td><td>37.28</td><td>0.00</td><td>100</td><td>240 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	83.43	-----	-----	74.95	34.72	11.04	37.28	0.00	100	240 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5398.64	41.29	54.00	-12.71	33.12	34.61	10.89	37.33	0.00	100	240 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	83.43	-----	-----	74.95	34.72	11.04	37.28	0.00	100	240 AVERAGE																																																																																																						




Mode	23																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																							
ANT	1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.32</td><td>48.82</td><td>68.20</td><td>-19.38</td><td>40.21</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.32	48.82	68.20	-19.38	40.21	34.88	11.36	37.63	0.00	100	240	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5745.32	48.82	68.20	-19.38	40.21	34.88	11.36	37.63	0.00	100	240	PEAK																																												





Mode	23																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.04</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>44.14</td><td>34.87</td><td>10.96</td><td>37.30</td><td>0.00</td><td>345</td><td>267 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>55.11</td><td>68.20</td><td>-13.09</td><td>46.60</td><td>34.82</td><td>10.98</td><td>37.29</td><td>0.00</td><td>345</td><td>267 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.04	52.67	74.00	-21.33	44.14	34.87	10.96	37.30	0.00	345	267 PEAK	2	5469.68	55.11	68.20	-13.09	46.60	34.82	10.98	37.29	0.00	345	267 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>92.62</td><td>-----</td><td>84.16</td><td>34.71</td><td>11.03</td><td>37.28</td><td>0.00</td><td>345</td><td>267 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	92.62	-----	84.16	34.71	11.03	37.28	0.00	345
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5457.04	52.67	74.00	-21.33	44.14	34.87	10.96	37.30	0.00	345	267 PEAK																																																																																																					
2	5469.68	55.11	68.20	-13.09	46.60	34.82	10.98	37.29	0.00	345	267 PEAK																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	92.62	-----	84.16	34.71	11.03	37.28	0.00	345	267 PEAK																																																																																																						
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5363.76</td><td>41.47</td><td>54.00</td><td>-12.53</td><td>33.22</td><td>34.74</td><td>10.85</td><td>37.34</td><td>0.00</td><td>345</td><td>267 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.76	41.47	54.00	-12.53	33.22	34.74	10.85	37.34	0.00	345	267 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>83.57</td><td>-----</td><td>75.09</td><td>34.72</td><td>11.04</td><td>37.28</td><td>0.00</td><td>345</td><td>267 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	83.57	-----	75.09	34.72	11.04	37.28	0.00	345	267 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5363.76	41.47	54.00	-12.53	33.22	34.74	10.85	37.34	0.00	345	267 AVERAGE																																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5510.00	83.57	-----	75.09	34.72	11.04	37.28	0.00	345	267 AVERAGE																																																																																																						





Mode	23																																																										
	Band Edge - R																																																										
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																										
ANT	1																																																										
Pol.	Vertical						Fundamental																																																				
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.12</td><td>48.57</td><td>68.20</td><td>-19.63</td><td>39.98</td><td>34.90</td><td>11.39</td><td>37.70</td><td>0.00</td><td>345</td><td>267</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5764.12	48.57	68.20	-19.63	39.98	34.90	11.39	37.70	0.00	345	267	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	5764.12	48.57	68.20	-19.63	39.98	34.90	11.39	37.70	0.00	345	267	PEAK																																															



Mode	23																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_5510MHz																																																																																																																																																									
ANT	1																																																																																																																																																									
Pol.	Horizontal										Vertical																																																																																																																																															
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11020.00</td><td>54.45</td><td>74.00</td><td>-19.55</td><td>67.20</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>109</td><td>296</td><td>PEAK</td></tr><tr><td>2 11020.00</td><td>45.63</td><td>54.00</td><td>-8.37</td><td>58.38</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>109</td><td>296</td><td>AVERAGE</td></tr><tr><td>3 16530.00</td><td>60.10</td><td>68.20</td><td>-8.10</td><td>64.00</td><td>40.72</td><td>19.69</td><td>64.31</td><td>0.00</td><td>100</td><td>318</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	54.45	74.00	-19.55	67.20	37.82	16.06	66.63	0.00	109	296	PEAK	2 11020.00	45.63	54.00	-8.37	58.38	37.82	16.06	66.63	0.00	109	296	AVERAGE	3 16530.00	60.10	68.20	-8.10	64.00	40.72	19.69	64.31	0.00	100	318	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11020.00</td><td>47.25</td><td>74.00</td><td>-26.75</td><td>60.00</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>2 11020.00</td><td>36.45</td><td>54.00</td><td>-17.55</td><td>49.20</td><td>37.82</td><td>16.06</td><td>66.63</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr><tr><td>3 16530.00</td><td>60.66</td><td>68.20</td><td>-7.54</td><td>64.56</td><td>40.72</td><td>19.69</td><td>64.31</td><td>0.00</td><td>100</td><td>37</td><td>PEAK</td></tr></table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11020.00	47.25	74.00	-26.75	60.00	37.82	16.06	66.63	0.00	300	360	PEAK	2 11020.00	36.45	54.00	-17.55	49.20	37.82	16.06	66.63	0.00	300	360	AVERAGE	3 16530.00	60.66	68.20	-7.54	64.56	40.72	19.69	64.31	0.00	100	37
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 11020.00	54.45	74.00	-19.55	67.20	37.82	16.06	66.63	0.00	109	296	PEAK																																																																																																																																															
2 11020.00	45.63	54.00	-8.37	58.38	37.82	16.06	66.63	0.00	109	296	AVERAGE																																																																																																																																															
3 16530.00	60.10	68.20	-8.10	64.00	40.72	19.69	64.31	0.00	100	318	PEAK																																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																
1 11020.00	47.25	74.00	-26.75	60.00	37.82	16.06	66.63	0.00	300	360	PEAK																																																																																																																																															
2 11020.00	36.45	54.00	-17.55	49.20	37.82	16.06	66.63	0.00	300	360	AVERAGE																																																																																																																																															
3 16530.00	60.66	68.20	-7.54	64.56	40.72	19.69	64.31	0.00	100	37	PEAK																																																																																																																																															




Mode	24																																																																											
	Harmonic																																																																											
	U-NII-2C_5.47-5.725_802.11n HT40_CH110_5550MHz																																																																											
ANT	1																																																																											
Pol.	Horizontal																																																																											
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>54.37</td><td>74.00</td><td>-19.63</td><td>66.99</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>100</td><td>291 PEAK</td></tr><tr><td>2 11100.00</td><td>45.33</td><td>54.00</td><td>-8.67</td><td>57.95</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>100</td><td>291 AVERAGE</td></tr><tr><td>3 16650.00</td><td>59.81</td><td>68.20</td><td>-8.39</td><td>63.64</td><td>40.82</td><td>19.77</td><td>64.42</td><td>0.00</td><td>100</td><td>315 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11100.00	54.37	74.00	-19.63	66.99	37.89	16.11	66.62	0.00	100	291 PEAK	2 11100.00	45.33	54.00	-8.67	57.95	37.89	16.11	66.62	0.00	100	291 AVERAGE	3 16650.00	59.81	68.20	-8.39	63.64	40.82	19.77	64.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 11100.00	54.37	74.00	-19.63	66.99	37.89	16.11	66.62	0.00	100	291 PEAK																																																																		
2 11100.00	45.33	54.00	-8.67	57.95	37.89	16.11	66.62	0.00	100	291 AVERAGE																																																																		
3 16650.00	59.81	68.20	-8.39	63.64	40.82	19.77	64.42	0.00	100	315 PEAK																																																																		
Peak Avg																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11100.00</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>64.65</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>264</td><td>94 PEAK</td></tr><tr><td>2 11100.00</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>55.09</td><td>37.89</td><td>16.11</td><td>66.62</td><td>0.00</td><td>264</td><td>94 AVERAGE</td></tr><tr><td>3 16650.00</td><td>58.24</td><td>68.20</td><td>-9.96</td><td>62.07</td><td>40.82</td><td>19.77</td><td>64.42</td><td>0.00</td><td>100</td><td>38 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11100.00	52.03	74.00	-21.97	64.65	37.89	16.11	66.62	0.00	264	94 PEAK	2 11100.00	42.47	54.00	-11.53	55.09	37.89	16.11	66.62	0.00	264	94 AVERAGE	3 16650.00	58.24	68.20	-9.96	62.07	40.82	19.77	64.42	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																		
1 11100.00	52.03	74.00	-21.97	64.65	37.89	16.11	66.62	0.00	264	94 PEAK																																																																		
2 11100.00	42.47	54.00	-11.53	55.09	37.89	16.11	66.62	0.00	264	94 AVERAGE																																																																		
3 16650.00	58.24	68.20	-9.96	62.07	40.82	19.77	64.42	0.00	100	38 PEAK																																																																		







Mode	25																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																				
ANT	1																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.00</td><td>46.97</td><td>74.00</td><td>-27.03</td><td>38.51</td><td>34.83</td><td>10.94</td><td>37.31</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5467.76</td><td>47.32</td><td>68.20</td><td>-20.88</td><td>38.81</td><td>34.83</td><td>10.98</td><td>37.30</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5438.00	46.97	74.00	-27.03	38.51	34.83	10.94	37.31	0.00	100	240	PEAK	2	5467.76	47.32	68.20	-20.88	38.81	34.83	10.98	37.30	0.00	100	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>95.32</td><td>-----</td><td>-----</td><td>86.61</td><td>34.78</td><td>11.24</td><td>37.31</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	95.32	-----	-----	86.61	34.78	11.24	37.31	0.00	100	240	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5438.00	46.97	74.00	-27.03	38.51	34.83	10.94	37.31	0.00	100	240	PEAK																																																																																																									
2	5467.76	47.32	68.20	-20.88	38.81	34.83	10.98	37.30	0.00	100	240	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	95.32	-----	-----	86.61	34.78	11.24	37.31	0.00	100	240	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5399.44</td><td>41.20</td><td>54.00</td><td>-12.80</td><td>33.04</td><td>34.60</td><td>10.89</td><td>37.33</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.44	41.20	54.00	-12.80	33.04	34.60	10.89	37.33	0.00	100	240	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>86.12</td><td>-----</td><td>-----</td><td>77.41</td><td>34.78</td><td>11.24</td><td>37.31</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	86.12	-----	-----	77.41	34.78	11.24	37.31	0.00	100	240	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5399.44	41.20	54.00	-12.80	33.04	34.60	10.89	37.33	0.00	100	240	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5670.00	86.12	-----	-----	77.41	34.78	11.24	37.31	0.00	100	240	AVERAGE																																																																																																									




Mode	25																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																						
ANT	1																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.24</td><td>57.38</td><td>68.20</td><td>-10.82</td><td>48.80</td><td>34.80</td><td>11.33</td><td>37.55</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.24	57.38	68.20	-10.82	48.80	34.80	11.33	37.55	0.00	100	240	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5725.24	57.38	68.20	-10.82	48.80	34.80	11.33	37.55	0.00	100	240	PEAK																																											





		25																																																																																																								
Mode	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical					Fundamental																																																																																																				
Peak																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5444.72	48.18	74.00	-25.82	39.67	34.87	10.95	37.31	0.00	346	265	PEAK	2	5461.84	47.34	68.20	-20.86	38.82	34.85	10.97	37.30	0.00	346	265	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>93.35</td><td>-----</td><td>-----</td><td>84.73</td><td>34.74</td><td>11.26</td><td>37.38</td><td>0.00</td><td>346</td><td>265</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	93.35	-----	-----	84.73	34.74	11.26	37.38	0.00	346	265
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5444.72	48.18	74.00	-25.82	39.67	34.87	10.95	37.31	0.00	346	265	PEAK																																																																																														
2	5461.84	47.34	68.20	-20.86	38.82	34.85	10.97	37.30	0.00	346	265	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5670.00	93.35	-----	-----	84.73	34.74	11.26	37.38	0.00	346	265	PEAK																																																																																														
Avg																																																																																																										
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.44	39.43	54.00	-14.57	31.21	34.68	10.87	37.33	0.00	346	265	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>84.93</td><td>-----</td><td>-----</td><td>76.25</td><td>34.76</td><td>11.25</td><td>37.33</td><td>0.00</td><td>346</td><td>265</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	84.93	-----	-----	76.25	34.76	11.25	37.33	0.00	346	265	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5379.44	39.43	54.00	-14.57	31.21	34.68	10.87	37.33	0.00	346	265	AVERAGE																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5670.00	84.93	-----	-----	76.25	34.76	11.25	37.33	0.00	346	265	AVERAGE																																																																																														






Mode	25																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.96</td><td>52.90</td><td>68.20</td><td>-15.30</td><td>44.32</td><td>34.80</td><td>11.33</td><td>37.55</td><td>0.00</td><td>346</td><td>265</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.96	52.90	68.20	-15.30	44.32	34.80	11.33	37.55	0.00	346	265	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5725.96	52.90	68.20	-15.30	44.32	34.80	11.33	37.55	0.00	346	265	PEAK																																		






Mode	25																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.64</td><td>74.00</td><td>-29.36</td><td>56.87</td><td>38.11</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17010.00</td><td>60.50</td><td>68.20</td><td>-7.70</td><td>64.11</td><td>41.10</td><td>20.01</td><td>64.72</td><td>0.00</td><td>100</td><td>314</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.64	74.00	-29.36	56.87	38.11	16.26	66.60	0.00	---	---	PEAK	2	17010.00	60.50	68.20	-7.70	64.11	41.10	20.01	64.72	0.00	100	314	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.60</td><td>74.00</td><td>-29.40</td><td>56.83</td><td>38.11</td><td>16.26</td><td>66.60</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>17010.00</td><td>57.31</td><td>68.20</td><td>-10.89</td><td>60.93</td><td>41.10</td><td>20.00</td><td>64.72</td><td>0.00</td><td>100</td><td>27</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11340.00	44.60	74.00	-29.40	56.83	38.11	16.26	66.60	0.00	---	---	PEAK	2	17010.00	57.31	68.20	-10.89	60.93	41.10	20.00	64.72	0.00	100	27	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11340.00	44.64	74.00	-29.36	56.87	38.11	16.26	66.60	0.00	---	---	PEAK																																																																																																																								
2	17010.00	60.50	68.20	-7.70	64.11	41.10	20.01	64.72	0.00	100	314	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	11340.00	44.60	74.00	-29.40	56.83	38.11	16.26	66.60	0.00	---	---	PEAK																																																																																																																								
2	17010.00	57.31	68.20	-10.89	60.93	41.10	20.00	64.72	0.00	100	27	PEAK																																																																																																																								



Mode	26																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																									
ANT	1																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5629.20</td><td>48.87</td><td>68.20</td><td>-19.33</td><td>40.10</td><td>34.80</td><td>11.19</td><td>37.22</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>47.50</td><td>70.29</td><td>-22.79</td><td>38.76</td><td>34.79</td><td>11.22</td><td>37.27</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>54.05</td><td>110.79</td><td>-56.74</td><td>45.48</td><td>34.78</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>54.81</td><td>112.72</td><td>-57.91</td><td>46.24</td><td>34.78</td><td>11.32</td><td>37.53</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5629.20	48.87	68.20	-19.33	40.10	34.80	11.19	37.22	0.00	100	241 PEAK	2	5652.80	47.50	70.29	-22.79	38.76	34.79	11.22	37.27	0.00	100	241 PEAK	3	5719.60	54.05	110.79	-56.74	45.48	34.78	11.32	37.53	0.00	100	241 PEAK	4	5720.80	54.81	112.72	-57.91	46.24	34.78	11.32	37.53	0.00	100	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.76</td><td>-----</td><td>-----</td><td>90.15</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.76	-----	-----	90.15	34.88	11.36	37.63	0.00	100	241 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5629.20	48.87	68.20	-19.33	40.10	34.80	11.19	37.22	0.00	100	241 PEAK																																																																																																																															
2	5652.80	47.50	70.29	-22.79	38.76	34.79	11.22	37.27	0.00	100	241 PEAK																																																																																																																															
3	5719.60	54.05	110.79	-56.74	45.48	34.78	11.32	37.53	0.00	100	241 PEAK																																																																																																																															
4	5720.80	54.81	112.72	-57.91	46.24	34.78	11.32	37.53	0.00	100	241 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	98.76	-----	-----	90.15	34.88	11.36	37.63	0.00	100	241 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>89.67</td><td>-----</td><td>-----</td><td>81.06</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	89.67	-----	-----	81.06	34.88	11.36	37.63	0.00	100	241 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5745.00	89.67	-----	-----	81.06	34.88	11.36	37.63	0.00	100	241 AVERAGE																																																																																																																															



Mode	26																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																	
ANT	1																																																																																																																	
Pol.	Vertical						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5685.20</td><td>48.90</td><td>68.20</td><td>-19.30</td><td>40.18</td><td>34.80</td><td>11.16</td><td>37.24</td><td>0.00</td><td>356</td><td>268 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.30</td><td>68.00</td><td>-22.50</td><td>37.54</td><td>34.00</td><td>11.22</td><td>37.26</td><td>0.00</td><td>356</td><td>268 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.45</td><td>105.30</td><td>-57.85</td><td>38.91</td><td>34.70</td><td>11.29</td><td>37.45</td><td>0.00</td><td>356</td><td>268 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>51.19</td><td>110.90</td><td>-59.71</td><td>42.62</td><td>34.78</td><td>11.32</td><td>37.53</td><td>0.00</td><td>356</td><td>268 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5685.20	48.90	68.20	-19.30	40.18	34.80	11.16	37.24	0.00	356	268 PEAK	2	5650.00	46.30	68.00	-22.50	37.54	34.00	11.22	37.26	0.00	356	268 PEAK	3	5700.00	47.45	105.30	-57.85	38.91	34.70	11.29	37.45	0.00	356	268 PEAK	4	5720.00	51.19	110.90	-59.71	42.62	34.78	11.32	37.53	0.00	356	268 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.05</td><td>-----</td><td>-----</td><td>88.45</td><td>34.86</td><td>11.35</td><td>37.61</td><td>0.00</td><td>356</td><td>268 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	97.05	-----	-----	88.45	34.86	11.35	37.61	0.00	356
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5685.20	48.90	68.20	-19.30	40.18	34.80	11.16	37.24	0.00	356	268 PEAK																																																																																																							
2	5650.00	46.30	68.00	-22.50	37.54	34.00	11.22	37.26	0.00	356	268 PEAK																																																																																																							
3	5700.00	47.45	105.30	-57.85	38.91	34.70	11.29	37.45	0.00	356	268 PEAK																																																																																																							
4	5720.00	51.19	110.90	-59.71	42.62	34.78	11.32	37.53	0.00	356	268 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	97.05	-----	-----	88.45	34.86	11.35	37.61	0.00	356	268 PEAK																																																																																																							
Avg	Blank																																																																																																																	
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>88.41</td><td>-----</td><td>-----</td><td>79.00</td><td>34.88</td><td>11.36</td><td>37.63</td><td>0.00</td><td>356</td><td>268 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			1	5745.00	88.41	-----	-----	79.00	34.88	11.36	37.63	0.00	356	268 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
1	5745.00	88.41	-----	-----	79.00	34.88	11.36	37.63	0.00	356	268 AVERAGE																																																																																																							