


Osmo Action 6

Quick Start Guide




Download DJI Mimo App

The DJI Mimo app is required when using Osmo Action 6. Search for "DJI Mimo" in the mobile app store or scan the QR code with your mobile phone to download and install the DJI Mimo app



Introduction

Button Features



① Shutter/Record Button

Operation	Description
Press Once	Take a photo or start/stop recording
Press and Hold	Enable Snapshot when powered off

② Quick Switch Button

Operation	Description
Press Once	Power on or off
Press and Hold	Switch between shooting modes

Operating the Touchscreen

Osmo Action 6 is equipped with dual touchscreens. After the camera is powered on, both touchscreens of the camera display the live view as well as the microSD card information, battery level and shooting mode. Tap or swipe on a touchscreen to interact with the camera.

Charging Osmo Action 6

Connect a USB-C charger (not included) to the USB-C port using the Type-C to Type-C PD cable (included). It is recommended to use the DJI 30 W USB-C Charger or a USB-C charger that supports Power Delivery or PPS (Programmable Power Supply).

Mounting the Accessories

Osmo Action 6 is compatible with various accessories to flexibly change the position to shoot various sports scenes.

Specification

Model	AC006
Compatible DJI Charger	DJI 30 W USB-C Charger
Operating Temperature	-20 °C to 45 °C (-4° to 113° F)
Wi-Fi	
Wi-Fi Protocol	802.11 a/b/g/n/ac/ax
Wi-Fi Operating Frequency	2.4000-2.4835 GHz, 5.150-5.250 GHz, 5.725-5.850 GHz
Bluetooth	
Bluetooth Protocol	BT 5.1, BR/EDR/BLE
Bluetooth Operating Frequency	2.4000-2.4835 GHz

FCC compliance statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

The portable device is designed to meet the requirements for exposure to radio waves established by the Federal Communications Commission (USA).

These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the body and head at least 10mm separation distance. This device was tested for typical body-worn and head-worn

operations with the back of the handset kept 10mm from the body and head. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 10mm separation distance between the user's body/head and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements and should be avoided. These requirements set a SAR limit of 4 W/kg averaged over ten gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the limbs.

ISED compliance statement

CAN ICES-003 (B) / NMB-003(B)

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

L' émetteur/récepteur exempt de licence contenu dans le présent appareil est conforme aux CNR d' Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L' exploitation est autorisée aux deux conditions suivantes :

- (1) L' appareil ne doit pas produire de brouillage;
- (2) L' appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d' en compromettre le fonctionnement.

The device for operation in the band 5150–5250 MHz is only for indoor use to reduce the potential for harmful interference to co-channel mobile satellite systems;

le dispositif utilisé dans la bande 5150-5250 MHz est réservé à une utilisation en intérieur afin de réduire le risque de brouillage préjudiciable aux systèmes mobiles par satellite dans le même canal;

This equipment complies with ISED radiation exposure limits set forth for an uncontrolled environment. End user must follow the specific operating instructions for satisfying RF exposure compliance. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

These requirements set a SAR limit of 4W/kg averaged over ten grams of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the limbs.

Ces exigences un SAR limite de 4 W/kg en moyenne pour dix gramme de tissu. La valeur SAR la plus élevée signalée en vertu de cette norme lors de la certification de produit à utiliser lorsqu' il est correctement porté sur le membres.

These requirements set a SAR limit of 1.6 W/kg averaged over one gram of tissue. The highest SAR value reported under this standard during product certification for use when properly worn on the head and body at least 10mm separation distance. This device was tested for typical body-worn and head-worn operations with the back of the handset kept 10mm from the body and head. To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 10mm separation distance between the user's body/head and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements and should be avoided.

Ces exigences établissent une limite SAR de 1,6 W / kg en moyenne pour un gramme de tissu. La valeur SAR la plus élevée rapportée conformément à cette norme lorsqu'elle est correctement portée à une distance d'au moins 10 mm entre la tête et le corps lors de la certification du produit. L'appareil teste les opérations typiques de port du corps et de la tête, l'arrière du téléphone étant maintenu à une distance de 10 mm du corps et de la tête. Pour rester conforme aux exigences d'exposition aux RF de la FCC, utilisez un accessoire qui maintient une distance de 10 mm entre le corps / la tête de l'utilisateur et l'arrière du téléphone. Lorsque vous utilisez des clips de ceinture, des étuis et des accessoires similaires, aucune pièce métallique ne doit être incluse dans leur assemblage. L'utilisation d'accessoires qui ne répondent pas à ces exigences peut ne pas répondre aux exigences de la FCC en matière d'exposition aux RF et doit être évitée.

To view the full compliance information, slide down from the top of the screen, tap the settings icon, and scroll through to select Compliance Info.