

# JCHR35H10 Remote control User manual

## 一、Remote control Effect Picture



## 二、Remote control function description

### 2.1、Pairing:

Remote control pair code:

- 1) put the battery into the remote control.
- 2) power the control box (supporting our control box).



3) Operate the "M1 push rod up +M2 push rod up" button on the remote control, and the remote control indicator blinks off twice, indicating that the code is successfully paired.

Note: The 30S after the controller is powered on is the pairing time. At this time, any key does not work, except the code key. After pairing is complete, it can operate normally.

### 三、Function description

#### 3.1. Key function:

1) The remote control has 7 buttons, "back up", "back down", "leg up", "leg down", "flat", "back leg up", "back leg down", respectively corresponding to the back push up, back push down, leg push up, leg push down, bed flat function, back leg push up at the same time, back leg push down at the same time.

2) "Back up", "back down", "leg up", "leg down", "back leg up", "back leg down" : press the corresponding push rod action, release the button, and the push rod stops action;

3) Flat key: After the key is pressed, the back leg push rod starts to drop at the same time, if the fall process, operate any key push rod to stop the action. If the key is not operated during the descent process, the back leg push rod continues to descend to the lowest point. **低功耗功能:**

### 四、Key value to code table

Remote control pictures	Button icon	key definitions	key value	Remarks
		<b>M1</b> push rod up	<b>0X01</b>	
		<b>M1</b> push rod down	<b>0X04</b>	
		<b>M2</b> push rod up	<b>0X02</b>	
		<b>M2</b> push rod down	<b>0X05</b>	
		FLATlocation	<b>0X08</b>	
		<b>M1M2</b> push rod up	<b>0X34</b>	
		<b>M1M2</b> push rod down	<b>0X35</b>	

### 五、Others

**5.1. The operating frequency range:** 2.4GHZ~2.483GHZ;

**5.2. Maximum RF output power of the product:**

The RF power is 0dBm

**5.3. The number of remote control working channels: 4,**

**respectively: 2404,2419, 2469,2479**

**Among them, 2479 is a code channel.**

## **六、Remark**

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

### **FCC warning:**

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.