

User Manual

Product Name: intelligent automotive diagnostic device


Brand: FasLink

Model:FasLink M1,FasLink


Andoird Smart Phone Connection Steps

Manufacture: JDiag Electronics Technology Co., Ltd

1. Choose **[Settings-Bluetooth]** on your Android phone.
2. Scan Available Device choose **[OBDII]** or **[Other name]** ELM 327 Device.



3. Input pair **[password]** if needed.



4. After paired successfully, it will shows:




5. Open **[FasLink]** icon




6. Choose **[Option]**



7. Choose **[Bluetooth Devices]**



8. Choose the **[paired device name]** in the list, then back



Troubleshooting and Support

Q: What can i do if i can not connect bluetooth adapter.

A: Please make sure all your connection steps are did as the user manual setps, then make sure your ELM 327 Bluetooth device is Bluetooth 4.0

Q: Why there are some DTC codes are not able to be cleared?

A: Some DTC code are able to be cleared, but somes not, it's upon to the error codes type, some error you must fix the problem then able to clear it !

IMPORTANT: All contents of the product may be deleted during the process of repair. You should create a back-up copy of any contents of your product before delivering the product for warranty service.

FCC Caution.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.



JDdiag Eletronics Technology Co.,Ltd.

All Rights Reserved.

www.jdiag.com

V1.00 | 05/2017