














Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.249
NVNT	a	5200	Ant1	16.225
NVNT	a	5240	Ant1	16.312
NVNT	a	5180	Ant2	16.327
NVNT	a	5200	Ant2	16.267
NVNT	a	5240	Ant2	16.474
NVNT	n20	5180	Ant1	17.554
NVNT	n20	5200	Ant1	17.449
NVNT	n20	5240	Ant1	17.425
NVNT	n20	5180	Ant2	17.761
NVNT	n20	5200	Ant2	17.446
NVNT	n20	5240	Ant2	17.374
NVNT	n40	5190	Ant1	36.02
NVNT	n40	5230	Ant1	35.918
NVNT	n40	5190	Ant2	35.882
NVNT	n40	5230	Ant2	35.912
NVNT	ac20	5180	Ant1	17.485
NVNT	ac20	5200	Ant1	17.422
NVNT	ac20	5240	Ant1	17.47
NVNT	ac20	5180	Ant2	17.488
NVNT	ac20	5200	Ant2	17.356
NVNT	ac20	5240	Ant2	17.515
NVNT	ac40	5190	Ant1	35.978
NVNT	ac40	5230	Ant1	35.906
NVNT	ac40	5190	Ant2	35.852
NVNT	ac40	5230	Ant2	35.87
NVNT	ac80	5210	Ant1	75.712
NVNT	ac80	5210	Ant2	75.484
NVNT	ax20	5180	Ant1	18.808
NVNT	ax20	5200	Ant1	18.661
NVNT	ax20	5240	Ant1	18.601
NVNT	ax20	5180	Ant2	18.751
NVNT	ax20	5200	Ant2	18.652
NVNT	ax20	5240	Ant2	18.766
NVNT	ax40	5190	Ant1	37.538
NVNT	ax40	5230	Ant1	37.538
NVNT	ax40	5190	Ant2	37.436
NVNT	ax40	5230	Ant2	37.484
NVNT	ax80	5210	Ant1	77.32
NVNT	ax80	5210	Ant2	76.972


Test Graphs


OBW NVNT a 5180MHz Ant1





OBW NVNT a 5200MHz Ant1


























































Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-21.27	2.55	-18.72	11	Pass
NVNT	a	5200	Ant1	-20.32	2.65	-17.67	11	Pass
NVNT	a	5240	Ant1	-22.11	2.63	-19.48	11	Pass
NVNT	a	5180	Ant2	-23.13	2.65	-20.48	11	Pass
NVNT	a	5200	Ant2	-21.21	2.62	-18.59	11	Pass
NVNT	a	5240	Ant2	-21.74	2.44	-19.3	11	Pass
NVNT	n20	5180	Ant1	-22.07	2.71	-19.36	11	Pass
NVNT	n20	5200	Ant1	-20.04	2.71	-17.33	11	Pass
NVNT	n20	5240	Ant1	-20.1	2.56	-17.54	11	Pass
NVNT	n20	5180	Ant2	-20.27	2.79	-17.48	11	Pass
NVNT	n20	5200	Ant2	-20.99	2.74	-18.25	11	Pass
NVNT	n20	5240	Ant2	-22.49	2.75	-19.74	11	Pass
NVNT	n40	5190	Ant1	-31.63	4.44	-27.19	11	Pass
NVNT	n40	5230	Ant1	-30.58	4.36	-26.22	11	Pass
NVNT	n40	5190	Ant2	-30.98	4.44	-26.54	11	Pass
NVNT	n40	5230	Ant2	-31.76	4.44	-27.32	11	Pass
NVNT	ac20	5180	Ant1	-19.96	2.78	-17.18	11	Pass
NVNT	ac20	5200	Ant1	-23.41	2.67	-20.74	11	Pass
NVNT	ac20	5240	Ant1	-21.95	2.72	-19.23	11	Pass
NVNT	ac20	5180	Ant2	-20.51	2.65	-17.86	11	Pass
NVNT	ac20	5200	Ant2	-21.4	2.76	-18.64	11	Pass
NVNT	ac20	5240	Ant2	-21	2.75	-18.25	11	Pass
NVNT	ac40	5190	Ant1	-33.46	4.44	-29.02	11	Pass
NVNT	ac40	5230	Ant1	-33.02	4.13	-28.89	11	Pass
NVNT	ac40	5190	Ant2	-32.41	4.47	-27.94	11	Pass
NVNT	ac40	5230	Ant2	-31.22	4.38	-26.84	11	Pass
NVNT	ac80	5210	Ant1	-41.68	6.26	-35.42	11	Pass
NVNT	ac80	5210	Ant2	-40.24	6.39	-33.85	11	Pass
NVNT	ax20	5180	Ant1	-22.36	3.08	-19.28	11	Pass
NVNT	ax20	5200	Ant1	-25.71	3.27	-22.44	11	Pass
NVNT	ax20	5240	Ant1	-24.44	3.25	-21.19	11	Pass
NVNT	ax20	5180	Ant2	-24.65	3.26	-21.39	11	Pass
NVNT	ax20	5200	Ant2	-24.17	3.21	-20.96	11	Pass
NVNT	ax20	5240	Ant2	-23.49	3.22	-20.27	11	Pass
NVNT	ax40	5190	Ant1	-34.42	4.99	-29.43	11	Pass
NVNT	ax40	5230	Ant1	-34.03	4.93	-29.1	11	Pass
NVNT	ax40	5190	Ant2	-35.45	4.96	-30.49	11	Pass
NVNT	ax40	5230	Ant2	-34.96	5.01	-29.95	11	Pass
NVNT	ax80	5210	Ant1	-41.98	6.95	-35.03	11	Pass
NVNT	ax80	5210	Ant2	-41.19	6.93	-34.26	11	Pass

Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1

