

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band7


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.12	-25	Pass	2985
30	1000	0.1	RMS	934.593	-55.8	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.91	-25	Pass	1490
2490	2580	1	RMS	2500.35	23.09	60	Pass	601
2580	3000	1	RMS	2661.2	-40.59	-25	Pass	601
3000	12000	1	RMS	11924.992	-49	-25	Pass	9000
12000	26000	1	RMS	25936.996	-30.92	-25	Pass	14000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.29	-25	Pass	2985
30	1000	0.1	RMS	905.29	-56.03	-25	Pass	9700
1000	2490	1	RMS	2449.973	-41.89	-25	Pass	1490
2490	2580	1	RMS	2504.7	23.31	60	Pass	601
2580	3000	1	RMS	2660.5	-40.58	-25	Pass	601
3000	12000	1	RMS	11900.989	-48.99	-25	Pass	9000
12000	26000	1	RMS	25953.997	-30.95	-25	Pass	14000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.28	-25	Pass	2985
30	1000	0.1	RMS	889.889	-56.02	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.87	-25	Pass	1490
2490	2580	1	RMS	2500.35	22.57	60	Pass	601
2580	3000	1	RMS	2659.1	-40.61	-25	Pass	601
3000	12000	1	RMS	11906.99	-49.01	-25	Pass	9000
12000	26000	1	RMS	25912.994	-31.04	-25	Pass	14000



1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.54	-25	Pass	2985
30	1000	0.1	RMS	859.886	-55.93	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.91	-25	Pass	1490
2490	2580	1	RMS	2504.7	22.53	60	Pass	601
2580	3000	1	RMS	2659.1	-40.6	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.9	-25	Pass	9000
12000	26000	1	RMS	25942.996	-30.93	-25	Pass	14000



END