


5.2G WIFI:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	98.18	0.08
NVNT	a	5200	Ant1	98.2	0.08
NVNT	a	5240	Ant1	98.18	0.08
NVNT	ac20	5180	Ant1	98.04	0.09
NVNT	ac20	5200	Ant1	98.1	0.08
NVNT	ac20	5240	Ant1	98.1	0.08
NVNT	ac40	5190	Ant1	96.38	0.16
NVNT	ac40	5230	Ant1	96.41	0.16
NVNT	ac80	5210	Ant1	93.16	0.31
NVNT	n20	5180	Ant1	98.07	0.08
NVNT	n20	5200	Ant1	98.07	0.08
NVNT	n20	5240	Ant1	98.06	0.09
NVNT	n40	5190	Ant1	96.37	0.16
NVNT	n40	5230	Ant1	96.38	0.16


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1




Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1




Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ac80 5210MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
-----------	------	-----------------	---------	-----------------------	------------------	-------------------	-------------	---------

NVNT	a	5180	Ant1	12.679	0.08	12.759	24	Pass
NVNT	a	5200	Ant1	12.249	0.08	12.329	24	Pass
NVNT	a	5240	Ant1	12.193	0.08	12.273	24	Pass
NVNT	ac20	5180	Ant1	11.614	0.09	11.704	24	Pass
NVNT	ac20	5200	Ant1	11.216	0.08	11.296	24	Pass
NVNT	ac20	5240	Ant1	11.336	0.08	11.416	24	Pass
NVNT	ac40	5190	Ant1	10.914	0.16	11.074	24	Pass
NVNT	ac40	5230	Ant1	11.374	0.16	11.534	24	Pass
NVNT	ac80	5210	Ant1	9.635	0.31	9.945	24	Pass
NVNT	n20	5180	Ant1	12.658	0.08	12.738	24	Pass
NVNT	n20	5200	Ant1	12.095	0.08	12.175	24	Pass
NVNT	n20	5240	Ant1	12.063	0.09	12.153	24	Pass
NVNT	n40	5190	Ant1	10.873	0.16	11.033	24	Pass
NVNT	n40	5230	Ant1	11.589	0.16	11.749	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	21.628	Pass
NVNT	a	5200	Ant1	22.486	Pass
NVNT	a	5240	Ant1	29.274	Pass
NVNT	ac20	5180	Ant1	20.591	Pass
NVNT	ac20	5200	Ant1	23.434	Pass
NVNT	ac20	5240	Ant1	26.995	Pass
NVNT	ac40	5190	Ant1	40.198	Pass
NVNT	ac40	5230	Ant1	55.187	Pass
NVNT	ac80	5210	Ant1	81.547	Pass
NVNT	n20	5180	Ant1	24.274	Pass
NVNT	n20	5200	Ant1	24.474	Pass
NVNT	n20	5240	Ant1	29.633	Pass
NVNT	n40	5190	Ant1	41.071	Pass
NVNT	n40	5230	Ant1	53.28	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT ac20 5180MHz Ant1




-26dB Bandwidth NVNT ac20 5200MHz Ant1




-26dB Bandwidth NVNT ac20 5240MHz Ant1




-26dB Bandwidth NVNT ac40 5190MHz Ant1




-26dB Bandwidth NVNT ac40 5230MHz Ant1




-26dB Bandwidth NVNT ac80 5210MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1



-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.499
NVNT	a	5200	Ant1	16.492
NVNT	a	5240	Ant1	16.917

NVNT	ac20	5180	Ant1	17.585
NVNT	ac20	5200	Ant1	17.58
NVNT	ac20	5240	Ant1	17.722
NVNT	ac40	5190	Ant1	35.989
NVNT	ac40	5230	Ant1	36.129
NVNT	ac80	5210	Ant1	75.181
NVNT	n20	5180	Ant1	17.62
NVNT	n20	5200	Ant1	17.605
NVNT	n20	5240	Ant1	17.843
NVNT	n40	5190	Ant1	35.991
NVNT	n40	5230	Ant1	36.026


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT ac20 5180MHz Ant1




OBW NVNT ac20 5200MHz Ant1




OBW NVNT ac20 5240MHz Ant1




OBW NVNT ac40 5190MHz Ant1




OBW NVNT ac40 5230MHz Ant1




OBW NVNT ac80 5210MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	3.393	0.08	3.473	11	Pass
NVNT	a	5200	Ant1	2.522	0.08	2.602	11	Pass
NVNT	a	5240	Ant1	2.62	0.08	2.7	11	Pass
NVNT	ac20	5180	Ant1	1.69	0.09	1.78	11	Pass
NVNT	ac20	5200	Ant1	1.796	0.08	1.876	11	Pass
NVNT	ac20	5240	Ant1	1.775	0.08	1.855	11	Pass
NVNT	ac40	5190	Ant1	-1.878	0.16	-1.718	11	Pass
NVNT	ac40	5230	Ant1	-1.207	0.16	-1.047	11	Pass
NVNT	ac80	5210	Ant1	-6.25	0.31	-5.94	11	Pass
NVNT	n20	5180	Ant1	2.91	0.08	2.99	11	Pass
NVNT	n20	5200	Ant1	2.546	0.08	2.626	11	Pass
NVNT	n20	5240	Ant1	2.257	0.09	2.347	11	Pass
NVNT	n40	5190	Ant1	-2.258	0.16	-2.098	11	Pass
NVNT	n40	5230	Ant1	-1.547	0.16	-1.387	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT ac20 5180MHz Ant1




PSD NVNT ac20 5200MHz Ant1




PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1




PSD NVNT ac40 5230MHz Ant1




PSD NVNT ac80 5210MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1



PSD NVNT n40 5230MHz Ant1




Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-30.51	-27	Pass
NVNT	a	5240	Ant1	-46.37	-27	Pass
NVNT	ac20	5180	Ant1	-33.43	-27	Pass

NVNT	ac20	5240	Ant1	-46.51	-27	Pass
NVNT	ac40	5190	Ant1	-27.6	-27	Pass
NVNT	ac40	5230	Ant1	-46.5	-27	Pass
NVNT	ac80	5210	Ant1	-46.72	-27	Pass
NVNT	ac80	5210	Ant1	-27.05	-27	Pass
NVNT	n20	5180	Ant1	-28.43	-27	Pass
NVNT	n20	5240	Ant1	-46.22	-27	Pass
NVNT	n40	5190	Ant1	-27.83	-27	Pass
NVNT	n40	5230	Ant1	-46.43	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT ac20 5180MHz Low Ant1




Band Edge NVNT ac20 5240MHz High Ant1



Band Edge NVNT ac40 5190MHz Low Ant1




Band Edge NVNT ac40 5230MHz High Ant1




Band Edge NVNT ac80 5210MHz High Ant1




Band Edge NVNT ac80 5210MHz Low Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-36.47	-27	Pass
NVNT	a	5200	Ant1	-35.46	-27	Pass
NVNT	a	5240	Ant1	-33	-27	Pass
NVNT	ac20	5180	Ant1	-36.29	-27	Pass
NVNT	ac20	5200	Ant1	-36.18	-27	Pass
NVNT	ac20	5240	Ant1	-32.87	-27	Pass
NVNT	ac40	5190	Ant1	-36.32	-27	Pass
NVNT	ac40	5230	Ant1	-36.47	-27	Pass
NVNT	ac80	5210	Ant1	-33.85	-27	Pass
NVNT	n20	5180	Ant1	-29.64	-27	Pass
NVNT	n20	5200	Ant1	-36.04	-27	Pass
NVNT	n20	5240	Ant1	-35.76	-27	Pass
NVNT	n40	5190	Ant1	-35.68	-27	Pass
NVNT	n40	5230	Ant1	-36.31	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.8G WIFI:


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5745	Ant1	98.16	0.08
NVNT	a	5785	Ant1	98.2	0.08
NVNT	a	5825	Ant1	98.2	0.08
NVNT	ac20	5745	Ant1	98.06	0.09
NVNT	ac20	5785	Ant1	98.04	0.09
NVNT	ac20	5825	Ant1	98.1	0.08
NVNT	ac40	5755	Ant1	96.39	0.16
NVNT	ac40	5795	Ant1	96.38	0.16
NVNT	ac80	5775	Ant1	87.6	0.57
NVNT	n20	5745	Ant1	98.06	0.09
NVNT	n20	5785	Ant1	98.06	0.09
NVNT	n20	5825	Ant1	98.06	0.09
NVNT	n40	5755	Ant1	96.35	0.16
NVNT	n40	5795	Ant1	96.35	0.16


Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1




Duty Cycle NVNT ac40 5795MHz Ant1




Duty Cycle NVNT ac80 5775MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1



Duty Cycle NVNT n40 5755MHz Ant1



Duty Cycle NVNT n40 5795MHz Ant1



Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.499	0.08	12.579	30	Pass
NVNT	a	5785	Ant1	11.948	0.08	12.028	30	Pass
NVNT	a	5825	Ant1	11.198	0.08	11.278	30	Pass
NVNT	ac20	5745	Ant1	11.962	0.09	12.052	30	Pass
NVNT	ac20	5785	Ant1	11.337	0.09	11.427	30	Pass
NVNT	ac20	5825	Ant1	10.955	0.08	11.035	30	Pass
NVNT	ac40	5755	Ant1	11.884	0.16	12.044	30	Pass
NVNT	ac40	5795	Ant1	11.618	0.16	11.778	30	Pass
NVNT	ac80	5775	Ant1	11.421	0.57	11.991	30	Pass
NVNT	n20	5745	Ant1	12.304	0.09	12.394	30	Pass
NVNT	n20	5785	Ant1	11.792	0.09	11.882	30	Pass
NVNT	n20	5825	Ant1	11.39	0.09	11.48	30	Pass
NVNT	n40	5755	Ant1	11.764	0.16	11.924	30	Pass
NVNT	n40	5795	Ant1	11.524	0.16	11.684	30	Pass

-6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.481	0.5	Pass

NVNT	a	5785	Ant1	16.267	0.5	Pass
NVNT	a	5825	Ant1	13.827	0.5	Pass
NVNT	ac20	5745	Ant1	17.195	0.5	Pass
NVNT	ac20	5785	Ant1	17.156	0.5	Pass
NVNT	ac20	5825	Ant1	17.072	0.5	Pass
NVNT	ac40	5755	Ant1	35.18	0.5	Pass
NVNT	ac40	5795	Ant1	35.658	0.5	Pass
NVNT	ac80	5775	Ant1	75.119	0.5	Pass
NVNT	n20	5745	Ant1	17.198	0.5	Pass
NVNT	n20	5785	Ant1	17.126	0.5	Pass
NVNT	n20	5825	Ant1	17.177	0.5	Pass
NVNT	n40	5755	Ant1	33.497	0.5	Pass
NVNT	n40	5795	Ant1	35.883	0.5	Pass


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1




-6dB Bandwidth NVNT ac40 5795MHz Ant1




-6dB Bandwidth NVNT ac80 5775MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1



-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.419
NVNT	a	5785	Ant1	16.471
NVNT	a	5825	Ant1	16.527
NVNT	ac20	5745	Ant1	17.553
NVNT	ac20	5785	Ant1	17.582
NVNT	ac20	5825	Ant1	17.614
NVNT	ac40	5755	Ant1	36.029
NVNT	ac40	5795	Ant1	36.039
NVNT	ac80	5775	Ant1	75.289
NVNT	n20	5745	Ant1	17.559
NVNT	n20	5785	Ant1	17.608
NVNT	n20	5825	Ant1	17.635
NVNT	n40	5755	Ant1	35.983
NVNT	n40	5795	Ant1	36.077


OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1




OBW NVNT ac40 5795MHz Ant1




OBW NVNT ac80 5775MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1



OBW NVNT n40 5755MHz Ant1



OBW NVNT n40 5795MHz Ant1




Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-0.104	0.08	-0.024	30	Pass

NVNT	a	5785	Ant1	-0.213	0.08	-0.133	30	Pass
NVNT	a	5825	Ant1	-1.259	0.08	-1.179	30	Pass
NVNT	ac20	5745	Ant1	-0.852	0.09	-0.762	30	Pass
NVNT	ac20	5785	Ant1	-1.224	0.09	-1.134	30	Pass
NVNT	ac20	5825	Ant1	-1.857	0.08	-1.777	30	Pass
NVNT	ac40	5755	Ant1	-3.936	0.16	-3.776	30	Pass
NVNT	ac40	5795	Ant1	-4.13	0.16	-3.97	30	Pass
NVNT	ac80	5775	Ant1	-7.284	0.57	-6.714	30	Pass
NVNT	n20	5745	Ant1	-0.072	0.09	0.018	30	Pass
NVNT	n20	5785	Ant1	-0.812	0.09	-0.722	30	Pass
NVNT	n20	5825	Ant1	-1.423	0.09	-1.333	30	Pass
NVNT	n40	5755	Ant1	-4.058	0.16	-3.898	30	Pass
NVNT	n40	5795	Ant1	-4.011	0.16	-3.851	30	Pass


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1




PSD NVNT ac40 5795MHz Ant1




PSD NVNT ac80 5775MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-26.49	Pass
NVNT	a	5825	Ant1	-28.01	Pass
NVNT	ac20	5745	Ant1	-23.85	Pass
NVNT	ac20	5825	Ant1	-27.2	Pass
NVNT	ac40	5755	Ant1	-19	Pass
NVNT	ac40	5795	Ant1	-33.49	Pass
NVNT	ac80	5775	Ant1	-18.71	Pass
NVNT	ac80	5775	Ant1	-26.77	Pass
NVNT	n20	5745	Ant1	-25.13	Pass
NVNT	n20	5825	Ant1	-26.69	Pass
NVNT	n40	5755	Ant1	-17.38	Pass
NVNT	n40	5795	Ant1	-27.62	Pass


Band Edge NVNT a 5745MHz Low Ant1




Band Edge NVNT a 5825MHz High Ant1



Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1



Band Edge NVNT ac40 5755MHz Low Ant1



Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac80 5775MHz Low Ant1