


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.96	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.48	-13	Pass	2986
30	500	0.1	Peak	386.7	-43.36	-13	Pass	4701
500	1000	0.1	Peak	824.2	34.18	-13	N/A	5001
1000	10000	1	Peak	8190	-20.01	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.21	-13	Pass	401
0.15	30	0.01	Peak	0.26	-54.59	-13	Pass	2986
30	500	0.1	Peak	396.6	-43.37	-13	Pass	4701
500	1000	0.1	Peak	836.6	34.2	-13	N/A	5001
1000	10000	1	Peak	6707	-20.39	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.36	-13	Pass	401
0.15	30	0.01	Peak	0.29	-54.38	-13	Pass	2986
30	500	0.1	Peak	496.5	-43.29	-13	Pass	4701
500	1000	0.1	Peak	848.9	34.29	-13	N/A	5001
1000	10000	1	Peak	7452	-20.2	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.34	-13	Pass	401
0.15	30	0.01	Peak	0.43	-60.56	-13	Pass	2986
30	1000	0.1	Peak	966.578	-48.42	-13	Pass	9701
1000	3000	1	Peak	1850	31.46	-13	N/A	2001
3000	20000	1	Peak	19692	-38.27	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.89	-13	Pass	401
0.15	30	0.01	Peak	0.26	-59.49	-13	Pass	2986
30	1000	0.1	Peak	864.41	-47.62	-13	Pass	9701
1000	3000	1	Peak	1880	31.41	-13	N/A	2001
3000	20000	1	Peak	19841	-37.9	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-62.29	-13	Pass	401
0.15	30	0.01	Peak	0.58	-60	-13	Pass	2986
30	1000	0.1	Peak	980.387	-48.53	-13	Pass	9701
1000	3000	1	Peak	1910	30.88	-13	N/A	2001
3000	20000	1	Peak	18399	-38.3	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.28	-13	Pass	401
0.15	30	0.01	Peak	0.34	-53.96	-13	Pass	2986
30	500	0.1	Peak	419.2	-43.52	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.23	-13	N/A	5001
1000	10000	1	Peak	7185	-19.83	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.51	-13	Pass	401
0.15	30	0.01	Peak	0.29	-53.08	-13	Pass	2986
30	500	0.1	Peak	446.9	-42.77	-13	Pass	4701
500	1000	0.1	Peak	836.6	29.36	-13	N/A	5001
1000	10000	1	Peak	7630	-19.77	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.09	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54.1	-13	Pass	2986
30	500	0.1	Peak	361.5	-43.42	-13	Pass	4701
500	1000	0.1	Peak	848.9	26.75	-13	N/A	5001
1000	10000	1	Peak	7078	-19.88	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.72	-13	Pass	401
0.15	30	0.01	Peak	0.62	-60.4	-13	Pass	2986
30	1000	0.1	Peak	820.6	-48.22	-13	Pass	9701
1000	3000	1	Peak	1850	30.06	-13	N/A	2001
3000	20000	1	Peak	19843	-38.5	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.9	-13	Pass	401
0.15	30	0.01	Peak	0.82	-60.38	-13	Pass	2986
30	1000	0.1	Peak	593.6	-48.47	-13	Pass	9701
1000	3000	1	Peak	1880	29.88	-13	N/A	2001
3000	20000	1	Peak	19901	-38.52	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.29	-13	Pass	2986
30	1000	0.1	Peak	705.1	-47.74	-13	Pass	9701
1000	3000	1	Peak	1910	28.41	-13	N/A	2001
3000	20000	1	Peak	19768	-37.64	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.024	-65.67	-13	Pass	401
0.15	30	0.01	Peak	0.62	-64.72	-13	Pass	2986
30	1000	0.1	Peak	853.603	-52.52	-13	Pass	9701
1000	3000	1	Peak	1851	23.98	-13	N/A	2001
3000	20000	1	Peak	19706	-18.97	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65	-13	Pass	401
0.15	30	0.01	Peak	0.45	-63.36	-13	Pass	2986
30	1000	0.1	Peak	713.6	-52.74	-13	Pass	9701
1000	3000	1	Peak	1881	23.97	-13	N/A	2001
3000	20000	1	Peak	19505	-19.37	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.88	-13	Pass	401
0.15	30	0.01	Peak	0.95	-64.51	-13	Pass	2986
30	1000	0.1	Peak	801.8	-52.84	-13	Pass	9701
1000	3000	1	Peak	1906	23.95	-13	N/A	2001
3000	20000	1	Peak	19736	-19.62	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.77	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.71	-13	Pass	2986
30	1000	0.1	Peak	911.942	-52.16	-13	Pass	9701
1000	3000	1	Peak	1711	23.57	-13	N/A	2001
3000	20000	1	Peak	19822	-18.73	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.024	-64.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.49	-13	Pass	2986
30	1000	0.1	Peak	851.201	-52.47	-13	Pass	9701
1000	3000	1	Peak	1734	23.64	-13	N/A	2001
3000	20000	1	Peak	19784	-18.68	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.76	-13	Pass	401
0.15	30	0.01	Peak	0.87	-63.71	-13	Pass	2986
30	1000	0.1	Peak	864.81	-52.14	-13	Pass	9701
1000	3000	1	Peak	1752	23.79	-13	N/A	2001
3000	20000	1	Peak	19365	-19.92	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-63.95	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.98	-13	Pass	2986
30	500	0.1	Peak	439.2	-54.06	-13	Pass	4701
500	1000	0.1	Peak	824.9	17.44	-13	N/A	5001
1000	10000	1	Peak	7105	-30.63	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-65.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.39	-13	Pass	2986
30	500	0.1	Peak	496.4	-52.9	-13	Pass	4701
500	1000	0.1	Peak	837.1	18.44	-13	N/A	5001
1000	10000	1	Peak	7620	-30.27	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.85	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.98	-13	Pass	2986
30	500	0.1	Peak	496.8	-53.8	-13	Pass	4701
500	1000	0.1	Peak	846	17.67	-13	N/A	5001
1000	10000	1	Peak	7589	-30.13	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-49.57	-13	Pass	841
1840	1920	1	RMS	1850.2	23.62	60	Pass	401
1920	3000	1	RMS	2648	-46.79	-13	Pass	1081
3000	12000	1	RMS	11862	-38.32	-13	Pass	9001
12000	20000	1	RMS	19998	-22.91	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.42	-13	Pass	2986
30	1000	0.1	RMS	922.1	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-49.59	-13	Pass	841
1840	1920	1	RMS	1850.2	23.85	60	Pass	401
1920	3000	1	RMS	2639	-46.73	-13	Pass	1081
3000	12000	1	RMS	11870	-38.3	-13	Pass	9001
12000	20000	1	RMS	19996	-22.88	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.17	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.14	-13	Pass	9701
1000	1840	1	RMS	1836	-50.62	-13	Pass	841
1840	1920	1	RMS	1879.6	23.67	60	Pass	401
1920	3000	1	RMS	2647	-46.75	-13	Pass	1081
3000	12000	1	RMS	11846	-38.18	-13	Pass	9001
12000	20000	1	RMS	19998	-22.92	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	1000	0.1	RMS	944.7	-62.27	-13	Pass	9701
1000	1840	1	RMS	1837	-50.61	-13	Pass	841
1840	1920	1	RMS	1879.6	23.64	60	Pass	401
1920	3000	1	RMS	2640	-46.79	-13	Pass	1081
3000	12000	1	RMS	11849	-38.28	-13	Pass	9001
12000	20000	1	RMS	19998	-22.85	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.85	-13	Pass	2986
30	1000	0.1	RMS	895.2	-62.28	-13	Pass	9701
1000	1840	1	RMS	1834	-50.62	-13	Pass	841
1840	1920	1	RMS	1908.8	23.55	60	Pass	401
1920	3000	1	RMS	2654	-46.81	-13	Pass	1081
3000	12000	1	RMS	11849	-38.26	-13	Pass	9001
12000	20000	1	RMS	19996	-22.83	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.12	-13	Pass	9701
1000	1840	1	RMS	1834	-50.7	-13	Pass	841
1840	1920	1	RMS	1908.8	22.92	60	Pass	401
1920	3000	1	RMS	2640	-46.78	-13	Pass	1081
3000	12000	1	RMS	11852	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.95	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.49	-13	Pass	2986
30	1000	0.1	RMS	934.3	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-48.61	-13	Pass	841
1840	1920	1	RMS	1850.2	23.75	60	Pass	401
1920	3000	1	RMS	2642	-46.82	-13	Pass	1081
3000	12000	1	RMS	11853	-38.22	-13	Pass	9001
12000	20000	1	RMS	20000	-22.9	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.74	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-48.84	-13	Pass	841
1840	1920	1	RMS	1850.2	23.23	60	Pass	401
1920	3000	1	RMS	2642	-46.73	-13	Pass	1081
3000	12000	1	RMS	11858	-38.26	-13	Pass	9001
12000	20000	1	RMS	19996	-22.94	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.29	-13	Pass	2986
30	1000	0.1	RMS	957.1	-62.23	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1878.8	23.67	60	Pass	401
1920	3000	1	RMS	2654	-46.78	-13	Pass	1081
3000	12000	1	RMS	11856	-38.29	-13	Pass	9001
12000	20000	1	RMS	19999	-22.85	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.71	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1878.8	23.75	60	Pass	401
1920	3000	1	RMS	2648	-46.75	-13	Pass	1081
3000	12000	1	RMS	11834	-38.32	-13	Pass	9001
12000	20000	1	RMS	19999	-22.88	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.18	-13	Pass	9701
1000	1840	1	RMS	1837	-50.6	-13	Pass	841
1840	1920	1	RMS	1907.2	23.53	60	Pass	401
1920	3000	1	RMS	2640	-46.76	-13	Pass	1081
3000	12000	1	RMS	11846	-38.31	-13	Pass	9001
12000	20000	1	RMS	19995	-22.95	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.72	-13	Pass	2986
30	1000	0.1	RMS	938.9	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1907.2	23.06	60	Pass	401
1920	3000	1	RMS	2647	-46.73	-13	Pass	1081
3000	12000	1	RMS	11846	-38.32	-13	Pass	9001
12000	20000	1	RMS	19999	-22.87	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2986
30	1000	0.1	RMS	939.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-48.64	-13	Pass	841
1840	1920	1	RMS	1850.4	23.72	60	Pass	401
1920	3000	1	RMS	2652	-46.77	-13	Pass	1081
3000	12000	1	RMS	11860	-38.24	-13	Pass	9001
12000	20000	1	RMS	20000	-22.93	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.05	-13	Pass	2986
30	1000	0.1	RMS	941.9	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-49.01	-13	Pass	841
1840	1920	1	RMS	1850.4	22.52	60	Pass	401
1920	3000	1	RMS	2648	-46.81	-13	Pass	1081
3000	12000	1	RMS	11851	-38.24	-13	Pass	9001
12000	20000	1	RMS	19998	-22.92	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1877.8	23.73	60	Pass	401
1920	3000	1	RMS	2640	-46.81	-13	Pass	1081
3000	12000	1	RMS	11847	-38.26	-13	Pass	9001
12000	20000	1	RMS	19998	-22.89	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	1000	0.1	RMS	886.1	-62.18	-13	Pass	9701
1000	1840	1	RMS	1839	-50.52	-13	Pass	841
1840	1920	1	RMS	1877.8	23.18	60	Pass	401
1920	3000	1	RMS	2651	-46.74	-13	Pass	1081
3000	12000	1	RMS	11854	-38.28	-13	Pass	9001
12000	20000	1	RMS	20000	-22.91	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.48	-13	Pass	2986
30	1000	0.1	RMS	933.9	-62.25	-13	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	Pass	841
1840	1920	1	RMS	1905.4	23.59	60	Pass	401
1920	3000	1	RMS	2653	-46.76	-13	Pass	1081
3000	12000	1	RMS	11861	-38.26	-13	Pass	9001
12000	20000	1	RMS	19999	-22.83	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	1000	0.1	RMS	916.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1905.4	23.05	60	Pass	401
1920	3000	1	RMS	2644	-46.76	-13	Pass	1081
3000	12000	1	RMS	11850	-38.29	-13	Pass	9001
12000	20000	1	RMS	19996	-22.9	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	1000	0.1	RMS	901.9	-62.19	-13	Pass	9701
1000	1840	1	RMS	1833	-44.29	-13	Pass	841
1840	1920	1	RMS	1850.6	23.76	60	Pass	401
1920	3000	1	RMS	2655	-46.79	-13	Pass	1081
3000	12000	1	RMS	11852	-38.27	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.93	-13	Pass	2986
30	1000	0.1	RMS	918.8	-62.22	-13	Pass	9701
1000	1840	1	RMS	1833	-45.24	-13	Pass	841
1840	1920	1	RMS	1850.6	23.02	60	Pass	401
1920	3000	1	RMS	2646	-46.75	-13	Pass	1081
3000	12000	1	RMS	11854	-38.22	-13	Pass	9001
12000	20000	1	RMS	19997	-22.98	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.63	-13	Pass	2986
30	1000	0.1	RMS	918.3	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1875.6	23.88	60	Pass	401
1920	3000	1	RMS	2648	-46.73	-13	Pass	1081
3000	12000	1	RMS	11855	-38.3	-13	Pass	9001
12000	20000	1	RMS	20000	-22.94	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.82	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.5	-13	Pass	841
1840	1920	1	RMS	1875.6	23.32	60	Pass	401
1920	3000	1	RMS	2643	-46.84	-13	Pass	1081
3000	12000	1	RMS	11850	-38.31	-13	Pass	9001
12000	20000	1	RMS	19999	-22.83	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	Pass	2986
30	1000	0.1	RMS	887	-62.03	-13	Pass	9701
1000	1840	1	RMS	1839	-49.68	-13	Pass	841
1840	1920	1	RMS	1900.6	23.65	60	Pass	401
1920	3000	1	RMS	2642	-46.78	-13	Pass	1081
3000	12000	1	RMS	11854	-38.3	-13	Pass	9001
12000	20000	1	RMS	19999	-22.88	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	939	-62.19	-13	Pass	9701
1000	1840	1	RMS	1839	-49.91	-13	Pass	841
1840	1920	1	RMS	1900.6	22.72	60	Pass	401
1920	3000	1	RMS	2638	-46.8	-13	Pass	1081
3000	12000	1	RMS	11852	-38.26	-13	Pass	9001
12000	20000	1	RMS	19996	-22.89	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.14	-13	Pass	2986
30	1000	0.1	RMS	933.9	-62.16	-13	Pass	9701
1000	1840	1	RMS	1838	-42.97	-13	Pass	841
1840	1920	1	RMS	1850.8	23.62	60	Pass	401
1920	3000	1	RMS	2642	-46.79	-13	Pass	1081
3000	12000	1	RMS	11851	-38.18	-13	Pass	9001
12000	20000	1	RMS	19995	-22.86	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2986
30	1000	0.1	RMS	906.2	-62.27	-13	Pass	9701
1000	1840	1	RMS	1838	-43.92	-13	Pass	841
1840	1920	1	RMS	1850.8	23.03	60	Pass	401
1920	3000	1	RMS	2643	-46.81	-13	Pass	1081
3000	12000	1	RMS	11853	-38.24	-13	Pass	9001
12000	20000	1	RMS	20000	-22.84	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	900.4	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1873.2	23.58	60	Pass	401
1920	3000	1	RMS	2640	-46.78	-13	Pass	1081
3000	12000	1	RMS	11847	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.43	-13	Pass	2986
30	1000	0.1	RMS	994.6	-62.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.31	-13	Pass	841
1840	1920	1	RMS	1873.4	23.18	60	Pass	401
1920	3000	1	RMS	2641	-46.82	-13	Pass	1081
3000	12000	1	RMS	11843	-38.36	-13	Pass	9001
12000	20000	1	RMS	19998	-22.89	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2986
30	1000	0.1	RMS	900.3	-62.06	-13	Pass	9701
1000	1840	1	RMS	1835	-50.5	-13	Pass	841
1840	1920	1	RMS	1895.8	23.56	60	Pass	401
1920	3000	1	RMS	2646	-46.76	-13	Pass	1081
3000	12000	1	RMS	11851	-38.18	-13	Pass	9001
12000	20000	1	RMS	20000	-22.92	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	Pass	2986
30	1000	0.1	RMS	948.1	-62.09	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1895.8	23.13	60	Pass	401
1920	3000	1	RMS	2639	-46.79	-13	Pass	1081
3000	12000	1	RMS	11861	-38.22	-13	Pass	9001
12000	20000	1	RMS	19997	-22.9	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	1000	0.1	RMS	902.5	-62.15	-13	Pass	9701
1000	1840	1	RMS	1833	-42.13	-13	Pass	841
1840	1920	1	RMS	1851	23.74	60	Pass	401
1920	3000	1	RMS	2651	-46.81	-13	Pass	1081
3000	12000	1	RMS	11847	-38.21	-13	Pass	9001
12000	20000	1	RMS	19998	-22.91	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.52	-13	Pass	2986
30	1000	0.1	RMS	945.2	-62.16	-13	Pass	9701
1000	1840	1	RMS	1833	-43.35	-13	Pass	841
1840	1920	1	RMS	1851	23.14	60	Pass	401
1920	3000	1	RMS	2653	-46.81	-13	Pass	1081
3000	12000	1	RMS	11862	-38.28	-13	Pass	9001
12000	20000	1	RMS	20000	-22.82	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	1000	0.1	RMS	903.8	-62.28	-13	Pass	9701
1000	1840	1	RMS	1835	-45.74	-13	Pass	841
1840	1920	1	RMS	1871	23.8	60	Pass	401
1920	3000	1	RMS	2640	-46.75	-13	Pass	1081
3000	12000	1	RMS	11853	-38.28	-13	Pass	9001
12000	20000	1	RMS	19998	-22.91	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62.16	-13	Pass	9701
1000	1840	1	RMS	1835	-47.02	-13	Pass	841
1840	1920	1	RMS	1871	22.86	60	Pass	401
1920	3000	1	RMS	2640	-46.8	-13	Pass	1081
3000	12000	1	RMS	11852	-38.27	-13	Pass	9001
12000	20000	1	RMS	19993	-22.96	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2986
30	1000	0.1	RMS	899.6	-62.16	-13	Pass	9701
1000	1840	1	RMS	1839	-50.35	-13	Pass	841
1840	1920	1	RMS	1891	23.71	60	Pass	401
1920	3000	1	RMS	2647	-46.81	-13	Pass	1081
3000	12000	1	RMS	11845	-38.29	-13	Pass	9001
12000	20000	1	RMS	20000	-22.89	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	Pass	2986
30	1000	0.1	RMS	929.9	-62.15	-13	Pass	9701
1000	1840	1	RMS	1830	-50.25	-13	Pass	841
1840	1920	1	RMS	1891	23.26	60	Pass	401
1920	3000	1	RMS	2651	-46.82	-13	Pass	1081
3000	12000	1	RMS	11855	-38.24	-13	Pass	9001
12000	20000	1	RMS	19997	-22.93	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	1000	0.1	RMS	895.6	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-49.69	-13	Pass	701
1700	1765	1	RMS	1710.238	23.53	60	Pass	401
1765	3000	1	RMS	1772	-46.11	-13	Pass	1236
3000	12000	1	RMS	11861	-38.29	-13	Pass	9001
12000	20000	1	RMS	20000	-22.92	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.62	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-49.59	-13	Pass	701
1700	1765	1	RMS	1710.238	23.74	60	Pass	401
1765	3000	1	RMS	1772	-46.11	-13	Pass	1236
3000	12000	1	RMS	3421	-38.03	-13	Pass	9001
12000	20000	1	RMS	19998	-22.98	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	Pass	2986
30	1000	0.1	RMS	924.9	-61.98	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1732.013	23.4	60	Pass	401
1765	3000	1	RMS	2645	-46.8	-13	Pass	1236
3000	12000	1	RMS	3464	-37.85	-13	Pass	9001
12000	20000	1	RMS	19998	-22.87	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2986
30	1000	0.1	RMS	921.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1765	1	RMS	1732.013	23.5	60	Pass	401
1765	3000	1	RMS	2644	-46.76	-13	Pass	1236
3000	12000	1	RMS	3464	-37.55	-13	Pass	9001
12000	20000	1	RMS	19999	-22.88	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-13	Pass	2986
30	1000	0.1	RMS	930.1	-62.18	-13	Pass	9701
1000	1700	1	RMS	1695	-51.22	-13	Pass	701
1700	1765	1	RMS	1753.788	23.53	60	Pass	401
1765	3000	1	RMS	2642	-46.71	-13	Pass	1236
3000	12000	1	RMS	11850	-38.29	-13	Pass	9001
12000	20000	1	RMS	19999	-22.84	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	1000	0.1	RMS	970.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-51.23	-13	Pass	701
1700	1765	1	RMS	1753.788	22.91	60	Pass	401
1765	3000	1	RMS	2642	-46.79	-13	Pass	1236
3000	12000	1	RMS	11848	-38.3	-13	Pass	9001
12000	20000	1	RMS	19998	-22.84	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	1000	0.1	RMS	943.8	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-48.65	-13	Pass	701
1700	1765	1	RMS	1710.238	23.53	60	Pass	401
1765	3000	1	RMS	2643	-46.81	-13	Pass	1236
3000	12000	1	RMS	11851	-38.26	-13	Pass	9001
12000	20000	1	RMS	19999	-22.93	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-59.39	-13	Pass	2986
30	1000	0.1	RMS	938.6	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-48.72	-13	Pass	701
1700	1765	1	RMS	1710.238	23.12	60	Pass	401
1765	3000	1	RMS	2645	-46.77	-13	Pass	1236
3000	12000	1	RMS	11849	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-22.85	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.21	-13	Pass	2986
30	1000	0.1	RMS	921	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1765	1	RMS	1731.2	23.41	60	Pass	401
1765	3000	1	RMS	2651	-46.79	-13	Pass	1236
3000	12000	1	RMS	11837	-38.23	-13	Pass	9001
12000	20000	1	RMS	19996	-22.86	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.34	-13	Pass	2986
30	1000	0.1	RMS	943	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1765	1	RMS	1731.2	23.52	60	Pass	401
1765	3000	1	RMS	2655	-46.74	-13	Pass	1236
3000	12000	1	RMS	11848	-38.22	-13	Pass	9001
12000	20000	1	RMS	19999	-22.94	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.52	-13	Pass	2986
30	1000	0.1	RMS	909.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	Pass	701
1700	1765	1	RMS	1752.163	23.51	60	Pass	401
1765	3000	1	RMS	2651	-46.76	-13	Pass	1236
3000	12000	1	RMS	11850	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-22.88	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.15	-13	Pass	2986
30	1000	0.1	RMS	953.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.17	-13	Pass	701
1700	1765	1	RMS	1752.163	22.92	60	Pass	401
1765	3000	1	RMS	2645	-46.79	-13	Pass	1236
3000	12000	1	RMS	11857	-38.29	-13	Pass	9001
12000	20000	1	RMS	19999	-22.9	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-48.75	-13	Pass	701
1700	1765	1	RMS	1710.4	23.47	60	Pass	401
1765	3000	1	RMS	2645	-46.78	-13	Pass	1236
3000	12000	1	RMS	3421	-37.61	-13	Pass	9001
12000	20000	1	RMS	19999	-22.79	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.08	-13	Pass	2986
30	1000	0.1	RMS	934.1	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-48.88	-13	Pass	701
1700	1765	1	RMS	1710.4	22.34	60	Pass	401
1765	3000	1	RMS	2649	-46.78	-13	Pass	1236
3000	12000	1	RMS	11854	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-22.91	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1699	-50.92	-13	Pass	701
1700	1765	1	RMS	1730.388	23.37	60	Pass	401
1765	3000	1	RMS	2640	-46.78	-13	Pass	1236
3000	12000	1	RMS	11852	-38.3	-13	Pass	9001
12000	20000	1	RMS	19997	-22.94	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.81	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1765	1	RMS	1730.388	22.87	60	Pass	401
1765	3000	1	RMS	2643	-46.79	-13	Pass	1236
3000	12000	1	RMS	11847	-38.28	-13	Pass	9001
12000	20000	1	RMS	19993	-22.9	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	Pass	2986
30	1000	0.1	RMS	949.8	-62.23	-13	Pass	9701
1000	1700	1	RMS	1698	-51.07	-13	Pass	701
1700	1765	1	RMS	1750.375	23.3	60	Pass	401
1765	3000	1	RMS	2644	-46.78	-13	Pass	1236
3000	12000	1	RMS	3501	-36.73	-13	Pass	9001
12000	20000	1	RMS	19994	-22.88	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	1000	0.1	RMS	926.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1699	-51.16	-13	Pass	701
1700	1765	1	RMS	1750.375	22.62	60	Pass	401
1765	3000	1	RMS	2640	-46.72	-13	Pass	1236
3000	12000	1	RMS	11859	-38.21	-13	Pass	9001
12000	20000	1	RMS	19999	-22.86	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.36	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.17	-13	Pass	9701
1000	1700	1	RMS	1693	-44.79	-13	Pass	701
1700	1765	1	RMS	1710.563	23.53	60	Pass	401
1765	3000	1	RMS	2646	-46.8	-13	Pass	1236
3000	12000	1	RMS	11848	-38.24	-13	Pass	9001
12000	20000	1	RMS	20000	-22.86	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	Pass	2986
30	1000	0.1	RMS	929	-62.24	-13	Pass	9701
1000	1700	1	RMS	1693	-45.46	-13	Pass	701
1700	1765	1	RMS	1710.563	22.9	60	Pass	401
1765	3000	1	RMS	2639	-46.77	-13	Pass	1236
3000	12000	1	RMS	11848	-38.22	-13	Pass	9001
12000	20000	1	RMS	19999	-22.82	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-58.68	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1765	1	RMS	1728.113	23.4	60	Pass	401
1765	3000	1	RMS	2643	-46.78	-13	Pass	1236
3000	12000	1	RMS	3456	-37.46	-13	Pass	9001
12000	20000	1	RMS	19995	-22.9	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-50.93	-13	Pass	701
1700	1765	1	RMS	1728.113	22.96	60	Pass	401
1765	3000	1	RMS	2649	-46.78	-13	Pass	1236
3000	12000	1	RMS	11860	-38.26	-13	Pass	9001
12000	20000	1	RMS	19998	-22.86	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.54	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.19	-13	Pass	9701
1000	1700	1	RMS	1697	-51.15	-13	Pass	701
1700	1765	1	RMS	1745.663	23.39	60	Pass	401
1765	3000	1	RMS	2653	-46.81	-13	Pass	1236
3000	12000	1	RMS	11861	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.96	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.22	-13	Pass	9701
1000	1700	1	RMS	1698	-51.16	-13	Pass	701
1700	1765	1	RMS	1745.663	22.36	60	Pass	401
1765	3000	1	RMS	2641	-46.82	-13	Pass	1236
3000	12000	1	RMS	11856	-38.28	-13	Pass	9001
12000	20000	1	RMS	20000	-22.8	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.75	-13	Pass	2986
30	1000	0.1	RMS	918.2	-62.2	-13	Pass	9701
1000	1700	1	RMS	1697	-42.65	-13	Pass	701
1700	1765	1	RMS	1710.888	23.46	60	Pass	401
1765	3000	1	RMS	2652	-46.83	-13	Pass	1236
3000	12000	1	RMS	11842	-38.26	-13	Pass	9001
12000	20000	1	RMS	20000	-22.79	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-13	Pass	2986
30	1000	0.1	RMS	921.5	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-43.15	-13	Pass	701
1700	1765	1	RMS	1710.888	22.79	60	Pass	401
1765	3000	1	RMS	2647	-46.79	-13	Pass	1236
3000	12000	1	RMS	11852	-38.27	-13	Pass	9001
12000	20000	1	RMS	19998	-22.76	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	1000	0.1	RMS	880.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-41.12	-13	Pass	701
1700	1765	1	RMS	1725.838	23.44	60	Pass	401
1765	3000	1	RMS	2644	-46.78	-13	Pass	1236
3000	12000	1	RMS	11858	-38.21	-13	Pass	9001
12000	20000	1	RMS	19997	-22.94	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.72	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.23	-13	Pass	9701
1000	1700	1	RMS	1699	-42	-13	Pass	701
1700	1765	1	RMS	1725.838	22.92	60	Pass	401
1765	3000	1	RMS	2645	-46.78	-13	Pass	1236
3000	12000	1	RMS	11846	-38.29	-13	Pass	9001
12000	20000	1	RMS	19999	-22.85	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.41	-13	Pass	2986
30	1000	0.1	RMS	910.9	-62.04	-13	Pass	9701
1000	1700	1	RMS	1699	-51.04	-13	Pass	701
1700	1765	1	RMS	1740.788	23.4	60	Pass	401
1765	3000	1	RMS	1767	-35.49	-13	Pass	1236
3000	12000	1	RMS	3482	-37.38	-13	Pass	9001
12000	20000	1	RMS	20000	-22.87	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-13	Pass	2986
30	1000	0.1	RMS	903.9	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1740.788	22.89	60	Pass	401
1765	3000	1	RMS	1767	-36.24	-13	Pass	1236
3000	12000	1	RMS	11851	-38.27	-13	Pass	9001
12000	20000	1	RMS	19997	-22.84	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58	-13	Pass	2986
30	1000	0.1	RMS	928	-62.12	-13	Pass	9701
1000	1700	1	RMS	1693	-42.97	-13	Pass	701
1700	1765	1	RMS	1711.05	23.56	60	Pass	401
1765	3000	1	RMS	1773	-44.85	-13	Pass	1236
3000	12000	1	RMS	11863	-38.25	-13	Pass	9001
12000	20000	1	RMS	19998	-22.9	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.12	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.22	-13	Pass	9701
1000	1700	1	RMS	1693	-43.74	-13	Pass	701
1700	1765	1	RMS	1711.05	23.19	60	Pass	401
1765	3000	1	RMS	1773	-45.31	-13	Pass	1236
3000	12000	1	RMS	11860	-38.29	-13	Pass	9001
12000	20000	1	RMS	19996	-22.89	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.14	-13	Pass	2986
30	1000	0.1	RMS	945.9	-62.13	-13	Pass	9701
1000	1700	1	RMS	1688	-49.6	-13	Pass	701
1700	1765	1	RMS	1723.563	23.43	60	Pass	401
1765	3000	1	RMS	1785	-45	-13	Pass	1236
3000	12000	1	RMS	11850	-38.3	-13	Pass	9001
12000	20000	1	RMS	19999	-22.88	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2986
30	1000	0.1	RMS	919.1	-62.3	-13	Pass	9701
1000	1700	1	RMS	1688	-50.18	-13	Pass	701
1700	1765	1	RMS	1723.563	22.67	60	Pass	401
1765	3000	1	RMS	1785	-45.19	-13	Pass	1236
3000	12000	1	RMS	11854	-38.27	-13	Pass	9001
12000	20000	1	RMS	19999	-22.82	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.64	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-42.89	-13	Pass	701
1700	1765	1	RMS	1736.075	23.63	60	Pass	401
1765	3000	1	RMS	1772	-33.19	-13	Pass	1236
3000	12000	1	RMS	11851	-38.23	-13	Pass	9001
12000	20000	1	RMS	20000	-22.95	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	Pass	2986
30	1000	0.1	RMS	944.3	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-42.97	-13	Pass	701
1700	1765	1	RMS	1736.075	23.11	60	Pass	401
1765	3000	1	RMS	1772	-33.69	-13	Pass	1236
3000	12000	1	RMS	11851	-38.28	-13	Pass	9001
12000	20000	1	RMS	19996	-22.95	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.78	-13	Pass	2986
30	814	0.1	RMS	812.6	-61.93	-13	Pass	7841
814	860	0.1	RMS	824.2	20.12	60	Pass	461
860	1000	0.1	RMS	922.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9956	-41.06	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.1	-13	Pass	7841
814	860	0.1	RMS	824.2	19.65	60	Pass	461
860	1000	0.1	RMS	926.4	-62.45	-13	Pass	1401
1000	3000	1	RMS	2641	-46.8	-13	Pass	2001
3000	10000	1	RMS	9953	-41.09	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.6	-13	Pass	2986
30	814	0.1	RMS	813.3	-62.11	-13	Pass	7841
814	860	0.1	RMS	836.1	20.07	60	Pass	461
860	1000	0.1	RMS	933.9	-62.44	-13	Pass	1401
1000	3000	1	RMS	2643	-46.77	-13	Pass	2001
3000	10000	1	RMS	9959	-41.08	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2986
30	814	0.1	RMS	800.5	-62.12	-13	Pass	7841
814	860	0.1	RMS	836.1	19.51	60	Pass	461
860	1000	0.1	RMS	898.7	-62.49	-13	Pass	1401
1000	3000	1	RMS	2647	-46.77	-13	Pass	2001
3000	10000	1	RMS	9951	-41.05	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.41	-13	Pass	7841
814	860	0.1	RMS	847.9	20	60	Pass	461
860	1000	0.1	RMS	899.9	-62.5	-13	Pass	1401
1000	3000	1	RMS	2649	-46.74	-13	Pass	2001
3000	10000	1	RMS	9958	-40.95	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.58	-13	Pass	2986
30	814	0.1	RMS	812.8	-62.43	-13	Pass	7841
814	860	0.1	RMS	847.9	19.34	60	Pass	461
860	1000	0.1	RMS	889.4	-62.38	-13	Pass	1401
1000	3000	1	RMS	2650	-46.8	-13	Pass	2001
3000	10000	1	RMS	9953	-41.06	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.73	-13	Pass	2986
30	814	0.1	RMS	814	-60.97	-13	Pass	7841
814	860	0.1	RMS	824.2	20.3	60	Pass	461
860	1000	0.1	RMS	953.5	-62.36	-13	Pass	1401
1000	3000	1	RMS	2642	-46.75	-13	Pass	2001
3000	10000	1	RMS	9949	-41.12	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.18	-13	Pass	2986
30	814	0.1	RMS	814	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.2	19.35	60	Pass	461
860	1000	0.1	RMS	942.3	-62.48	-13	Pass	1401
1000	3000	1	RMS	2649	-46.8	-13	Pass	2001
3000	10000	1	RMS	9951	-41.11	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.27	-13	Pass	2986
30	814	0.1	RMS	809.8	-61.63	-13	Pass	7841
814	860	0.1	RMS	835.2	20.2	60	Pass	461
860	1000	0.1	RMS	908.6	-62.5	-13	Pass	1401
1000	3000	1	RMS	2646	-46.79	-13	Pass	2001
3000	10000	1	RMS	9955	-41.03	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	Pass	2986
30	814	0.1	RMS	809.7	-61.76	-13	Pass	7841
814	860	0.1	RMS	835.2	20.38	60	Pass	461
860	1000	0.1	RMS	900.5	-62.47	-13	Pass	1401
1000	3000	1	RMS	2647	-46.78	-13	Pass	2001
3000	10000	1	RMS	9957	-41.12	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.21	-13	Pass	7841
814	860	0.1	RMS	846.2	20.33	60	Pass	461
860	1000	0.1	RMS	904.2	-62.26	-13	Pass	1401
1000	3000	1	RMS	2646	-46.8	-13	Pass	2001
3000	10000	1	RMS	9956	-41.07	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.33	-13	Pass	7841
814	860	0.1	RMS	846.2	19.29	60	Pass	461
860	1000	0.1	RMS	907.7	-62.52	-13	Pass	1401
1000	3000	1	RMS	2641	-46.78	-13	Pass	2001
3000	10000	1	RMS	9954	-41.12	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.32	-13	Pass	7841
814	860	0.1	RMS	824.3	20.16	60	Pass	461
860	1000	0.1	RMS	939.4	-62.52	-13	Pass	1401
1000	3000	1	RMS	2640	-46.79	-13	Pass	2001
3000	10000	1	RMS	9952	-41.05	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.45	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.34	-13	Pass	7841
814	860	0.1	RMS	824.3	18.99	60	Pass	461
860	1000	0.1	RMS	932.9	-62.55	-13	Pass	1401
1000	3000	1	RMS	2646	-46.79	-13	Pass	2001
3000	10000	1	RMS	9955	-41.11	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.71	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.79	-13	Pass	7841
814	860	0.1	RMS	834.3	20.22	60	Pass	461
860	1000	0.1	RMS	974.6	-62.51	-13	Pass	1401
1000	3000	1	RMS	2638	-46.78	-13	Pass	2001
3000	10000	1	RMS	9953	-41.07	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.89	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.89	-13	Pass	7841
814	860	0.1	RMS	834.3	19.66	60	Pass	461
860	1000	0.1	RMS	964.2	-62.49	-13	Pass	1401
1000	3000	1	RMS	2641	-46.8	-13	Pass	2001
3000	10000	1	RMS	9958	-41.1	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	814	0.1	RMS	814	-62.24	-13	Pass	7841
814	860	0.1	RMS	844.3	20.16	60	Pass	461
860	1000	0.1	RMS	956.1	-62.37	-13	Pass	1401
1000	3000	1	RMS	2642	-46.79	-13	Pass	2001
3000	10000	1	RMS	9954	-41.06	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.12	-13	Pass	7841
814	860	0.1	RMS	844.3	19.54	60	Pass	461
860	1000	0.1	RMS	929	-62.43	-13	Pass	1401
1000	3000	1	RMS	2652	-46.8	-13	Pass	2001
3000	10000	1	RMS	9957	-41.11	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.52	-13	Pass	2986
30	814	0.1	RMS	807	-56.01	-13	Pass	7841
814	860	0.1	RMS	824.6	20.77	60	Pass	461
860	1000	0.1	RMS	924.5	-62.49	-13	Pass	1401
1000	3000	1	RMS	2644	-46.77	-13	Pass	2001
3000	10000	1	RMS	9955	-41.05	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	Pass	2986
30	814	0.1	RMS	807	-56.08	-13	Pass	7841
814	860	0.1	RMS	824.6	20.27	60	Pass	461
860	1000	0.1	RMS	929	-62.5	-13	Pass	1401
1000	3000	1	RMS	2642	-46.79	-13	Pass	2001
3000	10000	1	RMS	9953	-40.99	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.71	-13	Pass	2986
30	814	0.1	RMS	814	-57.2	-13	Pass	7841
814	860	0.1	RMS	832.1	20.8	60	Pass	461
860	1000	0.1	RMS	924.6	-62.41	-13	Pass	1401
1000	3000	1	RMS	2644	-46.78	-13	Pass	2001
3000	10000	1	RMS	9955	-40.98	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	814	0.1	RMS	814	-57.41	-13	Pass	7841
814	860	0.1	RMS	832.1	20.33	60	Pass	461
860	1000	0.1	RMS	935.1	-62.42	-13	Pass	1401
1000	3000	1	RMS	2641	-46.8	-13	Pass	2001
3000	10000	1	RMS	9954	-41	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	Pass	2986
30	814	0.1	RMS	814	-61.81	-13	Pass	7841
814	860	0.1	RMS	839.6	20.57	60	Pass	461
860	1000	0.1	RMS	933.3	-62.39	-13	Pass	1401
1000	3000	1	RMS	2652	-46.76	-13	Pass	2001
3000	10000	1	RMS	9968	-41	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.09	-13	Pass	7841
814	860	0.1	RMS	839.6	19.6	60	Pass	461
860	1000	0.1	RMS	928.5	-62.43	-13	Pass	1401
1000	3000	1	RMS	2640	-46.77	-13	Pass	2001
3000	10000	1	RMS	9960	-40.99	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-25	Pass	2986
30	1000	0.1	RMS	909.9	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.37	-25	Pass	1491
2490	2580	1	RMS	2500.35	23	60	Pass	401
2580	3000	1	RMS	2653	-46.76	-25	Pass	421
3000	12000	1	RMS	7501	-43.17	-25	Pass	9001
12000	26000	1	RMS	25016	-35.63	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-25	Pass	2986
30	1000	0.1	RMS	908.9	-62.19	-25	Pass	9701
1000	2490	1	RMS	2490	-47.45	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.95	60	Pass	401
2580	3000	1	RMS	2640	-46.76	-25	Pass	421
3000	12000	1	RMS	7501	-44.3	-25	Pass	9001
12000	26000	1	RMS	25007	-36.43	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.83	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.45	-25	Pass	2986
30	1000	0.1	RMS	894.7	-62.05	-25	Pass	9701
1000	2490	1	RMS	2488	-47.93	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.97	60	Pass	401
2580	3000	1	RMS	2641	-46.76	-25	Pass	421
3000	12000	1	RMS	7599	-43.86	-25	Pass	9001
12000	26000	1	RMS	25012	-36.41	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.39	-25	Pass	2986
30	1000	0.1	RMS	909.6	-62.1	-25	Pass	9701
1000	2490	1	RMS	2489	-47.83	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.36	60	Pass	401
2580	3000	1	RMS	2642	-46.78	-25	Pass	421
3000	12000	1	RMS	7599	-44.46	-25	Pass	9001
12000	26000	1	RMS	25012	-36.31	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-25	Pass	2986
30	1000	0.1	RMS	913.6	-62.21	-25	Pass	9701
1000	2490	1	RMS	2461	-47.68	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.22	60	Pass	401
2580	3000	1	RMS	2640	-46.77	-25	Pass	421
3000	12000	1	RMS	7696	-42.63	-25	Pass	9001
12000	26000	1	RMS	25012	-36.28	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-25	Pass	2986
30	1000	0.1	RMS	919.6	-62.11	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.56	60	Pass	401
2580	3000	1	RMS	2642	-46.77	-25	Pass	421
3000	12000	1	RMS	7696	-43.07	-25	Pass	9001
12000	26000	1	RMS	25013	-36.46	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.37	-25	Pass	2986
30	1000	0.1	RMS	933	-62.22	-25	Pass	9701
1000	2490	1	RMS	2490	-47.14	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.96	60	Pass	401
2580	3000	1	RMS	2647	-46.78	-25	Pass	421
3000	12000	1	RMS	7502	-43.53	-25	Pass	9001
12000	26000	1	RMS	25010	-36.46	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.94	-25	Pass	2986
30	1000	0.1	RMS	942.4	-62.09	-25	Pass	9701
1000	2490	1	RMS	2490	-47.28	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.41	60	Pass	401
2580	3000	1	RMS	2641	-46.76	-25	Pass	421
3000	12000	1	RMS	7502	-43.87	-25	Pass	9001
12000	26000	1	RMS	25011	-36.52	-25	Pass	14001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.22	-25	Pass	2986
30	1000	0.1	RMS	928.1	-62.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.97	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.02	60	Pass	401
2580	3000	1	RMS	2650	-46.76	-25	Pass	421
3000	12000	1	RMS	7592	-42.38	-25	Pass	9001
12000	26000	1	RMS	25015	-36.46	-25	Pass	14001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-25	Pass	2986
30	1000	0.1	RMS	912.5	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-47.95	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.54	60	Pass	401
2580	3000	1	RMS	2644	-46.74	-25	Pass	421
3000	12000	1	RMS	7592	-42.86	-25	Pass	9001
12000	26000	1	RMS	25012	-36.45	-25	Pass	14001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.19	-25	Pass	2986
30	1000	0.1	RMS	928.2	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.9	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.21	60	Pass	401
2580	3000	1	RMS	2643	-46.72	-25	Pass	421
3000	12000	1	RMS	7682	-42.1	-25	Pass	9001
12000	26000	1	RMS	25012	-36.41	-25	Pass	14001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-25	Pass	2986
30	1000	0.1	RMS	932.7	-62.1	-25	Pass	9701
1000	2490	1	RMS	2490	-47.91	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.59	60	Pass	401
2580	3000	1	RMS	2644	-46.76	-25	Pass	421
3000	12000	1	RMS	7682	-42.74	-25	Pass	9001
12000	26000	1	RMS	25006	-36.39	-25	Pass	14001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.6	-25	Pass	2986
30	1000	0.1	RMS	932.9	-62.23	-25	Pass	9701
1000	2490	1	RMS	2488	-45.11	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.96	60	Pass	401
2580	3000	1	RMS	2643	-46.78	-25	Pass	421
3000	12000	1	RMS	7503	-44.85	-25	Pass	9001
12000	26000	1	RMS	25010	-36.37	-25	Pass	14001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.99	-25	Pass	2986
30	1000	0.1	RMS	927.6	-62.22	-25	Pass	9701
1000	2490	1	RMS	2487	-45.33	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.41	60	Pass	401
2580	3000	1	RMS	2643	-46.73	-25	Pass	421
3000	12000	1	RMS	7503	-45.61	-25	Pass	9001
12000	26000	1	RMS	25015	-36.35	-25	Pass	14001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-25	Pass	2986
30	1000	0.1	RMS	918.7	-62.06	-25	Pass	9701
1000	2490	1	RMS	2489	-47.89	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.98	60	Pass	401
2580	3000	1	RMS	2642	-46.74	-25	Pass	421
3000	12000	1	RMS	7585	-42.07	-25	Pass	9001
12000	26000	1	RMS	25012	-36.31	-25	Pass	14001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.38	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.37	-25	Pass	2986
30	1000	0.1	RMS	935.3	-62.11	-25	Pass	9701
1000	2490	1	RMS	2489	-47.89	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.52	60	Pass	401
2580	3000	1	RMS	2649	-46.76	-25	Pass	421
3000	12000	1	RMS	7585	-42.33	-25	Pass	9001
12000	26000	1	RMS	25009	-36.44	-25	Pass	14001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.74	-25	Pass	2986
30	1000	0.1	RMS	933.3	-62.08	-25	Pass	9701
1000	2490	1	RMS	2488	-47.13	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.12	60	Pass	401
2595	3000	1	RMS	2647	-46.75	-25	Pass	406
3000	12000	1	RMS	7668	-43.11	-25	Pass	9001
12000	26000	1	RMS	25012	-36.4	-25	Pass	14001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.85	-25	Pass	2986
30	1000	0.1	RMS	939.3	-62.09	-25	Pass	9701
1000	2490	1	RMS	2488	-47.09	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.9	60	Pass	401
2595	3000	1	RMS	2645	-46.73	-25	Pass	406
3000	12000	1	RMS	7668	-43.19	-25	Pass	9001
12000	26000	1	RMS	25022	-36.51	-25	Pass	14001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.06	-25	Pass	2986
30	1000	0.1	RMS	925.4	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-46.75	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.99	60	Pass	401
2580	3000	1	RMS	2643	-46.74	-25	Pass	421
3000	12000	1	RMS	7503	-43.83	-25	Pass	9001
12000	26000	1	RMS	25012	-36.25	-25	Pass	14001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.71	-25	Pass	2986
30	1000	0.1	RMS	920.2	-62.15	-25	Pass	9701
1000	2490	1	RMS	2490	-45.03	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.44	60	Pass	401
2580	3000	1	RMS	2638	-46.79	-25	Pass	421
3000	12000	1	RMS	7503	-44.44	-25	Pass	9001
12000	26000	1	RMS	25011	-36.37	-25	Pass	14001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-25	Pass	2986
30	1000	0.1	RMS	911.7	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-46.21	-25	Pass	1491
2490	2580	1	RMS	2526	23.22	60	Pass	401
2580	3000	1	RMS	2641	-46.72	-25	Pass	421
3000	12000	1	RMS	7578	-42.13	-25	Pass	9001
12000	26000	1	RMS	25011	-36.28	-25	Pass	14001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.41	-25	Pass	2986
30	1000	0.1	RMS	940.6	-62.21	-25	Pass	9701
1000	2490	1	RMS	2490	-46.49	-25	Pass	1491
2490	2580	1	RMS	2526	22.49	60	Pass	401
2580	3000	1	RMS	2645	-46.78	-25	Pass	421
3000	12000	1	RMS	7578	-42.89	-25	Pass	9001
12000	26000	1	RMS	25012	-36.33	-25	Pass	14001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-25	Pass	2986
30	1000	0.1	RMS	936.7	-62.2	-25	Pass	9701
1000	2490	1	RMS	2490	-47.93	-25	Pass	1491
2490	2595	1	RMS	2551.163	23.15	60	Pass	401
2595	3000	1	RMS	2646	-46.75	-25	Pass	406
3000	12000	1	RMS	7653	-41.9	-25	Pass	9001
12000	26000	1	RMS	25012	-36.48	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.52	-25	Pass	2986
30	1000	0.1	RMS	917.1	-62.11	-25	Pass	9701
1000	2490	1	RMS	2489	-47.91	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.84	60	Pass	401
2595	3000	1	RMS	2639	-46.78	-25	Pass	406
3000	12000	1	RMS	7653	-42.27	-25	Pass	9001
12000	26000	1	RMS	25013	-36.37	-25	Pass	14001



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2986
30	689	0.1	RMS	509.3	-63.34	-13	Pass	6591
689	726	0.1	RMS	699.268	21.08	60	Pass	401
726	1000	0.1	RMS	926	-62.16	-13	Pass	2741
1000	3000	1	RMS	2640	-46.73	-13	Pass	2001
3000	10000	1	RMS	9957	-41.03	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	689	0.1	RMS	688.8	-63.31	-13	Pass	6591
689	726	0.1	RMS	699.268	20.97	60	Pass	401
726	1000	0.1	RMS	901.4	-62.05	-13	Pass	2741
1000	3000	1	RMS	2650	-46.74	-13	Pass	2001
3000	10000	1	RMS	9959	-40.99	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.53	-13	Pass	2986
30	689	0.1	RMS	678.8	-63.27	-13	Pass	6591
689	726	0.1	RMS	707.038	21.17	60	Pass	401
726	1000	0.1	RMS	963.9	-62.04	-13	Pass	2741
1000	3000	1	RMS	2640	-46.73	-13	Pass	2001
3000	10000	1	RMS	9968	-41.02	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.25	-13	Pass	2986
30	689	0.1	RMS	507.2	-63.3	-13	Pass	6591
689	726	0.1	RMS	707.038	20.72	60	Pass	401
726	1000	0.1	RMS	904.4	-62.01	-13	Pass	2741
1000	3000	1	RMS	2647	-46.71	-13	Pass	2001
3000	10000	1	RMS	9952	-41.05	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.4	-13	Pass	2986
30	689	0.1	RMS	520	-63.21	-13	Pass	6591
689	726	0.1	RMS	714.808	20.46	60	Pass	401
726	1000	0.1	RMS	898.6	-62.11	-13	Pass	2741
1000	3000	1	RMS	1430	-44.93	-13	Pass	2001
3000	10000	1	RMS	9955	-41.02	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.95	-13	Pass	2986
30	689	0.1	RMS	509	-63.3	-13	Pass	6591
689	726	0.1	RMS	714.808	19.73	60	Pass	401
726	1000	0.1	RMS	899.9	-61.92	-13	Pass	2741
1000	3000	1	RMS	1430	-45.69	-13	Pass	2001
3000	10000	1	RMS	9953	-41.01	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	689	0.1	RMS	503.6	-63.25	-13	Pass	6591
689	726	0.1	RMS	699.268	20.88	60	Pass	401
726	1000	0.1	RMS	914	-62.17	-13	Pass	2741
1000	3000	1	RMS	2642	-46.75	-13	Pass	2001
3000	10000	1	RMS	9957	-41	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-57.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.95	-13	Pass	2986
30	689	0.1	RMS	666.4	-63.4	-13	Pass	6591
689	726	0.1	RMS	699.268	20.21	60	Pass	401
726	1000	0.1	RMS	906.1	-62.04	-13	Pass	2741
1000	3000	1	RMS	2644	-46.79	-13	Pass	2001
3000	10000	1	RMS	9950	-41	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.48	-13	Pass	2986
30	689	0.1	RMS	521.5	-63.26	-13	Pass	6591
689	726	0.1	RMS	706.205	20.79	60	Pass	401
726	1000	0.1	RMS	923.9	-62.01	-13	Pass	2741
1000	3000	1	RMS	2647	-46.76	-13	Pass	2001
3000	10000	1	RMS	9963	-40.98	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.81	-13	Pass	2986
30	689	0.1	RMS	525.1	-63.04	-13	Pass	6591
689	726	0.1	RMS	706.205	21.1	60	Pass	401
726	1000	0.1	RMS	928.8	-62.04	-13	Pass	2741
1000	3000	1	RMS	2646	-46.74	-13	Pass	2001
3000	10000	1	RMS	9964	-41.01	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	Pass	2986
30	689	0.1	RMS	684.6	-63.26	-13	Pass	6591
689	726	0.1	RMS	713.235	21.08	60	Pass	401
726	1000	0.1	RMS	895.3	-62.06	-13	Pass	2741
1000	3000	1	RMS	1426	-44.93	-13	Pass	2001
3000	10000	1	RMS	9954	-41.01	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.12	-13	Pass	2986
30	689	0.1	RMS	678.2	-63.37	-13	Pass	6591
689	726	0.1	RMS	713.235	20.23	60	Pass	401
726	1000	0.1	RMS	909.5	-61.86	-13	Pass	2741
1000	3000	1	RMS	1426	-45.65	-13	Pass	2001
3000	10000	1	RMS	9962	-41.01	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2986
30	689	0.1	RMS	511.4	-63.35	-13	Pass	6591
689	726	0.1	RMS	699.36	20.75	60	Pass	401
726	1000	0.1	RMS	916.4	-62.05	-13	Pass	2741
1000	3000	1	RMS	2639	-46.75	-13	Pass	2001
3000	10000	1	RMS	9954	-41.01	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.25	-13	Pass	2986
30	689	0.1	RMS	686.4	-63.25	-13	Pass	6591
689	726	0.1	RMS	699.36	20.03	60	Pass	401
726	1000	0.1	RMS	850.1	-62.11	-13	Pass	2741
1000	3000	1	RMS	2642	-46.78	-13	Pass	2001
3000	10000	1	RMS	9955	-40.99	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.69	-13	Pass	2986
30	689	0.1	RMS	508.5	-63.3	-13	Pass	6591
689	726	0.1	RMS	705.373	20.82	60	Pass	401
726	1000	0.1	RMS	936.8	-62.01	-13	Pass	2741
1000	3000	1	RMS	2644	-46.76	-13	Pass	2001
3000	10000	1	RMS	9953	-41	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.84	-13	Pass	2986
30	689	0.1	RMS	533.6	-63.34	-13	Pass	6591
689	726	0.1	RMS	705.373	20.46	60	Pass	401
726	1000	0.1	RMS	893.5	-62.15	-13	Pass	2741
1000	3000	1	RMS	2639	-46.78	-13	Pass	2001
3000	10000	1	RMS	9953	-41	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	Pass	2986
30	689	0.1	RMS	525.9	-63.35	-13	Pass	6591
689	726	0.1	RMS	711.293	20.39	60	Pass	401
726	1000	0.1	RMS	905.4	-62.06	-13	Pass	2741
1000	3000	1	RMS	1423	-44.57	-13	Pass	2001
3000	10000	1	RMS	9951	-40.98	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2986
30	689	0.1	RMS	504	-63.17	-13	Pass	6591
689	726	0.1	RMS	711.385	20.25	60	Pass	401
726	1000	0.1	RMS	929.3	-62.05	-13	Pass	2741
1000	3000	1	RMS	1423	-44.77	-13	Pass	2001
3000	10000	1	RMS	9952	-41.03	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.63	-13	Pass	2986
30	689	0.1	RMS	526.4	-63.31	-13	Pass	6591
689	726	0.1	RMS	699.545	20.65	60	Pass	401
726	1000	0.1	RMS	877.7	-62.07	-13	Pass	2741
1000	3000	1	RMS	1399	-45.98	-13	Pass	2001
3000	10000	1	RMS	9954	-41.06	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	689	0.1	RMS	682.9	-63.35	-13	Pass	6591
689	726	0.1	RMS	699.638	19.63	60	Pass	401
726	1000	0.1	RMS	939.4	-62.18	-13	Pass	2741
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9958	-41	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	689	0.1	RMS	526.3	-63.21	-13	Pass	6591
689	726	0.1	RMS	703.06	20.87	60	Pass	401
726	1000	0.1	RMS	934.3	-61.99	-13	Pass	2741
1000	3000	1	RMS	1406	-44.9	-13	Pass	2001
3000	10000	1	RMS	9954	-40.99	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.1	-13	Pass	2986
30	689	0.1	RMS	686.1	-63.34	-13	Pass	6591
689	726	0.1	RMS	703.06	20.29	60	Pass	401
726	1000	0.1	RMS	896.2	-62.16	-13	Pass	2741
1000	3000	1	RMS	1406	-45.47	-13	Pass	2001
3000	10000	1	RMS	9953	-40.99	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2986
30	689	0.1	RMS	514.1	-63.25	-13	Pass	6591
689	726	0.1	RMS	706.575	21.07	60	Pass	401
726	1000	0.1	RMS	906.8	-62.08	-13	Pass	2741
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9950	-41.02	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.77	-13	Pass	2986
30	689	0.1	RMS	501.5	-63.26	-13	Pass	6591
689	726	0.1	RMS	706.575	20.67	60	Pass	401
726	1000	0.1	RMS	904.1	-62.11	-13	Pass	2741
1000	3000	1	RMS	2648	-46.76	-13	Pass	2001
3000	10000	1	RMS	9959	-41	-13	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.86	-13	Pass	6641
694	726	0.1	RMS	704.32	20.91	60	Pass	401
726	1000	0.1	RMS	921.7	-62.07	-13	Pass	2741
1000	3000	1	RMS	2644	-46.76	-13	Pass	2001
3000	10000	1	RMS	9948	-41.01	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	694	0.1	RMS	692.6	-63.12	-13	Pass	6641
694	726	0.1	RMS	704.32	19.95	60	Pass	401
726	1000	0.1	RMS	885.6	-62.2	-13	Pass	2741
1000	3000	1	RMS	2639	-46.75	-13	Pass	2001
3000	10000	1	RMS	9951	-40.97	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-13	Pass	2986
30	694	0.1	RMS	694	-63.05	-13	Pass	6641
694	726	0.1	RMS	707.84	21.08	60	Pass	401
726	1000	0.1	RMS	935.6	-62.15	-13	Pass	2741
1000	3000	1	RMS	2650	-46.77	-13	Pass	2001
3000	10000	1	RMS	9951	-41.02	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	Pass	2986
30	694	0.1	RMS	694	-63.12	-13	Pass	6641
694	726	0.1	RMS	707.84	20.72	60	Pass	401
726	1000	0.1	RMS	931.5	-62.11	-13	Pass	2741
1000	3000	1	RMS	2642	-46.72	-13	Pass	2001
3000	10000	1	RMS	9951	-40.99	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.39	-13	Pass	2986
30	694	0.1	RMS	693.3	-63.1	-13	Pass	6641
694	726	0.1	RMS	711.36	20.72	60	Pass	401
726	1000	0.1	RMS	906.2	-62.15	-13	Pass	2741
1000	3000	1	RMS	1423	-44.56	-13	Pass	2001
3000	10000	1	RMS	9950	-40.99	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.89	-13	Pass	2986
30	694	0.1	RMS	693.8	-63.2	-13	Pass	6641
694	726	0.1	RMS	711.36	20.81	60	Pass	401
726	1000	0.1	RMS	927.9	-62.05	-13	Pass	2741
1000	3000	1	RMS	1423	-44.42	-13	Pass	2001
3000	10000	1	RMS	9957	-40.98	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.88	-13	Pass	2986
30	694	0.1	RMS	694	-62.79	-13	Pass	6641
694	726	0.1	RMS	704.56	20.88	60	Pass	401
726	1000	0.1	RMS	951.9	-62.12	-13	Pass	2741
1000	3000	1	RMS	1409	-46.34	-13	Pass	2001
3000	10000	1	RMS	9951	-41.05	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.75	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.09	-13	Pass	6641
694	726	0.1	RMS	704.56	19.93	60	Pass	401
726	1000	0.1	RMS	925.4	-62.09	-13	Pass	2741
1000	3000	1	RMS	2639	-46.78	-13	Pass	2001
3000	10000	1	RMS	9952	-41.04	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	694	0.1	RMS	694	-62.85	-13	Pass	6641
694	726	0.1	RMS	705.6	21.28	60	Pass	401
726	1000	0.1	RMS	927.2	-62.07	-13	Pass	2741
1000	3000	1	RMS	1411	-46.5	-13	Pass	2001
3000	10000	1	RMS	9956	-40.97	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.1	-13	Pass	6641
694	726	0.1	RMS	705.6	20.92	60	Pass	401
726	1000	0.1	RMS	916.9	-61.96	-13	Pass	2741
1000	3000	1	RMS	2646	-46.72	-13	Pass	2001
3000	10000	1	RMS	9953	-40.9	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.59	-13	Pass	2986
30	694	0.1	RMS	693.3	-62.93	-13	Pass	6641
694	726	0.1	RMS	706.56	20.82	60	Pass	401
726	1000	0.1	RMS	915	-61.87	-13	Pass	2741
1000	3000	1	RMS	2643	-46.75	-13	Pass	2001
3000	10000	1	RMS	9962	-41.03	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.72	-13	Pass	2986
30	694	0.1	RMS	693.4	-63	-13	Pass	6641
694	726	0.1	RMS	706.56	20.41	60	Pass	401
726	1000	0.1	RMS	930.4	-61.86	-13	Pass	2741
1000	3000	1	RMS	2643	-46.76	-13	Pass	2001
3000	10000	1	RMS	9955	-41.02	-13	Pass	7001



7. LTE_Band26(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.3	19.96	60	Pass	461
860	1000	0.1	RMS	901.3	-62.45	-13	Pass	1401
1000	3000	1	RMS	2643	-46.76	-13	Pass	2001
3000	10000	1	RMS	9960	-41.03	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.34	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.79	-13	Pass	7841
814	860	0.1	RMS	824.3	20.18	60	Pass	461
860	1000	0.1	RMS	911.5	-62.41	-13	Pass	1401
1000	3000	1	RMS	2651	-46.76	-13	Pass	2001
3000	10000	1	RMS	9954	-40.99	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.23	-13	Pass	7841
814	860	0.1	RMS	836.1	19.96	60	Pass	461
860	1000	0.1	RMS	928.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	2647	-46.74	-13	Pass	2001
3000	10000	1	RMS	9961	-41.01	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.16	-13	Pass	2986
30	814	0.1	RMS	809	-61.95	-13	Pass	7841
814	860	0.1	RMS	836.1	20.06	60	Pass	461
860	1000	0.1	RMS	949.9	-62.38	-13	Pass	1401
1000	3000	1	RMS	2642	-46.71	-13	Pass	2001
3000	10000	1	RMS	9952	-40.94	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	Pass	2986
30	814	0.1	RMS	809.8	-62.42	-13	Pass	7841
814	860	0.1	RMS	847.9	19.84	60	Pass	461
860	1000	0.1	RMS	933.4	-62.31	-13	Pass	1401
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9970	-40.98	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	814	0.1	RMS	800.9	-62.18	-13	Pass	7841
814	860	0.1	RMS	847.8	19.23	60	Pass	461
860	1000	0.1	RMS	945.2	-62.38	-13	Pass	1401
1000	3000	1	RMS	2643	-46.8	-13	Pass	2001
3000	10000	1	RMS	9955	-41.03	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-13	Pass	2986
30	814	0.1	RMS	812.1	-61.29	-13	Pass	7841
814	860	0.1	RMS	824.2	20.2	60	Pass	461
860	1000	0.1	RMS	945	-62.37	-13	Pass	1401
1000	3000	1	RMS	2640	-46.7	-13	Pass	2001
3000	10000	1	RMS	9962	-40.99	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.79	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.09	-13	Pass	7841
814	860	0.1	RMS	824.2	19.88	60	Pass	461
860	1000	0.1	RMS	936.4	-62.29	-13	Pass	1401
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	10000	1	RMS	9955	-40.99	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2986
30	814	0.1	RMS	812.7	-61.84	-13	Pass	7841
814	860	0.1	RMS	835.2	20.08	60	Pass	461
860	1000	0.1	RMS	937.6	-62.33	-13	Pass	1401
1000	3000	1	RMS	2645	-46.75	-13	Pass	2001
3000	10000	1	RMS	9955	-41.01	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.1	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.58	-13	Pass	7841
814	860	0.1	RMS	835.2	20.27	60	Pass	461
860	1000	0.1	RMS	923.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2641	-46.78	-13	Pass	2001
3000	10000	1	RMS	9954	-40.98	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	Pass	2986
30	814	0.1	RMS	813.8	-62.25	-13	Pass	7841
814	860	0.1	RMS	846.2	20.1	60	Pass	461
860	1000	0.1	RMS	936.5	-62.46	-13	Pass	1401
1000	3000	1	RMS	2650	-46.74	-13	Pass	2001
3000	10000	1	RMS	9958	-41	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.34	-13	Pass	7841
814	860	0.1	RMS	846.2	19.18	60	Pass	461
860	1000	0.1	RMS	939.8	-62.5	-13	Pass	1401
1000	3000	1	RMS	2646	-46.76	-13	Pass	2001
3000	10000	1	RMS	9956	-40.96	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.23	-13	Pass	7841
814	860	0.1	RMS	824.3	20	60	Pass	461
860	1000	0.1	RMS	904	-62.45	-13	Pass	1401
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9954	-40.93	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.98	-13	Pass	2986
30	814	0.1	RMS	809.9	-61.07	-13	Pass	7841
814	860	0.1	RMS	824.3	19.25	60	Pass	461
860	1000	0.1	RMS	897.3	-62.31	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9963	-41.03	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.57	-13	Pass	7841
814	860	0.1	RMS	834.3	20.18	60	Pass	461
860	1000	0.1	RMS	954.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2638	-46.78	-13	Pass	2001
3000	10000	1	RMS	9965	-40.98	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.74	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.85	-13	Pass	7841
814	860	0.1	RMS	834.3	19.71	60	Pass	461
860	1000	0.1	RMS	933.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2648	-46.79	-13	Pass	2001
3000	10000	1	RMS	9954	-41.06	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.6	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.03	-13	Pass	7841
814	860	0.1	RMS	844.3	20.09	60	Pass	461
860	1000	0.1	RMS	915.5	-62.45	-13	Pass	1401
1000	3000	1	RMS	2644	-46.77	-13	Pass	2001
3000	10000	1	RMS	9953	-41.01	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.53	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.26	-13	Pass	7841
814	860	0.1	RMS	844.3	19.47	60	Pass	461
860	1000	0.1	RMS	950.3	-62.35	-13	Pass	1401
1000	3000	1	RMS	2652	-46.79	-13	Pass	2001
3000	10000	1	RMS	9956	-41.02	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	814	0.1	RMS	807	-56.15	-13	Pass	7841
814	860	0.1	RMS	824.6	20.61	60	Pass	461
860	1000	0.1	RMS	928.1	-62.42	-13	Pass	1401
1000	3000	1	RMS	2650	-46.76	-13	Pass	2001
3000	10000	1	RMS	9955	-40.89	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.46	-13	Pass	2986
30	814	0.1	RMS	807	-55.49	-13	Pass	7841
814	860	0.1	RMS	824.6	20.27	60	Pass	461
860	1000	0.1	RMS	892.8	-62.39	-13	Pass	1401
1000	3000	1	RMS	2639	-46.77	-13	Pass	2001
3000	10000	1	RMS	9968	-41.04	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2986
30	814	0.1	RMS	814	-57.51	-13	Pass	7841
814	860	0.1	RMS	832.1	20.74	60	Pass	461
860	1000	0.1	RMS	927.9	-62.41	-13	Pass	1401
1000	3000	1	RMS	2641	-46.77	-13	Pass	2001
3000	10000	1	RMS	9951	-40.99	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.58	-13	Pass	2986
30	814	0.1	RMS	814	-58.23	-13	Pass	7841
814	860	0.1	RMS	832.1	20	60	Pass	461
860	1000	0.1	RMS	876.5	-62.38	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9955	-41.01	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.92	-13	Pass	7841
814	860	0.1	RMS	839.6	20.55	60	Pass	461
860	1000	0.1	RMS	991	-62.46	-13	Pass	1401
1000	3000	1	RMS	2642	-46.77	-13	Pass	2001
3000	10000	1	RMS	9950	-41.04	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.44	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.15	-13	Pass	7841
814	860	0.1	RMS	839.6	19.52	60	Pass	461
860	1000	0.1	RMS	907.5	-62.35	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9954	-41.01	-13	Pass	7001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.31	-13	Pass	2986
30	814	0.1	RMS	811.5	-56.23	-13	Pass	7841
814	860	0.1	RMS	824.8	20.05	60	Pass	461
860	1000	0.1	RMS	936.3	-62.32	-13	Pass	1401
1000	3000	1	RMS	2649	-46.77	-13	Pass	2001
3000	10000	1	RMS	9961	-40.96	-13	Pass	7001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.58	-13	Pass	2986
30	814	0.1	RMS	811.5	-55.24	-13	Pass	7841
814	860	0.1	RMS	824.8	19.75	60	Pass	461
860	1000	0.1	RMS	928.9	-62.4	-13	Pass	1401
1000	3000	1	RMS	2646	-46.77	-13	Pass	2001
3000	10000	1	RMS	9956	-41.04	-13	Pass	7001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.24	-13	Pass	2986
30	814	0.1	RMS	814	-61.46	-13	Pass	7841
814	860	0.1	RMS	829.8	20.15	60	Pass	461
860	1000	0.1	RMS	921.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2653	-46.78	-13	Pass	2001
3000	10000	1	RMS	9954	-40.99	-13	Pass	7001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.53	-13	Pass	7841
814	860	0.1	RMS	829.8	19.68	60	Pass	461
860	1000	0.1	RMS	888.5	-62.5	-13	Pass	1401
1000	3000	1	RMS	2647	-46.78	-13	Pass	2001
3000	10000	1	RMS	9952	-40.98	-13	Pass	7001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.83	-13	Pass	2986
30	814	0.1	RMS	808.2	-48.21	-13	Pass	7841
814	860	0.1	RMS	834.8	19.85	60	Pass	461
860	1000	0.1	RMS	934.6	-62.37	-13	Pass	1401
1000	3000	1	RMS	2640	-46.76	-13	Pass	2001
3000	10000	1	RMS	9952	-41.02	-13	Pass	7001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.08	-13	Pass	2986
30	814	0.1	RMS	808.2	-47.6	-13	Pass	7841
814	860	0.1	RMS	834.8	19.67	60	Pass	461
860	1000	0.1	RMS	932.5	-62.3	-13	Pass	1401
1000	3000	1	RMS	2647	-46.74	-13	Pass	2001
3000	10000	1	RMS	9963	-40.97	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.05	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.2	-13	Pass	2986
30	809	0.1	Peak	780.5	-51.58	-13	Pass	7791
809	829	0.1	Peak	814.2	25.75	60	Pass	401
829	1000	0.1	Peak	902.5	-50.92	-13	Pass	1711
1000	3000	1	Peak	2628	-34.82	-13	Pass	2001
3000	10000	1	Peak	9998	-28.57	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.81	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.02	-13	Pass	2986
30	809	0.1	Peak	771.7	-51.15	-13	Pass	7791
809	829	0.1	Peak	814.2	26.63	60	Pass	401
829	1000	0.1	Peak	881.2	-51.5	-13	Pass	1711
1000	3000	1	Peak	2642	-34.86	-13	Pass	2001
3000	10000	1	Peak	7730	-28.62	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.37	-13	Pass	2986
30	809	0.1	Peak	427.5	-51.98	-13	Pass	7791
809	829	0.1	Peak	818.55	26.38	60	Pass	401
829	1000	0.1	Peak	927.9	-51.25	-13	Pass	1711
1000	3000	1	Peak	2777	-35.53	-13	Pass	2001
3000	10000	1	Peak	9902	-29.31	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.61	-13	Pass	2986
30	809	0.1	Peak	795.2	-51.46	-13	Pass	7791
809	829	0.1	Peak	818.6	26.77	60	Pass	401
829	1000	0.1	Peak	998.3	-51.05	-13	Pass	1711
1000	3000	1	Peak	2506	-35.17	-13	Pass	2001
3000	10000	1	Peak	9496	-29.36	-13	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-51.51	-13	Pass	2986
30	809	0.1	Peak	746.7	-51.49	-13	Pass	7791
809	829	0.1	Peak	822.9	25.57	60	Pass	401
829	1000	0.1	Peak	829.7	-48.26	-13	Pass	1711
1000	3000	1	Peak	2642	-35.07	-13	Pass	2001
3000	10000	1	Peak	9995	-28.73	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.71	-13	Pass	2986
30	809	0.1	Peak	718.8	-50.89	-13	Pass	7791
809	829	0.1	Peak	822.85	25.79	60	Pass	401
829	1000	0.1	Peak	951.3	-51.41	-13	Pass	1711
1000	3000	1	Peak	2736	-35.37	-13	Pass	2001
3000	10000	1	Peak	9487	-29.4	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.24	-13	Pass	2986
30	809	0.1	Peak	809	-34.72	-13	Pass	7791
809	829	0.1	Peak	814.2	25.56	60	Pass	401
829	1000	0.1	Peak	829.4	-51	-13	Pass	1711
1000	3000	1	Peak	2685	-35.36	-13	Pass	2001
3000	10000	1	Peak	8081	-28.92	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.5	-13	Pass	2986
30	809	0.1	Peak	809	-35.4	-13	Pass	7791
809	829	0.1	Peak	814.2	25.95	60	Pass	401
829	1000	0.1	Peak	833	-50.74	-13	Pass	1711
1000	3000	1	Peak	2664	-35.07	-13	Pass	2001
3000	10000	1	Peak	9954	-28.63	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.06	-13	Pass	2986
30	809	0.1	Peak	747.7	-50.88	-13	Pass	7791
809	829	0.1	Peak	817.75	26.08	60	Pass	401
829	1000	0.1	Peak	829.9	-50.83	-13	Pass	1711
1000	3000	1	Peak	2627	-34.93	-13	Pass	2001
3000	10000	1	Peak	9852	-29.15	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.55	-13	Pass	2986
30	809	0.1	Peak	808.1	-50.96	-13	Pass	7791
809	829	0.1	Peak	817.75	26.67	60	Pass	401
829	1000	0.1	Peak	833.4	-50.87	-13	Pass	1711
1000	3000	1	Peak	2648	-35.54	-13	Pass	2001
3000	10000	1	Peak	7679	-29.32	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.33	-13	Pass	2986
30	809	0.1	Peak	768.5	-51.48	-13	Pass	7791
809	829	0.1	Peak	821.25	25.81	60	Pass	401
829	1000	0.1	Peak	829.1	-48.21	-13	Pass	1711
1000	3000	1	Peak	2753	-34.64	-13	Pass	2001
3000	10000	1	Peak	9970	-29	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.1	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.28	-13	Pass	2986
30	809	0.1	Peak	806.2	-51.8	-13	Pass	7791
809	829	0.1	Peak	821.3	26.09	60	Pass	401
829	1000	0.1	Peak	829.3	-47.51	-13	Pass	1711
1000	3000	1	Peak	2644	-34.1	-13	Pass	2001
3000	10000	1	Peak	8098	-29.28	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-50.26	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.65	-13	Pass	2986
30	809	0.1	Peak	805.7	-46.82	-13	Pass	7791
809	829	0.1	Peak	814.35	26.07	60	Pass	401
829	1000	0.1	Peak	833.7	-50.84	-13	Pass	1711
1000	3000	1	Peak	2990	-35.16	-13	Pass	2001
3000	10000	1	Peak	7668	-28.83	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.55	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.04	-13	Pass	2986
30	809	0.1	Peak	808.8	-50.64	-13	Pass	7791
809	829	0.1	Peak	814.3	26.16	60	Pass	401
829	1000	0.1	Peak	831.2	-48.72	-13	Pass	1711
1000	3000	1	Peak	2660	-34.81	-13	Pass	2001
3000	10000	1	Peak	9922	-29.14	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.65	-13	Pass	2986
30	809	0.1	Peak	808.3	-34.08	-13	Pass	7791
809	829	0.1	Peak	816.9	25.92	60	Pass	401
829	1000	0.1	Peak	841.3	-35.01	-13	Pass	1711
1000	3000	1	Peak	2789	-35.22	-13	Pass	2001
3000	10000	1	Peak	9525	-29.49	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.18	-13	Pass	2986
30	809	0.1	Peak	808.2	-34.94	-13	Pass	7791
809	829	0.1	Peak	816.8	26.09	60	Pass	401
829	1000	0.1	Peak	967.5	-50.17	-13	Pass	1711
1000	3000	1	Peak	2634	-34.57	-13	Pass	2001
3000	10000	1	Peak	9952	-28.99	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.41	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.65	-13	Pass	2986
30	809	0.1	Peak	749.2	-52.09	-13	Pass	7791
809	829	0.1	Peak	819.3	25.62	60	Pass	401
829	1000	0.1	Peak	829.8	-47.7	-13	Pass	1711
1000	3000	1	Peak	2663	-35.19	-13	Pass	2001
3000	10000	1	Peak	9909	-29.24	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.36	-13	Pass	2986
30	809	0.1	Peak	792.9	-51.95	-13	Pass	7791
809	829	0.1	Peak	819.35	26.37	60	Pass	401
829	1000	0.1	Peak	835.2	-48.51	-13	Pass	1711
1000	3000	1	Peak	2875	-35.22	-13	Pass	2001
3000	10000	1	Peak	9569	-29.33	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-49.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.92	-13	Pass	2986
30	809	0.1	Peak	809	-43.51	-13	Pass	7791
809	829	0.1	Peak	814.6	26.11	60	Pass	401
829	1000	0.1	Peak	832.2	-20.82	-13	Pass	1711
1000	3000	1	Peak	2658	-35	-13	Pass	2001
3000	10000	1	Peak	9953	-29.26	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.44	-13	Pass	2986
30	809	0.1	Peak	808.9	-37.37	-13	Pass	7791
809	829	0.1	Peak	814.55	26.13	60	Pass	401
829	1000	0.1	Peak	832.3	-18.48	-13	Pass	1711
1000	3000	1	Peak	2637	-35.07	-13	Pass	2001
3000	10000	1	Peak	9937	-27.84	-13	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-49.64	-13	Pass	701
1700	1790	1	RMS	1710.35	23.17	60	Pass	401
1790	3000	1	RMS	2646	-46.69	-13	Pass	1211
3000	12000	1	RMS	11861	-38.09	-13	Pass	9001
12000	20000	1	RMS	19998	-22.69	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.72	-13	Pass	2986
30	1000	0.1	RMS	901.9	-62.06	-13	Pass	9701
1000	1700	1	RMS	1700	-49.53	-13	Pass	701
1700	1790	1	RMS	1710.125	23.54	60	Pass	401
1790	3000	1	RMS	2649	-46.66	-13	Pass	1211
3000	12000	1	RMS	11851	-38.14	-13	Pass	9001
12000	20000	1	RMS	19999	-22.69	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.3	-13	Pass	2986
30	1000	0.1	RMS	929.6	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.04	-13	Pass	701
1700	1790	1	RMS	1744.55	23.38	60	Pass	401
1790	3000	1	RMS	2648	-46.71	-13	Pass	1211
3000	12000	1	RMS	3489	-37.75	-13	Pass	9001
12000	20000	1	RMS	19999	-22.72	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	Pass	2986
30	1000	0.1	RMS	936	-62.1	-13	Pass	9701
1000	1700	1	RMS	1697	-51.05	-13	Pass	701
1700	1790	1	RMS	1744.55	23.39	60	Pass	401
1790	3000	1	RMS	2644	-46.71	-13	Pass	1211
3000	12000	1	RMS	3489	-37.37	-13	Pass	9001
12000	20000	1	RMS	20000	-22.71	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.67	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.26	-13	Pass	9701
1000	1700	1	RMS	1613	-51.11	-13	Pass	701
1700	1790	1	RMS	1778.75	23.28	60	Pass	401
1790	3000	1	RMS	2639	-46.65	-13	Pass	1211
3000	12000	1	RMS	3558	-34.98	-13	Pass	9001
12000	20000	1	RMS	20000	-22.71	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.83	-13	Pass	2986
30	1000	0.1	RMS	994.6	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-51.14	-13	Pass	701
1700	1790	1	RMS	1778.75	22.68	60	Pass	401
1790	3000	1	RMS	2640	-46.69	-13	Pass	1211
3000	12000	1	RMS	3558	-35.63	-13	Pass	9001
12000	20000	1	RMS	19999	-22.84	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.17	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-48.58	-13	Pass	701
1700	1790	1	RMS	1710.35	23.26	60	Pass	401
1790	3000	1	RMS	2654	-46.69	-13	Pass	1211
3000	12000	1	RMS	11853	-38.14	-13	Pass	9001
12000	20000	1	RMS	19999	-22.76	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-48.66	-13	Pass	701
1700	1790	1	RMS	1710.35	22.64	60	Pass	401
1790	3000	1	RMS	2641	-46.62	-13	Pass	1211
3000	12000	1	RMS	11856	-38.08	-13	Pass	9001
12000	20000	1	RMS	19998	-22.69	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-59.13	-13	Pass	2986
30	1000	0.1	RMS	967.5	-62.16	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1790	1	RMS	1743.65	23.21	60	Pass	401
1790	3000	1	RMS	2645	-46.73	-13	Pass	1211
3000	12000	1	RMS	11849	-38.08	-13	Pass	9001
12000	20000	1	RMS	19995	-22.75	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.59	-13	Pass	2986
30	1000	0.1	RMS	939	-62.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1790	1	RMS	1743.65	23.17	60	Pass	401
1790	3000	1	RMS	2642	-46.68	-13	Pass	1211
3000	12000	1	RMS	11848	-38.17	-13	Pass	9001
12000	20000	1	RMS	19999	-22.66	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.74	-13	Pass	2986
30	1000	0.1	RMS	913.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1699	-51.11	-13	Pass	701
1700	1790	1	RMS	1777.175	23.36	60	Pass	401
1790	3000	1	RMS	2643	-46.7	-13	Pass	1211
3000	12000	1	RMS	3554	-36.66	-13	Pass	9001
12000	20000	1	RMS	19994	-22.7	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	Pass	2986
30	1000	0.1	RMS	916	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1777.175	22.77	60	Pass	401
1790	3000	1	RMS	2641	-46.68	-13	Pass	1211
3000	12000	1	RMS	3555	-37.03	-13	Pass	9001
12000	20000	1	RMS	19997	-22.76	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2986
30	1000	0.1	RMS	894.6	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-48.65	-13	Pass	701
1700	1790	1	RMS	1710.35	23.35	60	Pass	401
1790	3000	1	RMS	2647	-46.64	-13	Pass	1211
3000	12000	1	RMS	11848	-38.14	-13	Pass	9001
12000	20000	1	RMS	19999	-22.68	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.28	-13	Pass	2986
30	1000	0.1	RMS	925.3	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-48.97	-13	Pass	701
1700	1790	1	RMS	1710.35	22.26	60	Pass	401
1790	3000	1	RMS	2645	-46.69	-13	Pass	1211
3000	12000	1	RMS	11853	-38.11	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	Pass	2986
30	1000	0.1	RMS	944.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1698	-51.01	-13	Pass	701
1700	1790	1	RMS	1742.75	23.26	60	Pass	401
1790	3000	1	RMS	2643	-46.64	-13	Pass	1211
3000	12000	1	RMS	3486	-37.51	-13	Pass	9001
12000	20000	1	RMS	19996	-22.77	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-57.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.94	-13	Pass	2986
30	1000	0.1	RMS	918.2	-61.98	-13	Pass	9701
1000	1700	1	RMS	1698	-51.03	-13	Pass	701
1700	1790	1	RMS	1742.75	22.82	60	Pass	401
1790	3000	1	RMS	2647	-46.71	-13	Pass	1211
3000	12000	1	RMS	11867	-38.04	-13	Pass	9001
12000	20000	1	RMS	19995	-22.73	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.97	-13	Pass	2986
30	1000	0.1	RMS	918	-61.91	-13	Pass	9701
1000	1700	1	RMS	1699	-51.04	-13	Pass	701
1700	1790	1	RMS	1775.375	23.38	60	Pass	401
1790	3000	1	RMS	2650	-46.64	-13	Pass	1211
3000	12000	1	RMS	3551	-36.11	-13	Pass	9001
12000	20000	1	RMS	20000	-22.74	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	Pass	2986
30	1000	0.1	RMS	910.6	-62.09	-13	Pass	9701
1000	1700	1	RMS	1698	-51.12	-13	Pass	701
1700	1790	1	RMS	1775.375	22.97	60	Pass	401
1790	3000	1	RMS	2645	-46.71	-13	Pass	1211
3000	12000	1	RMS	3551	-37.01	-13	Pass	9001
12000	20000	1	RMS	19998	-22.72	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.09	-13	Pass	9701
1000	1700	1	RMS	1693	-45.6	-13	Pass	701
1700	1790	1	RMS	1710.575	23.27	60	Pass	401
1790	3000	1	RMS	2642	-46.7	-13	Pass	1211
3000	12000	1	RMS	11862	-38.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.66	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.79	-13	Pass	2986
30	1000	0.1	RMS	879.9	-62.18	-13	Pass	9701
1000	1700	1	RMS	1693	-45.97	-13	Pass	701
1700	1790	1	RMS	1710.575	22.78	60	Pass	401
1790	3000	1	RMS	2647	-46.67	-13	Pass	1211
3000	12000	1	RMS	11857	-38.06	-13	Pass	9001
12000	20000	1	RMS	19995	-22.71	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.15	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1740.5	23.34	60	Pass	401
1790	3000	1	RMS	2653	-46.66	-13	Pass	1211
3000	12000	1	RMS	3481	-37.86	-13	Pass	9001
12000	20000	1	RMS	20000	-22.7	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.45	-13	Pass	2986
30	1000	0.1	RMS	913.6	-62.02	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1790	1	RMS	1740.5	23.13	60	Pass	401
1790	3000	1	RMS	2655	-46.71	-13	Pass	1211
3000	12000	1	RMS	3481	-38.12	-13	Pass	9001
12000	20000	1	RMS	19997	-22.81	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1790	1	RMS	1770.65	23.45	60	Pass	401
1790	3000	1	RMS	2644	-46.72	-13	Pass	1211
3000	12000	1	RMS	3541	-36.95	-13	Pass	9001
12000	20000	1	RMS	20000	-22.79	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.48	-13	Pass	2986
30	1000	0.1	RMS	927.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1594	-51.1	-13	Pass	701
1700	1790	1	RMS	1770.65	22.44	60	Pass	401
1790	3000	1	RMS	2643	-46.68	-13	Pass	1211
3000	12000	1	RMS	3541	-37.94	-13	Pass	9001
12000	20000	1	RMS	19999	-22.74	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.88	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1697	-43.65	-13	Pass	701
1700	1790	1	RMS	1710.8	23.29	60	Pass	401
1790	3000	1	RMS	2643	-46.69	-13	Pass	1211
3000	12000	1	RMS	11860	-38.1	-13	Pass	9001
12000	20000	1	RMS	19998	-22.68	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.81	-13	Pass	2986
30	1000	0.1	RMS	896	-61.94	-13	Pass	9701
1000	1700	1	RMS	1697	-43.33	-13	Pass	701
1700	1790	1	RMS	1710.8	22.76	60	Pass	401
1790	3000	1	RMS	2649	-46.65	-13	Pass	1211
3000	12000	1	RMS	11848	-38.04	-13	Pass	9001
12000	20000	1	RMS	19995	-22.63	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.87	-13	Pass	2986
30	1000	0.1	RMS	938.2	-62.11	-13	Pass	9701
1000	1700	1	RMS	1700	-50.83	-13	Pass	701
1700	1790	1	RMS	1738.25	23.31	60	Pass	401
1790	3000	1	RMS	2651	-46.67	-13	Pass	1211
3000	12000	1	RMS	11894	-38.15	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	Pass	2986
30	1000	0.1	RMS	936.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1699	-50.84	-13	Pass	701
1700	1790	1	RMS	1738.25	23	60	Pass	401
1790	3000	1	RMS	2641	-46.68	-13	Pass	1211
3000	12000	1	RMS	11850	-38.03	-13	Pass	9001
12000	20000	1	RMS	19999	-22.68	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	Pass	2986
30	1000	0.1	RMS	932.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1697	-51.06	-13	Pass	701
1700	1790	1	RMS	1765.925	23.37	60	Pass	401
1790	3000	1	RMS	1792	-38.86	-13	Pass	1211
3000	12000	1	RMS	11846	-38.07	-13	Pass	9001
12000	20000	1	RMS	19993	-22.79	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	1000	0.1	RMS	948.7	-62.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.02	-13	Pass	701
1700	1790	1	RMS	1765.925	23.07	60	Pass	401
1790	3000	1	RMS	1792	-39.4	-13	Pass	1211
3000	12000	1	RMS	11856	-38.1	-13	Pass	9001
12000	20000	1	RMS	19998	-22.74	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	1000	0.1	RMS	911.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1693	-44.46	-13	Pass	701
1700	1790	1	RMS	1711.025	23.34	60	Pass	401
1790	3000	1	RMS	2650	-46.69	-13	Pass	1211
3000	12000	1	RMS	11846	-38.14	-13	Pass	9001
12000	20000	1	RMS	20000	-22.76	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.42	-13	Pass	2986
30	1000	0.1	RMS	928	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-44.13	-13	Pass	701
1700	1790	1	RMS	1711.025	22.98	60	Pass	401
1790	3000	1	RMS	2999	-46.69	-13	Pass	1211
3000	12000	1	RMS	11854	-38.1	-13	Pass	9001
12000	20000	1	RMS	19999	-22.76	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.07	-13	Pass	2986
30	1000	0.1	RMS	891.3	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-43.24	-13	Pass	701
1700	1790	1	RMS	1736	23.58	60	Pass	401
1790	3000	1	RMS	2643	-46.64	-13	Pass	1211
3000	12000	1	RMS	11849	-38.15	-13	Pass	9001
12000	20000	1	RMS	19998	-22.72	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-13	Pass	2986
30	1000	0.1	RMS	909.3	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-44.39	-13	Pass	701
1700	1790	1	RMS	1736	22.44	60	Pass	401
1790	3000	1	RMS	2650	-46.69	-13	Pass	1211
3000	12000	1	RMS	11858	-38.08	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.53	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-45.94	-13	Pass	701
1700	1790	1	RMS	1760.975	23.4	60	Pass	401
1790	3000	1	RMS	1797	-40.75	-13	Pass	1211
3000	12000	1	RMS	3522	-37.17	-13	Pass	9001
12000	20000	1	RMS	20000	-22.73	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-59.78	-13	Pass	2986
30	1000	0.1	RMS	963.4	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-46.19	-13	Pass	701
1700	1790	1	RMS	1760.975	22.97	60	Pass	401
1790	3000	1	RMS	1797	-40.69	-13	Pass	1211
3000	12000	1	RMS	3522	-37.51	-13	Pass	9001
12000	20000	1	RMS	19995	-22.75	-13	Pass	8001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-25	Pass	2986
30	1000	0.1	RMS	947.6	-58.12	-25	Pass	9701
1000	2560	1	RMS	2544	-42.46	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.29	60	Pass	401
2630	3000	1	RMS	2641.1	-42.78	-25	Pass	401
3000	12000	1	RMS	7711	-42.7	-25	Pass	9001
12000	26500	1	RMS	25012	-31.47	-25	Pass	14501




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-25	Pass	2986
30	1000	0.1	RMS	930.7	-58.03	-25	Pass	9701
1000	2560	1	RMS	2544	-42.62	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.35	60	Pass	401
2630	3000	1	RMS	2646.65	-42.71	-25	Pass	401
3000	12000	1	RMS	7712	-46.84	-25	Pass	9001
12000	26500	1	RMS	25011	-31.47	-25	Pass	14501




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-25	Pass	2986
30	1000	0.1	RMS	895	-58.13	-25	Pass	9701
1000	2560	1	RMS	2540	-43.72	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.13	60	Pass	401
2630	3000	1	RMS	2642.95	-42.73	-25	Pass	401
3000	12000	1	RMS	7778	-43.8	-25	Pass	9001
12000	26500	1	RMS	25012	-31.57	-25	Pass	14501




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.11	-25	Pass	2986
30	1000	0.1	RMS	868.5	-58.12	-25	Pass	9701
1000	2560	1	RMS	2517	-43.74	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.44	60	Pass	401
2630	3000	1	RMS	2644.8	-42.74	-25	Pass	401
3000	12000	1	RMS	7779	-42.39	-25	Pass	9001
12000	26500	1	RMS	25015	-31.53	-25	Pass	14501




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-25	Pass	2986
30	1000	0.1	RMS	915.7	-58.11	-25	Pass	9701
1000	2560	1	RMS	2547	-43.74	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.97	60	Pass	401
2630	3000	1	RMS	2641.1	-42.34	-25	Pass	401
3000	12000	1	RMS	7846	-42.63	-25	Pass	9001
12000	26500	1	RMS	25015	-31.48	-25	Pass	14501




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-25	Pass	2986
30	1000	0.1	RMS	922.5	-58.11	-25	Pass	9701
1000	2560	1	RMS	2554	-43.74	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.37	60	Pass	401
2630	3000	1	RMS	2641.1	-42.3	-25	Pass	401
3000	12000	1	RMS	7846	-43.53	-25	Pass	9001
12000	26500	1	RMS	25012	-31.44	-25	Pass	14501




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-25	Pass	2986
30	1000	0.1	RMS	915.8	-58.17	-25	Pass	9701
1000	2560	1	RMS	2553	-42.68	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.12	60	Pass	401
2630	3000	1	RMS	2641.1	-42.74	-25	Pass	401
3000	12000	1	RMS	7712	-39.73	-25	Pass	9001
12000	26500	1	RMS	25015	-31.54	-25	Pass	14501




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.8	-25	Pass	2986
30	1000	0.1	RMS	958	-58.13	-25	Pass	9701
1000	2560	1	RMS	2553	-41.94	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.67	60	Pass	401
2630	3000	1	RMS	2649.425	-42.74	-25	Pass	401
3000	12000	1	RMS	7712	-40.17	-25	Pass	9001
12000	26500	1	RMS	25016	-31.44	-25	Pass	14501



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.6	-25	Pass	2986
30	1000	0.1	RMS	930.3	-58.11	-25	Pass	9701
1000	2560	1	RMS	2529	-43.52	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.06	60	Pass	401
2630	3000	1	RMS	2642.95	-42.7	-25	Pass	401
3000	12000	1	RMS	7772	-43.09	-25	Pass	9001
12000	26500	1	RMS	25010	-31.33	-25	Pass	14501



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.1	-25	Pass	2986
30	1000	0.1	RMS	919.8	-58.17	-25	Pass	9701
1000	2560	1	RMS	2529	-43.68	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.79	60	Pass	401
2630	3000	1	RMS	2638.325	-42.74	-25	Pass	401
3000	12000	1	RMS	7771	-45.61	-25	Pass	9001
12000	26500	1	RMS	25016	-31.52	-25	Pass	14501



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-25	Pass	2986
30	1000	0.1	RMS	930.3	-58.01	-25	Pass	9701
1000	2560	1	RMS	2549	-43.48	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.03	60	Pass	401
2630	3000	1	RMS	2636.475	-42.23	-25	Pass	401
3000	12000	1	RMS	7832	-42.87	-25	Pass	9001
12000	26500	1	RMS	25013	-31.42	-25	Pass	14501



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.65	-25	Pass	2986
30	1000	0.1	RMS	909.1	-58.11	-25	Pass	9701
1000	2560	1	RMS	2558	-43.73	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.41	60	Pass	401
2630	3000	1	RMS	2636.475	-42.44	-25	Pass	401
3000	12000	1	RMS	7832	-44.01	-25	Pass	9001
12000	26500	1	RMS	25015	-31.44	-25	Pass	14501



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.87	-25	Pass	2986
30	1000	0.1	RMS	913.3	-58.08	-25	Pass	9701
1000	2560	1	RMS	2558	-39.69	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.33	60	Pass	401
2630	3000	1	RMS	2702.15	-40.85	-25	Pass	401
3000	12000	1	RMS	7713	-41.12	-25	Pass	9001
12000	26500	1	RMS	25014	-31.5	-25	Pass	14501



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.59	-25	Pass	2986
30	1000	0.1	RMS	939.8	-58.08	-25	Pass	9701
1000	2560	1	RMS	2544	-40.46	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.08	60	Pass	401
2630	3000	1	RMS	2702.15	-41.18	-25	Pass	401
3000	12000	1	RMS	7712	-47.81	-25	Pass	9001
12000	26500	1	RMS	25015	-31.38	-25	Pass	14501



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-25	Pass	2986
30	1000	0.1	RMS	921.7	-58.09	-25	Pass	9701
1000	2560	1	RMS	2527	-42.9	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.83	60	Pass	401
2630	3000	1	RMS	2711.4	-40.09	-25	Pass	401
3000	12000	1	RMS	7765	-44.39	-25	Pass	9001
12000	26500	1	RMS	25019	-31.48	-25	Pass	14501



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.47	-25	Pass	2986
30	1000	0.1	RMS	922.7	-58.11	-25	Pass	9701
1000	2560	1	RMS	2527	-42.02	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.68	60	Pass	401
2630	3000	1	RMS	2711.4	-40.27	-25	Pass	401
3000	12000	1	RMS	7765	-41.65	-25	Pass	9001
12000	26500	1	RMS	25012	-31.46	-25	Pass	14501



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.32	-25	Pass	2986
30	1000	0.1	RMS	927.4	-58.14	-25	Pass	9701
1000	2560	1	RMS	2483	-42.81	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.6	60	Pass	401
2645	3000	1	RMS	2728.425	-40.77	-25	Pass	401
3000	12000	1	RMS	7818	-44.88	-25	Pass	9001
12000	26500	1	RMS	25014	-31.5	-25	Pass	14501



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.16	-25	Pass	2986
30	1000	0.1	RMS	937.1	-58.15	-25	Pass	9701
1000	2560	1	RMS	2545	-43.19	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.8	60	Pass	401
2645	3000	1	RMS	2728.425	-40.81	-25	Pass	401
3000	12000	1	RMS	7818	-44.16	-25	Pass	9001
12000	26500	1	RMS	25013	-31.5	-25	Pass	14501



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	913.3	-58.22	-25	Pass	9701
1000	2560	1	RMS	2505	-40.86	-25	Pass	1561
2560	2630	1	RMS	2571.2	23.24	60	Pass	401
2630	3000	1	RMS	2703.075	-39.72	-25	Pass	401
3000	12000	1	RMS	7713	-43.15	-25	Pass	9001
12000	26500	1	RMS	25017	-31.31	-25	Pass	14501



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.28	-25	Pass	2986
30	1000	0.1	RMS	945.4	-57.99	-25	Pass	9701
1000	2560	1	RMS	2505	-40.26	-25	Pass	1561
2560	2630	1	RMS	2571.2	24.04	60	Pass	401
2630	3000	1	RMS	2703.075	-39.54	-25	Pass	401
3000	12000	1	RMS	7713	-42.31	-25	Pass	9001
12000	26500	1	RMS	25013	-31.39	-25	Pass	14501



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.47	-25	Pass	2986
30	1000	0.1	RMS	921.9	-58.2	-25	Pass	9701
1000	2560	1	RMS	2525	-39.4	-25	Pass	1561
2560	2630	1	RMS	2586.25	23.53	60	Pass	401
2630	3000	1	RMS	2708.625	-38.41	-25	Pass	401
3000	12000	1	RMS	7758	-42.08	-25	Pass	9001
12000	26500	1	RMS	25012	-31.44	-25	Pass	14501



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.95	-25	Pass	2986
30	1000	0.1	RMS	929	-58.17	-25	Pass	9701
1000	2560	1	RMS	2524	-39.46	-25	Pass	1561
2560	2630	1	RMS	2586.25	23.08	60	Pass	401
2630	3000	1	RMS	2708.625	-38.62	-25	Pass	401
3000	12000	1	RMS	7758	-43.63	-25	Pass	9001
12000	26500	1	RMS	25016	-31.46	-25	Pass	14501



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.72	-25	Pass	2986
30	1000	0.1	RMS	941.4	-58.18	-25	Pass	9701
1000	2560	1	RMS	2540	-39.47	-25	Pass	1561
2560	2645	1	RMS	2601.225	23.84	60	Pass	401
2645	3000	1	RMS	2723.988	-37.82	-25	Pass	401
3000	12000	1	RMS	7803	-48.57	-25	Pass	9001
12000	26500	1	RMS	25018	-31.39	-25	Pass	14501



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.28	-25	Pass	2986
30	1000	0.1	RMS	945.3	-58.03	-25	Pass	9701
1000	2560	1	RMS	2540	-40.62	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.59	60	Pass	401
2645	3000	1	RMS	2723.988	-37.72	-25	Pass	401
3000	12000	1	RMS	7803	-44.48	-25	Pass	9001
12000	26500	1	RMS	25012	-31.34	-25	Pass	14501



10. LTE_Band41 full


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-25	Pass	2986
30	1000	0.1	RMS	916.2	-58.22	-25	Pass	9701
1000	2486	1	RMS	2486	-43.37	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.88	60	Pass	401
2700	3000	1	RMS	2998.5	-42.81	-25	Pass	401
3000	12000	1	RMS	7489	-47.46	-25	Pass	9001
12000	27000	1	RMS	25014	-32.22	-25	Pass	15001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-25	Pass	2986
30	1000	0.1	RMS	935.1	-57.96	-25	Pass	9701
1000	2486	1	RMS	2486	-43.62	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.33	60	Pass	401
2700	3000	1	RMS	2998.5	-42.84	-25	Pass	401
3000	12000	1	RMS	7489	-42.36	-25	Pass	9001
12000	27000	1	RMS	25019	-32.32	-25	Pass	15001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-25	Pass	2986
30	1000	0.1	RMS	923.2	-58.17	-25	Pass	9701
1000	2486	1	RMS	2485	-44.05	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.35	60	Pass	401
2700	3000	1	RMS	2999.25	-42.83	-25	Pass	401
3000	12000	1	RMS	7773	-45.42	-25	Pass	9001
12000	27000	1	RMS	25012	-32.28	-25	Pass	15001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-25	Pass	2986
30	1000	0.1	RMS	910	-58.09	-25	Pass	9701
1000	2486	1	RMS	2486	-43.95	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.31	60	Pass	401
2700	3000	1	RMS	2997.75	-42.84	-25	Pass	401
3000	12000	1	RMS	7773	-42.71	-25	Pass	9001
12000	27000	1	RMS	25016	-32.26	-25	Pass	15001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-25	Pass	2986
30	1000	0.1	RMS	936.3	-58.1	-25	Pass	9701
1000	2486	1	RMS	2486	-44.04	-25	Pass	1487
2486	2700	1	RMS	2685.555	23.3	60	Pass	401
2700	3000	1	RMS	2711.25	-42.74	-25	Pass	401
3000	12000	1	RMS	8055	-57.42	-25	Pass	9001
12000	27000	1	RMS	25011	-32.24	-25	Pass	15001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.19	-25	Pass	2986
30	1000	0.1	RMS	912.3	-58.15	-25	Pass	9701
1000	2486	1	RMS	2485	-44.02	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.46	60	Pass	401
2700	3000	1	RMS	2996.25	-42.87	-25	Pass	401
3000	12000	1	RMS	8056	-51.77	-25	Pass	9001
12000	27000	1	RMS	25009	-32.37	-25	Pass	15001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	915.2	-58.08	-25	Pass	9701
1000	2486	1	RMS	2479	-43.08	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.95	60	Pass	401
2700	3000	1	RMS	3000	-42.83	-25	Pass	401
3000	12000	1	RMS	7490	-51.08	-25	Pass	9001
12000	27000	1	RMS	25013	-32.29	-25	Pass	15001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-25	Pass	2986
30	1000	0.1	RMS	933.7	-58.14	-25	Pass	9701
1000	2486	1	RMS	2479	-41.99	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.47	60	Pass	401
2700	3000	1	RMS	3000	-42.84	-25	Pass	401
3000	12000	1	RMS	7489	-46.05	-25	Pass	9001
12000	27000	1	RMS	25010	-32.28	-25	Pass	15001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-25	Pass	2986
30	1000	0.1	RMS	924.7	-58.07	-25	Pass	9701
1000	2486	1	RMS	2485	-44.05	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.47	60	Pass	401
2700	3000	1	RMS	3000	-42.88	-25	Pass	401
3000	12000	1	RMS	7766	-41.54	-25	Pass	9001
12000	27000	1	RMS	25012	-32.3	-25	Pass	15001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-25	Pass	2986
30	1000	0.1	RMS	945.2	-58.08	-25	Pass	9701
1000	2486	1	RMS	2483	-44.05	-25	Pass	1487
2486	2700	1	RMS	2588.72	23.52	60	Pass	401
2700	3000	1	RMS	2999.25	-42.79	-25	Pass	401
3000	12000	1	RMS	7766	-42.31	-25	Pass	9001
12000	27000	1	RMS	25012	-32.3	-25	Pass	15001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-25	Pass	2986
30	1000	0.1	RMS	926.5	-58.22	-25	Pass	9701
1000	2486	1	RMS	2486	-43.99	-25	Pass	1487
2486	2700	1	RMS	2680.74	23.47	60	Pass	401
2700	3000	1	RMS	2706.75	-42.66	-25	Pass	401
3000	12000	1	RMS	5361	-55.06	-25	Pass	9001
12000	27000	1	RMS	25007	-32.28	-25	Pass	15001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-25	Pass	2986
30	1000	0.1	RMS	912.7	-58.09	-25	Pass	9701
1000	2486	1	RMS	2486	-44.03	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.82	60	Pass	401
2700	3000	1	RMS	2706.75	-42.7	-25	Pass	401
3000	12000	1	RMS	8042	-50.32	-25	Pass	9001
12000	27000	1	RMS	25014	-32.28	-25	Pass	15001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	952	-58.09	-25	Pass	9701
1000	2486	1	RMS	2483	-42.47	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.01	60	Pass	401
2700	3000	1	RMS	2997.75	-42.86	-25	Pass	401
3000	12000	1	RMS	7490	-51.87	-25	Pass	9001
12000	27000	1	RMS	25012	-32.34	-25	Pass	15001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-25	Pass	2986
30	1000	0.1	RMS	963.5	-58.18	-25	Pass	9701
1000	2486	1	RMS	2483	-41.15	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.5	60	Pass	401
2700	3000	1	RMS	2999.25	-42.84	-25	Pass	401
3000	12000	1	RMS	7490	-43.99	-25	Pass	9001
12000	27000	1	RMS	25012	-32.27	-25	Pass	15001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-25	Pass	2986
30	1000	0.1	RMS	931.3	-58.08	-25	Pass	9701
1000	2486	1	RMS	2485	-44.06	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.74	60	Pass	401
2700	3000	1	RMS	2709	-39.97	-25	Pass	401
3000	12000	1	RMS	7759	-42.51	-25	Pass	9001
12000	27000	1	RMS	25014	-32.35	-25	Pass	15001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-25	Pass	2986
30	1000	0.1	RMS	932.3	-58	-25	Pass	9701
1000	2486	1	RMS	2486	-44.03	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.42	60	Pass	401
2700	3000	1	RMS	2709	-40.3	-25	Pass	401
3000	12000	1	RMS	7759	-41.33	-25	Pass	9001
12000	27000	1	RMS	25008	-32.27	-25	Pass	15001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-25	Pass	2986
30	1000	0.1	RMS	898.8	-58.08	-25	Pass	9701
1000	2486	1	RMS	2486	-44.05	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.3	60	Pass	401
2700	3000	1	RMS	2702.25	-32.94	-25	Pass	401
3000	12000	1	RMS	8028	-50.18	-25	Pass	9001
12000	27000	1	RMS	25013	-32.22	-25	Pass	15001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.58	-25	Pass	2986
30	1000	0.1	RMS	935.9	-58.13	-25	Pass	9701
1000	2486	1	RMS	2485	-44.06	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.43	60	Pass	401
2700	3000	1	RMS	2702.25	-30.19	-25	Pass	401
3000	12000	1	RMS	5352	-53.45	-25	Pass	9001
12000	27000	1	RMS	25012	-32.14	-25	Pass	15001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-25	Pass	2986
30	1000	0.1	RMS	965.6	-58.12	-25	Pass	9701
1000	2486	1	RMS	2480	-42.54	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.46	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	7492	-45.1	-25	Pass	9001
12000	27000	1	RMS	25011	-32.31	-25	Pass	15001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-25	Pass	2986
30	1000	0.1	RMS	935.8	-58.17	-25	Pass	9701
1000	2486	1	RMS	2480	-41.56	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.92	60	Pass	401
2700	3000	1	RMS	2997.75	-42.81	-25	Pass	401
3000	12000	1	RMS	7491	-41.95	-25	Pass	9001
12000	27000	1	RMS	25011	-32.27	-25	Pass	15001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.41	-25	Pass	2986
30	1000	0.1	RMS	912.7	-58.31	-25	Pass	9701
1000	2486	1	RMS	2486	-44.05	-25	Pass	1487
2486	2700	1	RMS	2584.44	22.47	60	Pass	401
2700	3000	1	RMS	2706.75	-37.94	-25	Pass	401
3000	12000	1	RMS	7752	-47	-25	Pass	9001
12000	27000	1	RMS	25012	-32.27	-25	Pass	15001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-25	Pass	2986
30	1000	0.1	RMS	912.8	-58.15	-25	Pass	9701
1000	2486	1	RMS	2485	-44.09	-25	Pass	1487
2486	2700	1	RMS	2584.44	21.71	60	Pass	401
2700	3000	1	RMS	2706.75	-37.91	-25	Pass	401
3000	12000	1	RMS	7752	-43.3	-25	Pass	9001
12000	27000	1	RMS	25017	-32.31	-25	Pass	15001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.36	-25	Pass	2986
30	1000	0.1	RMS	939.8	-58.13	-25	Pass	9701
1000	2486	1	RMS	2482	-44.04	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.71	60	Pass	401
2700	3000	1	RMS	2706.75	-32.87	-25	Pass	401
3000	12000	1	RMS	5342	-52.57	-25	Pass	9001
12000	27000	1	RMS	25013	-32.35	-25	Pass	15001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.36	-25	Pass	2986
30	1000	0.1	RMS	925.7	-58.13	-25	Pass	9701
1000	2486	1	RMS	2483	-43.98	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.36	60	Pass	401
2700	3000	1	RMS	2706.75	-30.92	-25	Pass	401
3000	12000	1	RMS	8013	-48.84	-25	Pass	9001
12000	27000	1	RMS	25008	-32.24	-25	Pass	15001



--BLANK BELOW--