


10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-60.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.92	-13	Pass	7841
814	860	0.1	RMS	839.6	20.25	60	Pass	461
860	1000	0.1	RMS	884.4	-63.87	-13	Pass	1401
1000	3000	1	RMS	2954	-48.71	-13	Pass	2001
3000	10000	1	RMS	6963	-41.46	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.72	-13	Pass	7841
814	860	0.1	RMS	839.6	19.46	60	Pass	461
860	1000	0.1	RMS	987.7	-63.87	-13	Pass	1401
1000	3000	1	RMS	2951	-48.74	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-60.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	814	0.1	RMS	811.6	-50.35	-13	Pass	7841
814	860	0.1	RMS	824.8	19.87	60	Pass	461
860	1000	0.1	RMS	874.9	-63.67	-13	Pass	1401
1000	3000	1	RMS	1649	-48.24	-13	Pass	2001
3000	10000	1	RMS	6963	-41.43	-13	Pass	7001



10.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.2	-13	Pass	2986
30	814	0.1	RMS	811.6	-51.96	-13	Pass	7841
814	860	0.1	RMS	824.8	19.05	60	Pass	461
860	1000	0.1	RMS	881.7	-63.79	-13	Pass	1401
1000	3000	1	RMS	2952	-48.73	-13	Pass	2001
3000	10000	1	RMS	6960	-41.49	-13	Pass	7001



10.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-60.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	Pass	2986
30	814	0.1	RMS	813.7	-59.16	-13	Pass	7841
814	860	0.1	RMS	829.8	19.82	60	Pass	461
860	1000	0.1	RMS	879.6	-63.84	-13	Pass	1401
1000	3000	1	RMS	2952	-48.71	-13	Pass	2001
3000	10000	1	RMS	6964	-41.36	-13	Pass	7001



10.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:26915, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2986
30	814	0.1	RMS	813.9	-57.75	-13	Pass	7841
814	860	0.1	RMS	829.8	18.83	60	Pass	461
860	1000	0.1	RMS	876.2	-63.68	-13	Pass	1401
1000	3000	1	RMS	2957	-48.73	-13	Pass	2001
3000	10000	1	RMS	6961	-41.48	-13	Pass	7001



10.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-58.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	814	0.1	RMS	811.8	-55.6	-13	Pass	7841
814	860	0.1	RMS	834.8	19.62	60	Pass	461
860	1000	0.1	RMS	863.2	-63.86	-13	Pass	1401
1000	3000	1	RMS	1669	-47.69	-13	Pass	2001
3000	10000	1	RMS	6960	-41.45	-13	Pass	7001



10.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.28	-13	Pass	2986
30	814	0.1	RMS	811.8	-56.05	-13	Pass	7841
814	860	0.1	RMS	834.8	18.84	60	Pass	461
860	1000	0.1	RMS	867.1	-63.8	-13	Pass	1401
1000	3000	1	RMS	1669	-48.3	-13	Pass	2001
3000	10000	1	RMS	6960	-41.43	-13	Pass	7001



9. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-25	Pass	2986
30	1000	0.1	RMS	841.6	-63.74	-25	Pass	9701
1000	2490	1	RMS	2490	-49.79	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.84	60	Pass	401
2580	3000	1	RMS	2947	-48.38	-25	Pass	421
3000	12000	1	RMS	11856	-59.54	-25	Pass	9002
12000	26000	1	RMS	25995	-43.6	-25	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-25	Pass	2986
30	1000	0.1	RMS	845.6	-63.69	-25	Pass	9701
1000	2490	1	RMS	2490	-49.81	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.98	60	Pass	401
2580	3000	1	RMS	2957	-48.36	-25	Pass	421
3000	12000	1	RMS	11845	-59.56	-25	Pass	9002
12000	26000	1	RMS	25996	-43.27	-25	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-25	Pass	2986
30	1000	0.1	RMS	840.5	-63.69	-25	Pass	9701
1000	2490	1	RMS	2487	-50.17	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.23	60	Pass	401
2580	3000	1	RMS	2953	-48.39	-25	Pass	421
3000	12000	1	RMS	5066	-55.37	-25	Pass	9002
12000	26000	1	RMS	25995	-43.22	-25	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-25	Pass	2986
30	1000	0.1	RMS	845.1	-63.75	-25	Pass	9701
1000	2490	1	RMS	2484	-50.2	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.46	60	Pass	401
2580	3000	1	RMS	2957	-48.38	-25	Pass	421
3000	12000	1	RMS	5066	-56.22	-25	Pass	9002
12000	26000	1	RMS	25999	-43.3	-25	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.52	-25	Pass	9701
1000	2490	1	RMS	2485	-50.19	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.42	60	Pass	401
2580	3000	1	RMS	2953	-48.41	-25	Pass	421
3000	12000	1	RMS	5131	-53.64	-25	Pass	9002
12000	26000	1	RMS	25994	-43.21	-25	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.61	-25	Pass	9701
1000	2490	1	RMS	2481	-50.22	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.41	60	Pass	401
2580	3000	1	RMS	2957	-48.39	-25	Pass	421
3000	12000	1	RMS	5131	-54.25	-25	Pass	9002
12000	26000	1	RMS	26000	-43.3	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-25	Pass	2986
30	1000	0.1	RMS	846.2	-63.67	-25	Pass	9701
1000	2490	1	RMS	2490	-45.41	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.94	60	Pass	401
2580	3000	1	RMS	2955	-48.39	-25	Pass	421
3000	12000	1	RMS	11852	-59.6	-25	Pass	9002
12000	26000	1	RMS	26000	-43.26	-25	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.9	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-25	Pass	2986
30	1000	0.1	RMS	848.1	-63.83	-25	Pass	9701
1000	2490	1	RMS	2490	-46.37	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.08	60	Pass	401
2580	3000	1	RMS	2957	-48.37	-25	Pass	421
3000	12000	1	RMS	11850	-59.6	-25	Pass	9002
12000	26000	1	RMS	25993	-43.2	-25	Pass	14002



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-25	Pass	2986
30	1000	0.1	RMS	845.3	-63.72	-25	Pass	9701
1000	2490	1	RMS	2486	-50.18	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.3	60	Pass	401
2580	3000	1	RMS	2949	-48.38	-25	Pass	421
3000	12000	1	RMS	5061	-55.09	-25	Pass	9002
12000	26000	1	RMS	25996	-43.37	-25	Pass	14002



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-25	Pass	2986
30	1000	0.1	RMS	857.806	-63.75	-25	Pass	9701
1000	2490	1	RMS	2489	-50.21	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.29	60	Pass	401
2580	3000	1	RMS	2950	-48.43	-25	Pass	421
3000	12000	1	RMS	5061	-56.36	-25	Pass	9002
12000	26000	1	RMS	25997	-43.23	-25	Pass	14002



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.05	-25	Pass	401
0.15	30	0.01	RMS	0.27	-72.28	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.19	-25	Pass	9701
1000	2490	1	RMS	2489	-50.2	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.85	60	Pass	401
2580	3000	1	RMS	2949	-48.38	-25	Pass	421
3000	12000	1	RMS	5121	-52.29	-25	Pass	9002
12000	26000	1	RMS	25996	-43.34	-25	Pass	14002



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.89	-25	Pass	9701
1000	2490	1	RMS	2481	-50.17	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.79	60	Pass	401
2580	3000	1	RMS	2956	-48.41	-25	Pass	421
3000	12000	1	RMS	5121	-52.89	-25	Pass	9002
12000	26000	1	RMS	25998	-43.26	-25	Pass	14002



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.27	-25	Pass	2986
30	1000	0.1	RMS	850.801	-63.69	-25	Pass	9701
1000	2490	1	RMS	2490	-41.71	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.89	60	Pass	401
2580	3000	1	RMS	2954	-48.4	-25	Pass	421
3000	12000	1	RMS	11843	-59.6	-25	Pass	9002
12000	26000	1	RMS	25994	-43.23	-25	Pass	14002



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.33	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.48	-25	Pass	2986
30	1000	0.1	RMS	853.403	-63.76	-25	Pass	9701
1000	2490	1	RMS	2490	-43.07	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.06	60	Pass	401
2580	3000	1	RMS	2957	-48.37	-25	Pass	421
3000	12000	1	RMS	11853	-59.59	-25	Pass	9002
12000	26000	1	RMS	25995	-43.27	-25	Pass	14002



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-25	Pass	2986
30	1000	0.1	RMS	856.605	-63.82	-25	Pass	9701
1000	2490	1	RMS	2489	-50.19	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.21	60	Pass	401
2580	3000	1	RMS	2951	-48.4	-25	Pass	421
3000	12000	1	RMS	5057	-56.77	-25	Pass	9002
12000	26000	1	RMS	25999	-43.33	-25	Pass	14002



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.18	-25	Pass	2986
30	1000	0.1	RMS	845.8	-63.67	-25	Pass	9701
1000	2490	1	RMS	2482	-50.19	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.21	60	Pass	401
2580	3000	1	RMS	2950	-48.36	-25	Pass	421
3000	12000	1	RMS	5057	-57.78	-25	Pass	9002
12000	26000	1	RMS	25993	-43.32	-25	Pass	14002



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.32	-25	Pass	9701
1000	2490	1	RMS	2485	-50.16	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.83	60	Pass	401
2580	3000	1	RMS	2582	-42.63	-25	Pass	421
3000	12000	1	RMS	5112	-52.25	-25	Pass	9002
12000	26000	1	RMS	25995	-43.24	-25	Pass	14002



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.18	-25	Pass	9701
1000	2490	1	RMS	2488	-50.18	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.86	60	Pass	401
2580	3000	1	RMS	2582	-43.55	-25	Pass	421
3000	12000	1	RMS	5112	-53.3	-25	Pass	9002
12000	26000	1	RMS	25995	-43.25	-25	Pass	14002



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-25	Pass	2986
30	1000	0.1	RMS	851.802	-63.78	-25	Pass	9701
1000	2490	1	RMS	2490	-42.07	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.9	60	Pass	401
2580	3000	1	RMS	2957	-48.35	-25	Pass	421
3000	12000	1	RMS	11854	-59.56	-25	Pass	9002
12000	26000	1	RMS	25993	-43.3	-25	Pass	14002



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-25	Pass	2986
30	1000	0.1	RMS	842.9	-63.66	-25	Pass	9701
1000	2490	1	RMS	2490	-43.84	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.03	60	Pass	401
2580	3000	1	RMS	2953	-48.36	-25	Pass	421
3000	12000	1	RMS	11851	-59.6	-25	Pass	9002
12000	26000	1	RMS	25995	-43.16	-25	Pass	14002



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.5	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-25	Pass	2986
30	1000	0.1	RMS	851.802	-63.68	-25	Pass	9701
1000	2490	1	RMS	2490	-47.34	-25	Pass	1491
2490	2580	1	RMS	2526	23.1	60	Pass	401
2580	3000	1	RMS	2952	-48.37	-25	Pass	421
3000	12000	1	RMS	5052	-57.2	-25	Pass	9002
12000	26000	1	RMS	25988	-43.26	-25	Pass	14002



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-25	Pass	2986
30	1000	0.1	RMS	850.201	-63.63	-25	Pass	9701
1000	2490	1	RMS	2490	-48.58	-25	Pass	1491
2490	2580	1	RMS	2526	22.09	60	Pass	401
2580	3000	1	RMS	2956	-48.37	-25	Pass	421
3000	12000	1	RMS	5052	-58	-25	Pass	9002
12000	26000	1	RMS	25992	-43.27	-25	Pass	14002



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-25	Pass	2986
30	1000	0.1	RMS	590.4	-61.99	-25	Pass	9701
1000	2490	1	RMS	2489	-50.15	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.66	60	Pass	401
2580	3000	1	RMS	2581	-43.35	-25	Pass	421
3000	12000	1	RMS	5102	-52.32	-25	Pass	9002
12000	26000	1	RMS	25995	-43.25	-25	Pass	14002



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.59	-25	Pass	9701
1000	2490	1	RMS	2484	-50.16	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.54	60	Pass	401
2580	3000	1	RMS	2581	-43.15	-25	Pass	421
3000	12000	1	RMS	5102	-53.37	-25	Pass	9002
12000	26000	1	RMS	25989	-43.25	-25	Pass	14002



2. LTE_Band26(part90)


2.1. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.99	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.17	-13	Pass	2986
30	809	0.1	Peak	802.3	-52.44	-13	Pass	7791
809	829	0.1	Peak	814.3	25.06	60	Pass	401
829	1000	0.1	Peak	840.3	-52.55	-13	Pass	1711
1000	3000	1	Peak	2961	-36.83	-13	Pass	2001
3000	10000	1	Peak	7211	-29.74	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.57	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.66	-13	Pass	2986
30	809	0.1	Peak	444.2	-53.18	-13	Pass	7791
809	829	0.1	Peak	814.25	25.64	60	Pass	401
829	1000	0.1	Peak	855.1	-52.65	-13	Pass	1711
1000	3000	1	Peak	2836	-36.79	-13	Pass	2001
3000	10000	1	Peak	7186	-30.25	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.55	-13	Pass	401
0.15	30	0.01	Peak	0.34	-63.79	-13	Pass	2986
30	809	0.1	Peak	675.1	-53.38	-13	Pass	7791
809	829	0.1	Peak	818.55	25.6	60	Pass	401
829	1000	0.1	Peak	829.1	-52.76	-13	Pass	1711
1000	3000	1	Peak	1637	-34.9	-13	Pass	2001
3000	10000	1	Peak	7572	-30.09	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.72	-13	Pass	2986
30	809	0.1	Peak	756.4	-53.4	-13	Pass	7791
809	829	0.1	Peak	818.6	25.63	60	Pass	401
829	1000	0.1	Peak	990.1	-52.61	-13	Pass	1711
1000	3000	1	Peak	1637	-33.69	-13	Pass	2001
3000	10000	1	Peak	8398	-30.13	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-52.53	-13	Pass	401
0.15	30	0.01	Peak	0.32	-64.11	-13	Pass	2986
30	809	0.1	Peak	462.4	-52.74	-13	Pass	7791
809	829	0.1	Peak	822.85	25.06	60	Pass	401
829	1000	0.1	Peak	829	-49.34	-13	Pass	1711
1000	3000	1	Peak	1646	-36.9	-13	Pass	2001
3000	10000	1	Peak	6960	-29.7	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.14	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.84	-13	Pass	2986
30	809	0.1	Peak	730.4	-53.16	-13	Pass	7791
809	829	0.1	Peak	822.85	25.37	60	Pass	401
829	1000	0.1	Peak	830.6	-49.27	-13	Pass	1711
1000	3000	1	Peak	2982	-37.23	-13	Pass	2001
3000	10000	1	Peak	8755	-30.01	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-53.73	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.24	-13	Pass	2986
30	809	0.1	Peak	809	-47.6	-13	Pass	7791
809	829	0.1	Peak	814.3	24.91	60	Pass	401
829	1000	0.1	Peak	863.9	-52.44	-13	Pass	1711
1000	3000	1	Peak	2962	-36.72	-13	Pass	2001
3000	10000	1	Peak	7727	-29.55	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.55	-13	Pass	2986
30	809	0.1	Peak	809	-49.38	-13	Pass	7791
809	829	0.1	Peak	814.2	25.19	60	Pass	401
829	1000	0.1	Peak	862.3	-53.08	-13	Pass	1711
1000	3000	1	Peak	2959	-35.73	-13	Pass	2001
3000	10000	1	Peak	6970	-30.02	-13	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-53.45	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.35	-13	Pass	2986
30	809	0.1	Peak	742.2	-53.23	-13	Pass	7791
809	829	0.1	Peak	817.7	25.35	60	Pass	401
829	1000	0.1	Peak	830.7	-49.25	-13	Pass	1711
1000	3000	1	Peak	1635	-34.16	-13	Pass	2001
3000	10000	1	Peak	7047	-30	-13	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.79	-13	Pass	401
0.15	30	0.01	Peak	0.26	-62.76	-13	Pass	2986
30	809	0.1	Peak	721.7	-53.3	-13	Pass	7791
809	829	0.1	Peak	817.75	25.65	60	Pass	401
829	1000	0.1	Peak	830.7	-49.17	-13	Pass	1711
1000	3000	1	Peak	1635	-33.83	-13	Pass	2001
3000	10000	1	Peak	7722	-30.11	-13	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.95	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.52	-13	Pass	2986
30	809	0.1	Peak	759.7	-53.22	-13	Pass	7791
809	829	0.1	Peak	821.25	25.54	60	Pass	401
829	1000	0.1	Peak	834.3	-47.71	-13	Pass	1711
1000	3000	1	Peak	1642	-34.61	-13	Pass	2001
3000	10000	1	Peak	7185	-29.72	-13	Pass	7001




2.12. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.86	-13	Pass	401
0.15	30	0.01	Peak	0.68	-64.43	-13	Pass	2986
30	809	0.1	Peak	758.4	-53.07	-13	Pass	7791
809	829	0.1	Peak	821.25	25.45	60	Pass	401
829	1000	0.1	Peak	834.2	-48.48	-13	Pass	1711
1000	3000	1	Peak	1643	-35.24	-13	Pass	2001
3000	10000	1	Peak	6965	-29.99	-13	Pass	7001




2.13. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.71	-13	Pass	2986
30	809	0.1	Peak	809	-50.91	-13	Pass	7791
809	829	0.1	Peak	814.3	25.53	60	Pass	401
829	1000	0.1	Peak	833.8	-52.84	-13	Pass	1711
1000	3000	1	Peak	2932	-36.96	-13	Pass	2001
3000	10000	1	Peak	6973	-30.03	-13	Pass	7001




2.14. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.01	-13	Pass	2986
30	809	0.1	Peak	809	-51.44	-13	Pass	7791
809	829	0.1	Peak	814.3	25.63	60	Pass	401
829	1000	0.1	Peak	865.8	-52.77	-13	Pass	1711
1000	3000	1	Peak	2904	-36.44	-13	Pass	2001
3000	10000	1	Peak	7359	-30.13	-13	Pass	7001




2.15. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-52.71	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.25	-13	Pass	2986
30	809	0.1	Peak	476.4	-52.39	-13	Pass	7791
809	829	0.1	Peak	816.85	25.86	60	Pass	401
829	1000	0.1	Peak	835.7	-52.78	-13	Pass	1711
1000	3000	1	Peak	1633	-34.84	-13	Pass	2001
3000	10000	1	Peak	7196	-29.69	-13	Pass	7001




2.16. LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.82	-13	Pass	401
0.15	30	0.01	Peak	0.31	-64.15	-13	Pass	2986
30	809	0.1	Peak	763	-52.86	-13	Pass	7791
809	829	0.1	Peak	816.8	25.77	60	Pass	401
829	1000	0.1	Peak	830.8	-51.62	-13	Pass	1711
1000	3000	1	Peak	1633	-36.35	-13	Pass	2001
3000	10000	1	Peak	7200	-29.18	-13	Pass	7001




2.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.99	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.36	-13	Pass	2986
30	809	0.1	Peak	344.6	-52.95	-13	Pass	7791
809	829	0.1	Peak	814.2	25.09	60	Pass	401
829	1000	0.1	Peak	829.7	-52.34	-13	Pass	1711
1000	3000	1	Peak	2833	-36.91	-13	Pass	2001
3000	10000	1	Peak	9186	-29.95	-13	Pass	7001




2.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.97	-13	Pass	401
0.15	30	0.01	Peak	0.49	-63.88	-13	Pass	2986
30	809	0.1	Peak	525.5	-53.41	-13	Pass	7791
809	829	0.1	Peak	814.3	25.31	60	Pass	401
829	1000	0.1	Peak	832.6	-52.03	-13	Pass	1711
1000	3000	1	Peak	2921	-37.55	-13	Pass	2001
3000	10000	1	Peak	7254	-30.34	-13	Pass	7001




2.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-51.98	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64	-13	Pass	2986
30	809	0.1	Peak	578	-52.54	-13	Pass	7791
809	829	0.1	Peak	818.6	25.53	60	Pass	401
829	1000	0.1	Peak	830	-51.99	-13	Pass	1711
1000	3000	1	Peak	1637	-33.99	-13	Pass	2001
3000	10000	1	Peak	9130	-30.15	-13	Pass	7001




2.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.05	-13	Pass	401
0.15	30	0.01	Peak	0.59	-64.5	-13	Pass	2986
30	809	0.1	Peak	802.7	-53.19	-13	Pass	7791
809	829	0.1	Peak	818.55	25.62	60	Pass	401
829	1000	0.1	Peak	829.5	-52.35	-13	Pass	1711
1000	3000	1	Peak	1637	-33.5	-13	Pass	2001
3000	10000	1	Peak	7221	-30.23	-13	Pass	7001




2.21. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-54.43	-13	Pass	401
0.15	30	0.01	Peak	0.27	-64.95	-13	Pass	2986
30	809	0.1	Peak	689.5	-52.74	-13	Pass	7791
809	829	0.1	Peak	822.85	25.11	60	Pass	401
829	1000	0.1	Peak	829.4	-50.71	-13	Pass	1711
1000	3000	1	Peak	1645	-36.64	-13	Pass	2001
3000	10000	1	Peak	7170	-29.66	-13	Pass	7001




2.22. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.93	-13	Pass	401
0.15	30	0.01	Peak	0.49	-64.22	-13	Pass	2986
30	809	0.1	Peak	766.7	-52.07	-13	Pass	7791
809	829	0.1	Peak	822.85	25.41	60	Pass	401
829	1000	0.1	Peak	829.4	-50.69	-13	Pass	1711
1000	3000	1	Peak	1646	-36.9	-13	Pass	2001
3000	10000	1	Peak	7250	-29.72	-13	Pass	7001




2.23. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-52.89	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.17	-13	Pass	2986
30	809	0.1	Peak	809	-50.61	-13	Pass	7791
809	829	0.1	Peak	814.25	24.93	60	Pass	401
829	1000	0.1	Peak	900.7	-52.1	-13	Pass	1711
1000	3000	1	Peak	2978	-37.65	-13	Pass	2001
3000	10000	1	Peak	7228	-30.38	-13	Pass	7001




2.24. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-44.77	-13	Pass	401
0.15	30	0.01	Peak	0.4	-64.53	-13	Pass	2986
30	809	0.1	Peak	808.9	-49.4	-13	Pass	7791
809	829	0.1	Peak	814.2	25.49	60	Pass	401
829	1000	0.1	Peak	842.7	-52.72	-13	Pass	1711
1000	3000	1	Peak	2967	-37.02	-13	Pass	2001
3000	10000	1	Peak	8619	-29.95	-13	Pass	7001




2.25. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-52.25	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.2	-13	Pass	2986
30	809	0.1	Peak	807.1	-51.88	-13	Pass	7791
809	829	0.1	Peak	817.7	25.53	60	Pass	401
829	1000	0.1	Peak	830.8	-47.57	-13	Pass	1711
1000	3000	1	Peak	1636	-35.16	-13	Pass	2001
3000	10000	1	Peak	6971	-30	-13	Pass	7001




2.26. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.82	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.77	-13	Pass	2986
30	809	0.1	Peak	789.6	-52.42	-13	Pass	7791
809	829	0.1	Peak	817.75	25.74	60	Pass	401
829	1000	0.1	Peak	830.8	-48.85	-13	Pass	1711
1000	3000	1	Peak	1635	-34.44	-13	Pass	2001
3000	10000	1	Peak	7680	-29.12	-13	Pass	7001




2.27. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.52	-13	Pass	401
0.15	30	0.01	Peak	0.36	-64.39	-13	Pass	2986
30	809	0.1	Peak	585.8	-53.23	-13	Pass	7791
809	829	0.1	Peak	821.25	25.48	60	Pass	401
829	1000	0.1	Peak	829.3	-48.5	-13	Pass	1711
1000	3000	1	Peak	1643	-34.43	-13	Pass	2001
3000	10000	1	Peak	8523	-29.79	-13	Pass	7001




2.28. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.09	-13	Pass	401
0.15	30	0.01	Peak	0.35	-63.58	-13	Pass	2986
30	809	0.1	Peak	495.3	-52.98	-13	Pass	7791
809	829	0.1	Peak	821.25	25.55	60	Pass	401
829	1000	0.1	Peak	834.3	-48.75	-13	Pass	1711
1000	3000	1	Peak	1642	-34.95	-13	Pass	2001
3000	10000	1	Peak	7160	-30.25	-13	Pass	7001




2.29. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-50.59	-13	Pass	401
0.15	30	0.01	Peak	0.29	-64.14	-13	Pass	2986
30	809	0.1	Peak	809	-50.22	-13	Pass	7791
809	829	0.1	Peak	814.35	25.64	60	Pass	401
829	1000	0.1	Peak	900.8	-52.99	-13	Pass	1711
1000	3000	1	Peak	2820	-36.49	-13	Pass	2001
3000	10000	1	Peak	7208	-30.04	-13	Pass	7001




2.30. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.18	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.65	-13	Pass	2986
30	809	0.1	Peak	809	-49.44	-13	Pass	7791
809	829	0.1	Peak	814.3	25.69	60	Pass	401
829	1000	0.1	Peak	981.8	-51.92	-13	Pass	1711
1000	3000	1	Peak	2948	-36.94	-13	Pass	2001
3000	10000	1	Peak	7229	-29.89	-13	Pass	7001




2.31. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-52.82	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.12	-13	Pass	2986
30	809	0.1	Peak	808.2	-53.52	-13	Pass	7791
809	829	0.1	Peak	816.85	25.55	60	Pass	401
829	1000	0.1	Peak	867	-52.19	-13	Pass	1711
1000	3000	1	Peak	1633	-35.9	-13	Pass	2001
3000	10000	1	Peak	7226	-30.25	-13	Pass	7001




2.32. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.97	-13	Pass	401
0.15	30	0.01	Peak	0.37	-64.42	-13	Pass	2986
30	809	0.1	Peak	725.4	-53.12	-13	Pass	7791
809	829	0.1	Peak	816.8	26.09	60	Pass	401
829	1000	0.1	Peak	834.9	-52.73	-13	Pass	1711
1000	3000	1	Peak	1634	-36.45	-13	Pass	2001
3000	10000	1	Peak	7125	-29.93	-13	Pass	7001




2.33. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.95	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.93	-13	Pass	2986
30	809	0.1	Peak	809	-53.19	-13	Pass	7791
809	829	0.1	Peak	819.3	25.56	60	Pass	401
829	1000	0.1	Peak	829	-49.08	-13	Pass	1711
1000	3000	1	Peak	1639	-34.27	-13	Pass	2001
3000	10000	1	Peak	7238	-30.31	-13	Pass	7001




2.34. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.14	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.42	-13	Pass	2986
30	809	0.1	Peak	721.4	-52.88	-13	Pass	7791
809	829	0.1	Peak	819.3	25.95	60	Pass	401
829	1000	0.1	Peak	829	-49.02	-13	Pass	1711
1000	3000	1	Peak	1639	-33.58	-13	Pass	2001
3000	10000	1	Peak	7214	-29.79	-13	Pass	7001




**2.35. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-51.21	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.41	-13	Pass	2986
30	809	0.1	Peak	809	-45.28	-13	Pass	7791
809	829	0.1	Peak	814.6	25.56	60	Pass	401
829	1000	0.1	Peak	829.9	-32.5	-13	Pass	1711
1000	3000	1	Peak	2922	-36.82	-13	Pass	2001
3000	10000	1	Peak	6968	-29.95	-13	Pass	7001



2.36. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-44.84	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.63	-13	Pass	2986
30	809	0.1	Peak	808.9	-48.36	-13	Pass	7791
809	829	0.1	Peak	814.55	25.78	60	Pass	401
829	1000	0.1	Peak	829.9	-33.23	-13	Pass	1711
1000	3000	1	Peak	3000	-37.41	-13	Pass	2001
3000	10000	1	Peak	7203	-29.81	-13	Pass	7001



1. LTE_Band41 full


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.75	-25	Pass	2986
30	1000	0.1	RMS	927.9	-56.87	-25	Pass	9701
1000	2486	1	RMS	2485	-41.6	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.71	60	Pass	401
2700	3000	1	RMS	2799.75	-43.57	-25	Pass	401
3000	12000	1	RMS	11858	-55.8	-25	Pass	9001
12000	27000	1	RMS	26820	-34.08	-25	Pass	15001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.65	-25	Pass	2986
30	1000	0.1	RMS	947.2	-56.66	-25	Pass	9701
1000	2486	1	RMS	2485	-40.66	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.67	60	Pass	401
2700	3000	1	RMS	2801.25	-43.59	-25	Pass	401
3000	12000	1	RMS	11858	-55.84	-25	Pass	9001
12000	27000	1	RMS	26780	-34.08	-25	Pass	15001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.23	-25	Pass	2986
30	1000	0.1	RMS	928.7	-56.74	-25	Pass	9701
1000	2486	1	RMS	2485	-43.86	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.52	60	Pass	401
2700	3000	1	RMS	2797.5	-43.55	-25	Pass	401
3000	12000	1	RMS	11851	-55.77	-25	Pass	9001
12000	27000	1	RMS	26798	-34.02	-25	Pass	15001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-25	Pass	2986
30	1000	0.1	RMS	936.3	-56.89	-25	Pass	9701
1000	2486	1	RMS	2486	-43.89	-25	Pass	1487
2486	2700	1	RMS	2590.86	22.09	60	Pass	401
2700	3000	1	RMS	2796.75	-43.55	-25	Pass	401
3000	12000	1	RMS	11855	-55.78	-25	Pass	9001
12000	27000	1	RMS	26811	-34.05	-25	Pass	15001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.8	-25	Pass	2986
30	1000	0.1	RMS	927.3	-56.78	-25	Pass	9701
1000	2486	1	RMS	2486	-43.78	-25	Pass	1487
2486	2700	1	RMS	2685.555	22.22	60	Pass	401
2700	3000	1	RMS	2999.25	-43.58	-25	Pass	401
3000	12000	1	RMS	11859	-55.79	-25	Pass	9001
12000	27000	1	RMS	26806	-34.09	-25	Pass	15001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.52	-25	Pass	2986
30	1000	0.1	RMS	920.6	-56.75	-25	Pass	9701
1000	2486	1	RMS	2485	-43.77	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.3	60	Pass	401
2700	3000	1	RMS	2800.5	-43.57	-25	Pass	401
3000	12000	1	RMS	11859	-55.78	-25	Pass	9001
12000	27000	1	RMS	26836	-34.03	-25	Pass	15001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.86	-25	Pass	2986
30	1000	0.1	RMS	908.7	-56.62	-25	Pass	9701
1000	2486	1	RMS	2486	-41.69	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.77	60	Pass	401
2700	3000	1	RMS	2997	-43.53	-25	Pass	401
3000	12000	1	RMS	11860	-55.83	-25	Pass	9001
12000	27000	1	RMS	26824	-34.03	-25	Pass	15001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.81	-25	Pass	2986
30	1000	0.1	RMS	919.5	-56.8	-25	Pass	9701
1000	2486	1	RMS	2485	-42.57	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.54	60	Pass	401
2700	3000	1	RMS	2795.25	-43.55	-25	Pass	401
3000	12000	1	RMS	11863	-55.81	-25	Pass	9001
12000	27000	1	RMS	26814	-34.06	-25	Pass	15001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.5	-25	Pass	2986
30	1000	0.1	RMS	887.1	-56.76	-25	Pass	9701
1000	2486	1	RMS	2482	-43.8	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.12	60	Pass	401
2700	3000	1	RMS	2800.5	-43.57	-25	Pass	401
3000	12000	1	RMS	11864	-55.82	-25	Pass	9001
12000	27000	1	RMS	26836	-33.93	-25	Pass	15001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.05	-25	Pass	2986
30	1000	0.1	RMS	928.7	-56.78	-25	Pass	9701
1000	2486	1	RMS	2485	-43.64	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.38	60	Pass	401
2700	3000	1	RMS	2799	-43.21	-25	Pass	401
3000	12000	1	RMS	11866	-55.51	-25	Pass	9001
12000	27000	1	RMS	26813	-33.72	-25	Pass	15001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.78	-25	Pass	2986
30	1000	0.1	RMS	903.5	-56.77	-25	Pass	9701
1000	2486	1	RMS	2484	-43.56	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.6	60	Pass	401
2700	3000	1	RMS	2700	-42.7	-25	Pass	401
3000	12000	1	RMS	11853	-55.54	-25	Pass	9001
12000	27000	1	RMS	26823	-33.6	-25	Pass	15001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.46	-25	Pass	2986
30	1000	0.1	RMS	930.4	-56.88	-25	Pass	9701
1000	2486	1	RMS	2485	-43.54	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.42	60	Pass	401
2700	3000	1	RMS	2700	-42.79	-25	Pass	401
3000	12000	1	RMS	11868	-55.47	-25	Pass	9001
12000	27000	1	RMS	26839	-33.64	-25	Pass	15001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.37	-25	Pass	2986
30	1000	0.1	RMS	937.2	-56.81	-25	Pass	9701
1000	2486	1	RMS	2485	-39.43	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.8	60	Pass	401
2700	3000	1	RMS	2799.75	-43.22	-25	Pass	401
3000	12000	1	RMS	11858	-55.45	-25	Pass	9001
12000	27000	1	RMS	26794	-33.68	-25	Pass	15001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-25	Pass	2986
30	1000	0.1	RMS	897.1	-56.83	-25	Pass	9701
1000	2486	1	RMS	2484	-40.53	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.68	60	Pass	401
2700	3000	1	RMS	2800.5	-43.19	-25	Pass	401
3000	12000	1	RMS	11862	-55.51	-25	Pass	9001
12000	27000	1	RMS	26828	-33.61	-25	Pass	15001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.8	-25	Pass	2986
30	1000	0.1	RMS	924.1	-56.82	-25	Pass	9701
1000	2486	1	RMS	2483	-43.64	-25	Pass	1487
2486	2700	1	RMS	2586.58	23.22	60	Pass	401
2700	3000	1	RMS	2998.5	-43.2	-25	Pass	401
3000	12000	1	RMS	11864	-55.48	-25	Pass	9001
12000	27000	1	RMS	26803	-33.64	-25	Pass	15001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.65	-25	Pass	2986
30	1000	0.1	RMS	930.2	-56.69	-25	Pass	9701
1000	2486	1	RMS	2483	-43.62	-25	Pass	1487
2486	2700	1	RMS	2586.58	22.34	60	Pass	401
2700	3000	1	RMS	3000	-43.17	-25	Pass	401
3000	12000	1	RMS	11854	-55.54	-25	Pass	9001
12000	27000	1	RMS	26829	-33.63	-25	Pass	15001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-49.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.23	-25	Pass	2986
30	1000	0.1	RMS	940.8	-56.82	-25	Pass	9701
1000	2486	1	RMS	2476	-43.62	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.96	60	Pass	401
2700	3000	1	RMS	2702.25	-35.63	-25	Pass	401
3000	12000	1	RMS	11857	-55.45	-25	Pass	9001
12000	27000	1	RMS	26794	-33.64	-25	Pass	15001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.8	-25	Pass	2986
30	1000	0.1	RMS	906.6	-56.9	-25	Pass	9701
1000	2486	1	RMS	2485	-43.51	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.55	60	Pass	401
2700	3000	1	RMS	2702.25	-35.31	-25	Pass	401
3000	12000	1	RMS	11861	-55.32	-25	Pass	9001
12000	27000	1	RMS	26852	-33.53	-25	Pass	15001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.9	-25	Pass	2986
30	1000	0.1	RMS	985.3	-57.42	-25	Pass	9701
1000	2486	1	RMS	2486	-38.79	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.91	60	Pass	401
2700	3000	1	RMS	2799.75	-42.79	-25	Pass	401
3000	12000	1	RMS	11860	-55.37	-25	Pass	9001
12000	27000	1	RMS	26832	-33.52	-25	Pass	15001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-25	Pass	2986
30	1000	0.1	RMS	919	-57.48	-25	Pass	9701
1000	2486	1	RMS	2484	-40.47	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.12	60	Pass	401
2700	3000	1	RMS	3000	-42.78	-25	Pass	401
3000	12000	1	RMS	11867	-55.33	-25	Pass	9001
12000	27000	1	RMS	26815	-33.5	-25	Pass	15001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.45	-25	Pass	2986
30	1000	0.1	RMS	927.6	-57.42	-25	Pass	9701
1000	2486	1	RMS	2485	-43.08	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.8	60	Pass	401
2700	3000	1	RMS	2800.5	-42.76	-25	Pass	401
3000	12000	1	RMS	11849	-55.38	-25	Pass	9001
12000	27000	1	RMS	26822	-33.48	-25	Pass	15001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.65	-25	Pass	2986
30	1000	0.1	RMS	935.4	-57.39	-25	Pass	9701
1000	2486	1	RMS	2484	-43.11	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.99	60	Pass	401
2700	3000	1	RMS	2795.25	-42.76	-25	Pass	401
3000	12000	1	RMS	11872	-55.37	-25	Pass	9001
12000	27000	1	RMS	26843	-33.5	-25	Pass	15001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-25	Pass	2986
30	1000	0.1	RMS	939.9	-57.41	-25	Pass	9701
1000	2486	1	RMS	2485	-43.19	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.05	60	Pass	401
2700	3000	1	RMS	2706.75	-34.76	-25	Pass	401
3000	12000	1	RMS	11875	-55.31	-25	Pass	9001
12000	27000	1	RMS	26825	-33.52	-25	Pass	15001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.73	-25	Pass	2986
30	1000	0.1	RMS	938.5	-57.26	-25	Pass	9701
1000	2486	1	RMS	2482	-43.18	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.8	60	Pass	401
2700	3000	1	RMS	2706.75	-34.91	-25	Pass	401
3000	12000	1	RMS	11856	-55.19	-25	Pass	9001
12000	27000	1	RMS	26792	-33.59	-25	Pass	15001



--BLANK BELOW--