Nytec Inc.

XI Access Panel, Part Number: 40-10146

FCC 15.207:2018

FCC 15.247:2018

Bluetooth Low Energy Radio

Report # NYTE0015.1

NVLAP LAB CODE: 200630-0

CERTIFICATE OF TEST

Last Date of Test: May 18, 2018
Nytec Inc.
Model: XI Access Panel, Part Number: 40-10146

Radio Equipment Testing

Standards

Specification	Method
FCC 15.207:2018	ANSI C63.10:2013, KDB 558074
FCC 15.247:2018	

Results

Method Clause	Test Description	Applied	Results	Comments
6.2	Powerline Conducted Emissions	Yes	Pass	
11.12.1, 11.13.2, 6.5, 6.6	Spurious Radiated Emissions	Yes	Pass	
11.6	Duty Cycle	Yes	Pass	
11.8.2	Occupied Bandwidth	Yes	Pass	
11.9.1.1	Output Power	Yes	Pass	
11.10.2	Power Spectral Density	Yes	Pass	
11.11	Band Edge Compliance	Yes	Pass	
11.11	Spurious Conducted Emissions	Yes	Pass	

Deviations From Test Standards

None

Approved By:

Kyle Holgate, Operations Manager

Product compliance is the responsibility of the client; therefore, the tests and equipment modes of operation represented in this report were agreed upon by the client, prior to testing. The results of this test pertain only to the sample(s) tested. The specific description is noted in each of the individual sections of the test report supporting this certificate of test. This report reflects only those tests from the referenced standards shown in the certificate of test. It does not include inspection or verification of labels, identification, marking or user information.

REVISION HISTORY

Revision Number	Description	Date	Page Number
00	None		

ACCREDITATIONS AND AUTHORIZATIONS

United States

FCC - Designated by the FCC as a Telecommunications Certification Body (TCB). Certification chambers, Open Area Test Sites, and conducted measurement facilities are listed with the FCC.

A2LA - Accredited by A2LA to ISO / IEC 17065 as a product certifier. This allows Element to certify transmitters to FCC and IC specifications.

NVLAP - Each laboratory is accredited by NVLAP to ISO 17025

Canada

ISED - Recognized by Innovation, Science and Economic Development Canada as a Certification Body (CB). Certification chambers and Open Area Test Sites are filed with ISED.

European Union

European Commission – Within Element, we have a EU Notified Body validated for the EMCD and RED Directives.

Australia/New Zealand

ACMA - Recognized by ACMA as a CAB for the acceptance of test data.

Korea

MSIT / RRA - Recognized by KCC's RRA as a CAB for the acceptance of test data.

Japan

VCCI - Associate Member of the VCCI. Conducted and radiated measurement facilities are registered.

Taiwan

BSMI – Recognized by BSMI as a CAB for the acceptance of test data.

NCC - Recognized by NCC as a CAB for the acceptance of test data.

Singapore

IDA – Recognized by IDA as a CAB for the acceptance of test data.

Israel

MOC – Recognized by MOC as a CAB for the acceptance of test data.

Hong Kong

OFCA – Recognized by OFCA as a CAB for the acceptance of test data.

Vietnam

MIC – Recognized by MIC as a CAB for the acceptance of test data.

SCOPE

For details on the Scopes of our Accreditations, please visit:
http://portlandcustomer.element.com/ts/scope/scope.htm
http://gsi.nist.gov/global/docs/cabs/designations.html

FACILITIES

California	Minnesota	New York	Oregon	Texas	Washington
Labs OC01-17 41 Tesla Irvine, CA 92618 (949) 861-8918	Labs MN01-10 9349 W Broadway Ave. Brooklyn Park, MN 55445 (612)-638-5136	Labs NY01-04 4939 Jordan Rd. Elbridge, NY 13060 (315) 554-8214	Labs EV01-12 6775 NE Evergreen Pkwy #400 Hillsboro, OR 97124 (503) 844-4066	Labs TX01-09 3801 E Plano Pkwy Plano, TX 75074 (469) 304-5255	Labs NC01-05 19201 120th Ave NE Bothell, WA 98011 (425)984-6600
NVLAP					
NVLAP Lab Code: 200676-0	NVLAP Lab Code: 200881-0	NVLAP Lab Code: 200761-0	NVLAP Lab Code: 200630-0	NVLAP Lab Code:201049-0	NVLAP Lab Code: 200629-0
Innovation, Science and Economic Development Canada					
2834B-1, 2834B-3	2834E-1, 2834E-3	N/A	2834D-1, 2834D-*2*	2834G-1	2834F-1
BSMI					
SL2-IN-E-1154R	SL2-IN-E-1152R	N/A	SL2-IN-E-1017	SL2-IN-E-1158R	SL2-IN-E-1153R
VCCI					
A-0029	A-0109	N/A	A-0108	A-0201	A-0110
Recognized Phase I CAB for ACMA, BSMI, IDA, KCC/RRA, MIC, MOC, NCC, OFCA					
US0158	US0175	N/A	US0017	US0191	US0157







MEASUREMENT UNCERTAINTY

TMU.2015.07.10

Measurement Uncertainty

When a measurement is made, the result will be different from the true or theoretically correct value. The difference is the result of tolerances in the measurement system that cannot be completely eliminated. To the extent that technology allows us, it has been our aim to minimize this error. Measurement uncertainty is a statistical expression of measurement error qualified by a probability distribution.

A measurement uncertainty estimation has been performed for each test per our internal quality document QM205.4.6. The estimation is used to compare the measured result with its "true" or theoretically correct value. The expanded measurement uncertainty (K=2) can be found included as part of the applicable test description page. Our measurement data meets or exceeds the measurement uncertainty requirements of the applicable specification; therefore, the test data can be compared directly to the specification limit to determine compliance. The calculations for estimating measurement uncertainty are based upon ETSI TR 100 028 (or CISPR 16-4-2 as applicable), and are available upon request.

The following table represents the Measurement Uncertainty (MU) budgets for each of the tests that may be contained in this report.

Test	+ MU	- MU
Frequency Accuracy (Hz)	0.0007%	-0.0007%
Amplitude Accuracy (dB)	1.2 dB	-1.2 dB
Conducted Power (dB)	0.3 dB	-0.3 dB
Radiated Power via Substitution (dB)	0.7 dB	-0.7 dB
Temperature (degrees C)	0.7°C	-0.7°C
Humidity (% RH)	2.5% RH	-2.5% RH
Voltage (AC)	1.0%	-1.0%
Voltage (DC)	0.7%	-0.7%
Field Strength (dB)	5.2 dB	-5.2 dB
AC Powerline Conducted Emissions (dB)	2.4 dB	-2.4 dB

Test Setup Block Diagrams

Antenna Port Conducted Measurements



Near Field Test Fixture Measurements



Spurious Radiated Emissions



PRODUCT DESCRIPTION

Client and Equipment Under Test (EUT) Information

Company Name:	Nytec Inc.
Address:	416 6th Street South
City, State, Zip:	Kirkland, WA 98033
Test Requested By:	Sam Richardson
Model:	XI Access Panel, Part Number: 40-10146
First Date of Test:	May 14, 2018
Last Date of Test:	May 18, 2018
Receipt Date of Samples:	May 14, 2018
Equipment Design Stage:	Production
Equipment Condition:	No Damage
Purchase Authorization:	Verified

Information Provided by the Party Requesting the Test

Functional Description of the EUT:
The Door Lock Panel is the visual, interactive interface for guests entering and leaving the ship staterooms. It identifies users, either guests or crew, wirelessly using the Medallion over BLE or NFC, communicating and controlling the lock mechanism via an ISM radio to provide access to the stateroom. Facial recognition can as well be used to grant access to the room. It also provides audio interaction capabilities between the hallway and cabin. The Door Lock Panel is mounted as a wall panel display and interfaces to the central control of the ship over a single ethernet connection which also powers the device. The panel can also work with battery power for several hours.

Testing Objective:
To demonstrate compliance of the Bluetooth low energy radio to FCC 15.247 requirements.

CONFIGURATIONS

Configuration NYTE0015- 1

Software/Firmware Running during test	
Description	**Version**
dtm_nrf52832_xxaa_ces_20-10101-1.hex	None

EUT			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Access Panel	Nytec Inc.	xiAccess Pannel/40-10146	EV3-2

Peripherals in test setup boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Debug PCB	Nytec Inc.	20-10141 Rev. 2	None
Programming Emulator	TI	Olimex TMS320-XDS100V3	None

Remote Equipment Outside of Test Setup Boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
PoE Switch	Cisco	Catalyist 3560-CX	F0C1937Y4V4
Remote Laptop	Lenovo	P51S	980330557

Cables					
Cable Type	**Shield**	**Length (m)**	**Ferrite**	**Connection 1**	**Connection 2**
8pin to RJ45	Yes	0.3 m	No	Access Panel	Cat6
Cat6	No	13 m	No	8pin to RJ45	PoE Switch
50 pin Flex Cable	No	0.1 m	No	Access Panel	Debug PCB
Ribbon Cable	No	0.1 m	No	Debug PCB	Programming Emulator
USB	Yes	0.9 m	No	Programming Emulator	Remote Laptop
USB	Yes	1.8 m	No	Debug PCB	Remote Laptop
UART to USB	Yes	1.5 m	No	Debug PCB	Remote Laptop

CONFIGURATIONS

Configuration NYTE0015- 6

Software/Firmware Running during test	
Description	**Version**
dtm_nrf52832_xxaa_ces_20-10101-2.hex	None

EUT			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Access Panel	Nytec Inc.	xiAccess Pannel/40-10146	EV3-11

Remote Equipment Outside of Test Setup Boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
PoE Switch	Cisco	Catalyist 3560-CX	F0C1937Y4V4
Remote Laptop	Lenovo	P51S	980330557

Cables					
Cable Type	**Shield**	**Length (m)**	**Ferrite**	**Connection 1**	**Connection 2**
8pin to RJ45	Yes	0.3 m	No	Access Panel	Cat6
Cat6	No	13 m	No	8pin to RJ45	PoE Switch

Configuration NYTE0015- 10

Software/Firmware Running during test	
Description	**Version**
dtm_nrf52832_xxaa_ces_20-10101-2.hex	None

EUT			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
Access Panel	Nytec Inc.	xiAccess Pannel/40-10146	EV3-3

Peripherals in test setup boundary			
Description	**Manufacturer**	**Model/Part Number**	**Serial Number**
PoE Injector	TP-Link	TP-POE150S	217729001099
I.T.E. Power Supply	TP-Link	TP480050-2B1	None

Cables					
Cable Type	**Shield**	**Length (m)**	**Ferrite**	**Connection 1**	**Connection 2**
8pin to RJ45	Yes	0.3 m	No	Access Panel	Cat6
Cat5	No	1.5 m	No	PoE Injector	8pin to RJ45

MODIFICATIONS

Equipment Modifications

Item	Date	Test	Modification	Note	Disposition of EUT
1	5/14/2018	Duty Cycle	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
2	5/14/2018	Occupied Bandwidth	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
3	5/14/2018	Output Power	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
4	5/14/2018	Power Spectral Density	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
5	5/14/2018	Band Edge Compliance	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
6	5/14/2018	Spurious Conducted Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
7	5/16/2018	Spurious Radiated Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	EUT remained at Element following the test.
8	5/18/2018	Powerline Conducted Emissions	Tested as delivered to Test Station.	No EMI suppression devices were added or modified during this test.	Scheduled testing was completed.

POWERLINE CONDUCTED EMISSIONS

element
WTD.2017.11.22.1

TEST DESCRIPTION

The EUT will be powered either directly or indirectly from the AC power line. Therefore, conducted emissions measurements were made on the AC input of the EUT, or on the AC input of the device used to power the EUT.

The EUT was transmitting at its maximum data rate. For each mode, the spectrum was scanned from 150 kHz to 30 MHz. The test setup and procedures were in accordance with ANSI C63.10.

In the event that the operating frequency of 13.56 MHz is causing the product to fail the FCC 15.207 limits, the following guidance can be used:

In the FCC-TCBC Conference Call Meeting Minutes from April 12, 2005, the FCC stated:

> "We are willing to accept measurements on a 13.56 MHz transmitter done with a dummy load under the following conditions. First, perform the AC line conducted tests with the antenna attached to make sure the device complies with the 15.207 limits outside the transmitter's fundamental emission band, and then retest with a dummy load to make sure the device complies with the 15.207 limits inside the transmitter's fundamental emission band. For the second portion of these tests, only the fundamental emission band of the transmitter needs to be retested."

This procedure was followed for the AC powerline conducted emissions testing documented on the following pages.

Per the FCC Guidance, the FCC will accept measurements on a 13.56 MHz transmitter done with a dummy load under the following conditions. (1) First, perform the AC line conducted tests with the antenna attached to make sure the device complies with the 15.207 limits outside the transmitter's fundamental emission band, and then retest with a dummy load to make sure the device complies with the 15.207 limits inside the transmitter's fundamental emission band. (2) For the second portion of these tests, only the fundamental emission band of the transmitter needs to be retested.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Receiver	Rohde & Schwarz	ESCI	ARH	4/11/2018	4/11/2019
Cable - Conducted Cable Assembly	Northwest EMC	EVG, HHD, RKA	EVGA	4/4/2018	4/4/2019
LISN	Solar Electronics	9252-50-R-24-BNC	LIP	10/4/2016	10/4/2018

MEASUREMENT UNCERTAINTY

Description		
Expanded k=2	2.4 dB	-2.4 dB

CONFIGURATIONS INVESTIGATED

NYTE0015-10

MODES INVESTIGATED

BTLE Continuous Tx, Mid Channel 20, 2442 MHz

POWERLINE CONDUCTED EMISSIONS

EUT:	XI Access Panel, Part Number: 40-10146	Work Order:	NYTE0015
Serial Number:	EV3-3	Date:	05/18/2018
Customer:	Nytec Inc.	Temperature:	22.8°C
Attendees:	Deven Bryant, Nuno Romao	Relative Humidity:	45.3%
Customer Project:	None	Bar. Pressure:	1020 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	48 VDC POE via 110VAC/60Hz	Configuration:	NYTE0015-10

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2018	ANSI C63.10:2013

TEST PARAMETERS

Run #:	13	Line:	Neutral	Add. Ext. Attenuation (dB):	0

COMMENTS

None

EUT OPERATING MODES

BTLE Continuous Tx, Mid Channel 20, 2442 MHz

DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit



POWERLINE CONDUCTED EMISSIONS

element
WTD.2017.11.22.1

RESULTS - Run #13

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.516	23.2	19.2	42.4	56.0	-13.6
11.857	19.2	19.9	39.1	60.0	-20.9
11.354	18.3	19.9	38.2	60.0	-21.8
29.264	17.1	20.9	38.0	60.0	-22.0
28.761	17.1	20.8	37.9	60.0	-22.1
27.499	17.0	20.7	37.7	60.0	-22.3

Average Data - vs - Average Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.516	16.8	19.2	36.0	46.0	-10.0
11.857	19.0	19.9	38.9	50.0	-11.1
11.354	18.0	19.9	37.9	50.0	-12.1
29.264	16.9	20.9	37.8	50.0	-12.2
28.761	16.9	20.8	37.7	50.0	-12.3
27.499	16.8	20.7	37.5	50.0	-12.5

CONCLUSION

Pass

Tested By

POWERLINE CONDUCTED EMISSIONS

element
WTD.2017.11.22.1

EUT:	XI Access Panel, Part Number: 40-10146	Work Order:	NYTE0015
Serial Number:	EV3-3	Date:	05/18/2018
Customer:	Nytec Inc.	Temperature:	22.8°C
Attendees:	Deven Bryant, Nuno Romao	Relative Humidity:	45.3%
Customer Project:	None	Bar. Pressure:	1020 mb
Tested By:	Jeff Alcoke	Job Site:	EV07
Power:	48 VDC POE via 110VAC/60Hz	Configuration:	NYTE0015-10

TEST SPECIFICATIONS

Specification:	Method:
FCC 15.207:2018	ANSI C63.10:2013

TEST PARAMETERS

Run #:	14	Line:	High Line	Add. Ext. Attenuation (dB):	0

COMMENTS

None

EUT OPERATING MODES

BTLE Continuous Tx, Mid Channel 20, 2442 MHz

DEVIATIONS FROM TEST STANDARD

None

Quasi Peak Data - vs - Quasi Peak Limit



Average Data - vs - Average Limit



POWERLINE CONDUCTED EMISSIONS

element
WTD.2017.11.22.1

RESULTS - Run #14

Quasi Peak Data - vs - Quasi Peak Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
0.522	21.9	19.2	41.1	56.0	-14.9
0.161	25.9	19.4	45.3	65.4	-20.1
11.857	18.9	19.9	38.8	60.0	-21.2
11.353	18.2	19.9	38.1	60.0	-21.9
0.185	22.7	19.3	42.0	64.3	-22.3
12.110	17.5	19.9	37.4	60.0	-22.6

Average Data - vs - Average Limit

Freq (MHz)	Amp. (dBuV)	Factor (dB)	Adjusted (dBuV)	Spec. Limit (dBuV)	Margin (dB)
11.857	18.5	19.9	38.4	50.0	-11.6
0.522	14.9	19.2	34.1	46.0	-11.9
11.353	17.7	19.9	37.6	50.0	-12.4
12.110	17.1	19.9	37.0	50.0	-13.0
0.161	8.6	19.4	28.0	55.4	-27.4
0.185	5.8	19.3	25.1	54.3	-29.2

CONCLUSION

Pass

Tested By

DUTY CYCLE

XMit 2017.12.13

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	27-Oct-15	27-Oct-18
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	23-Apr-18	23-Apr-19
Attenuator	S.M. Electronics	SA26B-20	AUY	16-Apr-18	16-Apr-19
Block - DC	Fairview Microwave	SD3379	AMW	23-Apr-18	23-Apr-19
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	12-Jan-18	12-Jan-19

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The Duty Cycle (x) of the single channel operation of the radio as controlled by the provided test software was measured for each of the EUT operating modes.

There is no compliance requirement to be met by this test, so therefore no Pass / Fail criteria.

The measurements were made using a zero span on the spectrum analyzer to see the pulses in the time domain. The transmit power was set to its default maximum.

The duty cycle was calculated by dividing the transmission pulse duration (T) by the total period of a single on and total off time.

If the transmit duty cycle < 98 percent, burst gating may have been used during some of the other tests in this report to only take the measurement during the burst duration.

DUTY CYCLE

TbtTx 2017.12.14 XMit 2017.12.13

EUT:	**XI Access Panel, Part Number: 40-10146**			**Work Order:**	**NYTE0015**
Serial Number:	**EV3-2**			**Date:**	**14-May-18**
Customer:	**Nytec Inc.**			**Temperature:**	**23.1 °C**
Attendees:	**Deven Bryant**			**Humidity:**	**45.6% RH**
Project:	**None**			**Barometric Pres.:**	**1017 mbar**
Tested by:	**Jeff Alcoke**	**Power:**	**48 VDC via POE**	**Job Site:**	**EV06**
TEST SPECIFICATIONS			**Test Method**		
FCC 15.247:2018			ANSI C63.10:2013		

COMMENTS

Reference level offset includes w.fl to SMA cable.

DEVIATIONS FROM TEST STANDARD

None

Configuration #	**1**	*Signature* 

	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
BLE/GFSK Low Channel, 2402 MHz	177 us	625 us	1	28.3	N/A	N/A
BLE/GFSK Low Channel, 2402 MHz	N/A	N/A	5	N/A	N/A	N/A
BLE/GFSK Mid Channel, 2442 MHz	177.6 us	625.7 us	1	28.4	N/A	N/A
BLE/GFSK Mid Channel, 2442 MHz	N/A	N/A	5	N/A	N/A	N/A
BLE/GFSK High Channel, 2480 MHz	177.1 us	625.2 us	1	28.3	N/A	N/A
BLE/GFSK High Channel, 2480 MHz	N/A	N/A	5	N/A	N/A	N/A

DUTY CYCLE

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	177 us	625 us	1	28.3	N/A	N/A



BLE/GFSK Low Channel, 2402 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	5	N/A	N/A	N/A



DUTY CYCLE

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Mid Channel, 2442 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	177.6 us	625.7 us	1	28.4	N/A	N/A



BLE/GFSK Mid Channel, 2442 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	5	N/A	N/A	N/A



DUTY CYCLE

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK High Channel, 2480 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	177.1 us	625.2 us	1	28.3	N/A	N/A



BLE/GFSK High Channel, 2480 MHz						
	Pulse Width	Period	Number of Pulses	Value (%)	Limit (%)	Results
	N/A	N/A	5	N/A	N/A	N/A



OCCUPIED BANDWIDTH

XMit 2017.12.13

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	27-Oct-15	27-Oct-18
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	23-Apr-18	23-Apr-19
Attenuator	S.M. Electronics	SA26B-20	AUY	16-Apr-18	16-Apr-19
Block - DC	Fairview Microwave	SD3379	AMW	23-Apr-18	23-Apr-19
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	12-Jan-18	12-Jan-19

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The EUT was set to the channels and modes listed in the datasheet.

The 6dB occupied bandwidth was measured using 100 kHz resolution bandwidth and 300 kHz video bandwidth. The 99.0% occupied bandwidth was also measured at the same time which can be needed during Output Power depending on the applicable method.

OCCUPIED BANDWIDTH

TbtTx 2017.12.14 XMit 2017.12.13

EUT:	**XI Access Panel, Part Number: 40-10146**			**Work Order:**	**NYTE0015**
Serial Number:	**EV3-2**			**Date:**	**14-May-18**
Customer:	**Nytec Inc.**			**Temperature:**	**23 °C**
Attendees:	**Deven Bryant**			**Humidity:**	**45.5% RH**
Project:	**None**			**Barometric Pres.:**	**1017 mbar**
Tested by:	**Jeff Alcoke**	**Power:**	**48 VDC via POE**	**Job Site:**	**EV06**
TEST SPECIFICATIONS			**Test Method**		
FCC 15.247:2018			ANSI C63.10:2013		
COMMENTS					
Reference level offset includes w.fl to SMA cable.					
DEVIATIONS FROM TEST STANDARD					
None					
Configuration #	**1**	*Signature*			

	Value	Limit (≥)	Result
BLE/GFSK Low Channel, 2402 MHz	690.571 kHz	500 kHz	Pass
BLE/GFSK Mid Channel, 2442 MHz	684.654 kHz	500 kHz	Pass
BLE/GFSK High Channel, 2480 MHz	681.775 kHz	500 kHz	Pass

OCCUPIED BANDWIDTH

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz						
				Value	Limit (≥)	Result
				690.571 kHz	500 kHz	Pass



BLE/GFSK Mid Channel, 2442 MHz						
				Value	Limit (≥)	Result
				684.654 kHz	500 kHz	Pass



OCCUPIED BANDWIDTH

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK High Channel, 2480 MHz						
				Value	Limit (≥)	Result
				681.775 kHz	500 kHz	Pass



OUTPUT POWER

XMit 2017.12.13

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	27-Oct-15	27-Oct-18
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	23-Apr-18	23-Apr-19
Attenuator	S.M. Electronics	SA26B-20	AUY	16-Apr-18	16-Apr-19
Block - DC	Fairview Microwave	SD3379	AMW	23-Apr-18	23-Apr-19
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	12-Jan-18	12-Jan-19

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The transmit frequency was set to the required channels in each band. The transmit power was set to its default maximum.

Prior to measuring peak transmit power the DTS bandwidth (B) was measured.

The method found in ANSI C63.10:2013 Section 11.9.1.1 was used because the RBW on the analyzer was greater than the DTS Bandwidth of the radio.

De Facto EIRP Limit: The EUT meets the de facto EIRP limit of +36 dBm.

OUTPUT POWER

TbtTx 2017.12.14 XMit 2017.12.13

EUT:	**XI Access Panel, Part Number: 40-10146**			**Work Order:**	**NYTE0015**
Serial Number:	**EV3-2**			**Date:**	**14-May-18**
Customer:	**Nytec Inc.**			**Temperature:**	**23 °C**
Attendees:	**Deven Bryant**			**Humidity:**	**45.5% RH**
Project:	**None**			**Barometric Pres.:**	**1017 mbar**
Tested by:	**Jeff Alcoke**	**Power:**	**48 VDC via POE**	**Job Site:**	**EV06**

TEST SPECIFICATIONS	**Test Method**
FCC 15.247:2018	ANSI C63.10:2013

COMMENTS

Reference level offset includes w.fl to SMA cable.

DEVIATIONS FROM TEST STANDARD

None

Configuration #	**1**	*Signature*

	Value	**Limit (<)**	**Result**
BLE/GFSK Low Channel, 2402 MHz	482.73 uW	1 W	Pass
BLE/GFSK Mid Channel, 2442 MHz	548.31 uW	1 W	Pass
BLE/GFSK High Channel, 2480 MHz	554.52 uW	1 W	Pass

OUTPUT POWER

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz						
				Value	Limit (<)	Result
				482.73 uW	1 W	Pass



BLE/GFSK Mid Channel, 2442 MHz						
				Value	Limit (<)	Result
				548.31 uW	1 W	Pass



OUTPUT POWER

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK High Channel, 2480 MHz							
					Value	Limit (<)	Result
					554.52 uW	1 W	Pass



POWER SPECTRAL DENSITY

XMit 2017.12.13

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	27-Oct-15	27-Oct-18
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	23-Apr-18	23-Apr-19
Attenuator	S.M. Electronics	SA26B-20	AUY	16-Apr-18	16-Apr-19
Block - DC	Fairview Microwave	SD3379	AMW	23-Apr-18	23-Apr-19
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	12-Jan-18	12-Jan-19

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The maximum power spectral density measurements was measured using the channels and modes as called out on the following data sheets.

Per the procedure outlined in ANSI C63.10 the peak power spectral density was measured in a 3 kHz RBW.

POWER SPECTRAL DENSITY

TbtTx 2017.12.14 XMit 2017.12.13

EUT:	**XI Access Panel, Part Number: 40-10146**			**Work Order:**	**NYTE0015**
Serial Number:	**EV3-2**			**Date:**	**14-May-18**
Customer:	**Nytec Inc.**			**Temperature:**	**23.1 °C**
Attendees:	**Deven Bryant**			**Humidity:**	**45.5% RH**
Project:	**None**			**Barometric Pres.:**	**1017 mbar**
Tested by:	**Jeff Alcoke**	**Power:**	**48 VDC via POE**	**Job Site:**	**EV06**

TEST SPECIFICATIONS	**Test Method**
FCC 15.247:2018	ANSI C63.10:2013

COMMENTS

Reference level offset includes w.fl to SMA cable.

DEVIATIONS FROM TEST STANDARD

None

Configuration #	**1**	*Signature*

	Value dBm/3kHz	**Limit < dBm/3kHz**	**Results**
BLE/GFSK Low Channel, 2402 MHz	-20.636	8	Pass
BLE/GFSK Mid Channel, 2442 MHz	-20.045	8	Pass
BLE/GFSK High Channel, 2480 MHz	-20.117	8	Pass

POWER SPECTRAL DENSITY

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz							
					Value dBm/3kHz	Limit < dBm/3kHz	Results
					-20.636	8	Pass



BLE/GFSK Mid Channel, 2442 MHz							
					Value dBm/3kHz	Limit < dBm/3kHz	Results
					-20.045	8	Pass



POWER SPECTRAL DENSITY

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK High Channel, 2480 MHz						
				Value dBm/3kHz	Limit < dBm/3kHz	Results
				-20.117	8	Pass



BAND EDGE COMPLIANCE

XMit 2017.12.13

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	27-Oct-15	27-Oct-18
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	23-Apr-18	23-Apr-19
Attenuator	S.M. Electronics	SA26B-20	AUY	16-Apr-18	16-Apr-19
Block - DC	Fairview Microwave	SD3379	AMW	23-Apr-18	23-Apr-19
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	12-Jan-18	12-Jan-19

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions at the edges of the authorized bands were measured with the EUT set to low and high transmit frequencies in each available band. The channels closest to the band edges were selected. The EUT was transmitting at the data rate(s) listed in the datasheet.

The spectrum was scanned below the lower band edge and above the higher band edge.

BAND EDGE COMPLIANCE

TbtTx 2017.12.14 XMit 2017.12.13

EUT:	**XI Access Panel, Part Number: 40-10146**			**Work Order:**	**NYTE0015**
Serial Number:	**EV3-2**			**Date:**	**14-May-18**
Customer:	**Nytec Inc.**			**Temperature:**	**23 °C**
Attendees:	**Deven Bryant**			**Humidity:**	**45.6% RH**
Project:	**None**			**Barometric Pres.:**	**1017 mbar**
Tested by:	**Jeff Alcoke**	**Power:**	**48 VDC via POE**	**Job Site:**	**EV06**
TEST SPECIFICATIONS			**Test Method**		
FCC 15.247:2018			ANSI C63.10:2013		
COMMENTS					
Reference level offset includes w.fl to SMA cable.					
DEVIATIONS FROM TEST STANDARD					
None					
Configuration #	**1**	*Signature*			

	Value (dBc)	Limit ≤ (dBc)	Result
BLE/GFSK Low Channel, 2402 MHz	-49.5	-20	Pass
BLE/GFSK High Channel, 2480 MHz	-51.65	-20	Pass

BAND EDGE COMPLIANCE

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz						
				Value (dBc)	Limit ≤ (dBc)	Result
				-49.5	-20	Pass



BLE/GFSK High Channel, 2480 MHz						
				Value (dBc)	Limit ≤ (dBc)	Result
				-51.65	-20	Pass

SPURIOUS CONDUCTED EMISSIONS

XMit 2017.12.13

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data.

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Cal. Due
Generator - Signal	Keysight	N5182B	TFU	27-Oct-15	27-Oct-18
Cable	Micro-Coax	UFD150A-1-0720-200200	EVH	23-Apr-18	23-Apr-19
Attenuator	S.M. Electronics	SA26B-20	AUY	16-Apr-18	16-Apr-19
Block - DC	Fairview Microwave	SD3379	AMW	23-Apr-18	23-Apr-19
Analyzer - Spectrum Analyzer	Agilent	N9010A	AFI	12-Jan-18	12-Jan-19

TEST DESCRIPTION

The measurement was made using a direct connection between the RF output of the EUT and a spectrum analyzer. The spurious RF conducted emissions were measured with the EUT set to low, medium and high transmit frequencies. The EUT was transmitting at the data rate(s) listed in the datasheet. For each transmit frequency, the spectrum was scanned throughout the specified frequency range.

SPURIOUS CONDUCTED EMISSIONS

TbtTx 2017.12.14 XMit 2017.12.13

EUT:	**XI Access Panel, Part Number: 40-10146**			**Work Order:**	**NYTE0015**
Serial Number:	**EV3-2**			**Date:**	**14-May-18**
Customer:	**Nytec Inc.**			**Temperature:**	**23.1 °C**
Attendees:	**Deven Bryant**			**Humidity:**	**45.6% RH**
Project:	**None**			**Barometric Pres.:**	**1017 mbar**
Tested by:	**Jeff Alcoke**	**Power:**	**48 VDC via POE**	**Job Site:**	**EV06**

TEST SPECIFICATIONS	**Test Method**
FCC 15.247:2018	ANSI C63.10:2013

COMMENTS

Reference level offset includes w.fl to SMA cable.

DEVIATIONS FROM TEST STANDARD

None

Configuration #	**1**	*Signature*

	Frequency Range	Max Value (dBc)	Limit ≤ (dBc)	Result
BLE/GFSK Low Channel, 2402 MHz	Fundamental	N/A	N/A	N/A
BLE/GFSK Low Channel, 2402 MHz	30 MHz - 12.5 GHz	-30.76	-20	Pass
BLE/GFSK Low Channel, 2402 MHz	12.5 GHz - 25 GHz	-47.86	-20	Pass
BLE/GFSK Mid Channel, 2442 MHz	Fundamental	N/A	N/A	N/A
BLE/GFSK Mid Channel, 2442 MHz	30 MHz - 12.5 GHz	-31.34	-20	Pass
BLE/GFSK Mid Channel, 2442 MHz	12.5 GHz - 25 GHz	-47.92	-20	Pass
BLE/GFSK High Channel, 2480 MHz	Fundamental	N/A	N/A	N/A
BLE/GFSK High Channel, 2480 MHz	30 MHz - 12.5 GHz	-35.59	-20	Pass
BLE/GFSK High Channel, 2480 MHz	12.5 GHz - 25 GHz	-48.1	-20	Pass

SPURIOUS CONDUCTED EMISSIONS

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz						
	Frequency Range			Max Value (dBc)	Limit ≤ (dBc)	Result
	Fundamental			N/A	N/A	N/A



BLE/GFSK Low Channel, 2402 MHz					
Frequency Range			Max Value (dBc)	Limit ≤ (dBc)	Result
30 MHz - 12.5 GHz			-30.76	-20	Pass



SPURIOUS CONDUCTED EMISSIONS

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK Low Channel, 2402 MHz				
Frequency Range		Max Value (dBc)	Limit ≤ (dBc)	Result
12.5 GHz - 25 GHz		-47.86	-20	Pass



BLE/GFSK Mid Channel, 2442 MHz						
Frequency Range				Max Value (dBc)	Limit ≤ (dBc)	Result
	Fundamental			N/A	N/A	N/A



BLE/GFSK Mid Channel, 2442 MHz				
Frequency Range		Max Value (dBc)	Limit ≤ (dBc)	Result
30 MHz - 12.5 GHz		-31.34	-20	Pass



BLE/GFSK Mid Channel, 2442 MHz				
Frequency Range		Max Value (dBc)	Limit ≤ (dBc)	Result
12.5 GHz - 25 GHz		-47.92	-20	Pass



SPURIOUS CONDUCTED EMISSIONS

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK High Channel, 2480 MHz						
	Frequency Range			Max Value (dBc)	Limit ≤ (dBc)	Result
	Fundamental			N/A	N/A	N/A

BLE/GFSK High Channel, 2480 MHz					
Frequency Range			Max Value (dBc)	Limit ≤ (dBc)	Result
30 MHz - 12.5 GHz			-35.59	-20	Pass



SPURIOUS CONDUCTED EMISSIONS

TbtTx 2017.12.14 XMit 2017.12.13

BLE/GFSK High Channel, 2480 MHz				
Frequency Range		Max Value (dBc)	Limit ≤ (dBc)	Result
12.5 GHz - 25 GHz		-48.1	-20	Pass



SPURIOUS RADIATED EMISSIONS

PSA-ESCI 2017.12.19

Testing was performed using the mode(s) of operation and configuration(s) noted within the report. The individuals and/or the organization requesting the test provided the modes, configurations and settings used to complete the evaluation. The actual test parameters are specified in the test data, this includes items such as investigated frequency range (scanned) and test levels. The testing methods and performance specifications, as well as the test site used for the evaluation are indicated in the test data. The test data represents the configuration / operating mode/ model that produced the highest emission levels as compared to the specification limit.

MODES OF OPERATION

BTLE Continuous Tx, Low Ch. 0 = 2402 MHz, Mid Ch. 20 = 2442 MHz, High Ch. 39 = 2480 MHz

POWER SETTINGS INVESTIGATED

48 VDC via POE

CONFIGURATIONS INVESTIGATED

NYTE0015 - 6

FREQUENCY RANGE INVESTIGATED

Start Frequency	30 MHz	Stop Frequency	26.5 GHz

SAMPLE CALCULATIONS

Radiated Emissions: Field Strength = Measured Level + Antenna Factor + Cable Factor - Amplifier Gain + Distance Adjustment Factor + External Attenuation

TEST EQUIPMENT

Description	Manufacturer	Model	ID	Last Cal.	Interval
Filter - High Pass	Micro-Tronics	HPM50111	HFO	1-Feb-2018	12 mo
Filter - Low Pass	Micro-Tronics	LPM50004	LFD	28-Feb-2018	12 mo
Attenuator	Coaxicom	3910-20	AXZ	28-Feb-2018	12 mo
Cable	ESM Cable Corp.	KMKM-72	EVY	31-Aug-2017	12 mo
Amplifier - Pre-Amplifier	Miteq	AMF-6F-18002650-25-10P	AVU	31-Aug-2017	12 mo
Antenna - Standard Gain	ETS Lindgren	3160-09	AIV	NCR	0 mo
Amplifier - Pre-Amplifier	Miteq	AMF-6F-12001800-30-10P	AVD	30-Nov-2017	12 mo
Antenna - Standard Gain	ETS Lindgren	3160-08	AHV	NCR	0 mo
Cable	None	Standard Gain Horns Cable	EVF	30-Nov-2017	12 mo
Amplifier - Pre-Amplifier	L-3 Narda-MITEQ	AMF-6F-08001200-30-10P	PAO	30-Nov-2017	12 mo
Antenna - Standard Gain	ETS Lindgren	3160-07	AHU	NCR	0 mo
Cable	N/A	Double Ridge Horn Cables	EVB	29-Nov-2017	12 mo
Amplifier - Pre-Amplifier	Miteq	AMF-3D-00100800-32-13P	PAG	29-Nov-2017	12 mo
Antenna - Double Ridge	ETS Lindgren	3115	AIZ	7-Feb-2018	24 mo
Cable	N/A	Bilog Cables	EVA	30-Nov-2017	12 mo
Amplifier - Pre-Amplifier	Miteq	AM-1616-1000	AOL	30-Nov-2017	12 mo
Antenna - Biconilog	Teseq	CBL 6141B	AXR	30-Jun-2016	24 mo

TEST DESCRIPTION

The highest gain antenna of each type to be used with the EUT was tested. The EUT was configured for the required transmit frequencies and the modes as showed in the data sheets.

For each configuration, the spectrum was scanned throughout the specified range as part of the exploratory investigation of the emissions. These “pre-scans” are not included in the report. Final measurements on individual emissions were then made and included in this test report.

The individual emissions from the EUT were maximized by rotating the EUT on a turntable, adjusting the position of the EUT and EUT antenna in three orthogonal axis if required, and adjusting the measurement antenna height and polarization (per ANSI C63.10). A preamp and high pass filter (and notch filter) were used for this test in order to provide sufficient measurement sensitivity.

Measurements were made with the required detectors and annotated on the data for each individual point using the following annotation:

QP = Quasi-Peak Detector
PK = Peak Detector
AV = RMS Detector

Measurements were made to satisfy the specific requirements of the test specification for out of band emissions as well as the restricted band requirements.

If there are no detectable emissions above the noise floor, the data included may show noise floor measurements for reference only.

Measurements at the edges of the allowable band may be presented in an alternative method as provided for in the ANSI C63.10 Marker-Delta method. This method involves performing an in-band fundamental measurement followed by a screen capture of the fundamental and out-of-band emission using reduced measurement instrumentation bandwidths. The amplitude delta measured on this screen capture is applied to the fundamental emission value to show the out-of-band emission level as applied to the limit.

Where the radio test software does not provide for a duty cycle at continuous transmit conditions (> 98%) and the RMS (power average) measurements were made across the on and off times of the EUT transmissions, a duty cycle correction is added to the measurements using the formula of 10*LOG(dc).

SPURIOUS RADIATED EMISSIONS

EmiR5 2018.03.06.1 PSA-ESCI 2017.12.19

Work Order:	NYTE0015	**Date:**	16-May-2018		
Project:	None	**Temperature:**	23.1 °C		
Job Site:	EV01	**Humidity:**	48% RH		
Serial Number:	EV3-11	**Barometric Pres.:**	1012 mbar	**Tested by:**	Jeff Alcoke
EUT:	XI Access Panel, Part Number: 40-10146				
Configuration:	6				
Customer:	Nytec Inc.				
Attendees:	Deven Bryant				
EUT Power:	48 VDC via POE				
Operating Mode:	BTLE Continuous Tx, Low Ch. 0 = 2402 MHz, Mid Ch. 20 = 2442 MHz, High Ch. 39 = 2480 MHz				
Deviations:	None				
Comments:	See comments below for Channel and EUT orientation. The software provided configures the transmitter to transmit at a duty cycle (DC) of 28.3%. Per ANSI C63.10:2013 Section 11.12.2.5.2, a Duty Cycle Correction Factor (DCCF) was added to the average data to correct the average values to compensate for measurements take across the on and off times of the transmissions. This correction is 10*log(1/DC) = 5.5 dB				

Test Specifications	**Test Method**
FCC 15.247:2018	ANSI C63.10:2013

Run #	18	**Test Distance (m)**	3	**Antenna Height(s)**	1 to 4(m)	**Results**	Pass



Freq (MHz)	Calculated Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
7440.583	31.4	13.0	1.1	293.0	5.5	0.0	Vert	AV	0.0	49.9	54.0	-4.1	High Ch. 39, EUT Vertical
7326.558	31.1	12.3	1.1	293.0	5.5	0.0	Vert	AV	0.0	48.9	54.0	-5.1	Mid Ch. 20, EUT Vertical
7439.575	30.3	13.0	2.4	280.0	5.5	0.0	Horz	AV	0.0	48.8	54.0	-5.2	High Ch. 39. EUT on Side
7325.433	29.1	12.3	1.0	301.0	5.5	0.0	Horz	AV	0.0	46.9	54.0	-7.1	Mid Ch. 20, EUT on Side
4803.825	36.1	3.8	1.0	8.0	5.5	0.0	Vert	AV	0.0	45.4	54.0	-8.6	Low Ch. 0, EUT Vertical
4803.850	35.5	3.8	2.1	250.0	5.5	0.0	Horz	AV	0.0	44.8	54.0	-9.2	Low Ch. 0, EUT on Side
4803.925	32.3	3.8	2.7	10.0	5.5	0.0	Vert	AV	0.0	41.6	54.0	-12.4	Low Ch. 0, EUT Horizontal
4804.108	31.7	3.8	1.0	287.0	5.5	0.0	Horz	AV	0.0	41.0	54.0	-13.0	Low Ch. 0, EUT Vertical
19213.930	33.7	1.7	1.2	0.0	5.5	0.0	Vert	AV	0.0	40.9	54.0	-13.1	Low Ch. 0, EUT Vertical
19215.510	33.5	1.7	1.2	360.0	5.5	0.0	Horz	AV	0.0	40.7	54.0	-13.3	Low Ch. 0, EUT on Side
4803.892	31.3	3.8	1.1	326.0	5.5	0.0	Vert	AV	0.0	40.6	54.0	-13.4	Low Ch. 0, EUT on Side
4803.742	31.0	3.8	1.0	46.0	5.5	0.0	Horz	AV	0.0	40.3	54.0	-13.7	Low Ch. 0, EUT Horizontal
4884.108	28.9	5.1	2.2	154.0	5.5	0.0	Vert	AV	0.0	39.5	54.0	-14.5	Mid Ch. 20, EUT Vertical
4884.133	28.9	5.1	1.0	0.0	5.5	0.0	Horz	AV	0.0	39.5	54.0	-14.5	Mid Ch. 20, EUT on Side
4962.033	28.6	5.2	1.0	10.0	5.5	0.0	Vert	AV	0.0	39.3	54.0	-14.7	High Ch. 39, EUT Vertical
4960.783	28.6	5.2	1.9	210.0	5.5	0.0	Horz	AV	0.0	39.3	54.0	-14.7	High Ch. 39, EUT on Side
12400.630	29.3	1.2	1.0	266.0	5.5	0.0	Vert	AV	0.0	36.0	54.0	-18.0	High Ch. 39, EUT Vertical
12401.100	29.3	1.2	1.2	360.0	5.5	0.0	Horz	AV	0.0	36.0	54.0	-18.0	High Ch. 39, EUT on Side
12208.220	29.4	1.0	1.0	192.0	5.5	0.0	Vert	AV	0.0	35.9	54.0	-18.1	Mid Ch. 20, EUT Vertical

Freq (MHz)	Calculated Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Duty Cycle Correction Factor (dB)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Comments
12210.880	29.4	1.0	1.0	253.0	5.5	0.0	Horz	AV	0.0	35.9	54.0	-18.1	Mid Ch. 20, EUT on Side
12008.530	29.4	1.0	1.2	196.0	5.5	0.0	Horz	AV	0.0	35.9	54.0	-18.1	Low Ch. 0, EUT on Side
12008.410	29.3	1.0	3.3	288.0	5.5	0.0	Vert	AV	0.0	35.8	54.0	-18.2	Low Ch. 0, EUT Vertical
7440.700	42.0	13.0	1.1	293.0	0.0	0.0	Vert	PK	0.0	55.0	74.0	-19.0	High Ch. 39, EUT Vertical
7326.458	41.8	12.3	1.1	293.0	0.0	0.0	Vert	PK	0.0	54.1	74.0	-19.9	Mid Ch. 20, EUT Vertical
7439.342	41.0	13.0	2.4	280.0	0.0	0.0	Horz	PK	0.0	54.0	74.0	-20.0	High Ch. 39. EUT on Side
7326.467	40.2	12.3	1.0	301.0	0.0	0.0	Horz	PK	0.0	52.5	74.0	-21.5	Mid Ch. 20, EUT on Side
4803.808	46.5	3.8	1.0	8.0	0.0	0.0	Vert	PK	0.0	50.3	74.0	-23.7	Low Ch. 0, EUT Vertical
4804.483	45.1	3.8	2.1	250.0	0.0	0.0	Horz	PK	0.0	48.9	74.0	-25.1	Low Ch. 0, EUT on Side
19214.000	45.3	1.7	1.2	360.0	0.0	0.0	Horz	PK	0.0	47.0	74.0	-27.0	Low Ch. 0, EUT on Side
4803.775	42.9	3.8	1.0	287.0	0.0	0.0	Horz	PK	0.0	46.7	74.0	-27.3	Low Ch. 0, EUT Vertical
4803.158	42.5	3.8	2.7	10.0	0.0	0.0	Vert	PK	0.0	46.3	74.0	-27.7	Low Ch. 0, EUT Horizontal
19217.660	44.2	1.7	1.2	0.0	0.0	0.0	Vert	PK	0.0	45.9	74.0	-28.1	Low Ch. 0, EUT Vertical
4803.350	41.8	3.8	1.1	326.0	0.0	0.0	Vert	PK	0.0	45.6	74.0	-28.4	Low Ch. 0, EUT on Side
4882.808	40.2	5.0	1.0	0.0	0.0	0.0	Horz	PK	0.0	45.2	74.0	-28.8	Mid Ch. 20, EUT on Side
4883.367	40.0	5.1	2.2	154.0	0.0	0.0	Vert	PK	0.0	45.1	74.0	-28.9	Mid Ch. 20, EUT Vertical
4804.400	41.3	3.8	1.0	46.0	0.0	0.0	Horz	PK	0.0	45.1	74.0	-28.9	Low Ch. 0, EUT Horizontal
4961.275	39.4	5.2	1.9	210.0	0.0	0.0	Horz	PK	0.0	44.6	74.0	-29.4	High Ch. 39, EUT on Side
4961.333	39.0	5.2	1.0	10.0	0.0	0.0	Vert	PK	0.0	44.2	74.0	-29.8	High Ch. 39, EUT Vertical
12398.410	40.1	1.2	1.2	360.0	0.0	0.0	Horz	PK	0.0	41.3	74.0	-32.7	High Ch. 39, EUT on Side
12210.090	40.2	1.0	1.0	192.0	0.0	0.0	Vert	PK	0.0	41.2	74.0	-32.8	Mid Ch. 20, EUT Vertical
12208.980	40.2	1.0	1.0	253.0	0.0	0.0	Horz	PK	0.0	41.2	74.0	-32.8	Mid Ch. 20, EUT on Side
12007.750	40.1	1.0	1.2	196.0	0.0	0.0	Horz	PK	0.0	41.1	74.0	-32.9	Low Ch. 0, EUT on Side
12400.970	39.5	1.2	1.0	266.0	0.0	0.0	Vert	PK	0.0	40.7	74.0	-33.3	High Ch. 39, EUT Vertical
12007.680	39.5	1.0	3.3	288.0	0.0	0.0	Vert	PK	0.0	40.5	74.0	-33.5	Low Ch. 0, EUT Vertical

SPURIOUS RADIATED EMISSIONS

EmiR5 2018.03.06.1 PSA-ESCI 2017.12.19

Work Order:	NYTE0015	**Date:**	16-May-2018		
Project:	None	**Temperature:**	23.1 °C		
Job Site:	EV01	**Humidity:**	48% RH		
Serial Number:	EV3-11	**Barometric Pres.:**	1012 mbar	**Tested by:**	Jeff Alcoke
EUT:	XI Access Panel, Part Number: 40-10146				
Configuration:	6				
Customer:	Nytec Inc.				
Attendees:	Deven Bryant				
EUT Power:	48 VDC via POE				
Operating Mode:	BTLE Continuous Tx, Low Ch. 0 = 2402 MHz, Mid Ch. 20 = 2442 MHz, High Ch. 39 = 2480 MHz				
Deviations:	None				
Comments:	See comments below for Channel and EUT orientation. Measurements taken represent noisefloor of the measurement system. As no emissions were present from the radio no correction factor was applied due to non-continuous operation.				

Test Specifications	**Test Method**
FCC 15.247:2018	ANSI C63.10:2013

Run #	19	**Test Distance (m)**	3	**Antenna Height(s)**	1 to 4(m)	**Results**	Pass



Freq (MHz)	Calculated Amplitude (dBuV)	Factor (dB)	Antenna Height (meters)	Azimuth (degrees)	Test Distance (meters)	External Attenuation (dB)	Polarity/ Transducer Type	Detector	Distance Adjustment (dB)	Adjusted (dBuV/m)	Spec. Limit (dBuV/m)	Compared to Spec. (dB)	Marker Delta Comments
2485.487	31.2	-4.4	1.0	5.0	3.0	20.0	Vert	AV	0.0	46.8	54.0	-7.2	High Ch. 39, EUT Vertical
2483.523	31.2	-4.5	1.0	231.0	3.0	20.0	Horz	AV	0.0	46.7	54.0	-7.3	High Ch. 39, EUT on Side
2483.523	31.1	-4.5	1.0	353.0	3.0	20.0	Vert	AV	0.0	46.6	54.0	-7.4	High Ch. 39, EUT on Side
2483.940	31.1	-4.5	1.0	150.0	3.0	20.0	Horz	AV	0.0	46.6	54.0	-7.4	High Ch. 39, EUT Horizontal
2484.043	31.1	-4.5	1.0	232.0	3.0	20.0	Vert	AV	0.0	46.6	54.0	-7.4	High Ch. 39, EUT Horizontal
2483.863	31.1	-4.5	1.0	360.0	3.0	20.0	Horz	AV	0.0	46.6	54.0	-7.4	High Ch. 39, EUT Vertical
2388.623	31.3	-4.9	1.0	48.0	3.0	20.0	Horz	AV	0.0	46.4	54.0	-7.6	Low Ch. 0, EUT Vertical
2388.140	31.3	-4.9	1.0	292.0	3.0	20.0	Vert	AV	0.0	46.4	54.0	-7.6	Low Ch. 0, EUT Vertical
2484.747	42.9	-4.4	1.0	150.0	3.0	20.0	Horz	PK	0.0	58.5	74.0	-15.5	High Ch. 39, EUT Horizontal
2485.310	42.8	-4.4	1.0	5.0	3.0	20.0	Vert	PK	0.0	58.4	74.0	-15.6	High Ch. 39, EUT Vertical
2483.537	42.4	-4.5	1.0	232.0	3.0	20.0	Vert	PK	0.0	57.9	74.0	-16.1	High Ch. 39, EUT Horizontal
2388.247	42.7	-4.9	1.0	48.0	3.0	20.0	Horz	PK	0.0	57.8	74.0	-16.2	Low Ch. 0, EUT Vertical
2483.737	42.1	-4.5	1.0	231.0	3.0	20.0	Horz	PK	0.0	57.6	74.0	-16.4	High Ch. 39, EUT on Side
2483.993	42.1	-4.5	1.0	353.0	3.0	20.0	Vert	PK	0.0	57.6	74.0	-16.4	High Ch. 39, EUT on Side
2484.923	42.0	-4.4	1.0	360.0	3.0	20.0	Horz	PK	0.0	57.6	74.0	-16.4	High Ch. 39, EUT Vertical
2389.683	41.7	-4.9	1.0	292.0	3.0	20.0	Vert	PK	0.0	56.8	74.0	-17.2	Low Ch. 0, EUT Vertical