



TX CH38



Date: 20.DEC.2018 09:32:45

TX CH46




Date: 20.DEC.2018 09:34:14

Test Mode: TX AC80 Mode_CH42

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	81.40	75.20

TX CH42



Date: 20.DEC.2018 09:36:03

APPENDIX F - MAXIMUM OUTPUT POWER

Non-Beamforming

Test Mode: TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.51	1.81	15.32	30.00	1.00
CH40	5200	16.85	1.81	18.66	30.00	1.00
CH48	5240	18.77	1.81	20.58	30.00	1.00

Test Mode: TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.11	1.78	13.89	29.72	0.94
CH40	5200	14.89	1.78	16.67	29.72	0.94
CH48	5240	15.03	1.78	16.81	29.72	0.94

Test Mode: TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.56	1.78	15.34	29.72	0.94
CH40	5200	16.51	1.78	18.29	29.72	0.94
CH48	5240	16.56	1.78	18.34	29.72	0.94

Test Mode: TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.69	29.72	0.94
CH40	5200	20.57	29.72	0.94
CH48	5240	20.66	29.72	0.94

Test Mode: TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.56	3.14	11.70	29.72	0.94
CH46	5230	12.88	3.14	16.02	29.72	0.94

Test Mode: TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.44	3.14	13.58	29.72	0.94
CH46	5230	14.72	3.14	17.86	29.72	0.94

Test Mode: TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.75	29.72	0.94
CH46	5230	20.05	29.72	0.94

Test Mode: TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.15	1.81	13.96	29.72	0.94
CH40	5200	14.98	1.81	16.79	29.72	0.94
CH48	5240	15.01	1.81	16.82	29.72	0.94

Test Mode: TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.72	1.81	15.53	29.72	0.94
CH40	5200	16.38	1.81	18.19	29.72	0.94
CH48	5240	16.66	1.81	18.47	29.72	0.94

Test Mode: TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.83	29.72	0.94
CH40	5200	20.56	29.72	0.94
CH48	5240	20.74	29.72	0.94

Test Mode: TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	12.01	3.17	15.18	29.72	0.94
CH46	5230	12.47	3.17	15.64	29.72	0.94

Test Mode: TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.75	3.17	16.92	29.72	0.94
CH46	5230	14.25	3.17	17.42	29.72	0.94

Test Mode: TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	19.15	29.72	0.94
CH46	5230	19.64	29.72	0.94

Test Mode: TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.77	5.38	14.15	29.72	0.94

Test Mode: TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.77	5.38	16.15	29.72	0.94

Test Mode: TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	18.27	29.72	0.94

With Beamforming

Test Mode: TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.97	1.78	13.75	29.60	0.91
CH40	5200	14.69	1.78	16.47	29.60	0.91
CH48	5240	14.85	1.78	16.63	29.60	0.91

Test Mode: TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.44	1.78	15.22	29.60	0.91
CH40	5200	16.44	1.78	18.22	29.60	0.91
CH48	5240	16.32	1.78	18.10	29.60	0.91

Test Mode: TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.56	29.60	0.91
CH40	5200	20.45	29.60	0.91
CH48	5240	20.44	29.60	0.91

Test Mode: TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.42	3.14	11.56	29.60	0.91
CH46	5230	12.62	3.14	15.76	29.60	0.91

Test Mode: TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.31	3.14	13.45	29.60	0.91
CH46	5230	14.55	3.14	17.69	29.60	0.91

Test Mode: TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.62	29.60	0.91
CH46	5230	19.84	29.60	0.91

Test Mode: TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.01	1.81	13.82	29.60	0.91
CH40	5200	14.69	1.81	16.50	29.60	0.91
CH48	5240	14.85	1.81	16.66	29.60	0.91

Test Mode: TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	13.53	1.81	15.34	29.60	0.91
CH40	5200	16.16	1.81	17.97	29.60	0.91
CH48	5240	16.52	1.81	18.33	29.60	0.91

Test Mode: TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	17.66	29.60	0.91
CH40	5200	20.31	29.60	0.91
CH48	5240	20.59	29.60	0.91

Test Mode: TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.84	3.17	15.01	29.60	0.91
CH46	5230	12.32	3.17	15.49	29.60	0.91

Test Mode: TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	13.37	3.17	16.54	29.60	0.91
CH46	5230	14.03	3.17	17.20	29.60	0.91

Test Mode: TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	18.86	29.60	0.91
CH46	5230	19.44	29.60	0.91

Test Mode: TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	8.45	5.38	13.83	29.60	0.91

Test Mode: TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.49	5.38	15.87	29.60	0.91

Test Mode: TX AC80 Mode_Total


Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	17.98	29.60	0.91

APPENDIX G - POWER SPECTRAL DENSITY

Non-Beamforming


Test Mode: TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.45	1.81	7.26	17.00
CH40	5200	8.22	1.81	10.03	17.00
CH48	5240	9.49	1.81	11.30	17.00




Date: 19.DEC.2018 18:55:05

CH40



Date: 19.DEC.2018 18:55:53


CH48



Date: 19.DEC.2018 18:57:10


Test Mode: TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.00	1.78	6.78	16.72
CH40	5200	7.47	1.78	9.25	16.72
CH48	5240	7.23	1.78	9.01	16.72




Date: 19.DEC.2018 19:21:11

CH40



Date: 19.DEC.2018 19:22:35

CH48




Date: 19.DEC.2018 19:23:22

Test Mode: TX N20 Mode_CH36/CH40/CH48_ANT 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.91	1.78	5.69	16.72
CH40	5200	6.04	1.78	7.82	16.72
CH48	5240	5.53	1.78	7.31	16.72

CH36




Date: 19.DEC.2018 19:34:56

CH40



Date: 19.DEC.2018 19:35:57

CH48



Date: 19.DEC.2018 19:37:08


Test Mode: TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.28	16.72
CH40	5200	11.61	16.72
CH48	5240	11.26	16.72

Test Mode: TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.11	3.14	2.03	16.72
CH46	5230	3.24	3.14	6.38	16.72

CH38



Date: 19.DEC.2018 19:25:24

CH46




Date: 19.DEC.2018 19:26:48

Test Mode: TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.82	3.14	3.96	16.72
CH46	5230	0.51	3.14	3.65	16.72

CH38



Date: 19.DEC.2018 19:48:27

CH46




Date: 19.DEC.2018 19:49:27

Test Mode: TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	6.11	16.72
CH46	5230	8.24	16.72


Test Mode: TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	4.98	1.81	6.79	16.72
CH40	5200	7.38	1.81	9.19	16.72
CH48	5240	7.16	1.81	8.97	16.72




Date: 19.DEC.2018 19:15:21

CH40



Date: 19.DEC.2018 19:16:13


CH48



Date: 19.DEC.2018 19:17:56


Test Mode: TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	3.84	1.81	5.65	16.72
CH40	5200	6.20	1.81	8.01	16.72
CH48	5240	5.87	1.81	7.68	16.72




Date: 19.DEC.2018 19:44:54

CH40



Date: 19.DEC.2018 19:46:06

CH48



Date: 19.DEC.2018 19:47:08


Test Mode: TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	9.27	16.72
CH40	5200	11.65	16.72
CH48	5240	11.39	16.72

Test Mode: TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	2.25	3.17	5.42	16.72
CH46	5230	2.60	3.17	5.77	16.72

CH38



Date: 19.DEC.2018 19:11:49

CH46




Date: 19.DEC.2018 19:13:00

Test Mode: TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.77	3.17	3.94	16.72
CH46	5230	0.53	3.17	3.70	16.72

CH38



Date: 19.DEC.2018 19:54:38

CH46




Date: 19.DEC.2018 19:52:59

Test Mode: TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	7.76	16.72
CH46	5230	7.87	16.72

Test Mode: TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-2.89	5.38	2.49	16.72



Date: 19.DEC.2018 19:09:22

Test Mode: TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-4.58	5.38	0.80	16.72



Date: 19.DEC.2018 19:56:25


Test Mode: TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	4.74	16.72

With Beamforming


Test Mode: TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.44	1.78	1.34	16.60
CH40	5200	2.59	1.78	4.37	16.60
CH48	5240	2.02	1.78	3.80	16.60




Date: 20.DEC.2018 09:47:00

CH40



Date: 20.DEC.2018 09:48:08


CH48



Date: 20.DEC.2018 09:49:15


Test Mode: TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.51	1.78	3.29	16.60
CH40	5200	3.97	1.78	5.75	16.60
CH48	5240	4.47	1.78	6.25	16.60




Date: 20.DEC.2018 10:09:24

CH40



Date: 20.DEC.2018 10:10:16

CH48



Date: 20.DEC.2018 10:11:18


Test Mode: TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.44	16.60
CH40	5200	8.13	16.60
CH48	5240	8.21	16.60

Test Mode: TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.62	3.14	-3.48	16.60
CH46	5230	-2.75	3.14	0.39	16.60

CH38



Date: 20.DEC.2018 09:51:18

CH46




Date: 20.DEC.2018 09:52:41

Test Mode: TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.45	3.14	-1.31	16.60
CH46	5230	-0.46	3.14	2.68	16.60

CH38



Date: 20.DEC.2018 10:13:03

CH46




Date: 20.DEC.2018 10:13:54

Test Mode: TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	0.75	16.60
CH46	5230	4.69	16.60


Test Mode: TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-0.50	1.81	1.31	16.60
CH40	5200	2.33	1.81	4.14	16.60
CH48	5240	2.04	1.81	3.85	16.60




Date: 20.DEC.2018 09:38:33

CH40



Date: 20.DEC.2018 09:39:55


CH48



Date: 20.DEC.2018 09:42:49


Test Mode: TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	1.70	1.81	3.51	16.60
CH40	5200	4.03	1.81	5.84	16.60
CH48	5240	3.96	1.81	5.77	16.60




Date: 20.DEC.2018 10:19:49

CH40



Date: 20.DEC.2018 10:20:41

CH48



Date: 20.DEC.2018 10:23:07


Test Mode: TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	5.56	16.60
CH40	5200	8.09	16.60
CH48	5240	7.93	16.60

Test Mode: TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.27	3.17	-0.10	16.60
CH46	5230	-3.01	3.17	0.16	16.60

CH38



Date: 20.DEC.2018 09:32:58

CH46




Date: 20.DEC.2018 09:34:27

Test Mode: TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-1.29	3.17	1.88	16.60
CH46	5230	-0.70	3.17	2.47	16.60

CH38



Date: 20.DEC.2018 10:18:36

CH46




Date: 20.DEC.2018 10:17:05

Test Mode: TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	4.02	16.60
CH46	5230	4.48	16.60

Test Mode: TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-8.99	5.38	-3.61	16.60



Date: 20.DEC.2018 09:36:16

Test Mode: TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.64	5.38	-1.26	16.60



Date: 20.DEC.2018 10:25:28

Test Mode: TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.73	16.60

APPENDIX H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5180.0150
120	5179.9950
102	5180.0150
Max. Deviation (MHz)	0.0150
Max. Deviation (ppm)	2.8982

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5180.0150
10	5180.0150
20	5179.9950
30	5180.0302
40	5180.0102
Max. Deviation (MHz)	0.0301
Max. Deviation (ppm)	5.8205

End of Test Report