










Test CH11: 2462MHz




Test Mode: IEEE 802.11n HT20 Test CH1: 2412MHz











Test CH6: 2437MHz




Test CH11: 2462MHz




Test Mode: IEEE 802.11n HT40
Test CH3: 2422MHz









Test CH6: 2437MHz



Test CH9: 2462MHz





6. BAND EDGE COMPLIANCE TEST

6.1. Test Equipment

Item	Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Cal. Interval
1.	PXA Signal Analyzer	Agilent	N9030A	MY51380221	Jun.30,19	1 Year
2.	Amplifier	HP	8449B	3008A02495	Apr.23,19	1 Year
3.	Horn Antenna	ETS	3115	9607-4580	Dec.13,18	1 Year
4.	RF Cable	EMCI	EMC102-KM-KM 3500	170702	May.13,19	1 Year

6.2. Limit

All the lower and upper band-edges emissions appearing within 2310MHz to 2390MHz and 2483.5MHz to 2500MHz restricted frequency bands shall not exceed the limits shown in 15.209, all the other emissions outside operation frequency band 2400MHz to 2483.5MHz shall be at least 20dB below the fundamental emissions, or comply with 15.209 limits.


6.3. Test Procedure

Use the test method described in ANSI C63.10 clause 6.10:

1. The EUT is placed on a turntable, which is 1.5m above the ground plane and worked at highest radiated power.
2. The turntable was rotated for 360 degrees to determine the position of maximum emission level.
3. EUT is set 3m away from the receiving antenna, which is varied from 1m to 4m to find out the highest emission.
4. Set the spectrum analyzer in the following setting in order to capture the lower and upper band-edges of the emission:
 - (a) PEAK: RBW=1MHz; VBW=3MHz; Sweep=AUTO
 - (b) AVERAGE: RBW=1MHz; VBW=10Hz; Sweep=AUTO


6.4. Test Results

Pass (The testing data was attached in the next pages.)




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2369.57	27.62	0.87	35.05	46.60	40.04	74.00	33.96	Peak
2	2390.00	27.71	0.87	35.04	46.44	39.98	74.00	34.02	Peak
3	2400.00	27.71	0.87	35.04	52.27	45.81	74.00	28.19	Peak
4	2410.86	27.77	0.87	35.04	96.20	89.80	74.00	-15.80	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2370.03	27.62	0.87	35.05	46.39	39.83	74.00	34.17	Peak
2	2390.00	27.71	0.87	35.04	45.05	38.59	74.00	35.41	Peak
3	2398.90	27.71	0.87	35.04	52.75	46.29	74.00	27.71	Peak
4	2400.00	27.71	0.87	35.04	51.27	44.81	74.00	29.19	Peak
5	2410.86	27.77	0.87	35.04	97.12	90.72	74.00	-16.72	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	33.24	26.78	54.00	27.22	Average
2	2399.24	27.71	0.87	35.04	48.44	41.98	54.00	12.02	Average
3	2400.00	27.71	0.87	35.04	45.33	38.87	54.00	15.13	Average
4	2411.32	27.77	0.87	35.04	93.34	86.94	54.00	-32.94	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	33.25	26.79	54.00	27.21	Average
2	2399.24	27.71	0.87	35.04	48.23	41.77	54.00	12.23	Average
3	2400.00	27.71	0.87	35.04	45.12	38.66	54.00	15.34	Average
4	2411.32	27.77	0.87	35.04	92.89	86.49	54.00	-32.49	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2461.22	27.93	0.88	35.02	95.59	89.38	54.00	-35.38	Average
2	2463.50	27.98	0.89	35.01	36.18	30.04	54.00	23.96	Average
3	2500.00	28.03	0.89	35.00	32.87	26.79	54.00	27.21	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2461.22	27.93	0.88	35.02	90.23	84.02	54.00	-30.02	Average
2	2463.50	27.98	0.89	35.01	34.21	28.07	54.00	25.93	Average
3	2500.00	28.03	0.89	35.00	32.92	26.84	54.00	27.16	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2460.68	27.93	0.88	35.02	94.82	88.61	74.00	-14.61	Peak
2	2463.50	27.98	0.89	35.01	46.41	40.27	74.00	33.73	Peak
3	2496.62	28.03	0.89	35.00	47.83	41.75	74.00	32.25	Peak
4	2500.00	28.03	0.89	35.00	45.05	38.97	74.00	35.03	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2460.68	27.93	0.88	35.02	100.31	94.10	74.00	-20.10	Peak
2	2463.50	27.98	0.89	35.01	47.06	40.92	74.00	33.08	Peak
3	2496.60	27.98	0.89	35.01	48.30	42.16	74.00	31.84	Peak
4	2500.00	28.03	0.89	35.00	44.39	38.31	74.00	35.69	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	52.39	45.93	74.00	28.07	Peak
2	2398.09	27.71	0.87	35.04	67.90	61.44	74.00	12.56	Peak
3	2400.00	27.71	0.87	35.04	68.51	62.05	74.00	11.95	Peak
4	2409.82	27.77	0.87	35.04	97.15	90.75	74.00	-16.75	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	54.08	47.62	74.00	26.38	Peak
2	2398.25	27.71	0.87	35.04	66.61	60.15	74.00	13.85	Peak
3	2400.00	27.71	0.87	35.04	75.03	68.57	74.00	5.43	Peak
4	2410.97	27.77	0.87	35.04	99.01	92.61	74.00	-18.61	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	37.55	31.09	54.00	22.91	Average
2	2400.00	27.71	0.87	35.04	54.47	48.01	54.00	5.99	Average
3	2410.97	27.77	0.87	35.04	87.42	81.02	54.00	-27.02	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	35.86	29.40	54.00	24.60	Average
2	2400.00	27.71	0.87	35.04	52.23	45.77	54.00	8.23	Average
3	2410.97	27.77	0.87	35.04	85.36	78.96	54.00	-24.96	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.86	27.93	0.88	35.02	97.76	91.55	74.00	-17.55	Peak
2	2463.50	27.98	0.89	35.01	58.37	52.23	74.00	21.77	Peak
3	2500.00	28.03	0.89	35.00	45.47	39.39	74.00	34.61	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2455.52	27.93	0.88	35.02	101.70	95.49	74.00	-21.49	Peak
2	2463.50	27.98	0.89	35.01	60.62	54.48	74.00	19.52	Peak
3	2500.00	28.03	0.89	35.00	45.37	39.29	74.00	34.71	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.86	27.93	0.88	35.02	89.82	83.61	54.00	-29.61	Average
2	2463.50	27.98	0.89	35.01	44.15	38.01	54.00	15.99	Average
3	2500.00	28.03	0.89	35.00	33.08	27.00	54.00	27.00	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2455.04	27.93	0.88	35.02	91.08	84.87	54.00	-30.87	Average
2	2463.50	27.98	0.89	35.01	43.74	37.60	54.00	16.40	Average
3	2500.00	28.03	0.89	35.00	30.90	24.82	54.00	29.18	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	55.55	49.09	74.00	24.91	Peak
2	2400.00	27.71	0.87	35.04	74.81	68.35	74.00	5.65	Peak
3	2407.52	27.77	0.87	35.04	96.90	90.50	74.00	-16.50	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2387.86	27.71	0.87	35.04	57.18	50.72	74.00	23.28	Peak
2	2390.00	27.71	0.87	35.04	56.13	49.67	74.00	24.33	Peak
3	2400.00	27.71	0.87	35.04	72.36	65.90	74.00	8.10	Peak
4	2409.25	27.77	0.87	35.04	97.75	91.35	74.00	-17.35	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	36.55	30.09	54.00	23.91	Average
2	2400.00	27.71	0.87	35.04	52.61	46.15	54.00	7.85	Average
3	2410.51	27.77	0.87	35.04	85.23	78.83	54.00	-24.83	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	37.61	31.15	54.00	22.85	Average
2	2400.00	27.71	0.87	35.04	53.52	47.06	54.00	6.94	Average
3	2410.51	27.77	0.87	35.04	86.32	79.92	54.00	-25.92	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.92	27.93	0.88	35.02	100.71	94.50	74.00	-20.50	Peak
2	2483.50	27.98	0.89	35.01	58.84	52.70	74.00	21.30	Peak
3	2484.14	27.98	0.89	35.01	59.18	53.04	74.00	20.96	Peak
4	2500.00	28.03	0.89	35.00	41.94	35.86	74.00	38.14	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2454.38	27.93	0.88	35.02	97.35	91.14	74.00	-17.14	Peak
2	2483.50	27.98	0.89	35.01	56.22	50.08	74.00	23.92	Peak
3	2484.32	27.98	0.89	35.01	57.51	51.37	74.00	22.63	Peak
4	2500.00	28.03	0.89	35.00	42.59	36.51	74.00	37.49	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2453.96	27.93	0.88	35.02	85.84	79.63	54.00	-25.63	Average
2	2483.50	27.98	0.89	35.01	41.48	35.34	54.00	18.66	Average
3	2500.00	28.03	0.89	35.00	30.80	24.72	54.00	29.28	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2453.96	27.93	0.88	35.02	88.89	82.68	54.00	-28.68	Peak
2	2483.50	27.98	0.89	35.01	43.16	37.02	54.00	16.98	Peak
3	2500.00	28.03	0.89	35.00	30.81	24.73	54.00	29.27	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2388.45	27.71	0.87	35.04	59.60	53.14	74.00	20.86	Peak
2	2390.00	27.71	0.87	35.04	58.48	52.02	74.00	21.98	Peak
3	2400.00	27.71	0.87	35.04	69.09	62.63	74.00	11.37	Peak
4	2411.50	27.77	0.87	35.04	95.47	89.07	74.00	-15.07	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2388.45	27.71	0.87	35.04	59.22	52.76	74.00	21.24	Peak
2	2390.00	27.71	0.87	35.04	60.80	54.34	74.00	19.66	Peak
3	2395.84	27.71	0.87	35.04	65.35	58.89	74.00	15.11	Peak
4	2400.00	27.71	0.87	35.04	69.63	63.17	74.00	10.83	Peak
5	2438.18	27.87	0.88	35.02	95.43	89.16	74.00	-15.16	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	44.97	38.51	54.00	15.49	Average
2	2400.00	27.71	0.87	35.04	54.83	48.37	54.00	5.63	Average
3	2439.34	27.87	0.88	35.02	83.47	77.20	54.00	-23.20	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2390.00	27.71	0.87	35.04	43.95	37.49	54.00	16.51	Peak
2	2400.00	27.71	0.87	35.04	53.62	47.16	54.00	6.84	Peak
3	2410.78	27.77	0.87	35.04	81.72	75.32	54.00	-21.32	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2449.61	27.87	0.88	35.02	98.36	92.09	74.00	-18.09	Peak
2	2483.50	27.98	0.89	35.01	67.28	61.14	74.00	12.86	Peak
3	2484.89	27.98	0.89	35.01	68.20	62.06	74.00	11.94	Peak
4	2500.00	28.03	0.89	35.00	42.17	36.09	74.00	37.91	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.




No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2448.26	27.87	0.88	35.02	99.95	93.68	74.00	-19.68	Peak
2	2483.50	27.98	0.89	35.01	65.26	59.12	74.00	14.88	Peak
3	2484.98	27.98	0.89	35.01	64.99	58.85	74.00	15.15	Peak
4	2500.00	28.03	0.89	35.00	45.44	39.36	74.00	34.64	Peak

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2449.43	27.87	0.88	35.02	87.80	81.53	54.00	-27.53	Average
2	2483.50	27.98	0.89	35.01	50.07	43.93	54.00	10.07	Average
3	2500.00	28.03	0.89	35.00	30.46	24.38	54.00	29.62	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.



No.	Freq. (MHz)	Ant. Factor (dB/m)	Cable Loss (dB)	AMP factor (dB)	Reading (dBuV)	Emission Level (dBuV/m)	Limits (dBuV/m)	Margin (dB)	Remark
1	2449.25	27.87	0.88	35.02	84.41	78.14	54.00	-24.14	Average
2	2483.50	27.98	0.89	35.01	47.47	41.33	54.00	12.67	Average
3	2500.00	28.03	0.89	35.00	30.64	24.56	54.00	29.44	Average

Remarks: 1. Emission Level= Antenna Factor + Cable Loss + Reading - Amp Factor
 2. The emission levels that are 20dB below the official limit are not reported.