

MOKO TECHNOLOGY LIMITED

Date (2025-06-23)

Federal Communications Commission
Equipment Authorization Branch
7435 Oakland Mills Road
Columbia, MD 21046

Modular Approval Request

FCC ID: 2AO94-MK18

The following attestation addresses the requirements to support modular approval:

Modular approval requirement	Yes (provide brief statement)	No *
(a) The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly	Yes. The model has a shielding cover.	
(b) The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal	Yes	
(c) The module must contain power supply regulation on the module	Yes. 1.7~3.6V	
(d) The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b)	Yes, It has a MK18A :PCB antenna, MK18B :FPC antenna. Buyers are free to match antenna types as follows: Button antenna, PCB antenna, ceramic antenna; The maximum antenna gain choose 5.03dbi.	
(e) The module must demonstrate compliance in a stand-alone configuration	Yes	
(f) The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements)	Yes, the FCC ID lable will be showed on the shielding cover.	
(g) The module must comply with all	Yes. ,it has been tested.	

specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements		
--	--	--

Modular approval requirement	Yes (provide brief statement)	No *
(h) The module must comply with RF exposure requirements	Yes ,it has been tested.	

* Please provide a detailed explanation if the answer is "No."

Sincerely,

Jinghui Chen

Signed:

Printed name: Jinghui.Chen

Title: SEO