



Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	51.58	25.02	2.34	38.35	40.59	68.20	-27.61	VERTICAL	Peak
2	1565.191	50.01	25.55	2.80	38.00	40.36	74.00	-33.64	VERTICAL	Peak
3	2990.531	51.81	28.39	3.79	37.25	46.74	68.20	-21.46	VERTICAL	Peak
4	4405.090	51.65	30.68	4.70	36.81	50.22	68.20	-17.98	VERTICAL	Peak
5	11570.000	39.70	39.78	8.38	37.14	50.72	74.00	-23.28	VERTICAL	Peak
6	17355.000	33.72	43.40	10.39	35.32	52.19	68.20	-16.01	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1210.174	49.68	24.74	2.33	38.39	38.36	74.00	-35.64	HORIZONTAL Peak
2	1692.231	50.13	25.70	2.80	37.89	40.74	74.00	-33.26	HORIZONTAL Peak
3	3415.787	50.04	28.85	4.13	36.97	46.05	68.20	-22.15	HORIZONTAL Peak
4	4443.453	50.47	30.73	4.83	36.81	49.22	68.20	-18.98	HORIZONTAL Peak
5	11650.000	39.64	39.65	8.35	37.13	50.51	74.00	-23.49	HORIZONTAL Peak
6	17475.000	32.73	43.90	10.77	35.32	52.08	68.20	-16.12	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	50.90	24.46	2.27	38.42	39.21	74.00	-34.79	VERTICAL	Peak
2	1520.598	50.60	25.51	2.80	38.07	40.84	74.00	-33.16	VERTICAL	Peak
3	3495.691	49.79	28.90	4.30	36.94	46.05	68.20	-22.15	VERTICAL	Peak
4	4291.977	50.85	30.45	4.64	36.81	49.13	74.00	-24.87	VERTICAL	Peak
5	11650.000	40.13	39.65	8.35	37.13	51.00	74.00	-23.00	VERTICAL	Peak
6	17475.000	32.20	43.90	10.77	35.32	51.55	68.20	-16.65	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna	Cable	Preamp		Limit	Over			
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1267.454	48.98	25.10	2.44	38.33	38.19	68.20	-30.01	HORIZONTAL	Peak
2	1520.598	50.61	25.51	2.80	38.07	40.85	74.00	-33.15	HORIZONTAL	Peak
3	3376.523	51.13	28.83	4.09	36.99	47.06	68.20	-21.14	HORIZONTAL	Peak
4	4443.453	51.12	30.73	4.83	36.81	49.87	68.20	-18.33	HORIZONTAL	Peak
5	11510.000	39.48	39.90	8.41	37.15	50.64	74.00	-23.36	HORIZONTAL	Peak
6	17265.000	34.30	43.21	10.24	35.33	52.42	68.20	-15.78	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1148.823	50.80	24.49	2.34	38.42	39.21	74.00	-34.79	VERTICAL	Peak
2	1629.825	49.83	25.61	2.80	37.95	40.29	68.20	-27.91	VERTICAL	Peak
3	2990.531	52.03	28.39	3.79	37.25	46.96	68.20	-21.24	VERTICAL	Peak
4	4443.453	49.73	30.73	4.83	36.81	48.48	68.20	-19.72	VERTICAL	Peak
5	11510.000	41.24	39.90	8.41	37.15	52.40	74.00	-21.60	VERTICAL	Peak
6	17265.000	33.21	43.21	10.24	35.33	51.33	68.20	-16.87	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1196.264	50.33	24.67	2.35	38.39	38.96	74.00	-35.04	HORIZONTAL	Peak
2	1687.347	50.00	25.69	2.80	37.91	40.58	74.00	-33.42	HORIZONTAL	Peak
3	3347.371	51.00	28.80	4.08	37.01	46.87	74.00	-27.13	HORIZONTAL	Peak
4	4392.376	50.45	30.66	4.70	36.81	49.00	74.00	-25.00	HORIZONTAL	Peak
5	11590.000	39.94	39.72	8.37	37.14	50.89	74.00	-23.11	HORIZONTAL	Peak
6	17385.000	33.97	43.57	10.53	35.32	52.75	68.20	-15.45	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1285.904	49.23	25.16	2.53	38.33	38.59	68.20	-29.61	VERTICAL	Peak
2	1556.169	50.46	25.54	2.80	38.03	40.77	74.00	-33.23	VERTICAL	Peak
3	2990.531	51.61	28.39	3.79	37.25	46.54	68.20	-21.66	VERTICAL	Peak
4	4430.628	50.70	30.72	4.78	36.81	49.39	68.20	-18.81	VERTICAL	Peak
5	11590.000	39.72	39.72	8.37	37.14	50.67	74.00	-23.33	VERTICAL	Peak
6	17385.000	33.93	43.57	10.53	35.32	52.71	68.20	-15.49	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




	ReadAntenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1213.677	50.75	24.77	2.32	38.37	39.47	74.00	-34.53	HORIZONTAL Peak
2	1644.019	49.35	25.63	2.80	37.93	39.85	68.20	-28.35	HORIZONTAL Peak
3	3495.691	50.40	28.90	4.30	36.94	46.66	68.20	-21.54	HORIZONTAL Peak
4	4157.664	50.99	30.06	4.60	36.80	48.85	74.00	-25.15	HORIZONTAL Peak
5	11490.000	40.21	39.90	8.41	37.15	51.37	74.00	-22.63	HORIZONTAL Peak
6	17235.000	34.89	43.01	10.08	35.33	52.65	68.20	-15.55	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1289.627	48.74	25.17	2.55	38.31	38.15	68.20	-30.05	VERTICAL	Peak
2	1583.392	49.57	25.56	2.80	38.00	39.93	74.00	-34.07	VERTICAL	Peak
3	3425.675	51.04	28.86	4.15	36.97	47.08	68.20	-21.12	VERTICAL	Peak
4	4341.886	50.33	30.57	4.67	36.81	48.76	74.00	-25.24	VERTICAL	Peak
5	11490.000	39.42	39.90	8.41	37.15	50.58	74.00	-23.42	VERTICAL	Peak
6	17235.000	34.36	43.01	10.08	35.33	52.12	68.20	-16.08	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




	ReadAntenna	Cable	Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1238.483	49.11	24.96	2.30	38.35	38.02	74.00	-35.98	HORIZONTAL Peak
2	1565.191	50.34	25.55	2.80	38.00	40.69	74.00	-33.31	HORIZONTAL Peak
3	3376.523	50.87	28.83	4.09	36.99	46.80	68.20	-21.40	HORIZONTAL Peak
4	4443.453	49.62	30.73	4.83	36.81	48.37	68.20	-19.83	HORIZONTAL Peak
5	11570.000	39.57	39.78	8.38	37.14	50.59	74.00	-23.41	HORIZONTAL Peak
6	17355.000	34.31	43.40	10.39	35.32	52.78	68.20	-15.42	HORIZONTAL Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
		Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1145.507	50.53	24.48	2.32	38.42	38.91	74.00	-35.09	VERTICAL	Peak
2	1629.825	50.24	25.61	2.80	37.95	40.70	68.20	-27.50	VERTICAL	Peak
3	3485.601	50.39	28.89	4.27	36.95	46.60	68.20	-21.60	VERTICAL	Peak
4	4456.315	49.60	30.75	4.88	36.81	48.42	68.20	-19.78	VERTICAL	Peak
5	11570.000	39.44	39.78	8.38	37.14	50.46	74.00	-23.54	VERTICAL	Peak
6	17355.000	33.50	43.40	10.39	35.32	51.97	68.20	-16.23	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1129.072	50.33	24.43	2.20	38.43	38.53	74.00	-35.47	HORIZONTAL	Peak
2	1677.621	50.08	25.68	2.80	37.91	40.65	74.00	-33.35	HORIZONTAL	Peak
3	3465.510	50.28	28.88	4.22	36.95	46.43	68.20	-21.77	HORIZONTAL	Peak
4	4417.841	50.03	30.70	4.74	36.81	48.66	68.20	-19.54	HORIZONTAL	Peak
5	11650.000	40.15	39.65	8.35	37.13	51.02	74.00	-22.98	HORIZONTAL	Peak
6	17475.000	32.01	43.90	10.77	35.32	51.36	68.20	-16.84	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1252.885	49.91	25.03	2.36	38.35	38.95	68.20	-29.25	VERTICAL	Peak
2	1697.129	49.85	25.71	2.80	37.89	40.47	74.00	-33.53	VERTICAL	Peak
3	2990.531	51.03	28.39	3.79	37.25	45.96	68.20	-22.24	VERTICAL	Peak
4	4405.090	49.98	30.68	4.70	36.81	48.55	68.20	-19.65	VERTICAL	Peak
5	11650.000	39.77	39.65	8.35	37.13	50.64	74.00	-23.36	VERTICAL	Peak
6	17475.000	32.39	43.90	10.77	35.32	51.74	68.20	-16.46	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	50.07	25.02	2.34	38.35	39.08	68.20	-29.12	HORIZONTAL	Peak
2	1625.121	49.97	25.61	2.80	37.95	40.43	74.00	-33.57	HORIZONTAL	Peak
3	3396.098	50.15	28.84	4.10	36.98	46.11	68.20	-22.09	HORIZONTAL	Peak
4	4443.453	49.82	30.73	4.83	36.81	48.57	68.20	-19.63	HORIZONTAL	Peak
5	11510.000	39.64	39.90	8.41	37.15	50.80	74.00	-23.20	HORIZONTAL	Peak
6	17265.000	33.84	43.21	10.24	35.33	51.96	68.20	-16.24	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1249.269	49.07	25.02	2.34	38.35	38.08	68.20	-30.12	VERTICAL	Peak
2	1560.673	50.15	25.54	2.80	38.03	40.46	74.00	-33.54	VERTICAL	Peak
3	3337.710	49.92	28.79	4.08	37.01	45.78	74.00	-28.22	VERTICAL	Peak
4	4430.628	49.70	30.72	4.78	36.81	48.39	68.20	-19.81	VERTICAL	Peak
5	11510.000	39.02	39.90	8.41	37.15	50.18	74.00	-23.82	VERTICAL	Peak
6	17265.000	33.39	43.21	10.24	35.33	51.51	68.20	-16.69	VERTICAL	Peak


Test Mode: 04; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: High



race: (Discrete)


		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1263.796	48.56	25.08	2.42	38.33	37.73	68.20	-30.47	HORIZONTAL	Peak
2	1551.677	49.84	25.54	2.80	38.03	40.15	74.00	-33.85	HORIZONTAL	Peak
3	3465.510	49.66	28.88	4.22	36.95	45.81	68.20	-22.39	HORIZONTAL	Peak
4	4230.396	50.30	30.26	4.61	36.81	48.36	74.00	-25.64	HORIZONTAL	Peak
5	11590.000	39.84	39.72	8.37	37.14	50.79	74.00	-23.21	HORIZONTAL	Peak
6	17385.000	33.12	43.57	10.53	35.32	51.90	68.20	-16.30	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High




	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1256.512	48.80	25.05	2.38	38.35	37.88	68.20	-30.32	VERTICAL	Peak
2	1529.414	49.44	25.52	2.80	38.07	39.69	74.00	-34.31	VERTICAL	Peak
3	2990.531	52.05	28.39	3.79	37.25	46.98	68.20	-21.22	VERTICAL	Peak
4	4181.768	50.73	30.12	4.60	36.80	48.65	74.00	-25.35	VERTICAL	Peak
5	11590.000	39.31	39.72	8.37	37.14	50.26	74.00	-23.74	VERTICAL	Peak
6	17385.000	32.96	43.57	10.53	35.32	51.74	68.20	-16.46	VERTICAL	Peak

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1217.190	50.12	24.79	2.32	38.37	38.86	74.00	-35.14	HORIZONTAL	Peak
2	1687.347	50.33	25.69	2.80	37.91	40.91	74.00	-33.09	HORIZONTAL	Peak
3	3495.691	49.58	28.90	4.30	36.94	45.84	68.20	-22.36	HORIZONTAL	Peak
4	4086.182	51.47	29.92	4.60	36.80	49.19	74.00	-24.81	HORIZONTAL	Peak
5	11550.000	39.92	39.84	8.40	37.14	51.02	74.00	-22.98	HORIZONTAL	Peak
6	17325.000	34.02	43.40	10.39	35.32	52.49	68.20	-15.71	HORIZONTAL	Peak

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



		Read	Antenna	Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1196.264	49.52	24.67	2.35	38.39	38.15	74.00	-35.85	VERTICAL	Peak
2	1677.621	49.71	25.68	2.80	37.91	40.28	74.00	-33.72	VERTICAL	Peak
3	3405.929	49.86	28.85	4.11	36.98	45.84	68.20	-22.36	VERTICAL	Peak
4	4430.628	50.46	30.72	4.78	36.81	49.15	68.20	-19.05	VERTICAL	Peak
5	11550.000	40.23	39.84	8.40	37.14	51.33	74.00	-22.67	VERTICAL	Peak
6	17325.000	33.70	43.40	10.39	35.32	52.17	68.20	-16.03	VERTICAL	Peak

8 Test Setup Photo

Refer to External and Setup Photos for GZCR2111021424AT.

9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for GZCR2111021424AT

10 Appendix

1. Duty Cycle

1.1 Ant1

1.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	T _{on} (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5240	100.000	100.000	100.00	0.00	0.00
		5260	100.000	100.000	100.00	0.00	0.00
		5300	100.000	100.000	100.00	0.00	0.00
		5320	100.000	100.000	100.00	0.00	0.00
		5500	100.000	100.000	100.00	0.00	0.00
		5580	100.000	100.000	100.00	0.00	0.00
		5700	100.000	100.000	100.00	0.00	0.00
		5745	100.000	100.000	100.00	0.00	0.00
		5785	100.000	100.000	100.00	0.00	0.00
		5825	100.000	100.000	100.00	0.00	0.00
802.11n (HT20)	SISO	5180	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5240	100.000	100.000	100.00	0.00	0.00
		5260	100.000	100.000	100.00	0.00	0.00
		5300	100.000	100.000	100.00	0.00	0.00
		5320	100.000	100.000	100.00	0.00	0.00
		5500	100.000	100.000	100.00	0.00	0.00
		5580	100.000	100.000	100.00	0.00	0.00
		5700	100.000	100.000	100.00	0.00	0.00
		5745	100.000	100.000	100.00	0.00	0.00
		5785	100.000	100.000	100.00	0.00	0.00
		5825	100.000	100.000	100.00	0.00	0.00
802.11n (HT40)	SISO	5190	100.000	100.000	100.00	0.00	0.00
		5230	100.000	100.000	100.00	0.00	0.00
		5270	100.000	100.000	100.00	0.00	0.00
		5310	100.000	100.000	100.00	0.00	0.00
		5510	100.000	100.000	100.00	0.00	0.00
		5550	100.000	100.000	100.00	0.00	0.00




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

		5670	100.000	100.000	100.00	0.00	0.00
		5755	100.000	100.000	100.00	0.00	0.00
		5795	100.000	100.000	100.00	0.00	0.00
802.11ac (VHT20)	SISO	5180	100.000	100.000	100.00	0.00	0.00
		5200	100.000	100.000	100.00	0.00	0.00
		5240	100.000	100.000	100.00	0.00	0.00
		5260	100.000	100.000	100.00	0.00	0.00
		5300	100.000	100.000	100.00	0.00	0.00
		5320	100.000	100.000	100.00	0.00	0.00
		5500	100.000	100.000	100.00	0.00	0.00
		5580	100.000	100.000	100.00	0.00	0.00
		5700	100.000	100.000	100.00	0.00	0.00
		5745	100.000	100.000	100.00	0.00	0.00
		5785	100.000	100.000	100.00	0.00	0.00
		5825	100.000	100.000	100.00	0.00	0.00
802.11ac (VHT40)	SISO	5190	100.000	100.000	100.00	0.00	0.00
		5230	100.000	100.000	100.00	0.00	0.00
		5270	100.000	100.000	100.00	0.00	0.00
		5310	100.000	100.000	100.00	0.00	0.00
		5510	100.000	100.000	100.00	0.00	0.00
		5550	100.000	100.000	100.00	0.00	0.00
		5670	100.000	100.000	100.00	0.00	0.00
		5755	100.000	100.000	100.00	0.00	0.00
		5795	100.000	100.000	100.00	0.00	0.00
802.11ac (VHT80)	SISO	5210	100.000	100.000	100.00	0.00	0.00
		5290	100.000	100.000	100.00	0.00	0.00
		5530	100.000	100.000	100.00	0.00	0.00
		5610	100.000	100.000	100.00	0.00	0.00
		5775	100.000	100.000	100.00	0.00	0.00


1.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11a_LCH_5260MHz_Ant1_NTNV




802.11a_MCH_5300MHz_Ant1_NTNV




802.11a_HCH_5320MHz_Ant1_NTNV




802.11a_LCH_5500MHz_Ant1_NTNV




802.11a_MCH_5580MHz_Ant1_NTNV




802.11a_HCH_5700MHz_Ant1_NTNV




802.11a_LCH_5745MHz_Ant1_NTNV




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5260MHz_Ant1_NTNV




802.11n(HT20)_MCH_5300MHz_Ant1_NTNV




802.11n(HT20)_HCH_5320MHz_Ant1_NTNV




802.11n(HT20)_LCH_5500MHz_Ant1_NTNV




802.11n(HT20)_MCH_5580MHz_Ant1_NTNV




802.11n(HT20)_HCH_5700MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5270MHz_Ant1_NTNV




802.11n(HT40)_HCH_5310MHz_Ant1_NTNV




802.11n(HT40)_LCH_5510MHz_Ant1_NTNV




802.11n(HT40)_MCH_5550MHz_Ant1_NTNV




802.11n(HT40)_HCH_5670MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV



802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV

